

CALIBRATION CHART FOR 9 KL HORIZONTAL TANK



RADIUS	100.00
LENGTH	300.00

DIP	VOLUME	DIP	VOLUME	DIP	VOLUME	DIP	VOLUME	DIP	VOLUME
1.00	5.65	27.00	760.67	55.00	2106.50	83.00	3697.32	111.00	5371.06
2.00	15.95	28.00	802.00	56.00	2160.24	84.00	3756.50	112.00	5430.66
3.00	29.26	29.00	843.94	57.00	2214.26	85.00	3815.78	113.00	5490.19
4.00	44.98	30.00	886.50	58.00	2268.57	86.00	3875.14	114.00	5549.64
5.00	62.77	31.00	929.64	59.00	2323.16	87.00	3934.59	115.00	5609.00
6.00	82.39	32.00	973.35	60.00	2378.02	88.00	3994.12	116.00	5668.28
7.00	103.66	33.00	1017.62	61.00	2433.14	89.00	4053.72	117.00	5727.45
8.00	126.45	34.00	1062.43	62.00	2488.52	90.00	4113.39	118.00	5786.53
9.00	150.66	35.00	1107.76	63.00	2544.14	91.00	4173.12	119.00	5845.49
10.00	176.18	36.00	1153.61	64.00	2600.00	92.00	4232.90	120.00	5904.34
11.00	202.94	37.00	1199.96	65.00	2656.09	93.00	4292.73	121.00	5963.07
12.00	230.87	38.00	1246.80	66.00	2712.40	94.00	4352.61	122.00	6021.66
13.00	259.92	39.00	1294.11	67.00	2768.94	95.00	4412.51	123.00	6080.12
14.00	290.02	40.00	1341.89	68.00	2825.68	96.00	4472.45	124.00	6138.44
15.00	321.14	41.00	1390.11	69.00	2882.62	97.00	4532.42	125.00	6196.61
16.00	353.22	42.00	1438.77	70.00	2939.77	98.00	4592.40	126.00	6254.63
17.00	386.24	43.00	1487.86	71.00	2997.10	99.00	4652.39	127.00	6312.48
18.00	420.14	44.00	1537.36	72.00	3054.61	100.00	4712.39	128.00	6370.17
19.00	454.91	45.00	1587.27	73.00	3112.29	101.00	4772.39	129.00	6427.68
20.00	490.50	46.00	1637.58	74.00	3170.15	102.00	4832.38	130.00	6485.01
21.00	526.90	47.00	1688.27	75.00	3228.16	103.00	4892.36	131.00	6542.15
22.00	564.07	48.00	1739.34	76.00	3286.33	104.00	4952.32	132.00	6599.10
23.00	601.98	49.00	1790.77	77.00	3344.65	105.00	5012.26	133.00	6655.84
24.00	640.63	50.00	1842.55	78.00	3403.12	106.00	5072.17	134.00	6712.37
25.00	679.97	51.00	1894.69	79.00	3461.71	107.00	5132.05	135.00	6768.69
26.00	719.99	52.00	1947.16	80.00	3520.44	108.00	5191.88	136.00	6824.78
27.00	760.67	53.00	1999.96	81.00	3579.29	109.00	5251.66	137.00	6880.64
28.00	802.00	54.00	2053.08	82.00	3638.25	110.00	5311.39	138.00	6936.26

DIP	VOLUME	DIP	VOLUME	DIP	VOLUME	DIP	VOLUME
110.00	5311.39	139.00	6991.64	168.00	8451.43	197.00	9395.52
111.00	5371.06	140.00	7046.76	169.00	8495.14	198.00	9408.83
112.00	5430.66	141.00	7101.62	170.00	8538.28	199.00	9419.13
113.00	5490.19	142.00	7156.21	171.00	8580.83	200.00	9424.78
114.00	5549.64	143.00	7210.52	172.00	8622.78		
115.00	5609.00	144.00	7264.54	173.00	8664.10		
116.00	5668.28	145.00	7318.27	174.00	8704.79		
117.00	5727.45	146.00	7371.70	175.00	8744.81		
118.00	5786.53	147.00	7424.82	176.00	8784.15		
119.00	5845.49	148.00	7477.62	177.00	8822.79		
120.00	5904.34	149.00	7530.09	178.00	8860.71		
121.00	5963.07	150.00	7582.22	179.00	8897.88		
122.00	6021.66	151.00	7634.01	180.00	8934.27		
123.00	6080.12	152.00	7685.44	181.00	8969.87		
124.00	6138.44	153.00	7736.51	182.00	9004.64		
125.00	6196.61	154.00	7787.20	183.00	9038.54		
126.00	6254.63	155.00	7837.50	184.00	9071.56		
127.00	6312.48	156.00	7887.41	185.00	9103.64		
128.00	6370.17	157.00	7936.92	186.00	9134.76		
129.00	6427.68	158.00	7986.01	187.00	9164.86		
130.00	6485.01	159.00	8034.67	188.00	9193.91		
131.00	6542.15	160.00	8082.89	189.00	9221.84		
132.00	6599.10	161.00	8130.67	190.00	9248.60		
133.00	6655.84	162.00	8177.98	191.00	9274.12		
134.00	6712.37	163.00	8224.81	192.00	9298.33		
135.00	6768.69	164.00	8271.16	193.00	9321.12		
136.00	6824.78	165.00	8317.01	194.00	9342.39		
137.00	6880.64	166.00	8362.35	195.00	9362.01		
138.00	6936.26	167.00	8407.16	196.00	9379.80		



CALIBRATION CHART FOR 16 KL HORIZONTAL TANK



RADIUS 100

LENGTH 550

DIP	VOLUME	DIP	VOLUME	DIP	VOLUME	DIP	VOLUME
1.00	10.36	27.00	1394.57	55.00	3861.92	83.00	6778.43
2.00	29.25	28.00	1470.33	56.00	3960.43	84.00	6886.92
3.00	53.65	29.00	1547.23	57.00	4059.48	85.00	6995.59
4.00	82.47	30.00	1625.24	58.00	4159.05	86.00	7104.43
5.00	115.08	31.00	1704.33	59.00	4259.13	87.00	7213.42
6.00	151.04	32.00	1784.47	60.00	4359.70	88.00	7322.55
7.00	190.04	33.00	1865.63	61.00	4460.76	89.00	7431.82
8.00	231.83	34.00	1947.78	62.00	4562.28	90.00	7541.22
9.00	276.20	35.00	2030.90	63.00	4664.25	91.00	7650.72
10.00	322.99	36.00	2114.96	64.00	4766.66	92.00	7760.32
11.00	372.05	37.00	2199.93	65.00	4869.50	93.00	7870.01
12.00	423.27	38.00	2285.80	66.00	4972.74	94.00	7979.78
13.00	476.51	39.00	2372.54	67.00	5076.38	95.00	8089.61
14.00	531.71	40.00	2460.12	68.00	5180.41	96.00	8199.50
15.00	588.75	41.00	2548.53	69.00	5284.81	97.00	8309.43
16.00	647.57	42.00	2637.75	70.00	5389.57	98.00	8419.39
17.00	708.10	43.00	2727.74	71.00	5494.67	99.00	8529.38
18.00	770.26	44.00	2818.50	72.00	5600.11	100.00	8639.38
19.00	834.00	45.00	2910.00	73.00	5705.87	101.00	8749.38
20.00	899.26	46.00	3002.23	74.00	5811.94	102.00	8859.37
21.00	965.98	47.00	3095.16	75.00	5918.30	103.00	8969.33
22.00	1034.12	48.00	3188.78	76.00	6024.95	104.00	9079.26
23.00	1103.64	49.00	3283.07	77.00	6131.87	105.00	9189.15
24.00	1174.48	50.00	3378.02	78.00	6239.05	106.00	9298.98
25.00	1246.61	51.00	3473.59	79.00	6346.47	107.00	9408.75
26.00	1319.98	52.00	3569.79	80.00	6454.14	108.00	9518.44
27.00	1394.57	53.00	3666.59	81.00	6562.02	109.00	9628.04
28.00	1470.33	54.00	3763.97	82.00	6670.12	110.00	9737.54

DIP	VOLUME	DIP	VOLUME	DIP	VOLUME
110.00	9737.54	139.00	12818.00	168.00	15494.29
111.00	9846.94	140.00	12919.06	169.00	15574.43
112.00	9956.20	141.00	13019.63	170.00	15653.52
113.00	10065.34	142.00	13119.71	171.00	15731.53
114.00	10174.33	143.00	13219.28	172.00	15808.43
115.00	10283.17	144.00	13318.33	173.00	15884.19
116.00	10391.84	145.00	13416.83	174.00	15958.78
117.00	10500.33	146.00	13514.79	175.00	16032.15
118.00	10608.64	147.00	13612.17	176.00	16104.28
119.00	10716.74	148.00	13708.97	177.00	16175.12
120.00	10824.62	149.00	13805.17	178.00	16244.64
121.00	10932.29	150.00	13900.74	179.00	16312.78
122.00	11039.71	151.00	13995.69	180.00	16379.50
123.00	11146.89	152.00	14089.98	181.00	16444.76
124.00	11253.81	153.00	14183.60	182.00	16508.50
125.00	11360.46	154.00	14276.53	183.00	16570.66
126.00	11466.82	155.00	14368.76	184.00	16631.19
127.00	11572.89	156.00	14460.26	185.00	16690.01
128.00	11678.65	157.00	14551.02	186.00	16747.05
129.00	11784.08	158.00	14641.01	187.00	16802.25
130.00	11889.19	159.00	14730.23	188.00	16855.49
131.00	11993.95	160.00	14818.64	189.00	16906.70
132.00	12098.35	161.00	14906.22	190.00	16955.77
133.00	12202.37	162.00	14992.96	191.00	17002.56
134.00	12306.02	163.00	15078.82	192.00	17046.93
135.00	12409.26	164.00	15163.80	193.00	17088.72
136.00	12512.10	165.00	15247.86	194.00	17127.72
137.00	12614.51	166.00	15330.98	195.00	17163.68
138.00	12716.48	167.00	15413.13		



CALIBRATION CHART FOR 22 KL HORIZONTAL TANK



RADIUS	113.5
LENGTH	600

DIP	VOLUME	DIP	VOLUME	DIP	VOLUME	DIP	VOLUME
1.00	12.04	27.00	1629.33	55.00	4541.91	83.00	8037.69
2.00	34.00	28.00	1718.22	56.00	4658.98	84.00	8169.04
3.00	62.38	29.00	1808.47	57.00	4776.76	85.00	8300.72
4.00	95.91	30.00	1900.07	58.00	4895.23	86.00	8432.71
5.00	133.87	31.00	1992.96	59.00	5014.37	87.00	8565.00
6.00	175.73	32.00	2087.13	60.00	5134.16	88.00	8697.58
7.00	221.15	33.00	2182.54	61.00	5254.60	89.00	8830.43
8.00	269.83	34.00	2279.15	62.00	5375.67	90.00	8963.55
9.00	321.54	35.00	2376.94	63.00	5497.34	91.00	9096.93
10.00	376.08	36.00	2475.88	64.00	5619.61	92.00	9230.54
11.00	433.29	37.00	2575.95	65.00	5742.46	93.00	9364.39
12.00	493.02	38.00	2677.10	66.00	5865.88	94.00	9498.46
13.00	555.15	39.00	2779.33	67.00	5989.86	95.00	9632.74
14.00	619.57	40.00	2882.60	68.00	6114.37	96.00	9767.21
15.00	686.18	41.00	2986.89	69.00	6239.41	97.00	9901.88
16.00	754.88	42.00	3092.18	70.00	6364.96	98.00	10036.71
17.00	825.60	43.00	3198.44	71.00	6491.00	99.00	10171.72
18.00	898.26	44.00	3305.65	72.00	6617.53	100.00	10306.88
19.00	972.78	45.00	3413.79	73.00	6744.54	101.00	10442.18
20.00	1049.11	46.00	3522.84	74.00	6872.00	102.00	10577.62
21.00	1127.19	47.00	3632.78	75.00	6999.90	103.00	10713.18
22.00	1206.95	48.00	3743.58	76.00	7128.24	104.00	10848.85
23.00	1288.35	49.00	3855.23	77.00	7257.00	105.00	10984.62
24.00	1371.33	50.00	3967.71	78.00	7386.17	106.00	11120.48
25.00	1455.85	51.00	4081.00	79.00	7515.73	107.00	11256.42
26.00	1541.87	52.00	4195.09	80.00	7645.68	108.00	11392.43
27.00	1629.33	53.00	4309.94	81.00	7775.99	109.00	11528.50
28.00	1718.22	54.00	4425.56	82.00	7906.67	110.00	11664.61
DIP	VOLUME	DIP	VOLUME	DIP	VOLUME	DIP	VOLUME
110.00	11664.61	139.00	15584.89	168.00	19268.10	197.00	22382.40
111.00	11800.76	140.00	15717.47	169.00	19387.24	198.00	22474.00
112.00	11936.94	141.00	15849.76	170.00	19505.71	199.00	22564.25
113.00	12073.13	142.00	15981.75	171.00	19623.49	200.00	22653.14
114.00	12209.33	143.00	16113.43	172.00	19740.56	201.00	22740.60
115.00	12345.53	144.00	16244.78	173.00	19856.91	202.00	22826.62
116.00	12481.71	145.00	16375.80	174.00	19972.53	203.00	22911.14
117.00	12617.86	146.00	16506.48	175.00	20087.38	204.00	22994.12
118.00	12753.97	147.00	16636.79	176.00	20201.46	205.00	23075.52
119.00	12890.04	148.00	16766.74	177.00	20314.76	206.00	23155.28
120.00	13026.05	149.00	16896.30	178.00	20427.24	207.00	23233.36
121.00	13161.99	150.00	17025.47	179.00	20538.89	208.00	23309.69
122.00	13297.85	151.00	17154.23	180.00	20649.69	209.00	23384.21
123.00	13433.62	152.00	17282.57	181.00	20759.63	210.00	23456.87
124.00	13569.29	153.00	17410.47	182.00	20868.68	211.00	23527.59
125.00	13704.85	154.00	17537.93	183.00	20976.82	212.00	23596.29
126.00	13840.29	155.00	17664.94	184.00	21084.03	213.00	23662.90
127.00	13975.59	156.00	17791.47	185.00	21190.29		
128.00	14110.75	157.00	17917.51	186.00	21295.58		
129.00	14245.75	158.00	18043.06	187.00	21399.87		
130.00	14380.59	159.00	18168.10	188.00	21503.14		
131.00	14515.26	160.00	18292.61	189.00	21605.37		
132.00	14649.73	161.00	18416.58	190.00	21706.52		
133.00	14784.01	162.00	18540.00	191.00	21806.58		
134.00	14918.08	163.00	18662.86	192.00	21905.53		
135.00	15051.93	164.00	18785.13	193.00	22003.32		
136.00	15185.54	165.00	18906.80	194.00	22099.93		
137.00	15318.92	166.00	19027.87	195.00	22195.34		
138.00	15452.04	167.00	19148.31	196.00	22289.51		



CALIBRATION CHART FOR 35 KL HORIZONTAL TANK



DIA	226
LENGTH	661

DIP	VOLUME	DIFF.	DIP	VOLUME	DIFF.	DIP	VOLUME	DIFF.	DIP	VOLUME	DIFF.
1.00	14.29	1.43	41.00	3591.12	12.63	81.00	9456.32	16.15	121.00	16250.74	17.50
2.00	40.43	2.61	42.00	3718.65	12.75	82.00	9618.36	16.20	122.00	16425.83	17.51
3.00	74.23	3.38	43.00	3847.43	12.88	83.00	9780.94	16.26	123.00	16601.03	17.52
4.00	114.20	4.00	44.00	3977.41	13.00	84.00	9944.06	16.31	124.00	16776.34	17.53
5.00	159.46	4.53	45.00	4108.59	13.12	85.00	10107.71	16.36	125.00	16951.73	17.54
6.00	209.41	5.00	46.00	4240.93	13.23	86.00	10271.87	16.42	126.00	17127.20	17.55
7.00	263.62	5.42	47.00	4374.42	13.35	87.00	10436.52	16.47	127.00	17302.75	17.55
8.00	321.75	5.81	48.00	4509.03	13.46	88.00	10601.67	16.51	128.00	17478.35	17.56
9.00	383.52	6.18	49.00	4644.74	13.57	89.00	10767.29	16.56	129.00	17654.00	17.57
10.00	448.70	6.52	50.00	4781.52	13.68	90.00	10933.37	16.61	130.00	17829.69	17.57
11.00	517.10	6.84	51.00	4919.36	13.78	91.00	11099.91	16.65	131.00	18005.42	17.57
12.00	588.54	7.14	52.00	5058.23	13.89	92.00	11266.88	16.70	132.00	18181.16	17.57
13.00	662.88	7.43	53.00	5198.12	13.99	93.00	11434.28	16.74	133.00	18356.91	17.58
14.00	739.99	7.71	54.00	5339.01	14.09	94.00	11602.10	16.78	134.00	18532.66	17.58
15.00	819.75	7.98	55.00	5480.87	14.19	95.00	11770.33	16.82	135.00	18708.40	17.57
16.00	902.05	8.23	56.00	5623.69	14.28	96.00	11938.95	16.86	136.00	18884.13	17.57
17.00	986.80	8.47	57.00	5767.44	14.38	97.00	12107.95	16.90	137.00	19059.82	17.57
18.00	1073.91	8.71	58.00	5912.12	14.47	98.00	12277.32	16.94	138.00	19235.47	17.57
19.00	1163.29	8.94	59.00	6057.70	14.56	99.00	12447.06	16.97	139.00	19411.07	17.56
20.00	1254.87	9.16	60.00	6204.17	14.65	100.00	12617.14	17.01	140.00	19586.62	17.55
21.00	1348.58	9.37	61.00	6351.50	14.73	101.00	12787.57	17.04	141.00	19762.09	17.55
22.00	1444.36	9.58	62.00	6499.69	14.82	102.00	12958.32	17.08	142.00	19937.48	17.54
23.00	1542.14	9.78	63.00	6648.70	14.90	103.00	13129.38	17.11	143.00	20112.79	17.53
24.00	1641.86	9.97	64.00	6798.54	14.98	104.00	13300.76	17.14	144.00	20287.99	17.52
25.00	1743.48	10.16	65.00	6949.18	15.06	105.00	13472.43	17.17	145.00	20463.09	17.51
26.00	1846.94	10.35	66.00	7100.61	15.14	106.00	13644.38	17.20	146.00	20638.06	17.50
27.00	1952.18	10.52	67.00	7252.81	15.22	107.00	13816.61	17.22	147.00	20812.90	17.48
28.00	2059.17	10.70	68.00	7405.76	15.30	108.00	13989.10	17.25	148.00	20987.61	17.47
29.00	2167.86	10.87	69.00	7559.45	15.37	109.00	14161.84	17.27	149.00	21162.16	17.46
30.00	2278.22	11.04	70.00	7713.87	15.44	110.00	14334.83	17.30	150.00	21336.56	17.44
31.00	2390.18	11.20	71.00	7869.00	15.51	111.00	14508.05	17.32	151.00	21510.78	17.42
32.00	2503.73	11.35	72.00	8024.83	15.58	112.00	14681.49	17.34	152.00	21684.83	17.40
33.00	2618.82	11.51	73.00	8181.34	15.65	113.00	14855.14	17.37	153.00	21858.68	17.39
34.00	2735.42	11.66	74.00	8338.51	15.72	114.00	15028.99	17.39	154.00	22032.33	17.37
35.00	2853.50	11.81	75.00	8496.35	15.78	115.00	15203.04	17.40	155.00	22205.77	17.34
36.00	2973.01	11.95	76.00	8654.82	15.85	116.00	15377.26	17.42	156.00	22378.99	17.32
37.00	3093.93	12.09	77.00	8813.92	15.91	117.00	15551.66	17.44	157.00	22551.98	17.30
38.00	3216.24	12.23	78.00	8973.63	15.97	118.00	15726.21	17.46	158.00	22724.72	17.27
39.00	3339.89	12.37	79.00	9133.94	16.03	119.00	15900.92	17.47	159.00	22897.21	17.25
40.00	3464.86	12.50	80.00	9294.84	16.09	120.00	16075.76	17.48	160.00	23069.44	17.22
41.00	3591.12	12.63	81.00	9456.32	16.15	121.00	16250.74	17.50	161.00	23241.39	17.20

DIP	VOLUME	DIFF.	DIP	VOLUME	DIFF.	DIP	VOLUME	DIFF.
161.00	23241.39	17.20	201.00	29764.64	15.14	242.00	35071.96	20.51
162.00	23413.06	17.17	202.00	29915.28	15.06	243.00	35171.68	9.97
163.00	23584.44	17.14	203.00	30065.12	14.98	244.00	35269.46	9.78
164.00	23755.50	17.11	204.00	30214.13	14.90	245.00	35365.24	9.58
165.00	23926.25	17.08	205.00	30362.32	14.82	246.00	35458.95	9.37
166.00	24096.68	17.04	206.00	30509.65	14.73	247.00	35550.53	9.16
167.00	24266.76	17.01	207.00	30656.12	14.65	248.00	35639.91	8.94
168.00	24436.50	16.97	208.00	30801.70	14.56	249.00	35727.02	8.71
169.00	24605.87	16.94	209.00	30946.38	14.47	250.00	35811.77	8.47
170.00	24774.87	16.90	210.00	31090.13	14.38	251.00	35894.07	8.23
171.00	24943.49	16.86	211.00	31232.95	14.28	252.00	35973.83	7.98
172.00	25111.72	16.82	212.00	31374.81	14.19	253.00	36050.94	7.71
173.00	25279.54	16.78	213.00	31515.70	14.09	254.00	36125.28	7.43
174.00	25446.94	16.74	214.00	31655.59	13.99	255.00	36196.73	7.14
175.00	25613.91	16.70	215.00	31794.46	13.89	256.00	36265.12	6.84
176.00	25780.45	16.65	216.00	31932.30	13.78	257.00	36330.30	6.52
177.00	25946.53	16.61	217.00	32069.08	13.68	258.00	36392.07	6.18
178.00	26112.15	16.56	218.00	32204.79	13.57	259.00	36450.20	5.81
179.00	26277.30	16.51	219.00	32339.40	13.46	260.00	36504.41	5.42
180.00	26441.95	16.47	220.00	32472.89	13.35	261.00	36554.37	5.00
181.00	26606.11	16.42	221.00	32605.23	13.23	262.00	36599.62	4.53
182.00	26769.76	16.36	222.00	32736.41	13.12	263.00	36639.59	4.00
183.00	26932.88	16.31	223.00	32866.39	13.00	264.00	36673.39	3.38
184.00	27095.46	16.26	224.00	32995.17	12.88	265.00	36699.53	2.61
185.00	27257.50	16.20	225.00	33122.70	12.75	266.00	36713.82	1.43
186.00	27418.98	16.15	226.00	33248.96	12.63			
187.00	27579.88	16.09	227.00	33373.93	12.50			
188.00	27740.19	16.03	228.00	33497.59	12.37			
189.00	27899.90	15.97	229.00	33619.89	12.23			
190.00	28059.00	15.91	230.00	33740.81	12.09			
191.00	28217.47	15.85	231.00	33860.32	11.95			
192.00	28375.31	15.78	232.00	33978.40	11.81			
193.00	28532.48	15.72	233.00	34095.00	11.66			
194.00	28688.99	15.65	234.00	34210.09	11.51			
195.00	28844.82	15.58	235.00	34323.64	11.35			
196.00	28999.95	15.51	236.00	34435.61	11.20			
197.00	29154.37	15.44	237.00	34545.96	11.04			
198.00	29308.06	15.37	238.00	34654.65	10.87			
199.00	29461.01	15.30	239.00	34761.64	10.70			
200.00	29613.21	15.22	240.00	34866.89	10.52			
201.00	29764.64	15.14	241.00	34970.34	10.35			

