

A Appendix

Table A1. Modifier Support Page Operation and API mutations

| Page Operation | | | |
|----------------|--------------|-----------------|--|
| Category | Sub-Category | APIs | ARGs |
| Page-Tree | - | BalancePageTree | Options(int32) |
| | Page | NewPage | - |
| | | NewPages | PageCount(int32) |
| | | ClonePages | StartPage(int32), EndPage(int32), RepeatCoun(int32) |
| | | InsertPage | StartPage(int32), PageCount(int32) |
| | | MovePage | NewPosition(int32) |
| | | SelectPage | PageNumber(int32) |
| | | DeletePages | StartPage(int32), PageCount(int32) |
| | | HidePage | - |
| | Page-Box | SetPageBox | BoxType(int32), Left(double), Top(double), Width(double), Height(double) |
| | Page-Matrix | AddPageMatrix | xscale(double), yscale(double), xoffset(double), yoffset(double) |

Table A2. Modifier Support Object Operation and API mutations

| Object Operation | | | |
|------------------|--------------|-----------------------|--|
| Category | Sub-Category | APIs | ARGs |
| Table | - | CreateTable | RowCount(int32), ColumnCount(int32) |
| | Row | InsertTableRows | TableID(int32), Position(int32), NewRowCount(int32) |
| | | AppendTableRows | TableID(int32), NewColumnCount(int32) |
| | | DrawTableRows | TableID(int32), Left(double), Top(double), Height(double), FirstRow(int32), LastRow(int32) |
| | Column | InsertTableColumns | TableID(int32), Position(int32), NewColumnCount(int32) |
| | | AppendTableColumns | TableID(int32), NewColumnCount(int32) |
| | Cell | SetTableCellContent | TableID(int32), RowNumber(int32), ColumnNumber(int32), HTMLText(unistr) |
| | | MergeTableCells | TableID(int32), FirstRow(int32), FirstColumn(int32), LastRow(int32), LastColumn(int32) |
| Form | - | NewFormField | Title(unistr), FieldType(int32) : 1 = Text 2 = Pushbutton 3 = Checkbox 4 = Radiobutton 5 = Choice 6 = Signature 7 = Parent |
| | | AddFormFieldSub | Index(int32), SubName(unistr) |
| Vector Graphic | Circle | DrawCircle | XPos(double), YPos(double), Radius(double), Radius(double), DrawOptions(int32) |
| | Box | DrawBox | Left(double), Top(double), Width(double), Height(double), DrawOptions(int32) |
| | | DrawRoundedBox | Left(double), Top(double), Width(double), Height(double), Radius(double), DrawOptions(int32) |
| | | DrawRoundedRotatedBox | Left(double), Bottom(double), Width(double), Height(double), Radius(double), Angle(double), DrawOptions(int32) |
| | Ellipse | DrawEllipse | XPos(double), YPos(double), Width(double), Height(double), DrawOptions(int32) |
| | | DrawEllipticArc | XPos(double), YPos(double), Width(double), Height(double), StarAngle(double), EndAngle(double), Pie(int32), DrawOptions(int32) |
| | Line | DrawLine | StartX(double), StartY(double), EndX(double), EndY(double) |
| | Arc | DrawArc | XPos(double), YPos(double), Radius(double), StartAngle(double), EndAngle(double), Pie(int32), DrawOption(int32) |
| | Path | StartPath | Options(int32) |
| | | AddLineToPath | EndX(double), EndY(double) |
| | | AddArcToPath | CenterX(double0, CenterY(double), TotalAngle(double) |
| | | AddBoxToPath | Left(double), Top(double), Width(double), Height(double) |
| | | DrawPath | PathOptions(int32) |
| | | DrawPathEvenOdd | PathOptions(int32) |
| | QRCode | ClosePath | - |
| | | DrawQRCode | Left(double), Top(double), SymbolSize(double), Text(unistr), EncodeOptions(int32), DrawOptions(int32) |
| | BarCode | DrawBarcode | Left(double), Top(double), Width(double), Height(double), Text(unistr), Barcode(int32), Options(int32) |
| Text | - | DrawText | XPos(double), YPos(double), Text(unistr) |
| | | DrawSpacedText | XPos(double), YPos(double), Spacing(double), Text(unistr) |
| | | DrawWrappedText | Xpos(double), YPos(double), Width(double), Text(unistr) |
| | | DrawHTMLText | Left(double), Top(double), Width(double), HTMLText(unistr) |
| | Text-Box | DrawTextBox | Left(double), Top(double), Width(double), Height(double), Text(unistr), Options(int32) |
| | Text-Matrix | DrawTextBoxMatrix | Width(double), Height(double), Text(unistr), Options(int32) |

Table A3. Modifier Support Attribute Operation and API mutations

| Attribute Operation | | | |
|---------------------|---------------|-----------------------------|---|
| Page | Dimension | SetPageSize | PaperName(unistr) |
| | | SetPageDimensions | NewPageWidth(double), NewPageHeight(double) |
| | Angle | RotatePage | PageRotation(int32) |
| Table | Dimension | SetTableColumnWidth | TableID(int32), FirstColumn(int32), LastColumn(int32), NewWidth(double) |
| | | SetTableRowHeight | TableID(int32), FirstRow(int32), LastRow(int32), NewHeight(double) |
| | Color | SetTableCellBackgroundColor | TableID(int32), FirstRow(int32), FirstColumn(int32), LastRow(int32), Red(double), Green(double), Blue(double) |
| | | SetTableCellTextColor | TableID(int32), FirstRow(int32), FirstColumn(int32), LastRow(int32), LastColumn(int32), Red(double), Green(double), Blue(double) |
| | | SetTableBorderColor | TableID(int32), BorderIndex(int32), Red(double), Green(double), Blue(double) |
| | | SetTableCellBorderColor | TableID(int32), FirstRow(int32), FirstColumn(int32), LastRow(int32), LastColumn(int32), BorderIndex(int32), Red(double), Green (double), Blue(double) |
| | Text-Size | SetTableCellTextSize | TableID(int32), FirstRow(int32), FirstColumn(int32), LastRow(int32), LastColumn(int32), NewTextSize(double) |
| | Border-Weight | SetTableThinBorders | TableID(int32), ThinBorders(int32), Red(double), Green(double), Blue(double) |
| | | SetTableBorderWidth | TableID(int32), BorderIndex(int32), NewWidth(double) |
| | Padding | SetTableCellPadding | TableID(int32), FirstRow(int32), FirstColumn(int32), LastRow(int32), LastColumn(int32), BorderIndex(int32), NewPadding(double) |
| Form | Color | SetFormFieldBorderColor | Index(int32), Red(double), Green(double), Blue(double) |
| | | SetFormFieldBackgroundColor | Index(int32), Red(double), Green(double), Blue(double) |
| | Size | SetFormFieldTextSize | Index(int32), NewTextSize(double) |
| | | SetFormFieldChoiceType | Index(int32), ChoiceType(int32) |
| | Style | SetFormFieldCheckStyle | Index(int32), CheckStyle(int32), Position(int32) |
| | | SetFormFieldBorderStyle | Index(int32), Width(double), Style(int32), DashOn(double), DashOff(double) |
| | | SetFormFieldBounds | Index(int32), Left(double), Top(double), Width(double), Height(double) |
| | Bound | SetFormFieldAlignment | Index(int32), Alignment(int32) |
| | Alignment | SetFormFieldHighlightMode | Index(int32), NewMode(int32) |
| | Mode | SetFormFieldFormatMode | NewFormatMode(int32) |
| | | SetFormFieldIcon | Index(int32), IconType(int32), CaptureID(int32) |
| | Caption | SetFormFieldCaption | Index(int32), NewCaption(unistr) |
| | Value | SetFormFieldValue | Index(int32), NewTitle(unistr) |
| | Visibility | SetFormFieldVisible | Index(int32), Visible(int32) |
| | Font | AddFormFont | FontID(int32) |
| Vector Graphic | Color | SetFillColor | Red(double), Green(double), Blue(double) |
| | | SetLineColor | Red(double), Green(double), Blue(double) |
| | Shader | SetFillShader | ShaderName(unistr) |
| | | SetLineDash | DashOn(double), DashOff(double) |
| | Transparency | SetTransparency | Transparency(int32) |
| | Caption | SetLineCap | LineCap(int32) |
| | Mode | SetBlendMode | BlendMode(int32) |
| Text | Alignment | SetTextAlign | TextAlign(int32) |
| | | SetTextRise | Rise(double) |
| | Underline | SetTextUnderline | Underline(int32) |
| | | SetTextUnderlineDash | DashOn(double), DashOff(double) |
| | | SetTextUnderlineDistance | UnderlineDistance(double) |
| | | SetTextUnderlineWidth | UnderlineWidth(double) |
| | Highlight | SetTextHighlight | Highlight(int32) |
| | | SetTextMode | TextMode(int32) |
| | Spacing | SetTextCharSpacing | CharSpacing(double) |
| | | SetCharWidth | CharCode(int32), NewWidth(int32) |
| | Shader | SetTextShader | ShaderName(unistr) |
| | Caption | SetLineCap | LineCap(int32) |
| | Color | SetTextUnderlineColor | Red(double), Green(double), Blue(double) |
| | | SetTextHighlightColor | Red(double), Green(double), Blue(double) |
| | | SetTextColor | Red(double), Green (double), Blue(double) |
| | Font | SetHTMLBoldFont | FontSet(unistr), FontID(int32) |
| | | SetHTMLItalicFont | FontSet(unistr), FontID(int32) |
| | | SetHTMLBoldItalicFont | FontSet(unistr), FontID(int32) |
| | Size | SetTextSize | TextSize(double) |