Mass Ingestion Databases
Quick Start


Mass Ingestion Databases is a feature of the Mass Ingestion service that runs in Informatica Intelligent Cloud Services.

Use Mass Ingestion Databases to propagate data from common relational source databases to multiple types of targets, including cloud-based targets and targets that can handle big data at scale. For the currently supported sources and targets for Mass Ingestion Databases, see the Mass Ingestion documentation.

A database ingestion task can perform an initial load, incremental load, or combined initial and incremental load of data to a target.

- An initial load task propagates a point-in-time snapshot of data from a source to a target.
- An incremental load task propagates data changes as well as column-level schema changes from a source to a target continuously and in near real time. You can configure the start point from which to capture changes.
- A combined initial and incremental load task performs an initial load of point-in-time data to a target and then automatically switches to propagating data changes and column-level schema changes to the target.

Use this Quick Start to define and deploy a database ingestion task and to monitor the associated ingestion job.



Next Page

© Copyright Informatica LLC 2020.

Configure the Secure Agent Service for Mass Ingestion Databases.




In Administrator:

1. Download the Secure Agent to your runtime environment.

   Learn about installing Secure Agents here.
2. Optionally, edit the Secure Agent to customize the behavior of the Database Ingestion agent service. Configure DBMI_AGENT_CONFIG details.

Learn more about the Database Ingestion agent service here.

Configure the source and target connections.




In Administrator:

1. Verify that the connectors for your sources and targets are available.

   Learn about the connectors here.
2. On the Connections page, click **New Connection**.
3. Configure connection properties for your source type.
4. Test the connection and then save it.
5. Repeat steps 2- 4 to create a target connection.

Learn about configuring source and target connections here.

Configure a database ingestion task.



In Mass Ingestion:

1. Click **New** > **Database Ingestion Task** to open the Database Ingestion Task wizard.
2. Define basic task information.
3. Configure the source.
4. Configure the target.
5. Configure runtime options.

Learn about creating a database ingestion task here.

© Copyright Informatica LLC 2020.

Deploy the database ingestion task.



In Mass Ingestion:

Deploy the database ingestion task to create a job instance that can run under the Secure Agent. To deploy the task:

1. When you finish configuring the task, click **Save.**
2. Click **Deploy**.

Important: If the target objects already exist but have a different structure than the source tables, drop the target objects before deploying the task. The tables are regenerated when the job runs.

Learn about deploying a database ingestion task here.

Run the database ingestion job.




In Mass Ingestion:

1. Click **My Jobs**.
2. Select the row for the job that you want to run and select **Run** from the Actions menu.

Learn more about running database ingestion jobs here.

Monitor the database ingestion job.




In Mass Ingestion:

1. Click **My Jobs** to list the jobs that you deployed.
2. In the list, view general job properties. See Job Properties.
3. Click the job name to drill down to job details.
4. On the **Job Overview** tab, review job definition and status information.

   For incremental load jobs and combined initial and incremental load jobs, you can download the complete log or error log for the job run.

© Copyright Informatica LLC 2020.




5. On the **Object Detail** tab, view processing statistics for each source table.

   For initial load jobs, you can download the complete log or error log for each source table. For combined initial and incremental load jobs, you can download the stage log , which covers the transition from initial to incremental loading.


Learn more about Mass Ingestion job details here.

Monitor all Mass Ingestion jobs.



In Monitor:

1. Click **Mass Ingestion**.
2. On the **Overview** tab, use the buttons to filter the list of jobs by job type and state. Each button shows the number of jobs with that type or state.



3. On the **All Jobs** tab, view all ingestion jobs that were defined and deployed in the Mass Ingestion service. For Failed jobs, you can download the error log.

Learn more about monitoring Mass Ingestion jobs here.

Need more info? Check out the Mass Ingestion help.

© Copyright Informatica LLC 2020.