Informatica® Cloud Business 360 Console
October 2026

Getting Started

Informatica Cloud Business 360 Console Getting Started
October 2026

© Copyright Informatica LLC 2024, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices and AI assistant acknowledgements are included with the product.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-10-21

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- IDMC web site 4
- Intelligent Data Management Cloud Communities 4
- IDMC Marketplace 4
- Informatica Knowledge Base 5
- IDMC Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: Getting started with MDM SaaS 6

Setting up business applications 6

Upgrading business applications 7

MDM SaaS versions 8

License expiration 8

Identifiers 9

Limits and thresholds 10

- Business 360 REST APIs 10
- Business applications 11
- Data model 11
- Dynamic fields and hierarchy filtering 12
- Job definitions 12
- Match and merge process 13
- Search and reports properties 13
- Workflow tasks 14
- Data access rules 14
- Dashboards 15

Discover and explore data in CLAIRE GPT 15

- Rules and guidelines to discover and explore data in CLAIRE GPT 15

Index 17

Preface

Refer to *Getting Started* for information about how to begin setting up your business applications. You can also learn about limits and thresholds on configurations in MDM SaaS.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

IDMC web site

You can access the Informatica® Intelligent Data Management Cloud™ (IDMC) web site at http://www.informatica.com/cloud.

Intelligent Data Management Cloud Communities

Use the IDMC Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

To access the IDMC Community, see Master Data Management SaaS Community.

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

IDMC Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

IDMC Trust Center

The IDMC Trust Center provides information about Informatica security, compliance, and privacy practices.

You can access the trust center at https://trust.informatica.com/.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the IDMC Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Getting started with MDM SaaS

Use Business 360 Console to create master data management projects.

Before you create any assets in Business 360 Console, ensure that you set up the business application for which you have a license. When you set up a business application, predefined assets are loaded into your organization. For more information about setting up a business application, see "Setting up business applications" on page 6.

After you set up a business application, you can start defining the data model. However, Informatica recommends that you read about the default limits and thresholds that Informatica has set on certain features before you design the data model. For more information about these limits and thresholds, see "Limits and thresholds" on page 10.

MDM SaaS uses identifiers for specific fields. You need a basic understanding of identifiers to configure and define them. For more information about identifiers, see "Identifiers" on page 9.

Setting up business applications

Before you create any assets in Business 360 Console, set up your business applications. Without setting up your business application, don't upgrade it in Business 360 Console even if you are prompted to upgrade it.

Before you set up a business application, don't add any permission to the predefined projects on the **Explore** page. Also, ensure that you assign the Admin user role and a user group to users.

1. Log in to Informatica Intelligent Cloud Services.
2. On the **My Services** page, click the business application that you want to set up.
3. Click **Yes, Set Up Application**.

   It might take a few minutes for the setup to complete.


   Note: While the business application is being set up, don't perform any task in Business 360 Console. If you perform any task in Business 360 Console before completing the business application setup, your organization might get corrupted.

After the setup is complete, you can perform any task in Business 360 Console.

Upgrading business applications

You can upgrade business applications to the latest version from the home page of Business 360 Console. If business applications are available for upgrade, a notification appears.

The following image shows the **Home** page with the upgrade notification:



To upgrade business applications, click **Review and Upgrade** > **Upgrade Now**.

Upgrades include enhancements to predefined MDM SaaS assets. Based on the new features and enhancements, Informatica updates existing predefined assets or adds new predefined assets. For example, when the name of the Title field for the Person business entity is modified to Business Title, you need to upgrade to see the updated field name.

When you run the upgrade, all the business applications are upgraded in parallel. These upgrades ensure that all the latest features and capabilities work well. The latest version of your organization is compatible with older versions of business applications, but Informatica recommends that organizations always use the latest version of business applications.

If you miss consecutive upgrades to business applications, you might stop receiving upgrade notifications. Contact Informatica Global Support to upgrade your business applications to the latest version and to restore upgrade notifications. Informatica recommends that you consistently upgrade business applications to the latest version.

MDM SaaS versions


MDM SaaS versions include the build and org versions. You can view the versions from the **Home** page.

The following table describes the MDM SaaS versions:

MDM SaaS Version Type	Description
Build Version	Version of MDM SaaS on Intelligent Data Management Cloud (IDMC).
Org Version	Version of predefined assets that the licensed business applications use. **Note:** When you import predefined MDM SaaS assets, ensure that the source and target organizations have the same org version.

To view these details, click **Help** > **About** on the toolbar.

The following image shows the build and org versions of Business 360 Console and other licensed business applications:




License expiration

After a business application license expires, you can view the assets related to the license on the **Explore** page. However, you can't access the asset or data in the business application.

When the license expires, Business 360 Console displays a notification. To renew the license, contact Informatica Global Customer Support.

The following image shows the **Home** page with the license expiry notification:



Identifiers

MDM SaaS uses unique identifiers to identify master records, source records, and field groups.

Business ID

Business IDs are unique identifiers of master records that belong to a business entity. You can configure a business ID format for a business entity when you configure the business entity properties. For more information about configuring a business ID format, see *Business ID format*.

When you create records from the user interface, MDM SaaS assigns a business ID based on the configured business ID format. You can specify business IDs for records that you ingress through ingress jobs. For more information about ingressing data with business ID, see *Ingress data with business ID*.

When you create records through the Create Master Record API, you can specify business IDs for the records. For more information about using the create master record API, see *Create master record*.

Note: Business users can't specify business IDs for records that they import into business applications.

Field group ID

Field group IDs are identifiers of the field group entries. For example, when you have five address entries, each address is identified by a unique field group ID. However, these field group IDs can be used by entires in another field group, such as phone numbers.

You can specify field group IDs for the records that you ingress through ingress jobs or through the create master record API. You can specify the field group ID through the _id parameter when you create a business entity master record through the create master record API. Business users can specify field group IDs when they import records into business applications. However, the system assigns a field group ID when you create a field group entry from the user interface.

Source primary key

Source primary keys are unique identifiers of source records and field groups.

When you use ingress jobs to ingress records or use APIs to create or update records, you can specify source primary keys for records. To import data into the MDM SaaS data store, business users use source primary keys to identify records and field group entries.

When you specify source primary keys, perform the following checks:

- The source primary keys of records can contain the following characters:

  ~!'={}|:@#$^&*()-_+,<>?`

  The source primary keys of records don't contain a slash (/), backslash (\), period (.), percentage (%), semicolon (;), or double quotation mark (").

  Note: You can use special characters in source primary keys when you add records through ingress jobs or file import. However, if you edit a record that contains any special characters that aren't allowed in its source primary key on the record details page, MDM SaaS fails to update the record.
- The source primary keys can contain up to 255 special and alphanumeric characters, with English letters only. If the source primary keys contains more than 255 characters, the additional characters are truncated.
- The source primary keys of field groups can contain the following special characters:

  colon (:), hyphen (-), pipe (|), period (.), or underscore (_).

  Note: You can use special characters in source primary keys when you add field group entries through ingress jobs or file import. However, if a field group entry contains special characters that aren't allowed in its source primary key, you might not be able to create, edit, and view field group values on the record details page.

Limits and thresholds

To help optimize performance and scalability of your organization, MDM SaaS introduced limits and thresholds for some configurations.

The volume of data in your organization plays a crucial role in the performance and scalability of your organization. When the data in a production organization grows, it can lead to potential problems related to performance and scalability. The limits are designed to help optimize performance and promote fair utilization of shared resources in the multi-organization environment of MDM SaaS.

Business 360 REST APIs

The following table lists the limits for Business 360 REST APIs:

Description of limit	Limit
Maximum size of a request payload. If the size of a request payload exceeds 1 MB, you can split the payload into multiple requests.	1 MB

Business applications

The following table lists the limits for business applications that you configure:

Description of limit	Limit
Maximum number of display fields that you can set for a business entity. If the number of display fields increases, load time for hierarchies that contain the business entity might increase.	10

Data model

The following table lists the limits for data models that you define:

Description of limit	Limit
Maximum number of business entities that you can create within an organization. Exceeding the limit might degrade performance when you edit business entities, import or export assets between organizations, and search for assets in business applications.	20 To create a business entity after you reach the limit, contact Informatica Global Customer Support.
Maximum number of fields, including field groups, that you can enable for a business entity. The limit also applies when you import a business entity. Each field group and each field within a field group counts as one field toward the limit. System fields and dynamic field definitions attributes don't count toward this limit. A dynamic field values attribute within a business entity counts as 20 fields toward the limit for the business entity. Dynamic fields within the attribute don't count toward this limit.	350
Maximum number of nested field group levels that you can configure for a business entity.	6

Note: If you created a business entity before the October 2026 release and it's close to or over the 350-field limit, Informatica sets its limit to the current field count plus a buffer of 20 fields. You can't import a business entity that has a buffer and more than 350 fields. Before you import such a business entity, ensure that it has 350 or fewer enabled fields. To increase the limit in the organization where you want to import the business entity, contact Informatica Global Customer Support.

Dynamic fields and hierarchy filtering

The following table lists the limits for dynamic fields and hierarchy filtering:

Description of limit	Limit
Maximum number of fields and field groups across all dynamic pools in an organization. Each field group, including its fields and nested field groups, counts as one. When you model a large number of dynamic fields and field groups in dynamic pools, you might experience an increase in REST API response times.	10,000 fields and field groups
Maximum number of relationships in all hierarchies of a hierarchy model for effective indexing for search and processing of dynamic field inheritance. When the number of hierarchical relationships in all hierarchies of a hierarchy model exceeds 25 million, a process hierarchies job fails. For example, if 50 hierarchies are based on a model and the hierarchies have more than 25 million relationships, you can't index the hierarchies.	25 million relationships
Maximum number of hierarchies that are based on a hierarchy model for effective indexing for search and processing of dynamic field inheritance. When the number of hierarchies that are created based on a hierarchy model exceeds 250,000, a process hierarchies job fails.	250,000 hierarchies
Maximum number of records for each business entity that participates in a hierarchy model with dynamic field inheritance. For example, if the Category business entity is configured to inherit dynamic field definitions, maximum of 50,000 Category records can participate in hierarchies based on a hierarchy model. If the number of records exceeds 50,000, a process hierarchies job fails.	50,000 records
Maximum number of dynamic field definitions that a record can contain. The total number of dynamic field definitions that a record can contain includes its own definitions and the definitions inherited from its parent records. If the number of dynamic field definitions in a record exceeds 100, a process hierarchies job fails. **Note:** If some records use disabled dynamic field definitions, the count of dynamic field definitions also includes the disabled definitions. To exclude the disabled dynamic field definitions from the count, first enable the dynamic fields in the dynamic pool, then remove them from the relevant records in the business application, and disable the fields in the dynamic pool.	250 dynamic field definitions

Job definitions

The following table lists the limits related to job definitions for your organizations:

Description of limit	Limit
Maximum number of job definitions in an organization	1000

Match and merge process

The following table lists the limits for the match and merge process:

Description of limit	Limit
Maximum number of match pairs that a match and merge job can generate for a business entity. If the match pairs exceed the maximum limit, the merge process doesn't generate any record pair groups.	1 million match pairs
Maximum number of record pair groups that a merge process can generate for a business entity. If the record pair groups exceed the maximum limit, the merge process doesn't generate any record pair groups.	100,000 record pair groups
Maximum number of source records that a match and merge job can merge to form a single master record. If the source records exceed the maximum limit, the match and merge job fails.	1000 source records

Search and reports properties

When you enable business entity and system fields as searchable, reportable, or facetable, consider enabling only the fields that are crucial and will result in meaningful searches or reports. For example, fields such as First Name and Last Name might not provide meaningful insights in reports.

However, fields, such as State, City, Country, or Education Level, can provide meaningful insights in reports. This approach helps avoid having to index all fields and thus improves efficiency and performance of your organization.

The following table lists the limits that the search and reports properties have:

Description of limit	Limit
Maximum number of reportable fields for a business entity.	30 fields
Maximum number of searchable fields for a business entity.	30 fields
Maximum number of facetable fields for a business entity.	25 fields
Maximum number of fields configured for auto suggestions for a business entity.	5 fields
Maximum number of searchable dynamic fields across all dynamic pools.	5,000 fields
Maximum number of facetable dynamic fields across all dynamic pools.	5,000 fields

Workflow tasks

The limits related to workflow tasks depend on whether you use the workflow inbox or task inbox.

The following table describes the limits related to workflow tasks in the workflow inbox:

Description of limit	Limit
Number of days after which inactive or unattended tasks that were created after the November 2023 release expire.	365 days
Tasks created before the November 2023 release.	Never expire
Maximum number of system-generated tasks for a business entity.	100
Maximum number of user-generated tasks for an organization.	50,000
Warning threshold for user-generated tasks in an organization.	40,000

For more information about expiration of tasks, see the *Introducing Human Tasks* chapter in the Human Tasks help.

The following table describes the limits related to workflow tasks in the task inbox:

Description of limit	Limit
Number of days after which inactive or unattended tasks expire.	90 days
Maximum number of system-generated tasks for a business entity.	100
Maximum number of user-generated tasks for an organization.	50,000
Warning threshold for user-generated tasks in an organization.	40,000

To extend the validity of inactive or unattended tasks, contact Global Customer Support.

: Effective in the April 2026 release, the ability to view tasks in the task inbox is available for preview.

Preview functionality is supported for evaluation purposes but is unwarranted and is not supported in production environments or any environment that you plan to push to production. Informatica intends to include the preview functionality in an upcoming release for production use, but might choose not to in accordance with changing market or technical circumstances. For more information, contact Informatica Global Customer Support.

Data access rules

The following table lists the limits for data access rules in a business entity:

Description of limit	Limit
Maximum number of record-level data access rules.	50
Maximum number of attribute-level data access rules.	50

Note: If an existing business entity has more than 50 record-level and 50 attribute-level data access rules, you can no longer create data access rules for the business entity.

Dashboards

The following table lists the limits for custom dashboards in business applications:

Description of limit	Limit
Maximum number of custom dashboards that you can add across all MDM SaaS business applications within an organization.	100

To create a custom dashboard after you reach this limit, either delete a custom dashboard that you no longer need or contact Informatica Global Customer Support.

Discover and explore data in CLAIRE GPT

Use IDMC CLAIRE GPT, a generative AI-powered solution built on the Informatica's AI maching learning engine, to discover and explore data in MDM SaaS.

You can discover business entities and explore metadata attributes of a business entity, such as data quality rules, survivorship rules, and match rules, that are configured in Business 360 Console. You can also explore records of a business entity from Customer 360 SaaS, Product 360 SaaS, or Supplier 360 SaaS. Based on responses from CLAIRE GPT, you can prompt CLAIRE GPT to visualize the data in charts.

Note: To access CLAIRE GPT, enable CLAIRE Generative AI Services for your organization and assign the user to the CLAIRE GPT User user role in Administrator.

To access additional features, such as summaries and data visualization in graphs, tables, charts, and line graphs , in CLAIRE GPT responses for organizations on non-U.S. PODs, enable the additional CLAIRE features in Administrator. By default, additional CLAIRE features are enabled for organizations on U.S. PODs.

For more information about managing user roles, enabling CLAIRE generative AI services, and enabling additional CLAIRE features for organizations on non-U.S. PODs, see *Administer CLAIRE GPT*.

For more information about data discovery, metadata exploration, and data exploration, see *Using CLAIRE GPT*.

Rules and guidelines to discover and explore data in CLAIRE GPT

Consider the following rules and guidelines when you discover and explore metadata and data in MDM SaaS using CLAIRE GPT:

- Ensure that you upgrade Customer 360 SaaS, Product 360 SaaS, or Supplier 360 SaaS to their latest version.
- To search for records and visualize data based on a specific criteria in CLAIRE GPT, ensure that you set the attributes in business entities as searchable and facetable.
  If the prompt contains data from fields that aren't configured as searchable or facetable, CLAIRE GPT can't visualize or search for data.
- To enable users to view business entities and attributes in CLAIRE GPT, you must assign the read privilege to their user roles.

- You can't discover reference data sets from Reference 360 in CLAIRE GPT.

INDEX

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Data Management Cloud
  web site 4

M

maintenance outages 5

S

status
  IDMC 5
system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4