How-To Library

Informatica

Getting Started with Embedded ActiveVOS in Multidomain MDM 10.4 or later

© Copyright Informatica LLC 1993, 2021. Informatica LLC. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. All other company and product names may be trade names or trademarks of their respective owners and/or copyrighted materials of such owners.

Abstract

A bundled, licensed version of Informatica ActiveVOS Server is the default workflow engine for Informatica Multidomain MDM. This document describes how to configure and use the ActiveVOS Server with MDM.

Supported Versions

- Multidomain MDM 10.4 or later

Table of Contents

MDM and ActiveVOS Overview. . . . 3
Example. . . . 3
How MDM Concepts Map to ActiveVOS Concepts. . . . 3
MDM Workflows and Task Types. . . . 4
Update With Approval Workflow. . . . 4
One Step Approval Workflow. . . . 5
Two Step Approval Workflow. . . . 5
Merge Workflow. . . . 5
Unmerge Workflow. . . . 6
Install the ActiveVOS Server with the MDM Hub Server. . . . 6
Configure an Informatica Data Director Application. . . . 6
Creating an Application for Data Director. . . . 6
Deploying the Informatica Data Director Application. . . . 7
Configure the MDM Hub. . . . 7
Configure User Roles. . . . 7
Configure User Accounts. . . . 9
Enabling State Management. . . . 10
Setting the Primary and Secondary Workflow Adapters. . . . 11
Configuring ActiveVOS Properties. . . . 11
Configure Tasks. . . . 12
Task Type Configuration. . . . 12
Task Template Configuration. . . . 13
Configuring Workflow Triggers. . . . 15
Initiate Approval Workflows. . . . 15
Sending an Update for Approval Through ActiveVOS. . . . 16
Sending Merge Candidates for Approval Through ActiveVOS. . . . 16
Sending an Unmerge Candidate for Approval Through ActiveVOS. . . . 16
Review an Update. . . . 17

Monitor Workflow Progress in the ActiveVOS Console. 17

MDM and ActiveVOS Overview

You can ensure that updated entity data goes through a change-approval workflow before the updated records contribute the Best Version of the Truth (BVT) records. For example, a business process might require that a senior manager review and approve updates to customer data before it becomes master data.

To support a change-approval workflow, the MDM Hub and Data Director (IDD) integrate with the ActiveVOS® Server. Predefined MDM workflows, task types, and roles enable the components to synchronize with one another.

The components support a change-approval workflow in the following ways:

- The MDM Hub manages a state on the records in the base object tables that have state management enabled. Unapproved records have a pending state, while approved records have an active state.
- In IDD applications, authorized business users change entity data and can send updates for approval.
- The ActiveVOS Server runs activities within the MDM workflows and creates tasks for business managers and data stewards.

Example

Your business process requires that a senior manager review and approve updates to customer data before it becomes master data. The IDD application and the MDM environment are configured to use the ActiveVOS Server as the default workflow engine.

The predefined One Step Approval Workflow defines a business process that requires one senior manager to review and approve updates. The following steps summarize what happens when a data steward initiates the One Step Approval Workflow:

1. In an IDD application, a data steward updates a customer entity and sends the update for approval.
2. In the MDM Operational Reference Store, the records enter a pending state.
3. The ActiveVOS Server begins running activities in its One Step Approval Workflow process.
4. When the ActiveVOS Server reaches the Final Review people activity, the server creates a task for senior managers.
5. In the IDD application, all senior managers receive the task in their Task Inboxes. The task links to the updated customer entity.
6. If a senior manager approves the update, the following events occur:
   - In IDD, the task is completed.
   - The ActiveVOS Server marks the Final Review people activity as complete and runs the next activity in the One Step Approval Workflow process.
   - In the MDM Operational Reference Store, the approved records enter an active state.
   - In the MDM Hub, the approved records contribute to the BVT records.

How MDM Concepts Map to ActiveVOS Concepts

The Hub Server installation deploys MDM workflows and tasks to the ActiveVOS Server as processes and people activities.

An MDM workflow corresponds to a process or process flow in Informatica ActiveVOS. A process defines the activities in a business process and the paths of execution through the activities. If you have the user privileges, you can see a

graphical representation of the process flow in the ActiveVOS Console by using a process diagram. You can also monitor task-completion in the process diagram.

An MDM task corresponds to a people activity in Informatica ActiveVOS. A people activity is a special type of activity that requires human interaction. For example, a business manager might need to approve updates to customer information before those updates can become master data. A people activity is partially defined by an ActiveVOS task. An ActiveVOS task includes people assignments and other details. An ActiveVOS task is not executable outside a people activity.

MDM Workflows and Task Types

The predefined MDM workflows and task types are deployed to the ActiveVOS Server as processes and people activities.

You can choose from the following workflow processes:

- Update With Approval Workflow
- One Step Approval Workflow
- Two Step Approval Workflow
- Merge Workflow
- Unmerge Workflow

Update With Approval Workflow

In the Update With Approval Workflow process, a data steward reviews the changed entity before either canceling the update or sending the update through a two-step approval process.

The following table summarizes the people activities within the process:

People Activity	Role Assigned	Description
Update	DataSteward	A data steward reviews the update and either cancels the update or sends it through a two-step approval process.
Review No Approve	Manager	A manager reviews an update and either rejects it or sends it on for Final Review.
Final Review	SrManager	A senior manager reviews the update and either rejects it or approves it.
Notification	DataSteward	If approved, the data steward receives a notification that the update is approved.

One Step Approval Workflow

The One Step Approval Workflow process requires one senior manager to review and then approve or reject the update.

The following table summarizes the people activities within the process:

People Activity	Role Assigned	Description
Final Review	SrManager	A senior manager reviews an update and either approves it or rejects it.
Notification	DataSteward	If the update is approved, the record is flagged for promotion and the data steward is notified.
Update	DataSteward	If the update is rejected, the data steward is notified and can cancel the update.

Two Step Approval Workflow

The Two Step Approval Workflow process requires at least two business managers to participate in the review and approval process.

The following table summarizes the people activities within the process:

People Activity	Role Assigned	Description
Review No Approve	Manager	A manager reviews an update and either rejects it or escalates it to Final Review.
Final Review	SrManager	A senior manager reviews the update and either approves it or rejects it.
Notification	DataSteward	If approved, the record is flagged for promotion and the data steward is notified.
Update	DataSteward	If rejected, the data steward is notified and can cancel the update.

Merge Workflow

When you select merge candidates, you can create a task that initiates the Merge Workflow process in the ActiveVOS Server.

The following table describes the people activity within the process:

People Activity	Role Assigned	Description
Merge	DataSteward	A data steward reviews the candidates and either merges the records or cancels the action.

Unmerge Workflow

When you unmerge records, you can create a task that initiates the Unmerge Workflow process in the ActiveVOS Server.

The following table describes the people activity within the process:

People Activity	Role Assigned	Description
Unmerge	DataSteward	A data steward reviews the candidate and either unmerges the records or cancels the action.

Install the ActiveVOS Server with the MDM Hub Server

You install the ActiveVOS Server as part of the process of installing Multidomain MDM. You also install the ActiveVOS Server as part of the process of upgrading Multidomain MDM if you have an older version of ActiveVOS installed. The bundled ActiveVOS Server license activates the ActiveVOS Server, the ActiveVOS Console, and ActiveVOS Central.

Note: If you want to extend this license to include the ActiveVOS Designer, contact your Informatica Sales Representative.

For more information, see the *Multidomain MDM Installation Guide* and the *Multidomain MDM Upgrade Guide*.

Configure an Informatica Data Director Application

When you create an Informatica Data Director (IDD) application, the default task type IDs are for Siperian BPM. After you configure your application, you need to replace the default task type definitions with the ActiveVOS task type definitions. Then you can set a default workflow.

Creating an Application for Data Director

The process to create and configure a Data Director application is outside the scope of this document. To learn how to create an application, see the *Multidomain MDM Data Director Implementation Guide* and the *Multidomain MDM Data Director Configuration Manager Online Help*.

The Resource Kit contains the following sample ActiveVOS-enabled IDD applications that work with the mdm_sample Operational Reference Store:

- `IDDConfig_ActiveVOS.xml` sets up the Data Director application for the sample schema that is included in the Resource Kit. The file contains task configuration for the Informatica ActiveVOS workflow adapter that is based on subject areas.
- `IDDConfig_ActiveVOS_BE.xml` sets up the Data Director application for the sample schema that is included in the Resource Kit. The file contains task configuration for the Informatica ActiveVOS workflow adapter that is based on business entities.

  Note: You must configure a default approval workflow trigger for the sample schema. You must also configure a task templates and task triggers for the merge workflow and the unmerge workflow.

Deploying the Informatica Data Director Application

To deploy the Informatica Data Director (IDD) application, use the IDD Configuration Manager to set the IDD application state to limited deployment or full deployment. For information about deploying the IDD application, see the IDD Configuration Manager online help.

When you deploy the IDD application, the custom resources required for ActiveVOS workflows become available in the MDM Hub Security Access Manager.

Configure the MDM Hub

To configure the MDM Hub, you need to perform the following steps:

1. Configure the user roles that are required by the ActiveVOS business processes.
2. Assign user roles to business managers.
3. Enable state management on the base object tables in the Operational Reference Store.
4. Map the Operational Reference Store to the ActiveVOS workflow engine.

Configure User Roles

To ensure that MDM can authenticate users with the ActiveVOS Server, the same user roles must exist in the MDM Hub, Data Director, and the ActiveVOS Server. You assign these user roles to users in the MDM Hub, and the Security Access Manager manages user access to all components.

You can assign multiple roles to users. Role privileges are cumulative, so users who have multiple roles receive the combined privileges associated with each role. For example, you might assign a user the Data Steward role, the abAdmin role, and the abadmin role. The user receives the combined workflow and task administration privileges associated with each role.

The following table lists the required user roles, identifies the workflow actions, and lists task administration actions that are associated with the role:

User Role	Workflow Actions	Task Administration Actions
DataSteward	Update, Merge, Unmerge, Notification	Users can perform the following actions on tasks available to their user role: - Claim - Release - Edit - Task actions, such as Accept, Reject, or Disclaim **Note:** The available task actions depend on your role and ActiveVOS workflows.
Manager	Review No Approve	Users can perform the following actions on tasks available to their user role: - Claim - Release - Edit - Task actions, such as Accept, Reject, or Disclaim **Note:** The available task actions depend on your role and ActiveVOS workflows.

User Role	Workflow Actions	Task Administration Actions
SrManager	Final Review	Users can perform the following actions on tasks available to their user role: - Claim - Release - Edit - Task actions, such as Accept, Reject, or Disclaim **Note:** The available task actions depend on your role and ActiveVOS workflows.
abAdmin	-	Users can perform the following actions on all tasks: - Assign - Release - Edit **Note:** Users can manage tasks for default approval and unmerge ActiveVOS workflows.
abadmin	-	Users can perform the following actions on all tasks: - Assign - Release - Edit **Note:** Users can manage tasks for default merge ActiveVOS workflows.

Note: If you use ActiveVOS for business process management, the user roles must not contain spaces.


To enable the task administration privileges for the abAdmin and abadmin roles, you must configure the Task Administrator role in the Provisioning tool. For more information, see the *Multidomain MDM Provisioning Tool Guide*.

Creating the Required Roles

To create the DataSteward, Manager, and SrManager roles, use the Hub Console Roles tool. After you deploy the Informatica Data Director application, you can assign the appropriate privileges to the custom resources. To receive ActiveVOS workflow tasks, users must belong to at least one of the user roles for workflows.

1. In the Hub Console, connect to the target Operational Reference Store.
2. In the Security Access Manager workbench, click **Roles**.
3. Acquire a write lock.

4. Right-click the **Roles** navigation panel and select **Add Role**.



5. Enter `DataSteward` in the **Name** field, and click **OK**.
6. Add the `Manager` and `SrManager` roles in the same way.

Assigning Privileges to the MDM Hub Roles

Assign the appropriate privileges to the MDM Hub roles after you deploy the Informatica Data Director (IDD) application. To assign privileges to the MDM Hub roles, use the Roles tool in the MDM Hub Console.

1. In the Security Access Manager workbench, click **Roles**.
2. Acquire a write lock.
3. Select the **DataSteward** role.
4. Assign the appropriate permissions to each resource.

   To ensure that users belonging to a role can be assigned tasks that the MDM Hub generates, you must assign read, create, update, and merge permissions to all content metadata resources for the applicable base objects.
5. Assign the appropriate permissions to each custom resource.
6. Click **Save**.
7. Assign permissions to the **Manager** and **SrManager** roles in the same way.

Configure User Accounts

Before you assign roles to user accounts, ensure that you have MDM Hub user accounts for all the business users who need to participate in workflows. If required, add new user accounts for business users. If you add new users, add the same users to the container in the application server.

After you have the user accounts, assign the roles to the users. You must assign each of the roles to at least one person. You can assign the same role to more than one person.

Adding User Accounts

If some business users do not have MDM Hub user accounts, create the user accounts.

Before you begin, you might want to review an existing MDM Hub user account to see which authentication type is in use in the Informatica MDM environment.

1. In the Hub Console, start the Users tool.
2. Acquire a write lock.

3. Click the **Users** tab.
4. Click the **Add user** button.

   The Users tool displays the **Add User** dialog box.
5. Enter a first, middle, and last name for the user.
6. Enter the user name for the user.

   This is the name entered when the user logs in to the Hub Console.
7. Enter an email address for the user.

   Task notifications for the user are sent to this email address.
8. Enter the email address for the user.

   Task notification emails are sent to this email address.
9. Enter the default database for the user, which is the Operational Reference Store that contains the supplier master data.
10. Enter and verify a password for the user.

    Note: Passwords must comply with the password standard for the application server that is used in the MDM environment.
11. Choose the type of authentication.
    - Select the **Use external authentication** check box if your MDM Hub implementation uses authentication through a third-party security provider.
    - Clear the **Use external authentication** check box if you want to use the internal authentication in the MDM Hub.
12. Click **OK**.

    The Users tool adds the new user to the list of users on the **Users** tab.

Assigning User Roles

Assign each of the predefined workflow user roles to business managers or data stewards.

1. In the Security Access Manager workbench, click **Users and Groups**.
2. Click the **Assign Users/Groups to Role** tab.
3. Select a user role for workflows and click **Edit**.

   The **Assign Users to Role** dialog box opens.
4. Select the users or user groups who require this role and click **OK** .
5. Assign the remaining workflow roles to users.

Enabling State Management

For each base object table that contains records that can be updated through an Data Director application, you need to enable state management.

1. In the Model workbench, click **Schema**.
2. Acquire a write lock.
3. In the Schema tool, select a base object table that contains records that can be updated through the application.
4. Click the **Advanced** tab.

5. Select the **Enable State Management** check box.
6. To keep track of when cross-reference records belonging to the base object change state from PENDING to ACTIVE, select the **History of Cross-Reference Promotion** check box.

Setting the Primary and Secondary Workflow Adapters

To migrate to the BE ActiveVOS workflow adapter, select the BE ActiveVOS workflow engine as the primary workflow engine. The name of the workflow adapter for business entities is `BE ActiveVOS`. You can process existing tasks with the secondary workflow engine but you cannot create tasks. Do not select the same workflow engine for the primary and secondary workflow engines.

If you have not previously used Multidomain MDM with embedded ActiveVOS, select the `BE ActiveVOS` adapter as the primary workflow adapter. You do not need to select a secondary workflow adapter to process existing tasks.

Note: If your Data Director application uses subject areas, continue to use the `Informatica ActiveVOS` adapter as the primary workflow engine.

When you add a workflow engine, it becomes the primary workflow engine and the existing primary workflow engine becomes the secondary workflow engine. If you have an existing secondary workflow engine, the workflow engine is dropped from the Operational Reference Store and the tasks are removed from the task inbox.

1. In the **Configuration** workbench, click **Workflow Manager**.
2. Acquire a write lock.
3. Select the **Workflow Engine** tab, and ensure that the following BE ActiveVOS workflow adapter information is correct:
   - ActiveVOS Server host
   - ActiveVOS Server port
   - username of trusted user
   - password of trusted user
   - protocol for communication between the MDM Hub and the ActiveVOS Server
4. Select the **Operational Reference Store Workflow Mapping** tab.

   The table in the tab contains all the Operational Reference Store databases in the Hub Store.
5. In the **Primary Workflow Engine** column, select the workflow engine for the BE ActiveVOS workflow adapter.
6. In the **Secondary Workflow Engine** column, select a workflow engine.

Configuring ActiveVOS Properties

The `cmxserver.properties` file contains a set of properties related to ActiveVOS. All properties have a default value. You do not need to set them unless the default value does not work in your environment.

The following table describes the ActiveVOS properties that you can configure in `cmxserver.properties`:

Property Name	Description
activevos.merge.workflow.service.name	Name of the service for all MDM service calls to ActiveVOS. Default is `IDDMergeTask`.
activevos.workflow.startup.timeout.seconds	Number of seconds ActiveVOS waits to create a task for the process and return a task ID. Default is `10`.

Property Name	Description
cmx.e360.BPMProcess.view.enabled	Indicates whether to display the workflow diagram associated with the tasks in the Task Manager for the users with the ActiveVOS abAdmin role assigned. Set to `true` to display the workflow diagram. Default is `false`.
cmx.e360.BPMProcess.view.autologout.seconds	Number of seconds for an ActiveVOS session to remain active when you access the workflow diagram in the Task Manager. The session ends after the specified time period. Default is `30`.

Configure Tasks

You can configure tasks to ensure changes to records and hierarchies move through an approval workflow. You can configure the task template, workflow triggers, task types to meet your business requirements. For example, you might want changes by Data Stewards to trigger a workflow, or you might want to create tasks to review new records and edited records. Also, you might want to specify the default title or priority for tasks.

You can perform the following task configurations:

Task template

You can configure task templates so that a task is created with specific properties. For example, you can specify that when a trigger launches a workflow, the tasks have a particular title, priority, due date, and task status.

Workflow triggers

You configure workflow triggers so the appropriate ActiveVOS® workflow is launched after certain events in Data Director. You can configure whether users must add comments or attachments when they trigger workflows.

Task types

You can configure task types so that specific user roles can claim or be assigned tasks. You can create task action configurations for each task type. You can configure whether users must add a comment, attach a file, or reassign tasks when they perform task actions.

Task Administrator role

You can configure the Task Administrator role and map the MDM Hub role with privileges to manage all tasks to the Task Administrator role. For example, if you use the default ActiveVOS workflows, map the abAdmin MDM Hub role to the Task Administrator role.

Task Type Configuration

The task type configuration establishes which roles can claim or be assigned tasks. The name of the task type corresponds to the `mdmavxsd:name` presentation parameter in the ActiveVOS workflow.

Task Type Configuration Example for Final Review Task

The ActiveVOS workflows include activities that require people to make decisions to move the records to the next stage in the workflow.

The Final Review activity occurs in the following default workflows:

- One step approval

- Two step approval
- Update with approval

You can configure which roles can be assigned these tasks, and for which business entities. For example, you want to allow any user with the role of Manager to be assigned a final review task.

The following code shows how to configure the task type for the example:

```
<taskType name="AVOSBeFinalReview">
    <role name="Manager"/>
</taskType>
```

Task Template Configuration

The task template establishes the default title, priority, due date, comment, and status of a task. You can configure multiple task templates so that different triggers create tasks with different templates.

The task template configuration consists of the following parameters:

Title

The task display label.

Example 1

You want the task title to be `<business entity name>: <source record display name><source record row ID> merges to <target record display name><target record row ID>`.

Enter the following value for title: `Merge {taskRecord[1].label} into {taskRecord[0].label}`.

Where

- `taskRecord[N]` is the (N+1)th business entity node in the TaskData.getTaskRecords() list
- `taskRecord[1]` is the source record
- `taskRecord[0]` is the target record
- `label` is the value of taskFormat in the business entity labelFormat configuration.

Example 2

You want the task title to be `Review changes in <record label>`.

Enter the following value for title: `Review changes in {taskRecord[0].label}`.

Where

- `taskRecord[0]` is the target record.
- `label` is the value of taskFormat in the business entity labelFormat configuration.

Priority

The task priority.

The following table describes the possible task priorities:

Priority	Description
HIGH	The task has a high priority.
NORMAL	The task has a medium priority. Default is NORMAL.
LOW	The task has a low priority.

Due Date

The amount of time from the day that the task is created that the task is due.

The following table describes the components of the due date syntax:

Type of Parameter	Description	Values
sign	Determines if the due date is set to a date after the task is created or before the task is created.	If `+`, the due date is determined by adding time to the date the task is triggered. If `–`, the due date is determined by subtracting time from the date the task is triggered.
number	The amount of units to add or subtract from the current date when establishing the due date.	Any integer value.
unit	The number of days, weeks, or months that the due date is from the date the task is triggered.	If `d`, the specified number of days determines the due date. If `w`, the specified number of weeks determines the due date. If `m`, the specified number of months determines the due date.

Comment

Populates the task comment field. Optional.

Workflow Trigger Example for Update with Approval Workflow

You want to configure a workflow trigger for the Update with Approval workflow. You want the workflow to launch when a user of any role creates or updates any business entity. You want the tasks to have the properties that you defined in the DefaultApproval task template.

The following code shows the workflow trigger configuration for the example:

```
<trigger name="DefaultApproval">
    <startWorkflow process="BeUpdateWithApprovalTask" taskKind="REVIEW"
taskTemplate="DefaultApproval" firstTaskType="AVOSBeUpdate"/>
    <event name="CreateBE"/>
    <event name="UpdateBE"/>
    <role name="*"/>
</trigger>
```

Task Template Example for Merge

You want the merge trigger to create tasks with a normal priority that are due one week after the task is triggered with a status of Open. The title of the tasks is "<business entity name>: <source record display name><source record row ID> merges to <target record display name><target record row ID>".

The following code shows the task template configuration for the example:

```
<taskTemplate name="MergeTaskGenerator">
    <title>{taskRecord[0].label}: {taskRecord[1].displayName}
           {taskRecord[1].rowidObject} merges to
           {taskRecord[0].displayName} {taskRecord[0].rowidObject}</title>
    <priority>NORMAL</priority>
    <dueDate>+1w</dueDate>
    <comment>Merge task autogenerated by Hub.</comment>
    <status>OPEN</status>
</taskTemplate>
```

Where:

- `taskRecord[1]` is the source record
- `taskRecord[0]` is the target record

Configuring Workflow Triggers

Workflow triggers determine which task workflows are launched after create, update, or merge events.

Note: If you configure a role to trigger an unmerge task, do not assign the same user role as reviewer.

To configure workflow triggers, perform the following steps:

1. Create a workflow trigger, and configure whether users must add a comment or attachment to the triggered task.
2. Configure events for the workflow trigger.
3. Configure which roles and business entities trigger workflows.

Workflow Trigger Example for Update with Approval Workflow

You want to configure a workflow trigger for the Update with Approval workflow. You want the workflow to launch when a user of any role creates or updates any business entity. You want the tasks to have the properties that you defined in the DefaultApproval task template.

The following code shows the workflow trigger configuration for the example:

```
<trigger name="DefaultApproval">
    <startWorkflow process="BeUpdateWithApprovalTask" taskKind="REVIEW"
taskTemplate="DefaultApproval" firstTaskType="AVOSBeUpdate"/>
    <event name="CreateBE"/>
    <event name="UpdateBE"/>
    <role name="*"/>
</trigger>
```

Workflow Trigger Example for Merge

You want to configure a workflow trigger for merge events that are generated by the MDM Hub. The role name of SYSTEM is reserved for merge tasks that are triggered by the MDM Hub. You want the merge tasks to be populated by the properties defined in the MergeTaskGenerator task template.

The following code shows the workflow trigger configuration for the example:

```
<trigger name="Matched">
    <startWorkflow process="BeMergeTask" taskKind="MERGE" taskTemplate="MergeTaskGenerator"
firstTaskType="AVOSBeMerge"/>
    <event name="MatchedBE"/>
    <role name="SYSTEM"/>
</trigger>
```

Initiate Approval Workflows

To use an MDM workflow that is managed by the ActiveVOS Server, a data steward initiates the workflow from the Data Director application.

You can initiate an MDM workflow in the context of any of the following data changes:

- Updating an entity
- Merging records
- Unmerging a record

Sending an Update for Approval Through ActiveVOS

When you add or edit an entity in an Data Director (IDD) application, you can send the update through an approval workflow that is coordinated by the ActiveVOS Server. The type of approval workflow used depends on the workflow that was selected by your IDD application developer.

1. In the IDD Data workspace, add or edit an entity.
2. Click **Apply**.
3. Click **Send for Approval**.

   The Create Task dialog box opens with default values for all task attributes.
4. In the Title field, replace the default title with a meaningful title for this workflow.

   For example, if you are adding a person, include the name of the person in the title, such as *Adding Jane Jones*.
5. In the Task Type field, you can see the name of the approval workflow that is initiated.
6. Change other default task attributes as required.
7. Click **OK**.

   The ActiveVOS Server begins executing activities. When the ActiveVOS Server reaches the first people activity, it creates an IDD task of the correct task type. The ActiveVOS Server assigns the task to the users who have the role associated with that task type. For example, if the people activity is Review No Approve, the users with the Manager role receive a task notification in their IDD Task Inboxes. The task includes the Title you specified and has a task type of Review No Approve.

Sending Merge Candidates for Approval Through ActiveVOS

Instead of merging selected entities immediately in Data Director (IDD), you can send the suggested merge candidates through an approval workflow that is coordinated by the ActiveVOS Server.

1. In the IDD Data workspace, select **Matches** and select the merge candidates as usual.
2. Click **Actions** and select **Create Merge Task**.

   The Create Task dialog box opens with default values for all task attributes.
3. In the Title field, replace the default title with a meaningful title for this workflow.

   For example, include the name of the person in the title, such as *Merging M Singh*.
4. In the Task Type field, ensure that **Merge Workflow** is selected.
5. Change any other default task attributes as required.
6. Click **OK**.

   The ActiveVOS Server begins executing activities. When the ActiveVOS Server reaches the first people activity, the ActiveVOS Server creates an IDD Merge task. Everyone with the DataSteward role receives a task notification in their IDD Task Inboxes. The task notification includes the Title that you specified and has a task type of Merge.

Sending an Unmerge Candidate for Approval Through ActiveVOS

Instead of unmerging a merged entity immediately in Data Director (IDD), you can send the unmerge candidate through an approval workflow that is coordinated by the ActiveVOS Server.

1. In the IDD Data workspace, select **XFEF** and select the unmerge candidate as usual.
2. Click **Actions** and select **Create Unmerge Task**.

The Create Task dialog box opens with default values for all task attributes.

3. In the Title field, replace the default title with a meaningful title for this workflow.

   For example, include the name of the person in the title, such as *Unmerging M Singh*.

4. In the Task Type field, ensure that **Unmerge Workflow** is selected.
5. Change other default task attributes as required.
6. Click **OK**.

   The ActiveVOS Server begins executing activities. When the ActiveVOS Server reaches the first people activity, the ActiveVOS Server creates an IDD Unmerge task. Everyone with the DataSteward role receives a task notification in their IDD Task Inboxes. The task includes the Title that you specified and has a task type of Unmerge.

Review an Update

If your role requires you to review or approve updates, you receive task notifications about the updates in your IDD Task Inbox. Open a task to review the entity that changed.

By default, the Task Inbox appears at the top of the Start workspace, with a title that begins *Tasks For*.

1. In the Task Inbox, select a task.
2. To let other people with the same role know that you are working on a task, right-click the task and select **Claim Task**.
3. Click **Open Task**.

   The entity associated with the task opens in the Data tab. The record state for the entity is set to PENDING. Icons indicate which areas contain the updated data.

4. For each area with a change icon, review all changed data to see if the changes meet your business standards.
5. Based on the results of your review, click **Task Actions** and select an appropriate action.

   - If you agree with the update and the task type permits you to approve updates, click **Approve**. The ActiveVOS Server marks the related Final Review people activity as completed and performs the next activity in the process.
   - If you agree with the update, but the task type does not permit approval at this point in the workflow, click **Escalate**. The ActiveVOS Server marks the related Review No Approve people activity as completed and performs the next activity in the process.
   - If you disagree with the update, click **Reject** and type an explanation in the Comment box. The task is reassigned to the person who initiated the update.
   - If you think that you are the wrong person to assess the validity of this update, click **Disclaim** and type an explanation in the Comment box. Someone with the same role needs to take action on the task.

Monitor Workflow Progress in the ActiveVOS Console

If you have user privileges for the ActiveVOS Console, you can see the progress on an active workflow.

You use the Active Process Detail Page to display the progress within the context of a process flow. For more information about the Active Process Detail Page, open the online help.

1. In the Task Inbox, note the task type.
2. Launch the ActiveVOS Console.
3. On the top menu, click **Monitor**.

4. In the left menu, expand **Process Monitoring** and click **Active Processes**.
5. Select the active process with the same task type.

   The Active Process Detail Page opens with the selected process displayed.
6. On the Process tab, review the process flow on the canvas.

   An arrowhead points to the current activity. Checkmarks indicate the completed activities.

   Note: If you have the ActiveVOS abAdmin role assigned, you can see the workflow details of a task in the Task Manager. You can also assign a task that belongs to another user of your user group back to the pool so that a different user can claim it. To display the workflow diagram associated with the tasks in the Task Manager, you must configure the `cmx.e360.BPMProcess.view.enabled` property in the `cmxserver.properties` file. Set to `true` to display the workflow diagram. Default is `false`.

Author

Ivancica Djeric
Documentation Manager, MDM Products