How-To Library

Informatica

Secure Agent Quick Start for Linux

© Copyright Informatica LLC 2020, 2025. Informatica, the Informatica logo, and Informatica Cloud Data Integration are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html

Abstract

A Secure Agent is a lightweight program that runs all tasks that you configure in Informatica Intelligent Cloud Services℠ and processes your company's data locally and securely. A Secure Agent must be running to run tasks. This article provides instructions that you can follow to quickly install and configure a Secure Agent on Linux in the Spring 2020 and later versions of Informatica Intelligent Cloud Services.

Supported Versions

- Informatica Intelligent Cloud Services Spring 2020.2025.10.M

Table of Contents

Overview. 2
Downloading and installing the Secure Agent. 2
Next steps. 4

Overview

A Secure Agent is a lightweight program that runs all tasks and enables secure communication across the firewall between your organization and Informatica Intelligent Cloud Services. Each Secure Agent that you install is shared by the entire organization.

You can install a Secure Agent on any machine that has access to the data that you want to use with Informatica Intelligent Cloud Services. The Secure Agent must be up and running to run tasks and upload operational metadata to the cloud. So, install the Secure Agent on a machine that is always running, such as a production server.

For more information about Secure Agents, see "Runtime environments" in the Administrator help.

Downloading and installing the Secure Agent


Check the system requirements, then download the installation program and install the Secure Agent.

Before you download and install the Secure Agent, verify that the following pre-requisites are met:


- The machine uses a supported operating system. For the list of supported operating systems for the Secure Agent, see the Product Availability Matrix (PAM) for Informatica Intelligent Cloud Services on Informatica Network here.
- The machine has at least 5 GB of free disk space.
- The account you use to install the Secure Agent has access to all remote directories that contain flat source or target files.
- If you use PowerCenter, install the Secure Agent using a different user account than the account you used to install PowerCenter.
  Informatica Intelligent Cloud Services and PowerCenter use some common environment variables. If the environment variables are not set correctly for Informatica Intelligent Cloud Services, your jobs might fail at run time.
- If your organization uses a protective firewall, include the Informatica Intelligent Cloud Services domain name or IP address ranges in the list of approved domain names or IP addresses. You should also enable the port that the Secure Agent uses to connect to the internet, port 443 (HTTPS).
  For more information, see this Knowledge Base article on Informatica Network.

To download and install the agent:

1. Open Administrator and select **Runtime Environments**.
2. On the **Runtime Environments** page, click **Download Secure Agent**.



3. In the **Download the Secure Agent** dialog box, select the Linux 64-bit operating system platform and copy the install token.



4. Click **Download**.

   The installation program is downloaded to your machine. The name of the installation program is `agent64_install_ng_ext.bin`.
5. Save the installation program to a directory on the machine where you want to run the Secure Agent.

   Note: If the file path contains spaces, the installation might fail.
6. From a shell command line, navigate to the directory where you downloaded the installation program and enter the following command:

   ```
   ./agent64_install_ng_ext.bin -i console
   ```
7. When the installer completes, navigate to the following directory:

   ```
   <Secure Agent installation directory>/apps/agentcore
   ```
8. To start the Secure Agent, enter the following command:

   ```
   ./infaagent.sh startup
   ```

   The Secure Agent Manager starts. You must register the agent using the user name that you use to access Informatica Intelligent Cloud Services. You must also supply the install token.

9. If you did not copy the install token when you downloaded the agent, click **Generate Install Token** on the **Runtime Environments** page in Administrator, and copy the token.
10. In the `<Secure Agent installation directory>/apps/agentcore` directory, enter the following command using your Informatica Intelligent Cloud Services user name and the token that you copied:

    ```
    ./consoleAgentManager.sh configureToken <user name> <install token>
    ```

    You can check the registration status of a Secure Agent using the following command:

    ```
    ./consoleAgentManager.sh isConfigured
    ```

11. If your organization uses an outgoing proxy server to connect to the internet, update the proxy server settings defined for the Secure Agent in the `proxy.ini` file.

    To update the proxy server settings, complete the following steps:

    a. Navigate to the following directory:

    ```
    <Secure Agent installation directory>/apps/agentcore
    ```

    b. Enter the following command to update the `proxy.ini` file:

    ```
    ./consoleAgentManager.sh configureProxy <proxy host> <proxy port> <proxy user name>
    <proxy password>
    ```

    c. Restart the Secure Agent.

Next steps

After you install the Secure Agent, you can perform the following tasks:

- You can edit the Secure Agent name, update Secure Agent configuration properties, and add custom configuration properties to change or optimize Secure Agent behavior.
- By default, the Secure Agent is assigned to its own Secure Agent group. You can rename the Secure Agent group, if desired.
- If you have the appropriate license, you can add multiple Secure Agents to a single Secure Agent group to balance the workload across machines and improve scalability for connections and tasks.
- If you have the appropriate license, you can enable and disable services for a Secure Agent to reduce the potential demand on a Secure Agent group.
- If you have the appropriate license, you can share Secure Agent groups with your sub-organizations.

For more information, see "Secure Agent installation" in the Administrator help.

Author

Lori Troy
Principal Technical Writer