How-To Library

Informatica

AWS PrivateLink Onboarding Guide for Organizations subject to FedRAMP

© Copyright Informatica LLC 2022, 2026. Informatica, the Informatica logo, and Informatica Cloud are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html.

Abstract

If you use an Amazon Virtual Private Cloud (VPC) and your organization is subject to FedRAMP, you can configure a private connection between your VPC and Informatica Intelligent Cloud Services using Amazon Web Services (AWS) PrivateLink.

In organizations subject to FedRAMP, you can use AWS PrivateLink with the following services:

- Application Integration
- Data Integration

Note: This article applies to organizations that are subject to FedRAMP. For instructions on configuring an AWS PrivateLink connection for other organizations, see the AWS PrivateLink Onboarding Guide for Informatica Intelligent Cloud Services.

Supported Versions

- Informatica Intelligent Cloud Services July 2026

Table of Contents

Overview. 2
Before you begin. 3
Step 1. Open a support case with Informatica Global Customer Support. 4
Step 2. Create a VPC endpoint in your Amazon account. 4
Step 3. Configure networking rules on AWS. 6
Step 4. Open the hosted zone and create a record for each Informatica Intelligent Cloud Services service. . . . 8
Step 5. Set up a VPC endpoint for disaster recovery (optional). 9
Step 6. Verify the IP address. 9
Appendix A: DNS names for IICS services. 9
Appendix B: Worksheet for setting up AWS PrivateLink. 10

Overview

If you use an Amazon Virtual Private Cloud (VPC) and your organization is subject to FedRAMP, you can configure a private connection between your VPC and Informatica Intelligent Cloud Services using Amazon Web Services (AWS) PrivateLink.

Note: This article applies to organizations that are subject to FedRAMP. For instructions on configuring an AWS PrivateLink connection for other organizations, see the AWS PrivateLink Onboarding Guide for Informatica Intelligent Cloud Services.

Access to the Informatica Intelligent Cloud Services UI is not supported through AWS PrivateLink. PrivateLink connectivity is intended for data plane/API traffic only and the UI can be accessed via standard public endpoint.


To use AWS PrivateLink, you must purchase the appropriate SKU through Informatica. AWS PrivateLink communication works with Intelligent Data Management Cloud instances that are deployed on AWS infrastructure.

In organizations subject to FedRAMP, you can use AWS PrivateLink with the following services:

- Application Integration
- Data Integration

When you use AWS PrivateLink, the Secure Agent in your VPC communicates with Informatica Intelligent Cloud Services securely through AWS PrivateLink instead of going over the public internet.

The following image shows an overview of the communication between your AWS account and Informatica Intelligent Cloud Services when you use AWS PrivateLink:



To configure Informatica Intelligent Cloud Services to work with AWS PrivateLink, complete the following steps:

1. Open a support case with Informatica Global Customer Support to request access to Informatica Intelligent Cloud Services using AWS PrivateLink.
2. Create a VPC endpoint in your Amazon account.
3. Configure the networking rules on AWS.
4. Open the hosted zone and create a record for each Informatica Intelligent Cloud Services service that you use.
5. Optionally, set up a VPC endpoint for disaster recovery.
6. Verify the IP address to ensure that you're connecting to Informatica Intelligent Cloud Services using AWS PrivateLink.

The following sections in this guide provide details about each of these steps.

Before you begin

Before you begin, note the IP address that you use to connect to Informatica Intelligent Cloud Services over the public internet. When you finish configuring an AWS PrivateLink connection to Informatica Intelligent Cloud Services, you'll need to verify that this IP address differs from the one you use to connect to Informatica Intelligent Cloud Services using AWS PrivateLink.

To verify the IP address, open a terminal on AWS and use the ping command to ping Informatica Intelligent Cloud Services from a server in your AWS account.

For example, if your Informatica Intelligent Cloud Services login URL is `https://dm-us.informaticagovcloud.com/identity-service/home`, use the following command to ping Informatica Intelligent Cloud Services:

```
ping dm-us.informaticagovcloud.com
```

The command returns output like the following example:

```
PING dm-us.informaticagovcloud.com (18.123.456.789): 56 data bytes
```

The IP address is the value within the parentheses. You can record this value in "Appendix B: Worksheet for setting up AWS PrivateLink" on page 10.

Step 1. Open a support case with Informatica Global Customer Support

To start, you'll need to open a support case with Informatica Global Customer Support requesting access to Informatica Intelligent Cloud Services through AWS PrivateLink. Informatica Global Customer Support will add your AWS account ID to the allowlist and provide you with the Amazon Resource Name (ARN) for your POD and region.

If you need help creating a support case, contact your client services manager.

1. Open a support case with Global Customer Support and request access to Informatica Intelligent Cloud Services using AWS PrivateLink. Provide the following information in your support case:
   - Your Informatica Intelligent Cloud Services organization ID.
   - Your AWS region and backup region.

     Your VPC endpoint and the AWS PrivateLink account managed by Informatica will be in the same region. For more information about finding your AWS region, see Regions, Availability Zones, and Local Zones in the AWS documentation.
   - Your AWS account ID and backup account ID.

     The account ID will be in the following format: `arn:aws:iam::<account ID>:root`. For more information about finding your AWS account ID, see Your AWS account identifiers in the AWS documentation.

   You can record these values in "Appendix B: Worksheet for setting up AWS PrivateLink" on page 10.
2. Wait for Informatica to respond to your request and provide you with the ARN.

   You should receive a response within two business days.


When Informatica responds to your request, we'll add your AWS account ID to the allowlist so that you can request an AWS PrivateLink connection to Informatica Intelligent Cloud Services. We'll also provide you with the ARN for your POD and region and enable the appropriate license for your organization.

Step 2. Create a VPC endpoint in your Amazon account

After Informatica Global Customer Support accepts your request, create a VPC endpoint (VPCE) in your Amazon account.

1. In the AWS Management Console, under **Services**, select **VPC**.
2. Under **Virtual private cloud**, click **Endpoints**.
3. On the **Endpoints** page, click **Create endpoint**.

The **Create Endpoint** page appears:



4. Under **Endpoint settings**, enter a name tag and select the service category **PrivateLink Ready partner services**.
5. Under **Service settings**, enter the ARN name provided by Informatica and click **Verify service**.

   You should see a message saying that the service name was verified.

   If service verification fails, verify that your VPC endpoint and the AWS PrivateLink account managed by Informatica are in the same region as your Informatica Intelligent Cloud Services organization. If they're not, you'll need to set up VPC peering to route traffic to an endpoint that is in the same region as the AWS PrivateLink account managed by Informatica. For more information about setting up VPC peering, see the Amazon VPC Peering Guide.
6. Under **VPC**, select the VPC that you want to use to connect to Informatica Intelligent Cloud Services.

   This is the VPC where your Secure Agents are or will be installed.
7. Under **Subnets**, select the availability zones and subnet IDs that you want to communicate over AWS PrivateLink.

You can select multiple subnets in different availability zones to ensure that your interface endpoint is resilient to availability zone failures.

8. For the **IP address type**, select **IPv4**.
9. Under **Security groups**, select the security groups that define the subnet access.

   Create or select a security group with an inbound rule that allows the following access:

Property	Value
IP version	IP
Protocol	TCP
Port range	443
Source	The IP address of your subnets

10. Click **Create endpoint**.
11. Update your support case with Informatica Global Customer Support to let Informatica know that you've completed the endpoint request. Include the VPC endpoint ID in the support the case.

    Informatica Global Customer support will notify you when your request has been accepted. Normally, notification takes two business days or less.


Step 3. Configure networking rules on AWS

When your request has been accepted, configure the networking rules on AWS.

Note: Use caution when changing DNS records, and consult with your network team. If you require public IICS access, a split-horizon DNS is recommended. For help setting up AWS Route 53, contact AWS customer support.

1. In the AWS Management Console, under **Services**, select **Route 53**.

2. In the Route 53 Dashboard, under **DNS management**, click **Create hosted zone**.



3. Under **Domain name**, enter `informaticagovcloud.com`.
4. Optionally, enter a description.
5. Under **Type**, select **Private hosted zone**.
6. Under **VPCs to associate with the hosted zone**, select the region and the VPC and subnets that you configured when you created the VPC endpoint.
7. Optionally, under **Tags**, create and apply tags to identify the hosted zone.
8. Click **Create hosted zone**.


   You should see a message saying that the domain "informaticagovcloud.com" was successfully created.

Step 4. Open the hosted zone and create a record for each Informatica Intelligent Cloud Services service

Open the hosted zone and create a record for each Informatica Intelligent Cloud Services service that you use.

Note: To use a private hosted zone, the VPC must have DNS host names enabled.


1. In the AWS Management Console, under **Services**, select **VPC**.
2. Under **Virtual private cloud**, click **Endpoints**.
3. On the **Endpoints** page, copy the DNS name for the VPC endpoint:



You can record this value in "Appendix B: Worksheet for setting up AWS PrivateLink" on page 10.

4. Close the **Endpoints** page.
5. In the AWS Management Console, under **Services**, select **Route 53**.
6. Select **Hosted zones**.
7. Under **Hosted Zones**, click the **informaticagovcloud.com** domain.
8. Under **Records**, click **Create record**.

   The **Quick create record** page appears:



9. Under **Record name**, enter the DNS name you use to access the service over the public internet.

For information on how to obtain the DNS name for each service, see "Appendix A: DNS names for IICS services" on page 9. You can record the DNS names you need in "Appendix B: Worksheet for setting up AWS PrivateLink" on page 10.

10. Under **Record type**, select **CNAME**.
11. Under **Value**, enter the VPC endpoint to which you want to route traffic to, for example, `vpce-009c450de767a58ff-hg1kevn0.vpce-svc-0c226650a3ec7bb7b.us-west-1.vpce.amazonaws.com`.

    This is the DNS name that you copied from the endpoint in step 3 above.
12. If you use more than one Informatica Intelligent Cloud Services service, click **Add another record** and repeat steps 9-12 for each of the other services.
13. Click **Create records**.

Step 5. Set up a VPC endpoint for disaster recovery (optional)

Optionally, set up a VPC endpoint for disaster recovery. In the event of a faillover, you can move your DNS to the backup location.

To set up a VPC endpoint for disaster recovery, repeat the steps in "Step 2. Create a VPC endpoint in your Amazon account" on page 4 for the VPC endpoint that you want to use for disaster recovery.

Step 6. Verify the IP address

To verify that you are using AWS PrivateLink to connect to Informatica Intelligent Cloud Services, verify the IP address. The IP address you use should differ from the one you noted in the "Before you begin" step.

Open a terminal in your AWS VPC and use the ping command to verify that the IP address now differs from the one returned in "Before you begin" on page 3.

For example, if your Informatica Intelligent Cloud Services login URL is `https://dm-us.informaticagovcloud.com/identity-service/home`, use the following command to ping Informatica Intelligent Cloud Services:

```
ping dm-us.informaticagovcloud.com
```

The command now returns output like the following example:

```
PING vpce-001a234bc567d89ef-ghijklm0.vpce-svc-0a126345b6cd6ef7g.us-west-1.vpce.amazonaws.com
(10.38.8.35) 56(84) bytes of data
```

The new IP address should start with the same numbers as the IP address for your VPC.

Appendix A: DNS names for IICS services

When you create records in the hosted zone for the informaticagovcloud.com domain, you need to allow the DNS names for each Informatica Intelligent Cloud Services service that you use.

When you enter DNS names to allow, enter the global service DNS names and the Data Integration DNS name for your POD. If you use any service other than Data Integration, you also need to enter the DNS names for the service.

For example, if you're on the FedRAMP POD and you use the Application Integration (CAI) and Data Integration services, you would allow the following DNS names:

```
dm-us.informaticagovcloud.com
common.dm-us.informaticagovcloud.com
use2.dm-us.informaticagovcloud.com
use2-cai.dm-us.informaticagovcloud.com
```

If you are unsure of your POD or your organization uses a custom URL to log in to Informatica Intelligent Cloud Services, contact your Informatica representative to find the DNS names.

Allow the following DNS names:

Service	DNS names
Global Identity Service	dm-us.informaticagovcloud.com
Global Package Delivery Manager	common.dm-us.informaticagovcloud.com
Data Integration (CDI)	use2.dm-us.informaticagovcloud.com

If you use Application Integration, allow the following DNS name as well:

Service	DNS names
Application Integration (CAI)	use2-cai.dm-us.informaticagovcloud.com

Appendix B: Worksheet for setting up AWS PrivateLink

Use the following worksheet to record the information that you need to configure Informatica Intelligent Cloud Services to work with AWS PrivateLink.

The following table lists the information you'll need and the reason you need it:

Information needed	Reason	My value
Original Informatica Intelligent Cloud Services IP address	Used to verify your AWS PrivateLink connection.	
Informatica Intelligent Cloud Services organization ID	Needed by Informatica Global Customer support.	
AWS region	Needed by Informatica Global Customer support.	
AWS backup region	Needed by Informatica Global Customer support.	
AWS account ID	Needed by Informatica Global Customer support.	
ARN for your POD and region	Needed to create your VPC endpoint.	
VPC endpoint ID	Needed by Informatica Global Customer support.	

Information needed	Reason	My value
DNS name for the VPC endpoint	Needed to create records in the hosted zone for your Informatica Intelligent Cloud Services services.	
DNS names for the Informatica Intelligent Cloud Services services for which you want to create an AWS PrivateLink connection	Needed to create records in the hosted zone for your Informatica Intelligent Cloud Services services. To find the DNS names, see "Appendix A: DNS names for IICS services" on page 9.	
New Informatica Intelligent Cloud Services IP address	Used to verify your AWS PrivateLink connection. If successful, this address will differ from the original IP address.	

Author

Informatica Cloud Trust Team