Informatica
from Salesforce

Informatica® Cloud Data Integration

XML Source Connector

Informatica Cloud Data Integration XML Source Connector
January 2020

© Copyright Informatica LLC 2016, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-05-12

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- Informatica Intelligent Cloud Services web site 4
- Informatica Intelligent Cloud Services Communities 4
- Informatica Intelligent Cloud Services Marketplace 4
- Data Integration connector documentation 5
- Informatica Knowledge Base 5
- Informatica Intelligent Cloud Services Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: XML Source Connector 6

XML Source Connector Overview 6

XML Source Connector Supported Task Operation and Object Types 6

XML Source Connector Example 6

Chapter 2: XML Source Connections 10

XML Source Connection Overview 10

XML Source connection properties 10

Rules and Guidelines for XML Source Connections 11

Chapter 3: Synchronization Tasks with XML Source Connector 12

XML Sources in Synchronization Tasks 12

XML Source Synchronization Task Example 12

Chapter 4: Working with Large XML Files 15

Big Split Feature 15

Increasing the secure agent memory 15

Index 17

Preface

Use *XML Source Connector* to learn how to read from an XML Source by using Cloud Data Integration. Learn to create an XML Source connection, develop and run synchronization tasks, mappings, and mapping tasks in Cloud Data Integration.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, on the Informatica Intelligent Cloud Services Status page, click **SUBSCRIBE TO UPDATES**. You can choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

XML Source Connector

This chapter includes the following topics:

- XML Source Connector Overview, 6
- XML Source Connector Supported Task Operation and Object Types, 6
- XML Source Connector Example, 6

XML Source Connector Overview

You can use XML Source Connector to connect to XML Source from Data Integration. Use XML Source Connector to read data from XML Source and integrate data with other applications, databases, and flat files. You can use XML Source objects as sources in synchronization tasks, mapping tasks, and mappings.

When you run a task or mapping, the Secure Agent uses the XML Source to perform the specified operation and reads data from XML Source. Use XML Source Connector to parse data within a document and to attach a child object with a parent object in a synchronization task.

XML Source Connector Supported Task Operation and Object Types

The following table lists the object and operations that XML Source Connector supports:

Object	Read	Insert	Update	Upsert	Delete	Data Preview	Look Up
XML File	Yes	No	No	No	No	Yes	No

XML Source Connector Example

The XML document contains customer account details. The following shows an example of XML file:

```
<?xml version="1.0"?>
  <CustomerAaccountSummary>
```

```
<Customers>
 <Customer Id="CUST12001">
   <name>Premkumar S</name>
   <DOB>10-05-1972<DOB>
   <Salutation>Sir.</Salutation>
   <Status>Verification</Status>
   <Accounts>
       <Account Account No="TAXACCNT23490796">
          <PhoneNumbers>
             <Phone type="Work">
               <Number>+91 (080) 78092132</Number>
             </Phone>
             <Phone type="Home">
               <Number>+91 (080) 32153345</Number>
             </Phone>
             <Phone type="Mobile">
               <Number>+91 9676531675 </Number>
             </Phone>
          <PhoneNumbers>
          <Addresses>
             <Address>
               <Address type="Work">
                 <Line1>Informatica Buss Soln.</Line1>
                 <Line2>Bagmane Tech Park</Line2>
                 <City>Bengaluru</City>
                 <Territory>Karnataka</Territory>
                 <Country>India</Country>
                 <ZipCode>560088</ZipCode>
               </Address>
               <Address type="Home">
                 <Line1>DNo-17, Achan Street</Line1>
                 <Line2>Indiranagar</Line2>
                 <City>Bengaluru</City>
                 <Territory>Karnataka</Territory>
                 <Country>India</Country>
                 <ZipCode>560078</ZipCode>
               </Address>
           <Addresses>
        </Account>
    </Accounts>
  </Customer>
 </Customers>
</CustomerAccountSummary>
```

The XML Source Connector organizes the elements into tables and fields, and segregates unbound elements as separate tables.

The following table lists the tables and fields that XML Source Connector creates after parsing the XML file:


Table ID	Table Name	XML Path
Table-1	`CustomerAccountSummary_Customers_Customer`	`/CustomerAccountSummary/Customers/Customer`
Table-2	`Accounts_Account`	`/CustomerAccountSummary/Customers/Customer/Accounts/Account`

Table ID	Table Name	XML Path
Table-3	`Accounts_Account_PhoneNumbers_Phone`	`/CustomerAccountSummary/Customers/Customer/Accounts/Account/PhoneNumbers/Phone`
Table-4	`Accounts_Account_Addresses_Address`	`/CustomerAccountSummary/Customers/Customer/Accounts/Account/Addresses/Address`


Note: Any bound element to the former element becomes the child element of the former element. For example, `PhoneNumbers` is the child element of `Accounts` and `Accounts` is the child element of `Customers`.

Note: All simple and attribute elements are considered as fields. Complex elements are not considered as fields to the table.

The following image shows the tables on the **Source** tab:




The following image shows the relations between different tables:



- Table-1 and Table-2 has a parent-child relation.
- Table-2 is parent to Table-3 and Table-4.

The following image shows the sibling relation between tables:



- Table-3 is sibling to Table-4

CHAPTER 2

XML Source Connections

This chapter includes the following topics:

- XML Source Connection Overview, 10
- XML Source connection properties, 10
- Rules and Guidelines for XML Source Connections, 11

XML Source Connection Overview

Create an XML source connection to connect to an XML source so that the Secure Agent can read data from the XML source. You can specify the XML source in mappings, mapping tasks, or synchronization tasks.

You can create an XML source connection on the **Connections** page. Use the connection when you create a synchronization task or a mapping task.

XML Source connection properties

When you create an XML Source connection, you must configure the connection properties.

Important: XML Source Connector is deprecated and has been moved to maintenance mode. Informatica intends to drop support in a future release.

The following table describes the XML Source connection properties:

Connection property	Description
Connection Name	Name of the XML Source connection.
Description	Description of the connection. The description cannot exceed 765 characters.
Runtime Environment	The name of the runtime environment where you want to run the tasks.
Sample XML File Name	Enter the XML file path.
Sample XSD Schema Name	Enter the XSD file path.

Rules and Guidelines for XML Source Connections

The following guidelines help you to use XML source connections:

- The XML file must have a valid XSD (XML schema directory).
- The XML file must not contain the path of DTD or XSD files.
- The XML file must not have references pertaining to other XML files.
- The XML file must not contain name spaces with the root element.
- You must not run the same synchronization task repeatedly, as it will create duplicate XML records.
- Use the XML file for the XSD schema path in a connection.
- When the XSD file signifies the namespace that needs to be present in XML file, avoid using schema file for metadata parsing.

CHAPTER 3

Synchronization Tasks with XML Source Connector

This chapter includes the following topics:

- XML Sources in Synchronization Tasks, 12
- XML Source Synchronization Task Example, 12

XML Sources in Synchronization Tasks

Use an XML source object as multiple source in a synchronization task. You configure XML source properties on the **Source** page of the Synchronization Task wizard.

The following table describes the XML source properties:

Property	Description
Connection	Name of the source connection.
Source Type	Select Single.
Source Object	Name of the source object. The Source Object corresponds to tables present in the sample XML file used for creating a connection.


XML Source Synchronization Task Example

Perform the following task to configure the following objects and a synchronization task with the insert operation:

Source

The source object for a synchronization task corresponds to tables present in the sample XML file used for creating a connection. Use the XML source connection to connect to a XML source and read data from the XML source.


The following image shows the XML source object and its contents:



Target

Use the `.csv` file as the target object in the synchronization task. The target object file must contain the tables you select in the source object.


The following image shows the target object and its contents:



Mapping

Map the primary fields of the source object to the flat file target object.

The following image shows mapping of the fields:



Note: When you run the synchronization task, the Secure Agent writes the retrieved tables to the target `.CSV` file.

CHAPTER 4

Working with Large XML Files

This chapter includes the following topics:

- Big Split Feature, 15
- Increasing the secure agent memory, 15

Big Split Feature

When you have an XML file of a large size, the big split feature helps you to divide the large XML file into many smaller files. You can parse the files without facing any memory constraints by splitting the large XML file.

You need to mention the XML file path along with split tag while creating a connection. For example, `C:\MyWorkspace\XML.xml;splitTag=<Patient>`.


Note: You can implement big spilt feature when the XML file size is greater than 100 MB. Split tag is the first unbound element from root node for a particular schema.

Increasing the secure agent memory

To increase performance and avoid runtime environment memory issues, perform the following steps:


1. In Administrator, select **Runtime Environments**.
2. Select the Secure Agent for which you want to increase memory from the list of available Secure Agents.
3. In the upper-right corner, click **Edit**.
4. In the **System Configuration Details** section, select the **Type** as **DTM** for the Data Integration Service.
5. Edit **JVMOption1** as **-Xms4056m** and **JVMOption2** as **-Xmx4056m**.

The following image shows the **Details** page:



6. In the **System Configuration Details** section, select the **Type** as **TomCatJRE**
7. Edit **INFA_memory** as **-Xms256m -Xmx512m**.

   The following image shows the **Agent Details** page:



   Note: The minimum and maximum values for the Java heap size are given as an example. Specify the size according to your requirements.

8. Restart the Secure Agent.

INDEX

C

Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4
connections
  XML Source 10

D

Data Integration community
  URL 4

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Cloud Services
  web site 4

M

maintenance outages 5

S

Secure Agent
  increasing memory 15
status
  Informatica Intelligent Cloud Services 5
  system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4

X

XML Source
  connection properties 10
XML Source connection
  overview 10
XML Source connections
  rules and guidelines 11
XML Source Connector
  example 6
  overview 6
  Synchronization tasks 12
XML Source Synchronization tasks
  example 12