Informatica® Cloud Data Integration

Salesforce Commerce Cloud Connector

Informatica Cloud Data Integration Salesforce Commerce Cloud Connector
October 2020

© Copyright Informatica LLC 2019, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-05-12

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- Informatica Intelligent Cloud Services web site 4
- Informatica Intelligent Cloud Services Communities 4
- Informatica Intelligent Cloud Services Marketplace 4
- Data Integration connector documentation 5
- Informatica Knowledge Base 5
- Informatica Intelligent Cloud Services Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: Introduction to Salesforce Commerce Cloud Connector 6

Salesforce Commerce Cloud Connector overview 6

Salesforce Commerce Cloud Connector task and object types 7

Introduction to Salesforce Commerce Cloud 7

Chapter 2: Salesforce Commerce Cloud connections 8

Salesforce Commerce Cloud connection overview 8

Salesforce Commerce Cloud connection properties 8

Chapter 3: Mappings and mapping tasks with Salesforce Commerce Cloud . . . 10

Mappings and mapping tasks with Salesforce Commerce Cloud overview 10

Salesforce Commerce Cloud Source transformation in mappings 10

- Configuring a request using Request Message Editor 11
- Advanced source properties 12
- Field mapping in a Source transformation 12

Salesforce Commerce Cloud Target transformation in mappings 12

- Advanced target properties 13
- Input settings 13
- Field mapping in a Target transformation 13

Salesforce Commerce Cloud midstream transformation in mappings 13

- Advanced midstream properties 14
- Midstream transformation mapping example 14

Chapter 4: Data type reference 17

Data type reference overview 17

Salesforce Commerce Cloud data types and transformation data types 18

Index 19

Preface

Use *Salesforce Commerce Cloud Connector* to learn how to read from or write to Salesforce Commerce Cloud using Cloud Data Integration. Learn to create a Salesforce Commerce Cloud connection, develop and run mappings and mapping tasks in Cloud Data Integration.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, on the Informatica Intelligent Cloud Services Status page, click **SUBSCRIBE TO UPDATES**. You can choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introduction to Salesforce Commerce Cloud Connector

This chapter includes the following topics:

- Salesforce Commerce Cloud Connector overview, 6
- Salesforce Commerce Cloud Connector task and object types, 7
- Introduction to Salesforce Commerce Cloud, 7

Salesforce Commerce Cloud Connector overview

You can use Salesforce Commerce Cloud Connector to connect to Salesforce Commerce Cloud from Cloud Data Integration and read from or write to Salesforce Commerce Cloud using the REST API. You can create a Salesforce Commerce Cloud connection and use the connection in mappings. You can use Salesforce Commerce Cloud Connector in a Source transformation, Target transformation, or midstream in a Web Services transformation. Use the Salesforce Commerce Cloud Connector to connect to the data API, meta API, and shop API of Salesforce Commerce Cloud.

When you use Salesforce Commerce Cloud Connector midstream in a mapping, you first create a business service for the operation that you want to perform in Salesforce Commerce Cloud. You then associate the business service in a Web Services transformation midstream in a mapping to read from or write to Salesforce Commerce Cloud.

You can use the following REST methods in source, target, and midstream transformation:

- GET
- PUT
- PATCH
- DELETE

Salesforce Commerce Cloud Connector does not support Hosted Agent.

Salesforce Commerce Cloud Connector task and object types

The following table lists the Salesforce Commerce Cloud transformation types that you can include in Data Integration tasks:

Task type	Transformation type
Mapping	Source, Target, and Midstream

Introduction to Salesforce Commerce Cloud

Salesforce Commerce Cloud is a cloud-based ecommerce solution that combines digital commerce, order management, store operations, and AI-powered personalization on a single, unified commerce platform. Salesforce Commerce Cloud enables businesses to engage with customers over any channel or device.

Salesforce Commerce Cloud provides the Open Commerce API (OCAPI), which is a RESTful API. OCAPI consists of the following three components:

- Shop API - The shop API is for interaction on the website such as browsing products and completing purchases.
- Data API - The data API is for backend system resources such as your product inventory and customer lists.
- Meta API - The meta API is for details about the resources and documents provided by the Open Commerce API, including custom attributes.

CHAPTER 2

Salesforce Commerce Cloud connections

This chapter includes the following topics:

- Salesforce Commerce Cloud connection overview, 8
- Salesforce Commerce Cloud connection properties, 8

Salesforce Commerce Cloud connection overview

Create a Salesforce Commerce Cloud connection to access Salesforce Commerce Cloud data from Data Integration. You can create a connection on the Connections page or when you create a task. After you create a connection, it becomes available to all users who have access to the organization. Use the connection when you create mappings.

Salesforce Commerce Cloud connection properties

When you create a Salesforce Commerce Cloud connection, you must configure the connection properties.

Important: Salesforce Commerce Cloud Connector is deprecated and has been moved to maintenance mode. Informatica intends to drop support in a future release.

The following table lists the Salesforce Commerce Cloud connection properties:

Connection property	Description
Connection Name	The name of the connection.
Description	Optional. The description of the connection.
Runtime Environment	The name of the runtime environment where you want to run the tasks.
Base URL	The base URL to connect to Salesforce Commerce Cloud. For example, `https://demo-ocapi.demandware.net`

Connection property	Description
Client ID	The client ID for OAuth 2.0 authentication to connect to Salesforce Commerce Cloud.
Client Secret	The client secret key for OAuth 2.0 authentication to connect to Salesforce Commerce Cloud.
API Type	The type of Salesforce Commerce Cloud API that you want to use. Select one of the following APIs: - **data**. Accesses backend system resources such as your product inventory and customer lists. - **meta**. Gets the metadata of OCAPI resources from Salesforce Commerce Cloud. - **shop**. Gets details related to the shopper persona such as cart activities, product information, product pricing.
API Version	The version of the data API, meta API, or shop API that you want to connect to.
Site ID	Required for shop API. The ID of the site you want to connect to.

CHAPTER 3

Mappings and mapping tasks with Salesforce Commerce Cloud

This chapter includes the following topics:

- Mappings and mapping tasks with Salesforce Commerce Cloud overview, 10
- Salesforce Commerce Cloud Source transformation in mappings, 10
- Salesforce Commerce Cloud Target transformation in mappings, 12
- Salesforce Commerce Cloud midstream transformation in mappings, 13

Mappings and mapping tasks with Salesforce Commerce Cloud overview

Create a mapping in the **Mapping Designer** to read from or write to Salesforce Commerce Cloud.

When you create a mapping, you must select a Salesforce Commerce Cloud connection and an operation. You can also use Salesforce Commerce Cloud Connector in Source, Target, and Midstream transformations.

Note: When you run a mapping task, the Monitor shows a job as completed successfully even if the Secure Agent fails to read data from the source. You must download and check the session log to know the exact status of the job and error details.

Salesforce Commerce Cloud Source transformation in mappings

Create a Source transformation in the Mapping Designer to read data from Salesforce Commerce Cloud.

When you select a Salesforce Commerce Cloud connection for a Source transformation in a mapping to read data from Salesforce Commerce Cloud, specify Operations on the **Source** tab of the Source transformation. The Secure Agent displays operation IDs specified in the swagger specification.

Select an operation ID, configure the request message from the sample template provided in the request message editor, and configure the advanced properties for the operation. When you run the mapping, the Secure Agent retrieves data for the specified operation from Salesforce Commerce Cloud.

Note: For operations that have cyclic dependency, you can read the metadata and data only up to 5 levels.

Configuring a request using Request Message Editor


When you create a Source transformation, configure an JSON request message for the operation that you want to perform in Salesforce Commerce Cloud.

Use the Request Message Editor to create a request message. The request message is in JSON format and contains request parameters exposed by the Salesforce Commerce Cloud API for a specific operation. You can use the default request message for the operation and then customize the request message to specify the data that you want to include.

To customize your request, copy the request message from the sample template to the Request Message Editor pane where you can edit the JSON message and add the attributes for the request. Remove unnecessary and empty tags from the request message to avoid operation failure. You can hide the optional elements to see the mandatory elements required for the request message.

For example, you can perform the getUsersByID operation using Salesforce Commerce Cloud Connector to get user details.

The following image shows the validated request message in a getUsersByID operation in the Mapping Designer:



Note: When you read data by using the shop API, you must provide the client ID in the request message. For example, `"x-dw-client-id" : "aaaaaaaaaaaaaaaaaaaaaaaaaaaaaa"`.

Advanced source properties

You can set the tracing level in the advanced properties to determine the amount of detail that appears in the logs.

The following table describes the Salesforce Commerce Cloud advanced source properties:

Property	Description
Cache Size for Web Service Response (KB)	Not applicable. **Note:** Do not change the value of this property unless Informatica Global Customer Support instructs you to do so.

The following table describes the tracing levels that you can configure:

Property	Description
Terse	The Secure Agent logs initialization information, error messages, and notification of rejected data.
Normal	The Secure Agent logs initialization and status information, errors encountered, and skipped rows due to transformation row errors. Summarizes session results, but not at the level of individual rows.
Verbose Initialization	In addition to normal tracing, the Secure Agent logs additional initialization details, names of index and data files used, and detailed transformation statistics.
Verbose Data	In addition to verbose initialization tracing, the Secure Agent logs each row that passes into the mapping. The Secure Agent truncates string data to fit the precision of a column and provides detailed transformation statistics. When you configure the tracing level to verbose data, the Secure Agent writes row data for all rows in a block when it processes a transformation.

Field mapping in a Source transformation

The response message format follows the service response definition in the swagger specification file. You can map response fields from a hierarchical to a relational structure of output groups and fields.

After you configure an operation for a source and specify the request message, create the relational format from the hierarchical data to include groups and fields that you want in the output.

To do this, select the elements in the response structure that you want to include as output fields. The Secure Agent converts the XML response in the hierarchical structure to relational groups at run time.

Salesforce Commerce Cloud Target transformation in mappings

Create a Target transformation in the Mapping Designer to write data to Salesforce Commerce Cloud. When you select a Salesforce Commerce Cloud connection for a Target transformation in a mapping, the Secure Agent displays operation IDs specified in the swagger specification you configure in the connection. You must select an operation based on the object configured in the connection.

When you configure a Salesforce Commerce Cloud target, you can select **Operations** on the **Target** tab to display the list of valid operations. The Secure Agent creates target fields based on the request message structure of the operation you select on the **Target** tab.

Advanced target properties

The following table describes the Salesforce Commerce Cloud advanced target properties:

Property	Description
Cache Size for Web Service Request (KB)	Not applicable. **Note:** Do not change the value of this property unless Informatica Global Customer Support instructs you to do so.

Input settings

You can enable **Sorted Input** under Input Settings. Sorted Input indicates that input data is presorted. Default is disabled. Enable sorted input for better performance.

Note: When **Sorted Input** is enabled and the input is not sorted, the Secure Agent does not process input and the mapping fails.

Field mapping in a Target transformation

You can map fields that are in a relational structure to the hierarchical structure used by Salesforce Commerce Cloud.

On the **Field Mapping** tab for the Target transformation, the fields in the **Target Fields** appear in hierarchical format. The target fields are determined by the request message structure of the operation you select for the Target transformation

Each source object displays as a group in the **Input Fields** area. You can select fields in the Input Fields area to map the fields to the request. If the input fields include multiple input groups, map the groups to the corresponding nodes in the request. Be sure to map all of the fields that you require in the request.

Salesforce Commerce Cloud midstream transformation in mappings

Use the midstream transformation to make a web service request and to map the web service response to a target.

When you use Salesforce Commerce Cloud Connector midstream, you create a business service, associate a Salesforce Commerce Cloud connection, and the required read or write operation for the business service. You can then use the business service to add operations to the Web Services transformation in the Mapping Designer.

Advanced midstream properties

The following table describes the advanced properties that you can configure for a midstream transformation:


Property	Description
Cache Size for Web Service Request (KB)	Memory available for the web service request. If the request is more than 100 KB, you can increase the cache size. Default is 100 KB.
Cache Size for Web Service Response (KB)	Memory available for the web service response. If the web service response contains many rows or columns, you might want to increase the cache size. Default is 100 KB.
Allow Input Flush	The mapping task creates XML when it has all of the data for a group. When enabled, the mapping task flushes the XML after it receives all of the data for the root value. When not enabled, the mapping task stores the XML in memory and creates the XML after it receives data for all the groups.
Transaction Commit Control	Control to commit or roll back transactions based on the set of rows that pass through the transformation. Enter an IIF function to specify the conditions to determine whether the mapping task commits, rolls back, or makes no transaction changes to the row. Use the transaction commit control if you have a large amount of data and you want to control how it is processed.

Midstream transformation mapping example


To read data from a Salesforce Commerce Cloud source and to write the data to a flat file, perform the following tasks:

1. Create a Salesforce Commerce Cloud connection to read data from a Salesforce Commerce Cloud source.
2. In Data Integration, click **New** > **Components** > **Business Services**.
   The **Business Service Details** dialog box appears.


   The following image shows the configured business service that associates a Salesforce Commerce Cloud connection and an operation:




3. Add a Web Services transformation. Specify a name and description in the general properties.
The following image shows the source, web service, and target in the Salesforce Commerce Cloud mapping:




4. On the **Web Service** tab, select the business service and the operation that you configured.
The following image shows the configured web service:



5. On the **Request Mapping** tab, map the incoming fields from the source to the elements of Request Structure to form a web service request.
The following image shows the fields that you map:



6. On the **Response Mapping** tab of the Web Service transformation, the request generates a response structure for the specified REST operation from which you can select the elements that you require in the output. The output groups and keys generate automatically.
The following image shows the output groups and keys that are automatically generated.



7. On the **Advanced** tab, specify the cache size details. The fields that you select from the **Response Structure** of the Web Service transformation appear as incoming fields for the target object.
8. Click **Task Wizards** > **Mapping Task**, and select the mapping for the task.
9. When you save and run the mapping, the Secure Agent reads the data that you map on the Request Mapping tab from Salesforce Commerce Cloud and writes the data to the corresponding flat file.

CHAPTER 4

Data type reference

This chapter includes the following topics:

- Data type reference overview, 17
- Salesforce Commerce Cloud data types and transformation data types, 18

Data type reference overview

Data Integration uses the following data types in mappings and mapping tasks with Salesforce Commerce Cloud:

Salesforce Commerce Cloud native data types

Salesforce Commerce Cloud data types appear in the Fields tab for Source and Target transformations when you choose to edit metadata for the fields.

Transformation data types

Set of data types that appear in the transformations. They are internal data types based on ANSI SQL-92 generic data types, which the Secure Agent uses to move data across platforms. Transformation data types appear in all transformations in a mapping.

When Data Integration reads source data, it converts the native data types to the comparable transformation data types before transforming the data. When Data Integration writes to a target, it converts the transformation data types to the comparable native data types.

Salesforce Commerce Cloud data types and transformation data types

The following table lists the Salesforce Commerce Cloud data types that Data Integration supports and the corresponding transformation data types:

Salesforce Commerce Cloud Data Type	Transformation Data Type	Description
Integer	Integer	Fields of this type contain numbers with no fraction portion.
String	String	Character strings.

INDEX

C

Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4
connections
  connection overview 8
  Salesforce Commerce Cloud 8

D

Data Integration community
  URL 4
data type reference
  overview 17
  Salesforce Commerce Cloud and transformation data types 18

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Cloud Services
  web site 4

M

maintenance outages 5

S

Salesforce Commerce Cloud
  connection properties 8
Salesforce Commerce Cloud Connector
  overview 6
  tasks and object types 7
status
  Informatica Intelligent Cloud Services 5
system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4