Informatica® Cloud Data Integration

WebServices V2 Connector

Informatica Cloud Data Integration WebServices V2 Connector
July 2021

© Copyright Informatica LLC 2015, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-05-12

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- Informatica Intelligent Cloud Services web site 4
- Informatica Intelligent Cloud Services Communities 4
- Informatica Intelligent Cloud Services Marketplace 4
- Data Integration connector documentation 5
- Informatica Knowledge Base 5
- Informatica Intelligent Cloud Services Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: Introduction to Web Services V2 Connector 6

Overview 6

Web Services Connector 6

Compatibility 7

Enabling Web Services Connector 7

General Assumptions Made in the Connector 7

Proxy Support 8

Chapter 2: Web Services V2 Connections 9

WebServices V2 connection properties 9

Creating a Web Services Connection 10

Web Services Connection Guidelines 11

Chapter 3: Synchronization Tasks with Web Services V2 Connector 13

Creating a Web Services Synchronization Task 13

Data Filters 14

- Data Filters Tips 14

Chapter 4: Troubleshooting 16

Troubleshooting Web Services 16

Index 17

Preface

Use *WebServices V2 Connector* to learn how to read from or write to the WebServices application by using Cloud Data Integration. Learn to create a connection and develop and run synchronization tasks in Cloud Data Integration.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, on the Informatica Intelligent Cloud Services Status page, click **SUBSCRIBE TO UPDATES**. You can choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introduction to Web Services V2 Connector

This chapter includes the following topics:

- Overview, 6
- Web Services Connector, 6
- Compatibility, 7
- Enabling Web Services Connector, 7
- General Assumptions Made in the Connector, 7
- Proxy Support, 8

Overview

Data Integration connector SDKs are off-cycle, off release “add-ins” that provide data integration to SaaS and on-premise applications, which are not supported natively by Data Integration. The cloud connectors are specifically designed to address most common use cases such as moving data into cloud and retrieving data from cloud for each individual application.

Once the Web Services Connector is enabled for your organization ID, you need to create a connection in Data Integration to access the connector.

Web Services Connector

Web Services Connector allows you to integrate data with web services applications that are either internal to your organization or external applications that exposes SOAP web services interface.

The following table lists the operations that you can perform for different objects of Web Services Connector.

Objects	Read	Insert	Update	Upsert	Delete	Data Preview	Lookup
Web Services	Yes	NA	NA	NA	NA	NA	NA

Compatibility

Web Services Connector supports SOAP 1.1.

Enabling Web Services Connector

To enable Web Services Connector, get in touch with Informatica support or Informatica representative. It usually takes 15 minutes for the connector to download to Secure Agent, after it is enabled.

Note: To install Secure Agent, see Installing Informatica Secure Agent.

General Assumptions Made in the Connector

- The design of the Web Services Connector is based on Web Services Description Language (WSDL) and is tested only in WSDL test-bed.
- HTTP GET and POST protocols are not supported.
- The connector supports medium-complex schema in the WSDL. For example, the schemas which can be easily de-normalized are supported.
- The schemas in which siblings contain an 'unbound' value are not supported.
- The schemas consisting of parent-child hierarchy containing more than one 'unbound' value are also not supported.

For example, the below mentioned type of complex schema is not supported.

```
<complextype name="TaskInstanceInfoArray">
<sequence>
<element name="TaskInstanceInfo" minOccurs="0" maxOccurs="unbounded"
type="impl:TaskInstanceInfo" />
</sequence>
</complextype>
<complextype name="TaskInstanceInfo">
<sequence>
<element name="Name" type="xsd:string" />
<element name="Type" type="xsd:string" />
<element name="ChildTask" minOccurs="0" maxOccurs="unbounded"
type="impl:TaskInstanceInfo" />
<element name="IsValid" type="xsd:boolean" />
</sequence>
</complextype>
```

- When a WSDL consists of cyclic reference of elements, then the WSDL are not parsed. The following example is the schema containing cyclic reference of elements.

```
<complexType name="TaskInstanceInfo">
<sequence>
<element name="Name" type="xsd:string"/>
<element name="Type" type="xsd:string"/>
<element name="ChildTask" minOccurs="0" maxOccurs="unbounded"
type="impl:TaskInstanceInfo"/>
```

Note: The element `TaskInstanceInfo` is self-referencing itself.


- The CDATA elements are not supported. Though the whole CDATA content is captured in a field, it cannot be parsed internally.
- Attribute type elements are supported for request and are not supported in response parsing.
- Custom SQL, as input for SOAP requests are not supported. For example, Salesforce query (as in Salesforce WSDL), ZOQL (as in Zuora) are not supported.

Proxy Support

Unlike other connectors which follow agent level proxy settings, you can enable or disable proxy for Web Services Connector irrespective of agent proxy setting.

You can consider the following guidelines to enable the proxy settings for the connector:

- The default value of **setProxy** parameter is true.
- You can set the value in the `proxySettings.ini` file in secure agent directory to change the proxy settings. The following figure shows an example of `proxysettings.ini` file.



You either set the value as true or false for this parameter. You can set the value to true to enable the proxy. You can set the value to false to disable the proxy.

If you use proxy support, perform the following steps:

1. Copy the `ProxySettings.ini` file from `<Secure Agent installation directory>\downloads\<latest connector package>\package\connectors\ctk\506000` to `<Secure Agent installation directory>\apps\Data_Integration_Server\ext\deploy_to_main\bin\rdtm-extra\Webservices V2\`

   Note: If the `deploy_to_main\bin\rdtm-extra\Webservices V2\` directory does not already exist, create the directory.

   Note: The folder name is case sensitive on Linux.
2. Restart the Secure Agent.

CHAPTER 2

Web Services V2 Connections

This chapter includes the following topics:

- WebServices V2 connection properties, 9
- Creating a Web Services Connection, 10
- Web Services Connection Guidelines, 11

WebServices V2 connection properties

When you set up a WebServices V2 connection, you must configure the connection properties.

Important: WebServices V2 Connector is deprecated and has been moved to maintenance mode. Informatica intends to drop support in a future release. Informatica recommends that you use Web Service Consumer Connector to access web services applications.

The following table describes the WebServices V2 connection properties:

Connection Property	Description
Connection Name	Enter a unique name for the connection.
Description	Provide a relevant description for the connection.
Secure Agent	Select the appropriate Secure Agent from the list.
WSDL URL	Enter the WSDL URI or URL. **Note:** The length of the WSDL URL fields in Connection tab is increased to 500 characters.
Header CSV path	Enter the Secure Agent server path where header* CSV Files are created.
Body CSV path	Enter the Secure Agent server path where body* CSV Files are created.
Endpoint URL	Enter the Web Service endpoint URL, where the request are served. **Note:** The length of the Endpoint URL fields in Connection tab is increased to 500 characters.

Connection Property	Description
Authentication Type	Select the type of authentication from the list of authentication available: **None** No Authentication required. **Basic Authentication** Basic Authentication required. **WSSE UserToken Authentication** User token authentication required. **WSSE Digital Signature Authentication** SSL certificate based authentication required.
User Name	Enter the username required for authentication.
Password	Enter the password.
Certificate Path	Enter the certificate path only when you use WSSE Digital Signature Authentication.
Auto CSV file creation	Select Auto Creation of Body/Header CSV files (Automatic creation of CSV files) or Manual Creation of Body/Header CSV files (You manually create the CSV files).
Download path for attachment	Enter the local directory path in which all the files will be downloaded.
Upload path for attachment	Enter the local directory path from which all the files will be uploaded.
Enable Logging	Select the checkbox to enable logging.
Allow Empty Tags	Select to allow empty tags in the SOAP requests.

Creating a Web Services Connection

To use Web Services Connector in a synchronization task, you must create a connection in Data Integration.

You can configure a connection on the Connections page or in a wizard as you configure a task.

Perform the following steps to create a Web Services connection in Data Integration:

1. On the **Connections** page, click **New Connection** to create a connection.

   The **New Connection** page appears.
2. Provide the connection properties.
3. Click **Test Connection** to evaluate the connection.

Note: When you test the connection, a sample CSV template with CSV-header is created in the respective directory paths. A configuration file is also generated in the body CSV file path named `config.properties`. The file contains the following fields with the default values:

- Field-1: HirerachyLen = 40
- Field-2: FieldLen= 20

In configuration file, you can use RepeatingChildLevels to control the number of sub-childs with same tag name.

HierarchyLen is used to define the length allocated to the shortened hierarchy name. FieldLen is used to define the length allocated to the end tag name. You can modify the value of the fields based on the requirement. The sum of the two fields should not be greater than 60.

When you modify the values in the configuration file, you need to regenerate the Body, Header and Mapping CSV files. To regenerate the files, delete the existing files in the respective directories and click **Test**.

The Documents folder is also generated in the same folder path. The Documents folder contains mapping CSV files for each operation. The mapping CSV files consist the mapping between the shortened name and the complete hierarchy navigation as mentioned in the WSDL. The following figure describes the mapping CSV files.



NorthamericanNorthamericanServicestatus_StatusNbr_OP	NorthAmericanAddressVerificationResponse->NorthAmericanAddressVerificationResult->ServiceStatus->StatusNbr
NorthamericanNorthamericanServicestatus_StatusDescription_OP	NorthAmericanAddressVerificationResponse->NorthAmericanAddressVerificationResult->ServiceStatus->StatusDescription
NorthamerNorthamerServicereUsaddress_AddressLine1_OP	NorthAmericanAddressVerificationResponse->NorthAmericanAddressVerificationResult->ServiceResult->USAddress->AddressLine1
NorthamerNorthamerServicereUsaddress_AddressLine2_OP	NorthAmericanAddressVerificationResponse->NorthAmericanAddressVerificationResult->ServiceResult->USAddress->AddressLine2
NorthamerNorthamerServicereUsaddress_StreetNumber_OP	NorthAmericanAddressVerificationResponse->NorthAmericanAddressVerificationResult->ServiceResult->USAddress->StreetNumber
NorthamerNorthamerServicereUsaddress_Firm_OP	NorthAmericanAddressVerificationResponse->NorthAmericanAddressVerificationResult->ServiceResult->USAddress->Firm
NorthamerNorthamerServicereUsaddress_PreDirection_OP	NorthAmericanAddressVerificationResponse->NorthAmericanAddressVerificationResult->ServiceResult->USAddress->PreDirection
NorthamerNorthamerServicereUsaddress_StreetName_OP	NorthAmericanAddressVerificationResponse->NorthAmericanAddressVerificationResult->ServiceResult->USAddress->StreetName
NorthamerNorthamerServicereUsaddress_StreetType_OP	NorthAmericanAddressVerificationResponse->NorthAmericanAddressVerificationResult->ServiceResult->USAddress->StreetType
NorthamerNorthamerServicereUsaddress_PostDirection_OP	NorthAmericanAddressVerificationResponse->NorthAmericanAddressVerificationResult->ServiceResult->USAddress->PostDirection
NorthamerNorthamerServicereUsaddress_Extension_OP	NorthAmericanAddressVerificationResponse->NorthAmericanAddressVerificationResult->ServiceResult->USAddress->Extension
NorthamerNorthamerServicereUsaddress_ExtensionNumber_OP	NorthAmericanAddressVerificationResponse->NorthAmericanAddressVerificationResult->ServiceResult->USAddress->ExtensionNumber

4. Select the **Manual Creation of Body/Header CSV files** in the **Auto CSV file Creation** field after all the required CSV files are generated.

   This selection offers better performance when you run the **Data Filters** task.

5. Click **Save** to save the connection.

   For more information, see "Web Services Connection Guidelines" on page 11

Web Services Connection Guidelines

- While creating a web services connection, you have WSDL less than the size of 500KB or not complex in nature, it is recommended to select "Auto CSV File Creation" = "Auto Creation of Body/Header Files". Perform this step after testing the connection.
- If you have WSDL greater than the size of 500KB or complex in nature, it is recommended to select "Auto CSV File Creation" = "Manual Creation of Body/Header Files". Perform this step after testing the connection.
- It is mandatory to test the connection before saving it, testing the connection leads to the creation of header and body files for the web services. Before testing the connection it is mandatory to keep "Auto CSV File Creation" = "Auto Creation of Body/Header Files".
- After header and body files are created for web services, you need to modify the files to enter the required set of data or load these files with data set.
- For better performance, it is recommended to select "Auto CSV File Creation" = "Manual Creation of Body/Header Files".

- Do not use the relative path to upload or download the file.

CHAPTER 3

Synchronization Tasks with Web Services V2 Connector

This chapter includes the following topics:

- Creating a Web Services Synchronization Task, 13
- Data Filters, 14

Creating a Web Services Synchronization Task

Note: You need to create a connection before getting started with a synchronization task.

Perform the following steps to setup a synchronization task in Data Integration.

Note: When web service is chosen as source, data preview is not supported.

Note: When you use web service as target, you cannot perform insert, update, and delete task operations. Web service is primarily used to call API without a specific reference to source or target.

Let us consider the task operation Insert to perform the synchronization task.

1. In Data Integration, select **Tasks** > **Synchronization Task**, and then click **Create**.

   The **Definition** tab appears.
2. Specify the **Task Name**, provide a **Description**, and select the Task Operation **Insert**.
3. Click **Next**.

   The **Source** tab appears.
4. Select the source **Connection**, **Source Type**, and **Source Object** to be used for the task.
5. Click **Next**.

   The **Target** tab appears.
6. Select the target **Connection** and **Target Object** required for the task.
7. Click **Next**.
8. On the **Data Filters** tab by default, Process all rows is chosen. See "Data Filters" on page 14.
9. Click **Next**.
10. On the **Field Mapping** tab, map source fields to target fields accordingly.
11. Click **Next**.

The **Schedule** tab appears.

12. On the **Schedule** tab, you can schedule the task as per the requirement and save.
13. Click **Save** and then click **Finish**.
14. From the **Explore** page, select the task, and click **Actions** > **Run**.

    In Monitor, you can monitor the status of the task. .

Data Filters

Data filters help you to fetch specific data in web services connector. The synchronization task processes the data based on the filter field assigned.

Note: Advanced data filters are not supported by Web Services Connector.

Perform the following steps to use data filters:

1. In the synchronization task, select **Data Filters** tab.

   The **Data Filters** tab appears.
2. Click **New** .

   The Data Filter dialog box appears.
3. Specify the following details.

Field Type	Description
Object	Select Object for which you want to assign filter fields.
Filter By	Select the Filter Field.
Operator	Select the corresponding operator.
Filter Value	Enter the Filter value.

4. Click **OK**.

   Note: When web service is the source, you can pass parameters to the web service through the data filters.

Data Filters Tips

There are two ways to pass the data using filter fields.

- You can directly hard-code the values in the data filter and pass them into fields. For example, Address_***_IN parameters.
- You can also filter by Body_CSV_Path_IN and Header_CSV_Path_IN, providing the filter value as directory path along with file name. The file provided in the filter value must consist of the data set to send information to the web service.

There are also two custom fields to support file attachments.

- AttachmentDownloadFolder_IN: This field contains name of the folder in which the downloaded file will be saved. The relative path will be formed with combination with the download Path given in connection.
- AttachmentFileName_IN: This field contains the name of the file which has to be uploaded to the end point. The relative path will be formed with combination with the upload path given in connection

There are two output custom fields generated irrespective of the WSDL related to the attachment support.

- AttachmentDownloadDataInBytes_OUT: This field contains the data of the attachment in the Base64 encoded in a string format.
- AttachmentDownloadFileName_OUT: This field contains the name of the file of attachment data that is stored in the field AttachmentDownloadDataInBytes_OUT.

Note: when you upload a file, all the necessary information must be according to WSDL design. The field must contain the attachment data in bytes of Base64 and the value should be entered as “BYTES"

CHAPTER 4

Troubleshooting

This chapter includes the following topic:

- Troubleshooting Web Services, 16

Troubleshooting Web Services

When the performance of a synchronization task is slow, it might be due to the following reasons:

- The Internet connection is slow.
- Endpoint server request is in wait state and the server is processing the request slow.
- After testing the connection, the value of “Auto CSV File Creation” = “Auto Creation of Body/Header Files”.

An error occurs while testing the connection.

- Folder or File creation permission is not available for the user running secure agent service.
- WSDL is not available in the provided path.
- Proper endpoint URL is not provided.
- The endpoint is down, because of which there can be a problem in loading the WSDL. Please try accessing the WSDL using an internet explorer.

A SOAP fault in the synchronization task session log or in the cloud screen, then the error is passed from the endpoint server. Please check the endpoint server logs for more information.

INDEX

C

Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4
connections
  WebServices V2 9

D

Data Integration community
  URL 4

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Cloud Services
  web site 4

M

maintenance outages 5

S

status
  Informatica Intelligent Cloud Services 5
system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4
WebServices V2
  connection properties 9