Informatica®

Informatica® Cloud Data Integration

Workday Connector

Informatica Cloud Data Integration Workday Connector
September 2018

© Copyright Informatica LLC 2015, 2024

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2024-10-19

Table of Contents

Preface 6

Informatica Resources 6

- Informatica Documentation 6
- Informatica Intelligent Cloud Services web site 6
- Informatica Intelligent Cloud Services Communities 6
- Informatica Intelligent Cloud Services Marketplace 7
- Data Integration connector documentation 7
- Informatica Knowledge Base 7
- Informatica Intelligent Cloud Services Trust Center 7
- Informatica Global Customer Support 7

Chapter 1: Overview 8

Overview 8

Chapter 2: Introduction to Workday Connector 9

Workday Connector Overview 9

Supported Objects and Task Operations 9

Enabling Workday Connector 14

Chapter 3: Workday Connections 15

Workday connection properties 15

Creating a Workday Connection 16

Chapter 4: Creating a Workday Synchronization Task 18

Creating a Workday Synchronization Task 18

Data Filters 21

- Advanced Data Filters 23
- Get Incremental Updates 24

Chapter 5: Troubleshooting 25

Troubleshooting Configuration Issues 25

- Troubleshooting Synchronization Task 25
- Validating End Point 25
- Increasing the Secure Agent memory 25

Chapter 6: Object Specifications 27

Object Specification 27

Filter Fields 53

- WorkerExport 53
- Organization 54

Locations. . . . 54
JobCategories. . . . 54
JobClassificationGroups. . . . 55
JobFamilies. . . . 55
JobProfiles. . . . 56
EventHistory. . . . 56
JobHistory. . . . 57
Position. . . . 57
Applicant. . . . 58
CostCenters. . . . 58
CostCentersCustomOrg. . . . 59
Regions. . . . 59
RegionsCustomOrg. . . . 60
WorkdayCompanies. . . . 60
WorkdayCompaniesCustomOrg. . . . 60
LedgerAccountSummary. . . . 61
AllLedgerAccount. . . . 61
AccountSet. . . . 61
ConditionRuleData. . . . 62
CustomValidationMessageData. . . . 62
JournalEntry. . . . 62
JournalEntryLine. . . . 63
Organizations. . . . 64
SubOrdinateOrganizations. . . . 64
IncludedOrganizations. . . . 65
IncludedInOrganizations. . . . 66
ResourceCategories. . . . 66
CurrencyConversionRates. . . . 67
BusinessPlanDetails. . . . 67
WorkdayProjects. . . . 68
ProjectPlanData. . . . 68
ResourcePlanData. . . . 69
CompensationPayLevel. . . . 70
PayrollInputs. . . . 70
PaymentHistory. . . . 71
OffcyclePayments. . . . 71
PayrollResultsData. . . . 72
PayrollRemittanceWorkerData. . . . 72
BankAccount. . . . 73
OverrideBalance. . . . 73
FuturePaymentPlanData. . . . 74

Chapter 7: Adding New Fields Using .ini File. 75

Adding New Fields Using Fields.ini File. 75

Index. 79

Preface

Data Integration Workday User Guide provides a brief introduction on cloud connectors and its features.

The guide provides detailed information on setting up the connector and running synchronization tasks. This guide provides a brief overview of supported features and task operations that you can perform using Workday Connector.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, on the Informatica Intelligent Cloud Services Status page, click **SUBSCRIBE TO UPDATES**. You can choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Overview

This chapter includes the following topic:

- Overview, 8

Overview

Data Integration Connector developed using SDK framework are off-cycle, off release “add-ins” that facilitate data integration to SaaS and on premise applications, which are not supported natively by Data Integration. The connectors are specifically designed to address most common use cases such as moving data into cloud and retrieving data from cloud for individual application.

Once the Workday Connector is enabled for your Cloud ORG Id, you need to create a connection in Data Integration to access the connector.

CHAPTER 2

Introduction to Workday Connector

This chapter includes the following topics:

- Workday Connector Overview, 9
- Supported Objects and Task Operations, 9
- Enabling Workday Connector, 14

Workday Connector Overview

Workday Connector provides connectivity to Workday cloud application. The Workday functionality is classified into a set of objects from which data could be fetched from and pushed into the Workday cloud application.

Note: Workday Connector is anchored on workday Application V22.0. The connector functions uninterruptedly for next three versions of Workday application that is V23, V24, and V25. When you use the same consumed method of Workday application without performing any changes, Workday Connector functions uninterruptedly for higher versions of Workday Application.

The connector provides bi-directional support with Workday. It supports Human Resource, Financial Management, Staffing, Resource Management, and Payroll and Compensation modules. The connector offers simple filters for easy data integration.

Workday Connector supports lookups. You can extract incremental data using $LastRunDate.

Supported Objects and Task Operations

The table below provides the list of objects and task operations supported by Workday Connector.

The following table lists the supported objects and task operation for Human Resource Module:

Objects	Read	Insert	Update	Upsert	Delete	Data Preview	Look Up
WorkerExport	S	NA	NA	NA	NA	S	S

Compensation	S	NA	NA	NA	NA	S	S
Education	S	NA	S	NA	NA	S	S
Experience	S	NA	S	NA	NA	S	S
LeaveStatus	S	NA	NA	NA	NA	S	S
Organization	S	S	S	S	NA	S	S
Person	NA	NA	S	NA	NA	NA	NA
WorkerOrganization	S	NA	NA	NA	NA	S	S
WorkerStatus	S	NA	NA	NA	NA	S	S
Locations	S	NA	NA	NA	NA	S	S
LocationsHierarchy	S	NA	NA	NA	NA	S	S
JobCategories	S	NA	NA	NA	NA	S	S
JobClassificationGroups	S	NA	NA	NA	NA	S	S
JobFamilies	S	NA	NA	NA	NA	S	S
Potential Assessment	S	NA	NA	NA	NA	S	S
Employee Review	S	NA	NA	NA	NA	S	S
JobProfiles	S	NA	NA	NA	NA	S	S
EventHistory	S	NA	NA	NA	NA	S	S
WorkerRole	S	NA	NA	NA	NA	S	S
Ethnicity	S	NA	NA	NA	NA	S	S
TransactionLog	S	NA	NA	NA	NA	S	S
Training	S	NA	NA	NA	NA	S	S
JobHistory	S	NA	NA	NA	NA	S	S
WorkerBonusData	S	NA	NA	NA	NA	S	S
EmergencyContact	NA	NA	NA	S	NA	NA	NA

The following table lists the supported objects and task operation for Staffing Module:

Objects	Source	Insert	Update	Upsert	Delete	Data Preview	Look Up
Employee	NA	S	NA	NA	NA	NA	S

Applicant	S	S	S	S	NA	S	S
Position	S	S	S	S	NA	S	S
TerminateEmployee	NA	S	NA	NA	NA	NA	NA

EndEmploymentDate Field: You can use the EndEmploymentDate field in the Employee object of staffing module to get the end date of employment details from an employee's record.

The following table lists the supported objects and task operation for Financial Management Module:

Objects	Source	Insert	Update	Upsert	Delete	Data Preview	Look Up
CostCenters	S	NA	NA	NA	NA	S	S
Regions	S	NA	NA	NA	NA	S	S
Workday Companies	S	NA	NA	NA	NA	S	S
LedgerAccount Summary	S	NA	NA	NA	NA	S	S
AllLedger Account	S	NA	NA	NA	NA	S	S
AccountSets	S	NA	NA	NA	NA	S	S
Condition RuleData	S	NA	NA	NA	NA	S	S
Custom Validation MessageData	S	NA	NA	NA	NA	S	S
JournalEntry	S	NA	NA	NA	NA	S	S
JournalEntry Line	S	NA	NA	NA	NA	S	S
Organizations	S	NA	NA	NA	NA	S	S
Subordinate Organizations	S	NA	NA	NA	NA	S	S
Included Organizations	S	NA	NA	NA	NA	S	S
IncludedIn Organizations	S	NA	NA	NA	NA	S	S
CostCentersCustomOrg	S	NA	NA	NA	NA	S	S
RegionsCustomOrg	S	NA	NA	NA	NA	S	S
WorkdayCompaniesCustomOrg	S	NA	NA	NA	NA	S	S
ResourceCategories	S	NA	NA	NA	NA	S	S
CurrencyConversionRates	S	NA	NA	NA	NA	S	S
BusinessPlanDetails	S	NA	NA	NA	NA	S	S

The following table lists the supported objects and task operation for Resource Management Module:

Objects	Source	Target	Update	Upsert	Delete	Data Preview	Look Up
WorkdayProjects	S	NA	NA	NA	NA	S	S
ResourcePlanData	S	NA	NA	NA	NA	S	S
ProjectPlanData	S	NA	NA	NA	NA	S	S

The following table lists the supported objects and task operation for Compensation Module:

Objects	Source	Insert	Update	Upsert	Delete	Data Preview	Look Up
CompensationPayLevel	S	NA	NA	NA	NA	S	S
FuturePaymentPlanData	S	S	S	S	NA	S	S
BonusPlanData	S	S	S	S	NA	S	S
MeritPlanData	S	S	S	S	NA	S	S
StockPlanData	S	S	S	S	NA	S	S
AllowancePlanData	S	S	S	S	NA	S	S
CommissionPlanData	S	S	S	S	NA	S	S
BasePayPlanData	S	S	S	S	NA	S	S
PeriodPlanData	S	S	S	S	NA	S	S
RequestOneTimePayment	NA	S	NA	NA	NA	NA	NA
CompensationChange	NA	NA	S	NA	NA	NA	NA

The following table lists the supported objects and task operation for Cash Management Module:

Objects	Source	Insert	Update	Upsert	Delete	Data Preview	Look Up
BankAccount	S	S	S	S	NA	S	S
AdHocPayment	NA	NA	NA	S	NA	NA	NA
PaymentElectionEnrollment	S	NA	NA	S	NA	S	S
PaymentElectionOption	S	NA	NA	NA	NA	S	S

The following table lists the supported objects and task operation for Absence Management Module:

Objects	Source	Insert	Update	Upsert	Delete	Data Preview	Look Up
LeaveofAbsence	NA	S	NA	NA	NA	NA	NA

OverrideBalance	S	S	S	S	NA	S	S
VacationTimeOff	NA	S	S	S	NA	S	S
ReturnFromLeaveofAbsence	NA	S	NA	NA	NA	NA	NA

The following table lists the supported objects and task operation for Benefits Administration Module:

Objects	Source	Insert	Update	Upsert	Delete	Data Preview	Look Up
Dependent	S	S	S	NA	NA	S	S

The following table lists the supported objects and task operation for Payroll Module:

Objects	Source	Insert	Update	Upsert	Delete	Data Preview
PayrollInputs	S	NA	NA	NA	NA	S
PaymentHistory	S	NA	NA	NA	NA	S
PayAccumulationData	S	NA	NA	NA	NA	S
PayrollResultsData	S	NA	NA	NA	NA	S
OffcyclePayments	S	NA	NA	NA	NA	S
PayrollRemittanceWorkerData	S	NA	NA	NA	NA	S
PayrollRemittanceGrossAndNetData	S	NA	NA	NA	NA	S
PayrollRemittanceTotalData	S	NA	NA	NA	NA	S
PayrollRemittanceEarningsData	S	NA	NA	NA	NA	S
PayrollRemittancePreTaxData	S	NA	NA	NA	NA	S
PayrollRemittancePostTaxData	S	NA	NA	NA	NA	S
PayrollRemittanceEmployeeTaxData	S	NA	NA	NA	NA	S
PayrollRemittanceEmployerPaidBenifitsData	S	NA	NA	NA	NA	S
PayrollRemittanceTaxableWagesData	S	NA	NA	NA	NA	S
PayrollRemittanceAbsencePlan	S	NA	NA	NA	NA	S
PayrollRemittancePayslipMessageData	S	NA	NA	NA	NA	S
PayslipsPaymentData	S	NA	NA	NA	NA	S
PayslipsOffCycleData	S	NA	NA	NA	NA	S
PayslipIntegrationFieldResultData	S	NA	NA	NA	NA	S

PayrollInterfaceExternalPayGroup	NA	S	S	NA	NA	NA
MaintainEmployeeContracts	NA	S	S	NA	NA	NA

NA	Not Applicable
S	Supported

Enabling Workday Connector

To enable Workday connector, contact Informatica support or Informatica representative. It usually takes 15 minutes for the connector to download to secure agent, after it is enabled.

Note: To install secure agent, see Installing Informatica Secure Agent.

CHAPTER 3

Workday Connections

This chapter includes the following topics:

- Workday connection properties, 15
- Creating a Workday Connection, 16

Workday connection properties

When you set up a Workday connection, you must configure the connection properties.

Important: Workday Connector is deprecated and has been moved to maintenance mode. Informatica intends to drop support in a future release. Informatica recommends that you use Workday V2 Connector to access Workday.

The following table describes the Workday connection properties:

Connection property	Description
Runtime Environment	The name of the run-time environment where you want to run the tasks.
Username	The username in **Username@Tenant** format, where tenant represents the **Tenant Name** field value.
Password	The relevant password.
Domain Name	The Workday domain name. For example, impl-cc.workday.com.
Tenant Name	The Workday tenant name. For example, informatica_gms1.
Module Name	The module for which you want to connect to.
Enable Logging	Enables logging. Select the checkbox to enable logging.


Creating a Workday Connection

To use Workday Connector in a synchronization task, you must create a connection in Data Integration.

The following steps help you to create Workday Connection in Data Integration.

1. On the **Connections** page, click **New Connection** to create a connection.

   The New Connection page appears.



2. Specify the following details:

Connection Property	Description
Connection Name	Enter a unique name for the connection.
Description	Provide a relevant description for the connection.
Type	Select Workday from the list.
Secure Agent	Select the appropriate secure agent from the list.
Username	Enter the username in **Username@Tenant** format. Where, Tenant represents the **Tenant Name** field value.
Password	Enter relevant password.
Domain Name	Enter Workday domain name (ex: impl-cc.workday.com).
Tenant Name	Enter Workday tenant name (ex: informatica_gms1).

Connection Property	Description
Module Name	Select the module for which connection is to be created.
Enable Logging	Tick the checkbox to enable logging.

3. Click **Save** to save the connection.

Note: It is recommended to test the connection before saving it. Click **Test Connection** to evaluate the connection.

CHAPTER 4

Creating a Workday Synchronization Task

This chapter includes the following topics:

- Creating a Workday Synchronization Task, 18
- Data Filters, 21

Creating a Workday Synchronization Task

Note: You need to create a connection before getting started with a synchronization task.

The connector supports the following modules:

Financial management: For supported task operations, see "Supported Objects and Task Operations" on page 9.

Resource management: For supported task operations, see "Supported Objects and Task Operations" on page 9.

Staffing: For supported task operations, see "Supported Objects and Task Operations" on page 9.

Human Resource: For supported task operations, see "Supported Objects and Task Operations" on page 9.

Payroll: For supported task operations, see "Supported Objects and Task Operations" on page 9.

Compensation modules: For supported task operations, see "Supported Objects and Task Operations" on page 9.

Cash Management: For supported task operations, see "Supported Objects and Task Operations" on page 9.

Absence Management: For supported task operations, see "Supported Objects and Task Operations" on page 9.


Benefits Administration: For supported task operations, see "Supported Objects and Task Operations" on page 9.

The following steps help you to setup a synchronization task in Data Integration.

Let us consider the task operation Insert to perform the synchronization task.


1. In Data Integration, click **New** > **Tasks** > **Synchronization Task**.

   The **Synchronization** page appears.



2. Specify the **Task Name**, provide a **Description** and select the Task Operation **Insert**.
3. Click **Next**.


   The **Source** tab appears.



4. Select the source **Connection**, **Source Type** and **Source Object** to be used for the task.
5. Click **Next**.


   The **Target** tab appears.

6. Select the target **Connection** and **Target Object** required for the task.



7. Click **Next**.
8. On the **Data Filters** tab, by default, Process all rows is chosen. To assign filters to fetch specific data, see "Data Filters" on page 21.
9. Click **Next**.

10. On the **Field Mapping** tab, map source fields to target fields accordingly.



a. You can also configure the field size as per your requirements. To configure the field size, follow the preliminary steps to create a synchronizationtask. On the **Field Mapping** tab, click **Edit Types** and edit the scale and precision.

11. Click **Next**.

    The **Schedule** tab appears.

12. In the **Advanced Source Properties**, provide **maximum page size** and **maximum pages** values. You can fetch the required number of pages with maximum page size field. When you want to get a certain number of records for each page, you can provide value to maximum page field.

13. On the **Schedule** tab, you can schedule the task as per the requirement and save.

14. Click **Save**.

15. From the **Explore** page, select the configured task, select **Actions**, and then run the task.

    In Monitor, you can monitor the status of the task.


Data Filters


Data filters help you to fetch specific data of a particular object. The synchronization task will process the data based on the filter field assigned to the object.

The following steps help you to use data filters.


1. In a synchronization task, select the **Data Filters** tab.

2. Click **New** as shown in the following figure:





The Data Filter dialog box appears:



3. Specify the following details:


Field Type	Description
Object	Select Object for which you want to assign filter fields.
Filter By	Select the Filter Field.
Operator	Select Equals operator.
Filter Value	Enter the Filter value.

4. Click **Ok**.

   Note: In the current release, only Equals operator is supported by Workday connector. For example, Process a series of 200 rows using RecordCount field.

5. Select RecordCount as the filter field.
6. Select operator **Equals**.

7. Enter the filter value according to the required series to process:



8. Click **Ok**.

Therefore, data up to only a series of rows is processed.

Advanced Data Filters

Advanced data filter supports complex expression in Workday Connector.

Perform the following steps to configure an advanced data filter in a synchronization task:

1. In the **Data Filter** dialog box, click **Advanced**.
   The Advanced Data Filter dialog box appears.
2. Enter the Filter Expression in the following syntax format:

   ```
   Field1<Operator1>Value1; Field2<Operator2>Value2
   ```

   Where, Field1 and Field2 are Workday fields, Operator 1 and Operator 2 are operators supported for filter expression, Value1 and Value 2 are corresponding values.

   The figure below displays an example of Advanced Data Filter Expression:



3. Click **OK**.

You can also specify the value for the SourceFilter field in the filter expression by performing the following steps:

1. On the **Schedule** tab, select **Advanced Source Properties**.

2. Specify the Filter Expression value in the **SourceFilter** field.
   This enables filter to be stored in a session.

Get Incremental Updates

To get incremental updates, Enter UpdatedFromDateTime as the $LastRunTime and run the task. The incremental update fetches a number of records added between the last success run time and current run time of the task.

The following steps help you to get incremental updates

1. On the **Data Filters** tab, click **New**.

   The **Data Filter** dialog box appears.
2. Select the **Object**.
3. Select **UpdatedFromDateTime** as the filter field.
4. Select Operator **Equals.**
5. Enter the filter value "**$LastRunTime**".

Now, you will get incremental updates of data.

Note: Incremental update is only applicable to objects that contain UpdatedFromDateTime field.

CHAPTER 5

Troubleshooting

This chapter includes the following topic:

- Troubleshooting Configuration Issues, 25

Troubleshooting Configuration Issues

The log and exception messages thrown while configuring the synchronization tasks are captured in the log files. These log files are saved in a specific location.

For example, `<Secure Agent installation directory>\apps\Data_Integration_Server\<latest version of connector>\ICS\main\tomcat\log`.

Troubleshooting Synchronization Task

While creating a synchronizationtask, the NULL error message appears when a connector with invalid configuration is selected. The null error message files are saved in specific location.

For example, `<Secure Agent installation directory>\apps\Data_Integration_Server\<latest version of connector>\ICS\main\tomcat\log`.

The log and exception details of a failed synchronization task are captured under the Session Log. You require special permission privileges to run the application in debug mode.

Validating End Point

Visit the given URL to validate the end point:

`https://Domain Name/ccx/service/Tenant Name/Financial_Management/version?wsdl`

Where,

Domain Name represents the value in domain Name field. See Creating New Connectionon page 16

Tenant Name represents the value in Tenant Name Field. See Creating New Connectionon page 16

Version represents the current version of Connector that is v22.0

Increasing the Secure Agent memory

To increase performance and avoid runtime environment memory issues, perform the following steps:

1. In Administrator, select **Runtime Environments**.


2. Select the Secure Agent for which you want to increase memory from the list of available Secure Agents.
3. In the upper-right corner, click **Edit**.
4. In the **System Configuration Details** section, select the **Type** as **DTM** for the Data Integration Service.
5. Edit **JVMOption1** as **-Xms4056m** and **JVMOption2** as **-Xmx4056m**.

   The following image shows the **Details** page:



6. In the **System Configuration Details** section, select the **Type** as **TomCatJRE**
7. Edit **INFA_memory** as **-Xms256m -Xmx512m**.

   The following image shows the **Agent Details** page:



   Note: The minimum and maximum values for the Java heap size are given as an example. Specify the size according to your requirements.

8. Restart the Secure Agent.

CHAPTER 6

Object Specifications

This chapter includes the following topics:

- Object Specification , 27
- Filter Fields , 53

Object Specification

The following table provides information on **WorkerExport** object in Workday Connector:

Object Specifications	Value
Primary Key	WorkerWID
Services Invoked	Get_Workers, Get_Employee_Personal_Info
Parent Object	Not Available
Foreign Key	Not Available
Description	The WorkerExport object fetches information of workers. The information such as Reference Data, Personal Data, Employment Data, Organization Data, Role Data and corresponding worker manager details. The object can fetch up to 10 levels of worker manager hierarchy.
Filter Fields	For more information, see "WorkerExport" on page 53 .

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **Compensation** object in Workday Connector:

Object Specifications	Value
Primary Key	WorkerWID
Services Invoked	Get_Workers

Object Specifications	Value
Parent Object	WorkerExport
Foreign Key	WorkerWID
Description	The Compensation object retrieves the Employee Compensation Summary, Annualized Summary, Data Element Summary Consisting of Information of a Worker Converted to their Pay Group Frequency. Additionally retrieves Annualized Summary of Reporting Currency Data, Data Element Compensation summary for worker in an hourly frequency, when the worker is paid in terms of hours.
Filter Fields	Same as "WorkerExport" on page 53.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **Education** object in Workday Connector:

Object Specifications	Value
Primary Key	WorkerWID
Services Invoked	If Education object is source then Get_Workers is invoked else either Update_Employee_Personal_Info or Update_Contingent_Worker_Personal_Info will be invoked
Parent Object	WorkerExport
Foreign Key	WorkerWID
Description	The object Education encapsulates data such as, Education Institution, Educational Institution Type, Degree, Completion of Degree, Field of Study, Location, and Academic Dates.
Filter Fields	Same as "WorkerExport" on page 53.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

Note: WorkerWID field is mandatory to update Education.

The following table provides information on **Experience** object in Workday Connector:

Object Specifications	Value
Primary Key	WorkerWID
Services Invoked	If Experience object is source then Get_Workers is invoked else either Update_Employee_Personal_Info or Update_Contingent_Worker_Personal_Info will be invoked
Parent Object	WorkerExport

Object Specifications	Value
Foreign Key	WorkerWID
Description	The object Experience encapsulates data such as, Professional Experience, Professional Experience Rating Reference and Professional Experience Comment.
Filter Fields	Same as "WorkerExport" on page 53.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

Note: WorkerWID field is mandatory to update Experience.

The following table provides information on **LeaveStatus** object in Workday Connector:

Object Specifications	Value
Primary Key	WorkerWID
Services Invoked	Get_Workers
Parent Object	WorkerExport
Foreign Key	WorkerWID
Description	The object LeaveStatus encapsulates data such as, Leave Start Date, Estimated Leave End Date, Leave End Date, On Leave, Leave Type Name, Benefits Effect, Payroll Effect, Paid Time of Accrual Effect, Continuous Service Accrual Effect, and Stock Vesting Effect.
Filter Fields	Same as "WorkerExport" on page 53.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **Organization** object in Workday Connector:

Object Specifications	Value
Primary Key	OrganizationID, OrganizationSystemID
Services Invoked	If Organization object is source then Get_Organization,Find_Organization will be invoked else Add_Update_Organization
Parent Object	Not Available
Foreign Key	Not Available

Object Specifications	Value
Description	The Organization object retrieves data related to an Organization (e.g. Staffing Configuration, Structure, Superior Organization details, Organization Type, Organization Sub type, Organization Visibility. It is used to add or update an organization.
Filter Fields	Same as "Organization" on page 54.

The following table provides information on **Person** object in Workday Connector:

Object Specifications	Value
Services Invoked	Either Update_Employee_Personal_Info or Update_Contingent_Worker_Personal_Info
Description	Person object updates Contact information, Demographic details, and Identification data of a person.
Filter Fields	Not Available.

The following table provides information on **WorkerOrganization** object in Workday Connector:

Object Specifications	Value
Primary Key	WorkerWID
Services Invoked	Get_Workers
Parent Object	WorkerExport
Foreign Key	WorkerWID
Description	WorkerOrganization object encapsulates the worker organization details.
Filter Fields	Same as "WorkerExport" on page 53.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **Locations** object in Workday Connector:

Object Specifications	Value
Primary Key	LocationReferenceWID
Services Invoked	Get_Locations

Object Specifications	Value
Description	Locations object retrieves data corresponding to a location such as, Location ID, Location Name, Location Usage Reference, Location Type Reference, Superior Location Reference, Latitude and Longitude details, Locale Reference, Time Zone Reference and Contact Data.
Filter Fields	For more information, see "Locations" on page 54.

The following table provides information on **LocationsHierarchy** object in Workday Connector:

Object Specifications	Value
Primary Key	LocationReferenceWID
Services Invoked	Get_Locations
Parent Object	Locations
Foreign Key	LocationReferenceWID
Description	The object LocationsHierarchy retrieves data corresponding to a location hierarchy such as, Location Reference details and Location hierarchy reference details.
Filter Fields	Same as "Locations" on page 54.

The following table provides information on **JobCategories** object in Workday Connector:

Object Specifications	Value
Primary Key	JobCategoryReferenceWID
Services Invoked	Get_Job_Categories
Description	The object JobCategories will fetch data based on specified criteria. The criteria can be of a single entry based on a Reference ID else the job categories will retrieve all data, if there are no criteria. Job Category data includes the Reference ID, the name and the description and inactive flag.
Filter Fields	For more information, see "JobCategories" on page 54.

The following table provides information on **JobClassificationGroups** object in Workday Connector:

Object Specifications	Value
Primary Key	JobClassificationWorkerWID
Services Invoked	Get_Job_Classification_Groups

Object Specifications	Value
Description	The object JobClassificationGroups provide data such as, Classification group reference, Location Reference.
Filter Fields	For more information see, "JobClassificationGroups" on page 55.

The following table provides information on **JobFamilies** object in Workday Connector:

Object Specifications	Value
Primary Key	JobFamilyWID
Services Invoked	Get_Job_Families
Description	The object JobFamilies provide data such as, Classification group reference, Location Reference.
Filter Fields	For more information, see "JobFamilies" on page 55.

The following table provides information on **WorkerRole** object in Workday Connector:

Object Specifications	Value
Primary Key	WorkerWID
Services Invoked	Get_Workers
Parent Object	WorkerExport
Foreign Key	WorkerWID
Description	The object WorkerRole retrieves data such as, Organization Role Reference, Role Assigner Reference, Effective Date and the role assigned to the worker.
Filter Fields	Same as "WorkerExport" on page 53.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **Ethnicity** object in Workday Connector:

Object Specifications	Value
Primary Key	WorkerWID
Services Invoked	Get_Workers

Object Specifications	Value
Parent Object	WorkerExport
Foreign Key	WorkerWID
Description	The object Ethnicity provides data related to ethnicity of the worker.
Filter Fields	Same as "WorkerExport" on page 53.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **TransactionLog** object in Workday Connector:

Object Specifications	Value
Primary Key	WorkerWID
Services Invoked	Get_Workers
Parent Object	WorkerExport
Foreign Key	WorkerWID
Description	The object TransactionLog encapsulates data such as, TransactionLog Reference, Description of the TransactionLog, Effective Moment of the Transaction, Entry Moment of the Transaction, TransactionLog types of the Transaction and Transaction Targets.
Filter Fields	Same as "WorkerExport" on page 53 .

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **Training** object in Workday Connector:

Object Specifications	Value
Primary Key	WorkerWID
Services Invoked	Get_Workers
Parent Object	WorkerExport
Description	This object retrieves training program information of a worker. It captures training reference, training type, training duration and training completed date.
Filter Fields	Same as "WorkerExport" on page 53.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **JobHistory** object in Workday Connector:

Object Specifications	Value
Primary Key	WorkerWID
Services Invoked	Get_Previous_System_Job_History
Description	This object captures previous system job history reference, previous position and current position details.
Filter Fields	For more information, see "JobHistory" on page 57.

The following table provides information on **Employee** object in Workday Connector:

Object Specifications	Value
Primary Key	Auto generated
Services Invoked	Hire_Employee
Description	Hires an Employee to Workday system.
Filter Fields	Not Available

Note: EmployeeTypeID, PositionTimeTypeID and PositionTitle are mandatory fields to hire an Employee.

The following table provides information on **Position** object in Workday Connector:

Object Specifications	Value
Primary Key	PositionID
Services Invoked	Get_Positions
Description	Provides position details which include position reference, supervisory organization, and job requisition data for position, position status, position time type, worker reference, required education level, default compensation data and job family reference.
Filter Fields	For more information, see "Position" on page 57.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **Applicant** object in Workday Connector:

Object Specifications	Value
Primary Key	ApplicantID
Services Invoked	Get_Applicants
Description	This object encapsulates applicant personal information data and recruiting information data.
Filter Fields	For more information, see "Applicant" on page 58.

The following table provides information on **TerminateEmployee** object in Workday Connector:

Object Specifications	Value
Services Invoked	TerminateEmployee
Description	This object helps terminate an employee from workday system.
Filter Fields	Not Available

The following table provides information on **CostCenters** object in Workday Connector:

Object Specifications	Value
Primary Key	CostCenterReferenceWID
Services Invoked	Get_Cost_Centers
Description	The CostCenters object will provide data such as, Effective Date, Organization Data, Organization Subtype and Work tags, Organization Data include Id, Organization Name, Organization Code, Include Organization Code in Name, Organization Active, Availability Date, Organization Visibility, External URL and Integration ID Data.
Filter Fields	For more information, see "CostCenters" on page 58.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **CostCentersCustomOrg** object in Workday Connector:

Object Specifications	Value
Primary Key	CostCenterReferenceWID
Services Invoked	Get_Cost_Centers
Parent Object	CostCenters

Object Specifications	Value
Foreign Key	CostCenterReferenceWID
Description	The object CostCentersCustomOrg encapsulates data such as, Cost Center Reference details and Cost Center Organization Container reference details.
Filter Fields	For more information, see "CostCentersCustomOrg" on page 59.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **Regions** object in Workday Connector:

Object Specifications	Value
Primary Key	RegionsWID
Services Invoked	Get_Regions
Description	The object Regions provides data such as, Effective Data, Organization Data and Organization Subtype. Organization Data include Id, Organization Name, Organization Code, Organization Code in Name, Organization Active, Availability Date, Organization Visibility, External URL and Integration ID Data.
Filter Fields	For more information, see "Regions" on page 59.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **RegionsCustomOrg** object in Workday Connector:

Object Specifications	Value
Primary Key	RegionsWID
Parent Object	Regions
Foreign Key	RegionsWID
Description	The object RegionsCustomOrg provides data such as, Region reference data and Organization Container reference details.
Filter Fields	For more information, see "RegionsCustomOrg" on page 60.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **WorkdayCompanies** object in Workday Connector:

Object Specifications	Value
Primary Key	CompanyReferenceWID
Description	The object WorkdayCompanies includes data such as, Company Tax ID, Organization data, Contact Information data, Accounting data, and company specific Sequence Generators.
Filter Fields	For more information, see "WorkdayCompanies" on page 60.

The following table provides information on **WorkdayCompaniesCustomOrg** object in Workday Connector:

Object Specifications	Value
Primary Key	CompanyReferenceWID
Services Invoked	Get_Workday_Companies
Parent Object	WorkdayCompanies
Foreign Key	CompanyReferenceWID
Description	The object WorkdayCompaniesCustomOrg provides data such as, Workday Company reference data and Organization Container reference details.
Filter Fields	For more information, see "WorkdayCompaniesCustomOrg" on page 60.

The following table provides information on **LedgerAccountSummary** object in Workday Connector:

Object Specifications	Value
Primary Key	LedgerAccountSummaryWID
Services Invoked	Get_Ledger_Account_Summaries
Description	The object LedgerAccountSummary retrieves account summary data.
Filter Fields	For more information, see "LedgerAccountSummary" on page 61.

The following table provides information on **AllLedgerAccount** object in Workday Connector:

Object Specifications	Value
Primary Key	LedgerAccountSummaryWID
Services Invoked	Get_Ledger_Account_Summaries
Parent Object	LedgerAccountSummary

Object Specifications	Value
Foreign Key	LedgerAccountSummaryWID
Description	The object AllLedgerAccount retrieves Ledger account summary data including information about the account.
Filter Fields	For more information, see "AllLedgerAccount" on page 61.

The following table provides information on **AccountSet** object in Workday Connector:

Object Specifications	Value
Primary Key	AccountSetWID
Services Invoked	Get_Account_Sets
Description	The object AccountSet retrieves data such as, Account Set Reference, the Ledger Accounts included in the Account Set, any included Account Sets, and the Chart of Accounts designation.
Filters Fields	For more information, see "AccountSet" on page 61.

The following table provides information on **ConditionRuleData** object in Workday Connector:

Object Specifications	Value
Primary Key	CustomValidationContextRefWID
Services Invoked	Get_Custom_Validation_Rules
Description	The object ConditionRuleData retrieves data such as, Custom Validation Context Reference details, Condition Entry Option Reference, Source Condition Rule Reference, Target External field Reference and Target Instance Reference details.
Filter Fields	For more information, see "ConditionRuleData" on page 62.

The following table provides information on **CustomValidationMessageData** object in Workday Connector:

Object Specifications	Value
Primary Key	CustomValidationContextRefWID
Services Invoked	Get_Custom_Validation_Rules
Parent Object	ConditionRuleData
Foreign Key	CustValidRuleID

Object Specifications	Value
Description	The object CustomValidationMessageData retrieves data such as, Custom Validation Context Reference details, Associated Condition Rule details and external field details.
Filter Fields	For more information, see "CustomValidationMessageData" on page 62.

The following table provides information on **JournalEntry** object in Workday Connector:

Object Specifications	Value
Primary Key	JournalEntryWID
Services Invoked	Get_Journals
Description	The object JournalEntry retrieves data such as, Journal Entry Reference, Journal Entry Status, Company, Currency, Ledger Period, Accounting Date, Journal Source, Transaction Date, Operational Transaction, Memo, Book Code.
Filter Fields	For more information, see "JournalEntry" on page 62.

Note: Preview data will be blank if there are no journals updated a day ago.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **JournalEntryLine** object in Workday Connector:

Object Specifications	Value
Primary Key	JournalEntry_AutoNumber
Services Invoked	Get_Journals
Parent Object	JournalEntry
Foreign Key	JournalEntryWID
Description	The object JournalEntry retrieves data such as, Journal Entry Reference, Journal Entry Status, Company, Currency, Ledger Period, Accounting Date, Journal Source, Transaction Date, Operational Transaction, Memo, Book Code.
Filter Fields	For more information, see "JournalEntryLine" on page 63.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **Organizations** object in Workday Connector:

Object Specifications	Value
Primary Key	OrganizationWID
Services Invoked	If Organization object is source then Get_Organization,Find_Organization will be invoked else Add_Update_Organization.
Foreign Key	Not Available
Description	The object Organizations retrieves data such as, Organization Name , Description ,Organization Code ,Manager Reference,Organization Type,Organization Subtype,Availibility Date ,Organization Owner,Organization Visibility,External URL Reference and Supervisory Data.
Filter Fields	For more information, see "Organizations" on page 64.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **SubOrdinateOrganizations** object in Workday Connector:

Object Specifications	Value
Primary Key	SubOrdinateOrganizationWID
Parent Object	Organizations
Foreign Key	OrganizationWID
Description	The object SubordinateOrganizations retrieves data such as, Subordinate Organization reference details including Organization reference details.
Filter Fields	For more information, see "SubOrdinateOrganizations" on page 64.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **IncludedOrganizations** object in Workday Connector:

Object Specifications	Value
Primary Key	IncludedOrganizationWID
Services Invoked	Get_Organizations
Parent Object	Organizations
Foreign Key	OrganizationWID

Object Specifications	Value
Description	The object IncludedOrganizations retrieves data such as, Included Organization reference details including Organization reference details.
Filter Fields	For more information, see "IncludedOrganizations" on page 65.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **IncludedInOrganizations** object in Workday Connector:

Object Specifications	Value
Primary Key	IncludedInOrganizationWID
Services Invoked	Get_Organizations
Parent Object	Organizations
Foreign Key	OrganizationWID
Description	The object IncludedInOrganizations retrieves data such as Organization reference details including Organization reference details.
Filter Fields	For more information, see "IncludedInOrganizations" on page 66.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **ResourceCategories** object in Workday Connector:

Object Specifications	Value
Primary Key	ResourceCategoryReferenceWID
Services Invoked	Get_Resource_Categories
Description	The object ResourceCategories retrieves data such as, Spend Category data for the service includes Spend Category ID, Spend Category Name, Procurement Usage flag, Expense Usage flag, Track Items flag, Accounting Treatment, Depreciation Profile, and UNSPSC Code Range.
Filter Fields	For more information, see "ResourceCategories" on page 66.

Note: Incremental updates are supported by this object. For more information, see "Get Incremental Updates" on page 24.

The following table provides information on **CurrencyConversionRates** object in Workday Connector:

Object Specifications	Value
Primary Key	CurrencyConversionRateRequestReferencesIID
Services Invoked	Get_Currency_Conversion_Rates
Description	Currency Conversion Rate data includes the Effective Timestamp, the From and Target Currencies, the Rate Type, and the Currency Rate.
Filter Fields	For more information, see "CurrencyConversionRates" on page 67.

The following table provides information on **BusinessPlanDetails** object in Workday Connector:

Object Specifications	Value
Primary Key	BusinessPlanReferenceWID
Services Invoked	Get_Business_Plan_Details
Description	Business Plan Year data includes the Business Plan Fiscal Year, the Year Status and the Business Plan Period. The Business Plan Period includes the Period status, and the Fiscal Period.
Filter Fields	For more information, see "BusinessPlanDetails" on page 67.

The following table provides information on **WorkdayProjects** object in Workday Connector:

Object Specifications	Value
Primary Key	ProjectReferenceWID
Services Invoked	Get_Workday_Projects
Description	The object WorkdayProjects provides project data such as, Project ID, Description, Name, Reference, Start Date, End Date, Customer and Matrix Organization.
Filter Fields	For more information, see "WorkdayProjects" on page 68.

The following table provides information on **ProjectPlanData** object in Workday Connector:

Object Specifications	Value
Primary Key	PhaseID
Services Invoked	Get_Workday_Projects
Parent Object	WorkdayProjects

Object Specifications	Value
Foreign Key	ProjectReferenceWID
Description	The object Project Plan provides data such as, the activity Description, Due Date and Worker.
Filter Fields	For more information, see "ProjectPlanData" on page 68.

The following table provides information on **ResourcePlanData** object in Workday Connector:

Object Specifications	Value
Primary Key	DetailID
Services Invoked	Get_Workday_Projects
Parent Object	WorkdayProjects
Foreign Key	ProjectReferenceWID
Description	The object ResourcePlanData provides data such as, Activity Description, Due Date, Worker and Excluded Worker details.
Filter Fields	For more information, see "ResourcePlanData" on page 69.

The following table provides information on **CompensationPayLevel** object in Workday Connector:

Object Specifications	Value
Primary Key	CompensationMatrixWID
Services Invoked	Get_Compensation_Matrices
Description	This object retrieves Merit Increase Matrices (MIMs) information such as compensation matrix reference, rating scale reference, non-weighted percent based data, weighted percent based data and amount based data.
Filter Fields	For more information, see "CompensationPayLevel" on page 70.

The following table provides information on **PayrollInputs** object in Workday Connector:

Object Specifications	Value
Primary Key	PayrollInputWID
Services Invoked	Get_Submit_Payroll_Inputs

Object Specifications	Value
Description	This object retrieves payroll input data from workday system such as start and end dates of payroll input, position reference, worker reference, earning and deduction references, company reference and payroll work-tag reference.
Filter Fields	For more information, see "PayrollInputs" on page 70.

The following table provides information on **PaymentHistory** object in Workday Connector:

Object Specifications	Value
Primary Key	PaymentHistoryWID
Services Invoked	Get_Payroll_History_Payments
Description	Retrieves Workday History Payments. History Payments in Workday are historical payments imported from external and/or legacy payroll systems
Filter Fields	For more information, see "PaymentHistory" on page 71.

The following table provides information on **OffcyclePayments** object in Workday Connector:

Object Specifications	Value
Primary Key	OffcyclePaymentWID
Services Invoked	Get_Payroll_Off-cycle_Payments
Description	This object retrieves offcycle payment data manual and on-demand.
Filter Fields	For more information, see "OffcyclePayments" on page 71.

The following table provides information on **PayrollResultsData** object in Workday Connector:

Object Specifications	Value
Primary Key	PayrollResultUniqueIdentifierWID
Services Invoked	Get_Payroll_Results
Description	Return Payroll Results for selected workers, companies, pay calculations for specified date range.
Filter Fields	For more information, see "PayrollResultsData" on page 72.

The following table provides information on **PayAccumulationData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Payroll_Results
Description	Return pay accumulation data for selected workers, Companies, Pay Calculations for specified Date Range.
Filter Fields	Same as "PayrollResultsData" on page 72.

The following table provides information on **PayrollRemittanceWorkerData** object in Workday Connector:

Object Specifications	Value
Primary Key	OutsourcedPaymentGroupWID
Services Invoked	Get_Payroll_Payslips
Description	Return payroll payslip worker remittance data for an outsourced payment group that was generated by a settlement run.
Filter Fields	For more information, see "PayrollRemittanceWorkerData" on page 72.

The following table provides information on **PayrollRemittanceGrossAndNetData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Payroll_Payslips
Description	Return payroll payslip gross and net data for an outsourced payment group that was generated by a settlement run.
Filter Fields	Same as "PayrollRemittanceWorkerData" on page 72.

The following table provides information on **PayrollRemittanceEarningsData** object in Workday Connector:

Object Specifications	Value
Primary Key	OutsourcedPaymentGroupWID
Services Invoked	PayrollRemittanceEarningsData
Description	Return payroll payslip earnings data for an outsourced payment group that was generated by a settlement run.
Filter Fields	Same as "PayrollRemittanceWorkerData" on page 72.

The following table provides information on **PayslipsOffCycleData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Payroll_Payslips
Description	Return payroll payslip offcycle data for an outsourced payment group that was generated by a settlement run.
Filter Fields	Same as "PayrollRemittanceWorkerData" on page 72.

The following table provides information on **PayslipIntegrationFieldResultData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Payroll_Payslips
Description	Return payroll payslip integration field result data for an outsourced payment group that was generated by a settlement run.
Filter Fields	Same as "PayrollRemittanceWorkerData" on page 72.

The following table provides information on **PayrollRemittancePayslipMessageData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Payroll_Payslips
Description	Return payroll payslip message data for an outsourced payment group that was generated by a settlement run.
Filter Fields	Same as "PayrollRemittanceWorkerData" on page 72.

The following table provides information on **PayrollRemittanceAbsencePlan** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Payroll_Payslips
Description	Return payroll payslip absence plan data for an outsourced payment group that was generated by a settlement run
Filter Fields	Same as "PayrollRemittanceWorkerData" on page 72.

The following table provides information on **PayrollRemittanceTaxableWagesData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Payroll_Payslips
Description	Return payroll payslip taxable wages data for an outsourced payment group that was generated by a settlement run
Filter Fields	Same as "PayrollRemittanceWorkerData" on page 72.

The following table provides information on **PayrollRemittanceEmployerPaidBenifitsData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Payroll_Payslips
Description	Return payroll payslip employee paid benefits data for an outsourced payment group that was generated by a settlement run
Filter Fields	Same as "PayrollRemittanceWorkerData" on page 72.

The following table provides information on **PayrollRemittanceEmployeeTaxData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Payroll_Payslips
Description	Return payroll payslip employee tax data for an outsourced payment group that was generated by a settlement run.
Filter Fields	Same as "PayrollRemittanceWorkerData" on page 72.

The following table provides information on **PayrollRemittancePostTaxData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Payroll_Payslips
Description	Return payroll payslip post tax data for an outsourced payment group that was generated by a settlement run
Filter Fields	Same as "PayrollRemittanceWorkerData" on page 72.

The following table provides information on **PayrollRemittancePreTaxData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Payroll_Payslips
Description	Return payroll payslip pre-tax data for an outsourced payment group that was generated by a settlement run
Filter Fields	Same as "PayrollRemittanceWorkerData" on page 72.

The following table provides information on **PayslipsPaymentData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Payroll_Payslips
Description	Return payroll payslip payment data for an outsourced payment group that was generated by a settlement run.
Filter Fields	Same as "PayrollRemittanceWorkerData" on page 72.

The following table provides information on **PayrollRemittanceTotalData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Payroll_Payslips
Description	Return payroll payslip total remittance data for an outsourced payment group that was generated by a settlement run.
Filter Fields	Same as "PayrollRemittanceWorkerData" on page 72.

The following table provides information on **WorkerBonusData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Workers
Description	Provides bonus plan data of a worker.
Filter Fields	Same as "WorkerExport" on page 53.

The following table provides information on **Position** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Positions to fetch positions Create Position to create a position Edit_Position to update an existing position
Description	Provides position details which includes position reference, supervisory organization, job requisition data for position, position status, position time type, worker reference, required education level, default compensation data and job family reference . We can also create or update a position using this object
Filter Fields	Not Available

The following table provides information on **BankAccount** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Bank_Accounts
Description	BankAccount data includes the Bank Account ID, Account Name, Financial Institution, Bank Branch, Account Closed flag, Routing Transit or Institution Number, Financial Account Number, Bank Identifier Code, IBAN, Payment Type
Filter Fields	For more information, see "BankAccount" on page 73.

The following table provides information on **LeaveofAbsence** object in Workday Connector:

Object Specifications	Value
Services Invoked	Request_Leave_of_Absence
Description	This object helps you to add new leave of absence requests
Filter Fields	Not Available.

The following table provides information on **OverrideBalance** object in Workday Connector:

Object Specifications	Value
Primary Key	BankAccountWID
Services Invoked	Get_Override_Balances to fetch Put_Override_Balance to add/update

Object Specifications	Value
Description	This object provides Time Off Plan Override Balances for an Employee and Time Off Plan. You can add or update a new Time Off Plan Override Balance record when you the object is selected in Target object list in ICS wizard.
Filter Fields	For more information, see "OverrideBalance" on page 73.

The following table provides information on **VacationTimeOff** object in Workday Connector:

Object Specifications	Value
Services Invoked	Enter_Time_Off to add new entry Adjust_Time_Off to update
Description	Through this object we can add new time off entries and adjust an existing time off entry
Filter Fields	Not Available.

The following table provides information on **FuturePaymentPlanData** object in Workday Connector:

Object Specifications	Value
Primary Key	CompensationPlanWID
Services Invoked	Get_Compensation_Plans to fetch entries, Put_Compensation_Plans to add a new record or update existing record
Description	You can retrieve future payment plan data and also add/modify a compensation plan.
Filter Fields	For more information, see "FuturePaymentPlanData" on page 74.

The following table provides information on **VacationTimeOff** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Compensation_Plans to fetch entries Put_Compensation_Plans to add a new record or update existing record
Description	You can retrieve bonus plan data and also add/modify a compensation plan.
Filter Fields	Same as "FuturePaymentPlanData" on page 74.

The following table provides information on **MeritPlanData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Compensation_Plans to fetch entries Put_Compensation_Plans to add a new record or update existing record
Description	You can retrieve merit plan data and also add/modify a compensation plan.
Filter Fields	Same as "FuturePaymentPlanData" on page 74.

The following table provides information on **StockPlanData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Compensation_Plans to fetch entries Put_Compensation_Plans to add a new record or update existing record
Description	You can retrieve stock plan data and also add/modify a compensation plan.
Filter Fields	Same as "FuturePaymentPlanData" on page 74.

The following table provides information on **CommissionPlanData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Compensation_Plans to fetch entries Put_Compensation_Plans to add a new record or update existing record
Description	You can retrieve commission plan data. You can also add/modify a compensation plan.
Filter Fields	Same as "FuturePaymentPlanData" on page 74.

The following table provides information on **AllowancePlanData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Compensation_Plans to fetch entries Put_Compensation_Plans to add a new record or update existing record
Description	You can retrieve allowance plan data and also add/modify a compensation plan
Filter Fields	Same as "FuturePaymentPlanData" on page 74.

The following table provides information on **BasePayPlanData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Compensation_Plans to fetch entries Put_Compensation_Plans to add a new record or update existing record
Description	You can retrieve base pay plan data. You can add/modify a compensation plan.
Filter Fields	Same as "FuturePaymentPlanData" on page 74.

The following table provides information on **PeriodPlanData** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Compensation_Plans to fetch entries Put_Compensation_Plans to add a new record or update existing record
Description	You can retrieve period plan data. You can also add/modify a compensation plan.
Filter Fields	Same as "FuturePaymentPlanData" on page 74.

The following table provides information on **RequestOneTimePayment** object in Workday Connector:

Object Specifications	Value
Services Invoked	Request_One-Time_Payment
Description	This operation allows the requesting of a one-time payment for an employee
Filter Fields	Same as "FuturePaymentPlanData" on page 74.

The following table provides information on **RequestOneTimePayment** object in Workday Connector:

Object Specifications	Value
Services Invoked	Get_Workers of Human_Resources module Add_Dependent,Edit_Dependent to add / update
Description	This object will provide dependent information of worker . You can also add / update dependent for a worker using this.
Filter Fields	Same as "FuturePaymentPlanData" on page 74.

Note: Use "RecordCount" field to specify the batch size. Default size is 100.

Filter Fields

WorkerExport

The following table provides information on different filter fields in **WorkerExport** object in Workday Connector:

Field Name	Data Type	Value
WorkerWID, ContingentWorkerID, EmployeeID, TransactionTypeWID, BusinessProcessType, SubscriberWID, IntegrationServiceName, IntegrationServiceID, OrgObjWID, OrgObjCompanyRefID, OrgObjCostCenterRefID, OrgObjCustomOrgRefID, OrgObjOrgRefID, OrgObjRegionRefID, PositionWID, PositionID, EventWID, BusinessPlanAmendmentID, CustomerRequestID, CustomerRequestReferenceID, IRS1099MISCAdjustmentID, PositionBudgetGroupID, ReceiptNumber, RequestLeaveofAbsenceID, SpendAuthorizationID, SupplierContractAmendmentID, SupplierContractHistoryID, SupplierContractID, SupplierInvoiceContractID, WorkdayProjectID, WorkerTimeCardID, BenefitPlanWID, AdditionalBenefitsPlanID, DefinedContributionPlanID, HealthCareCoveragePlanID, HealthSavingsAccountPlanID, InsuranceCoveragePlanID, SpendingAccountPlanID, FieldandParameterWID, FieldandParameterIntegrationSystemID, NationalIdentifierID, NationalIDTypeWID, NationalIDTypeCode, CountryWID, CountryCode	String	String
AsOfEffectiveDate	Date	Date
RecordCount	Integer	0<n<1000
UpdatedFromDateTime, UpdatedThroughDateTime, EffectiveFromDateTime, EffectiveThroughDateTime, AsOfEntryDateTime	DateTime	DateTime
SkipNonExistingInstances, IncludeSubordinateOrganizations, ExcludeInactiveWorkers, ExcludeEmployees, ExcludeContingentWorkers	Boolean	0/1

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

Organization

The following table provides information on different filter fields in **Organization** object in Workday Connector:

Field Name	Data Type	Value
OrganizationSystemId, OrganizationId, OrganizationName, LocationIntegrationSystemId, LocationIntegrationId , EmployeeIntegrationSystemId, EmployeeIntegrationId, ContingentWorkerSystemId, ContingentWorkerId	String	String
AsOfDate	Date	Date
AsOfMoment	DateTime	DateTime

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

Locations

The following table provides information on filter fields in **Locations** objects in Workday Connector:

Field Name	Data Type	Value
LocationReferenceID, LocationReferenceWID, LocationName, LocationUsageID, LocationUsageWID, LocationTypeId , LocationTypeWID	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
SkipNonExistingInstance, ExcludeInactiveLocations, ExcludeActiveLocations	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

JobCategories

The following table provides information on filter fields in **JobCategories** object in Workday Connector:

Field Name	Data Type	Value
JobCategoryReferenceWID, JobCategoryReferenceID	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

JobClassificationGroups

The following table provides information on filter fields in **JobClassificationGroups** object in Workday Connector:

Field Name	Data Type	Value
JobClassificationGroupWID, JobClassificationGroupID	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

JobFamilies

The following table provides information on filter fields in **JobFamilies** object in Workday Connector:

Field Name	Data Type	Value
JobClassificationGroupWID, JobClassificationGroupID	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
SkipNonExistingInstance, IncludeJobProfileInfoData	Boolean	0/1

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

JobProfiles

The following table provides information on filter fields in **JobProfiles** object in Workday Connector:

Field Name	Data Type	Value
JobProfileWID, JobProfileID, TransactionTypeWID, BusinessProcessType, SubscriberWID, IntegrationServiceName, IntegrationserviceID, EventIID, EventWID, JobFamilyWID, JobFamilyID, ManagementLevelWID, ManagementLevelID, JobLevelWID, JobLevelID, JobCategoryReferenceWID, JobCategoryReferenceID, CompanyInsiderTypeWID, CompanyInsiderTypeID, JobClassificationReferenceWID, JobClassificationReferenceID, JobClassificationGroupWID, JobClassificationGroupID, WorkerCompensationCodeWID, WorkersCompensationID, WorkHoursProfileWID,WorkHoursProfileID, FieldandParameterWID,IntegrationSystemID	String	String
AsOfEffectiveDate	Date	Date
UpdatedFromDateTime, UpdatedThroughDateTime, EffectiveFromDateTime, EffectiveThroughDateTime, AsOfEntryDateTime	DateTime	DateTime
SkipNonExistingInstances,IncludeJobProfileBasicData, IncludeJobClassificationData, IncludeJobProfilePayRateData, IncludeJobProfileExemptData, IncludeWorkersCompensationData, IncludeResponsibilityQualifications, IncludeWorkExperienceQualifications, IncludeEducationQualifications, IncludeLanguageQualifications, IncludeCompetencyQualifications, IncludeCertificationQualifications, IncludeTrainingQualifications, IncludeJobProfileCompensationData	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

EventHistory

The following table provides information on filter fields in **EventHistory** object in Workday Connector:

Field Name	Data Type	Value
EmployeeSystemID, ContingentWorkerSystemID	String	String
UpdatedFromDateTime, UpdatedToDateTime, EffectiveFromDateTime, EffectiveThroughDateTime	DateTime	DateTime

Note: If “EffectiveFromDateTime” or “EffectiveThroughDateTime” filter fields contain a value, then both the fields are required.

JobHistory

The following table provides information on filter fields in **JobHistory** object in Workday Connector:

Field Name	Data Type	Value
WorkerWID ContingentWorkerID EmployeeID	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

Position

The following table provides information on filter fields in **Position** object in Workday Connector:

Field Name	Data Type	Value
Position, PositionID, PositionWID, TransactionLogType TransactionLogTypeWID, BusinessProcessType Subscriber, SubscriberWID, ubscriberIntegrationService SubscriberIntegrationSystemID, SupervisoryOrganization SupervisoryOrganizationWID, OrganizationReferenceID JobRequisition, JobRequisitionWID, JobRequisitionIDEvent, EventWID, ackgroundCheckID, BudgetAmendmentID, CustomerRequestID, CustomerRequestReferenceID, IRS1099MISCAdjustmentID, PositionBudgetGroupID ProcurementMassCloseID, ProcurementRollForwardID ReceiptNumber, ReorganizationID, RequestLeaveofAbsenceID, SpendAuthorizationID SupplierContractAmendmentID, SupplierContractHistoryID, SupplierContractID SupplierInvoiceContractID, WorkdayProjectID WorkerTimeCardID, ProviderRef, ProviderWID IntegrationSystemID, Location, LocationWID LocationID, AddtnLocation1, AddtnLocationWID1 AddtnLocationID1, AddtnLocation2, AddtnLocationWID2, AddtnLocationID2, AddtnLocation3, AddtnLocationWID3, AddtnLocationID3, AddtnLocation4 AddtnLocationWID4, AddtnLocationID4	String	String
AsOfEffectiveDate	Date	Date
UpdatedFromDateTime, UpdatedThroughDateTime EffectiveFromDateTime, EffectiveThroughDateTime	DateTime	DateTime

Field Name	Data Type	Value
IncludeReference, IncludePositionDefinitionData IncludePositionRestrictionsData, IncludeDefaultCompensationData, IncludeDefaultPositionOrganization, AssignmentData IncludeWorkerForFilledPositionsData IncludeQualifications, IncludeJobRequisitionData	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

Applicant

The following table provides information on filter fields in **Applicant** object in Workday Connector:

Field Name	Data Type	Value
ApplicantID, ApplicantWID, EmployeeRef, EmployeeRefWID, EmployeeRefID, ApplicantEmailAddress, ProviderReference, ProviderReferenceWID, IntegrationSystemID, ApplicantID	String	String
AsOfEntryDateTime	DateTime	DateTime
AsOfEffectiveDate	Date	Date
IncludePersonalInfo IncludeRecruitInfo IncludeQualProfile IncludeExternalIntegrationIDData	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

CostCenters

The following table provides information on filter fields in **CostCenters** object in Workday Connector:

Field Name	Data Type	Value
CostCenterReferenceWID, CostCenterReferenceID, OrganizationReferenceID	String	String
AsOfEffectiveDate	Date	Date
UpdatedFromDateTime, UpdatedToDateTime, AsOfEntryDateTime	DateTime	DateTime

Field Name	Data Type	Value
IncludeCostCenterData, IncludeSimpleCostCenterData	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: If “WTType” or “WTReferenceID” filter fields contain a value, then both the fields are required.

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

CostCentersCustomOrg

The following table provides information on filter fields in **CostCentersCustomOrg** object in Workday Connector:

Field Name	Data Type	Value
CostCenterReferenceWID, CostCenterReferenceID, OrganizationReferenceID	String	String
AsOfEffectiveDate	Date	Date
UpdatedFromDateTime, UpdatedToDateTime, AsOfEntryDateTime	DateTime	DateTime
IncludeCostCenterData, IncludeSimpleCostCenterData	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: If “WTType” or “WTReferenceID” filter fields contain a value, then both the fields are required.

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

Regions

The following table provides information on filter fields in **Regions** object in Workday Connector:

Field Name	Data Type	Value
RegionWID ,RegionRefID ,OrganizationReferenceID	String	String
AsOfEffectiveDate	Date	Date
UpdatedFromDateTime, UpdatedToDateTime, AsOfEntryDateTime	DateTime	DateTime
IncludeRegionData, IncludeSimpleRegionData	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

RegionsCustomOrg

The following table provides information on filter fields in **RegionsCustomOrg** object in Workday Connector:

Field Name	Data Type	Value
RegionWID ,RegionRefID ,OrganizationReferenceID	String	String
AsOfEffectiveDate	Date	Date
UpdatedFromDateTime, UpdatedToDateTime, AsOfEntryDateTime	DateTime	DateTime
IncludeRegionData, IncludeSimpleRegionData	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

WorkdayCompanies

The following table provides information on filter fields in **WorkdayCompanies** object in Workday Connector:

Field Name	Data Type	Value
CompanyReferenceWId , CompanyReferenceId , OrganizationReferenceID , CompanyName , OrganizationCode	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

WorkdayCompaniesCustomOrg

The following table provides information on filter fields in **WorkdayCompaniesCustomOrg** object in Workday Connector:

Field Name	Data Type	Value
CompanyReferenceWId , CompanyReferenceId , OrganizationReferenceID , CompanyName , OrganizationCode	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

LedgerAccountSummary

The following table provides information on filter fields in **LedgerAccountSummary** object in Workday Connector:

Field Name	Data Type	Value
LedgerAccountSummaryID , LedgerAccountSummaryWID , LedgerAccountSummaryParentType , LedgerAccountSummaryParentID	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

AllLedgerAccount

The following table provides information on filter fields in **AllLedgerAccount** object in Workday Connector:

Field Name	Data Type	Value
LedgerAccountSummaryID , LedgerAccountSummaryWID , LedgerAccountSummaryParentType , LedgerAccountSummaryParentID	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

AccountSet

The following table provides information on filter fields in **AccountSet** object in Workday Connector:

Field Name	Data Type	Value
AccountSetWID, AccountSetRefID	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

ConditionRuleData

The following table provides information on filter fields in **ConditionRuleData** object in Workday Connector:

Field Name	Data Type	Value
CustomValidationContextRefWId, CustomValidationContextID	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

CustomValidationMessageData

The following table provides information on filter fields in **CustomValidationMessageData** object in Workday Connector:

Field Name	Data Type	Value
CustomValidationContextRefWId, CustomValidationContextID	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

JournalEntry

The following table provides information on filter fields in **JournalEntry** object in Workday Connector:

Field Name	Data Type	Value
JournalEntryWID, AccountingJournalID, OrgObjWID, OrgObjCompanyRefID, OrgObjCostCenterRefID, OrgObjCustomOrgRefID, OrgObjOrgRefID, OrgObjRegionRefID, JournalSourceWID, JournalSourceID, JournalNumber, JournalEntryStatusWID, JournalEntryStatusID, OriginatedByIID, OriginatedByWID, ApprovedByIID, ApprovedByWID, LedgerAccountWID, LedgerAccountID, LedAccParentWID, LedAccParentAccountSetID, WTWID, WTOrganizationReferenceID, WTType, WTReferenceID, BookWID, BookID	String	String
AccountingFromDate, AccountingToDate, AsOfEffectiveDate	Date	Date

Field Name	Data Type	Value
UpdatedFromDateTime, UpdatedToDateTime, AsOfEntryDateTime	DateTime	DateTime
AdjustmentJournal, ReversedJournal, RecurringJournal, InterCompanyJournal, ThresholdMet	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

JournalEntryLine

The following table provides information on filter fields in **JournalEntryLine** object in Workday Connector:

Field Name	Data Type	Value
JournalEntryWID, AccountingJournalID, OrgObjWID, OrgObjCompanyRefID, OrgObjCostCenterRefID, OrgObjCustomOrgRefID, OrgObjOrgRefID, OrgObjRegionRefID, JournalSourceWID, JournalSourceID, JournalNumber, JournalEntryStatusWID, JournalEntryStatusID, OriginatedByIID, OriginatedByWID, ApprovedByIID, ApprovedByWID, LedgerAccountWID, LedgerAccountID, LedAccParentWID, LedAccParentAccountSetID, WTWID, WTOrganizationReferenceID, WTType, WTReferenceID, BookWID, BookID	String	String
AccountingFromDate, AccountingToDate, AsOfEffectiveDate	Date	Date
UpdatedFromDateTime, UpdatedToDateTime, AsOfEntryDateTime	DateTime	DateTime
AdjustmentJournal, ReversedJournal, RecurringJournal, InterCompanyJournal, ThresholdMet	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

Organizations

The following table provides information on filter fields in **Organizations** object in Workday Connector:

Field Name	Data Type	Value
OrganizationWID , CompanyReferenceID , CostCenterReferenceID , CustomOrganizationReferenceID , OrganizationReferenceID , RegionReferenceID , OrganizationTypeWID , OrganizationTypeID , TransactionLogTypeWID , BusinessProcessType , SubscriberWID , SubIntegrationServiceName , SubIntegrationSystemID , ProviderRefWID , ProvIntegrationSystemI	String	String
AsOfEffectiveDate	Date	Date
UpdatedFromDateTime , UpdatedThroughDateTime , EffectiveFromDateTime , EffectiveThroughDateTime , AsOfEntryDateTime	DateTime	DateTime
SkipNonExistingInstances ,IncludeInactive , IncludeRolesData , IncludeHierarchyData , IncludeSupervisoryData , IncludeStaffingRestrictionsData	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

SubOrdinateOrganizations

The following table provides information on filter fields in **SubOrdinateOrganizations** object in Workday Connector:

Field Name	Data Type	Value
OrganizationWID , CompanyReferenceID , CostCenterReferenceID , CustomOrganizationReferenceID , OrganizationReferenceID , RegionReferenceID , OrganizationTypeWID , OrganizationTypeID , TransactionLogTypeWID , BusinessProcessType , SubscriberWID , SubIntegrationServiceName , SubIntegrationSystemID , ProviderRefWID , ProvIntegrationSystemI	String	String
AsOfEffectiveDate	Date	Date
UpdatedFromDateTime , UpdatedThroughDateTime , EffectiveFromDateTime , EffectiveThroughDateTime , AsOfEntryDateTime	DateTime	DateTime

Field Name	Data Type	Value
SkipNonExistingInstances ,IncludeInactive , IncludeRolesData , IncludeHierarchyData , IncludeSupervisoryData , IncludeStaffingRestrictionsData	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

IncludedOrganizations

The following table provides information on filter fields present in **IncludedOrganizations** object in Workday Connector:

Field Name	Data Type	Value
OrganizationWID , CompanyReferenceID , CostCenterReferenceID , CustomOrganizationReferenceID , OrganizationReferenceID , RegionReferenceID , OrganizationTypeWID , OrganizationTypeID , TransactionLogTypeWID , BusinessProcessType , SubscriberWID , SubIntegrationServiceName , SubIntegrationSystemID , ProviderRefWID , ProvIntegrationSystemI	String	String
AsOfEffectiveDate	Date	Date
UpdatedFromDateTime , UpdatedThroughDateTime , EffectiveFromDateTime , EffectiveThroughDateTime , AsOfEntryDateTime	DateTime	DateTime
SkipNonExistingInstances ,IncludeInactive , IncludeRolesData , IncludeHierarchyData , IncludeSupervisoryData , IncludeStaffingRestrictionsData	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

IncludedInOrganizations

The following table provides information on filter fields in **IncludedInOrganizations** object in Workday Connector:

Field Name	Data Type	Value
OrganizationWID , CompanyReferenceID , CostCenterReferenceID , CustomOrganizationReferenceID , OrganizationReferenceID , RegionReferenceID , OrganizationTypeWID , OrganizationTypeID , TransactionLogTypeWID , BusinessProcessType , SubscriberWID , SubIntegrationServiceName , SubIntegrationSystemID , ProviderRefWID , ProvIntegrationSystemI	String	String
AsOfEffectiveDate	Date	Date
UpdatedFromDateTime , UpdatedThroughDateTime , EffectiveFromDateTime , EffectiveThroughDateTime , AsOfEntryDateTime	DateTime	DateTime
SkipNonExistingInstances ,IncludeInactive , IncludeRolesData , IncludeHierarchyData , IncludeSupervisoryData , IncludeStaffingRestrictionsData	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

ResourceCategories

The following table provides information on filter fields in **ResourceCategories** object in Workday Connector:

Field Name	Data Type	Value
ResourceCategoryReferenceWID , ResourceCategoryRefID	String	String
AsOfEffectiveDate	Date	Date
UpdatedFromDateTime , UpdatedToDateTime , AsOfEntryDateTime	DateTime	DateTime
IncludeReference	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

CurrencyConversionRates

The following table provides information on filter fields in **CurrencyConversionRates** object in Workday Connector:

Field Name	Data Type	Value
CurrencyConversionRateRequestReferencesIID, CurrencyConversionRateRequestReferencesWID	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

BusinessPlanDetails

The following table provides information on filter fields in **BusinessPlanDetails** object in Workday Connector:

Field Name	Data Type	Value
BusinessPlanReferenceIID, BusinessPlanReferenceWID	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

WorkdayProjects

The following table provides information on filter fields in **WorkdayProjects** object in Workday Connector:

Field Name	Data Type	Value
ProjectReferenceWID , ProjectID , WorkdayProjectID , ProjReferenceID , ProjectName , ProjectHierarchyWID , ProjectHierarchyID , ProjectStatusWID , DocumentStatusID , ProjectOwnerWID , ProjectOwnerContingentWorkerID , ProjectOwnerEmployeeID , , CustomerWID , CustomerID , CustomerReferenceID , ProjectGroupWID , ProjectGroupID , OrganizationWID , CompanyReferenceID , CostCenterReferenceID , CustomOrgRefID , OrganizationReferenceID , RegionReferenceID , ProjectResourcePlanWID , ProjectResourcePlanID , InitiativeWID , InitiativeReferenceID, WTWID ,WTOrganizationReferenceID ,WTType,WTReferenceID, SuccessRatingWID , SuccessRatingID , AssignedWorkerWID , AssignedWorkerContingentWorkerID , AssignedWorkerEmployeeID	String	String
AsOfEffectiveDate	Date	Date
StartDateOnorAfter , StartDateOnorBefore , EndDateOnorAfter , EndDateOnorBefore ,AsofEntryDateTime	DateTime	DateTime
Billable , NonBillable , Both BillableandNonBillable	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

ProjectPlanData

The following table provides information on filter fields in **ProjectPlanData** object in Workday Connector:

Field Name	Data Type	Value
ProjectReferenceWID , ProjectID , WorkdayProjectID , ProjReferenceID , ProjectName , ProjectHierarchyWID , ProjectHierarchyID , ProjectStatusWID , DocumentStatusID , ProjectOwnerWID , ProjectOwnerContingentWorkerID , ProjectOwnerEmployeeID , , CustomerWID , CustomerID , CustomerReferenceID , ProjectGroupWID , ProjectGroupID , OrganizationWID , CompanyReferenceID , CostCenterReferenceID , CustomOrgRefID , OrganizationReferenceID , RegionReferenceID , ProjectResourcePlanWID , ProjectResourcePlanID , InitiativeWID , InitiativeReferenceID, WTWID ,WTOrganizationReferenceID ,WTType,WTReferenceID, SuccessRatingWID , SuccessRatingID , AssignedWorkerWID , AssignedWorkerContingentWorkerID , AssignedWorkerEmployeeID	String	String
AsOfEffectiveDate	Date	Date

Field Name	Data Type	Value
StartDateOnorAfter , StartDateOnorBefore , EndDateOnorAfter , EndDateOnorBefore ,AsofEntryDateTime	DateTime	DateTime
Billable , NonBillable , Both BillableandNonBillable	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

Note: If one of “WTType” or “WTReferenceID” filter fields contains a value, both fields are required.

ResourcePlanData

The following table provides information on filter fields in **ResourcePlanData** object in Workday Connector:

Field Name	Data Type	Value
ProjectReferenceWID , ProjectID , WorkdayProjectID , ProjReferenceID , ProjectName , ProjectHierarchyWID , ProjectHierarchyID , ProjectStatusWID , DocumentStatusID , ProjectOwnerWID , ProjectOwnerContingentWorkerID , ProjectOwnerEmployeeID , , CustomerWID , CustomerID , CustomerReferenceID , ProjectGroupWID , ProjectGroupID , OrganizationWID , CompanyReferenceID , CostCenterReferenceID , CustomOrgRefID , OrganizationReferenceID , RegionReferenceID , ProjectResourcePlanWID , ProjectResourcePlanID , InitiativeWID , InitiativeReferenceID, WTWID ,WTOrganizationReferenceID ,WTType,WTReferenceID, SuccessRatingWID , SuccessRatingID , AssignedWorkerWID , AssignedWorkerContingentWorkerID , AssignedWorkerEmployeeID	String	String
AsOfEffectiveDate	Date	Date
StartDateOnorAfter , StartDateOnorBefore , EndDateOnorAfter , EndDateOnorBefore ,AsofEntryDateTime	DateTime	DateTime
Billable , NonBillable , Both BillableandNonBillable	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: If one of “WTType” or “WTReferenceID” filter fields contains a value, both fields are required.

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

CompensationPayLevel

The following table provides information on filter fields in **CompensationPayLevel** object in Workday Connector:

Field Name	Data Type	Value
CompensationMatrixWID, MeritIncreaseMatrixID, Name	String	String
AsOfEntryDateTime	DateTime	DateTime
AsOfEffectiveDate	Date	Date
CompensationMatrixAmountBased CompensationMatrixNonweightedPercentBased CompensationMatrixWeightedPercentBased	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

PayrollInputs

The following table provides information on filter fields in **PayrollInputs** object in Workday Connector:

Field Name	Data Type	Value
PayrollInputWID, PayrollInputID, WorkerWID ContingentWorkerID, EmployeeID, EarningWID EarningCode, WorkdayEarningCode, DeductionWID DeductionCode, WorkdayDeductionCode	String	String
AsOfEntryDateTime	DateTime	DateTime
AsOfEffectiveDate, PayrollInputStartDate PayrollInputEndDate	Date	Date
OpenEndedOngoingInputs	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

PaymentHistory

The following table provides information on filter fields in **PaymentHistory** object in Workday Connector:

Field Name	Data Type	Value
PaymentHistoryWID, PaymentID	String	String
AsOfEntryDateTime	DateTime	DateTime
AsOfEffectiveDate	Date	Date
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

OffcyclePayments

The following table provides information on filter fields in **OffcyclePayments** object in Workday Connector:

Field Name	Data Type	Value
OffcyclePaymentReference, OffcyclePaymentWID OffcyclePaymentID, EmployeeReference EmployeeWID, EmployeeID, PeriodReference PeriodWID, PeriodID, RunCategoryReference RunCategoryWID, RunCategoryID, payGroupReference PayGroupWID PayGroupOrgReferenceID, BatchID, PaymentDate, ReasonReference, ReasonWID, ActionReasonID	String	String
AsOfEntryDateTime	DateTime	DateTime
PaymentDate, AsOfEffectiveDate	Date	Date
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

PayrollResultsData

The following table provides information on filter fields in **PayrollResultsData** object in Workday Connector:

Field Name	Data Type	Value
PayrollResultUniqueIdentifierIID PayrollResultUniqueIdentifierWID StartDate, EndDate, PeriodSelectionDateWID PeriodSelectionDateIndicator, EmployeeWID EmployeeID, CompanyWID, CompanyReferenceID EarningWID, EarningCode, WorkdayEarningCode DeductionWID, DeductionCode, WorkdayDeductionCode, RunCategoryWID RunCategoryID, PayGroupWID PeriodWID, PeriodID, SettlementIID, SettlementWID	String	String
AsOfEntryDateTime	DateTime	DateTime
StartDate, EndDate, AsOfEffectiveDate	Date	Date
IncludeNameData, IncludeNationalIDData IncludeRelatedCalculationResultData, IncludeWithholdingOrderData IncludePayrollWorktagData, IncludeQTDData IncludeYTDData	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

PayrollRemittanceWorkerData

The following table provides information on filter fields in **PayrollRemittanceWorkerData** object in Workday Connector:

Field Name	Data Type	Value
OutsourcedPaymentGroupWID OutsourcedPaymentGroupID ManagerWID, ManagerContingentWorkerID ManagerEmployeeID, PaymentIntervalStartDateReference PaymentIntervalEndDateReference ExternalFieldParameterInitializationWID ExternalFieldParameterInitializationIntegrationSystemID	String	String
AsOfEntryDateTime	DateTime	DateTime
AsOfEffectiveDate, PaymentIntervalStartDateReference PaymentIntervalEndDateReference	Date	Date

Field Name	Data Type	Value
IncludeOriginatingContactData IncludeOriginatingBankData IncludeReceivingPartyContactData IncludeReceivingPartyBankData	Boolean	0/1
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

BankAccount

The following table provides information on filter fields in **BankAccount** object in Workday Connector:

Field Name	Data Type	Value
BankAccountWID, BankAccountID	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

OverrideBalance

The following table provides information on filter fields in **OverrideBalance** object in Workday Connector:

Field Name	Data Type	Value
OverrideBalanceReference	String	String
OverrideBalanceWID	Date	Date
CalculatedandOverrideBalanceIndex	DateTime	DateTime
EmployeeReference	Integer	0<n<1000
WorkerWID	String	String
ContingentWorkerID	String	String
EmployeeID	String	String
BatchReference	String	String
ApplicationBatchWID	String	String

Field Name	Data Type	Value
ApplicationBatchID	String	String
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	DateTime	DateTime
RecordCount	Integer	0<n<1000

Note: Use “RecordCount” field to specify the batch size. Default size is 100.

FuturePaymentPlanData

The following table provides information on filter fields in **FuturePaymentPlanData** object in Workday Connector:

Field Name	Data Type	Value
CompensationPlanWID	String	String
CompensationPlanID	String	String
IncludeInactive	Boolean	0/1
AsOfEffectiveDate	Date	Date
AsOfEntryDateTime	Datetime	DateTime
RecordCount	Integer	0<n<1000

CHAPTER 7

Adding New Fields Using .ini File

This chapter includes the following topic:

- Adding New Fields Using Fields.ini File, 75


Adding New Fields Using Fields.ini File

You can customize certain objects in workday. This allows you to add new fields to the existing objects. You can add new fields using `fields.ini` file.

This file is present in the following directories:

- `<Secure Agent installation directory>\downloads\<latest connector zip package>\package \plugins\<Plugin ID>`
- `<Secure Agent installation directory>\downloads\<latest connector zip package>\package \rdtm\javalib\<Plugin ID>`

The following figure displays a sample `fields.ini` file:



You can customize only certain objects in workday. The following table displays list of objects which you can customize with `fields.ini` file:

Module	Object Name	Fields	Description
CashManagement	BankAccount	PaymentTypeReference1 PaymentTypeWID1 PaymentTypeID1	Capture 'n' levels of data by providing fields as PaymentTypeReferencen,PaymentTypeWIDn and PaymentTypeIDn where n can be any positive number Add or Edit 5 levels of data
Compensation	StockPlanData	UnitStockGrantTypeReference1, UnitStockGrantTypeWID1 UnitStockOptionTypeID1, UnitStockGrantSplitPercent1 PercentStockGrantTypeReference1, PercentStockGrantTypeWID1 PercentStockOptionTypeID1, PercentStockGrantSplitPercent1 AmountStockGrantTypeReference, AmountStockGrantTypeWID AmountStockOptionTypeID, AmountStockGrantSplitPercent	1) Capture n levels of data by providing fields as PaymentTypeReferencen,PaymentTypeWIDn and PaymentTypeIDn where n can be any positive number 2) Add or Edit 5 levels of data

Module	Object Name	Fields	Description
FinancialManagement	WorkdayCcompanies	UsageType11, UsageWID11, UsageBehavior11, UsageBehaviorWID11 CommunicationUsagePrimary11, PhonePublic11, PhonePrimary11 PhoneUsageType11, PhoneUsageWID11, PhoneUsageBehavior11 PhoneUsageBehaviorWID11, PhoneComments11, EmailPublic11 EmailPrimary11, EmailUsageType11, EmailUsageWID11, EmailUsageBehavior11 EmailComments11, IMPublic11, IMPrimary11, IMUsageType11 IMUsageWID11, IMUsageBehavior11, IMUsageBehaviorWID11 IMComments11, WebAddressPublic11, WebAddressPrimary11 WebAddressUsageType11, WebAddressUsageWID11, WebAddressUsageBehavior11, WebAddressUsageBehaviorWID11 WebAddressComments11	Capture n levels of data by providing fields as UsageType1n where n can be any positive number
FinancialManagement	Organizations	ExternalIntegrationSystemID1, ExternalIntegrationSystemValue1	We can capture and add 5 levels of data
HumanResources	WorkerExport	EmailAddress1, WorkPhoneCountryCode1, nWorkInternationalPhoneCode1 WorkPhoneAreaCode1, WorkPhoneNumber1, WorkPhoneExtension1 HomePhoneCountryCode1, HomeInternationalPhoneCode1 HomePhoneAreaCode1, HomePhoneNumber1, HomePhoneExtension1 WorkIMAddress1, HomeAddressLine1, HomeCity1, HomeState1 HomePostalCode1, HomeAddEffectiveDate1, HomeCountry1 HomeAddCountryISOCode1, WorkAddressLine1, WorkCity1, WorkState1 WorkPostalCode1, WorkAddEffectiveDate1, WorkCountry1 WorkAddCountryISOCode1	Capture n levels of data

Module	Object Name	Fields	Description
HumanResources	Locations	UsageBehavior11, UsageBehaviorWID11, PhoneUsageBehavior11 PhoneUsageBehaviorWID11, EmailUsageBehavior11, EmailUsageBehaviorWID11 IMUsageBehavior11, IMUsageBehaviorWID11, WebAddressUsageBehavior11 WebAddressUsageBehaviorWID11	Capture n levels of data by providing fields as UsageType1n where n can be any positive number
Staffing	Employee	CustomOrganizationWID1 CustomOrganizationReferenceID1 CustomAssignmentOrgReferenceID1	We can add 5 levels of data
Payroll	OffcyclePayments	TaxFrequencyValue1 TaxFrequencyPeriodReference1 TimeUnitWID1 TimeUnitID1	Captures n levels of data
Staffing	Position	AddtnLocation1 AddtnLocationWID1 AddtnLocationID1	Captures n levels of data

INDEX

C

Cloud Application Integration community
  URL 6
Cloud Developer community
  URL 6
configuring
  advanced data filters 23
connections
  Workday 15
creating
  Data Synchronization task 18
  Workday connection 16

D

data filters
  defining 21
  fetch 21
  incremental updates 24
Data Integration community
  URL 6
Data Synchronization task
  creating 18
  data filters 21
  troubleshooting 25

E

enabling
  Workday connection 14

I

Informatica Global Customer Support
  contact information 7
Informatica Intelligent Cloud Services
  web site 6

M

maintenance outages 7
module
  supported objects 9

S

Secure Agent
  increasing memory 25
status
  Informatica Intelligent Cloud Services 7
system status 7

T

troubleshooting
  Data Synchronization task 25
  error 25
trust site
  description 7

U

upgrade notifications 7

V

validating
  end point 25

W

web site 6
Workday
  connection properties 15
Workday connection
  creating 16
  properties 16