Informatica®

Informatica® Cloud Data Integration

Zendesk Connector

Informatica Cloud Data Integration Zendesk Connector
May 2018

© Copyright Informatica LLC 2016, 2025

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2025-10-28

Table of Contents

Preface. . . . 4
Informatica Resources. . . . 4
Informatica Documentation. . . . 4
Informatica Intelligent Cloud Services web site. . . . 4
Informatica Intelligent Cloud Services Communities. . . . 4
Informatica Intelligent Cloud Services Marketplace. . . . 4
Data Integration connector documentation. . . . 4
Informatica Knowledge Base. . . . 5
Informatica Intelligent Cloud Services Trust Center. . . . 5
Informatica Global Customer Support. . . . 5

Chapter 1: Introduction to Zendesk Connector. . . . 6
Zendesk Connector Overview. . . . 6
Zendesk Connector Example. . . . 6
Zendesk Connector Supported Object Types. . . . 7
Zendesk Connector Supported Task Types. . . . 9
Administration of Zendesk Connector. . . . 9

Chapter 2: Zendesk Connections. . . . 10
Zendesk Connections Overview. . . . 10
Zendesk Connector Custom Objects and Custom Attributes. . . . 10
Configuring the schema.ini file. . . . 10
Zendesk connection properties. . . . 12

Chapter 3: Synchronization Tasks with Zendesk Connector. . . . 13
Zendesk Sources in Synchronization Tasks. . . . 13
Zendesk Targets in Synchronization Tasks. . . . 13
Synchronization Example. . . . 14

Chapter 4: Mappings and Mapping Tasks with Zendesk Connector. . . . 16
Zendesk Sources in Mappings. . . . 16
Zendesk Targets in Mappings. . . . 16

Appendix A: Zendesk Data Type Reference. . . . 18
Data Type Reference Overview. . . . 18
Zendesk and Transformation Data Types. . . . 18

Index. . . . 20

Preface

Use *Zendesk Connector* to learn how to read from or write to Zendesk by using Data Integration. Learn to create a connection, develop mappings, synchronization tasks, and run synchronization and mapping tasks in Data Integration.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, on the Informatica Intelligent Cloud Services Status page, click **SUBSCRIBE TO UPDATES**. You can choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introduction to Zendesk Connector

This chapter includes the following topics:

- Zendesk Connector Overview, 6
- Zendesk Connector Example, 6
- Zendesk Connector Supported Object Types, 7
- Zendesk Connector Supported Task Types, 9
- Administration of Zendesk Connector, 9

Zendesk Connector Overview

You can use Zendesk Connector to connect to Zendesk from Data Integration. You can use Zendesk Connector to read data from Zendesk and integrate data with other applications, databases, and flat files. You can also read data from Zendesk, transform the data, and write data to Zendesk.

Zendesk Connector is a REST based cloud connector. You can use Zendesk objects as sources and targets in synchronization tasks, mapping and mapping tasks.

When you run a synchronization task or a mapping task, the Agents uses the Zendesk API to read data from and write data to Zendesk. You can use source objects, such as users, tickets, or organizations in a task.

Zendesk Connector Example

You are an operations analyst who manages the customer support website of your organization. You want to get complete statistics and elaborate reports about the support your organization gives to the customers. You can use Zendesk Connector to read data and later you can perform analytics on the data.

You can configure a synchronization task and mapping task to read data from Zendesk. You can configure synchronizationtask and mapping task to write data to flat files, databases, and other applications. The operations team can use the data to perform data analytics.

Zendesk Connector Supported Object Types

The following table lists the Zendesk objects that you can use in Data Integration tasks:

Objects	Fetch	Insert	Update	Delete	Upsert	Data Preview	Incremental Export API
Users	Yes	Yes	Yes	Yes	NA	Yes	Yes
Tickets	Yes	Yes	Yes	Yes	NA	Yes	Yes
Organizations	Yes	Yes	Yes	Yes	NA	NA	Yes
Groups	Yes	Yes	Yes	Yes	NA	Yes	NA
Views	Yes	Yes	Yes	Yes	NA	Yes	NA
TicketFields	Yes	Yes	Yes	Yes	NA	Yes	NA
TicketForms	Yes	Yes	Yes	Yes	NA	Yes	NA
TicketMetrics	Yes	NA	NA	NA	NA	Yes	NA
TicketMetricEvents	Yes	NA	NA	NA	NA	Yes	Yes
Requests	Yes	Yes	NA	NA	NA	NA	NA
GroupMemberships	Yes	Yes	NA	Yes	NA	Yes	NA
UserFields	Yes	Yes	Yes	Yes	NA	Yes	NA
ActivityStream	Yes	NA	NA	NA	NA	Yes	NA
UserIdentities	Yes	Yes	Yes	Yes	NA	NA	NA
Brands	Yes	Yes	Yes	Yes	NA	Yes	NA
TicketComments	Yes	NA	NA	NA	NA	NA	NA
DynamicContent	Yes	NA	NA	Yes	NA	Yes	NA
MonitoredTwitterHandles	Yes	NA	NA	NA	NA	Yes	NA

Objects	Fetch	Insert	Update	Delete	Upsert	Data Preview	Incremental Export API
OrganizationFields	Yes	Yes	Yes	Yes	NA	Yes	NA
OrganizationMemberships	Yes	Yes	Yes	Yes	NA	Yes	NA
SupportAddresses	Yes	Yes	Yes	Yes	NA	Yes	NA
SuspendedTickets	Yes	Yes	Yes	Yes	NA	Yes	NA
Tags	Yes	Yes	Yes	NA	NA	Yes	NA
AppLocations	Yes	NA	NA	NA	NA	Yes	NA
Triggers	Yes	NA	NA	Yes	NA	Yes	NA
Locales	Yes	NA	NA	NA	NA	Yes	NA
Sessions	Yes	NA	NA	Yes	NA	Yes	NA
TicketAudits	Yes	NA	NA	NA	NA	NA	NA
OrganizationSubscriptions	Yes	Yes	Yes	Yes	NA	Yes	NA
Automations	Yes	NA	NA	Yes	NA	Yes	NA
Variants	Yes	Yes	Yes	NA	NA	NA	NA

Consider the following guidelines when you use the Zendesk trial account:

- You cannot read data from the TicketForms object
- You cannot write or update data to the TicketForms or the brand objects.
- You cannot delete data from the TicketForm object.

Zendesk Connector Supported Task Types

The following table lists the tasks and object types that Zendesk Connector supports:

Task Type	Source	Target
Synchronization	Yes	Yes
Mapping	Yes	Yes

Administration of Zendesk Connector

As a user, you can use Zendesk Connector after the organization administrator performs the following tasks:

- Upload the Zendesk Connector, specify the name of the connector as Zendesk.
- Before the Agents uses Zendesk Connector, create a user account in the Zendesk. The user must be an administrator of the Zendesk account. Do not enable the two-factor authentication as Zendesk Connector uses basic authentication to authenticate the user.

CHAPTER 2

Zendesk Connections

This chapter includes the following topics:

- Zendesk Connections Overview, 10
- Zendesk Connector Custom Objects and Custom Attributes, 10
- Zendesk connection properties, 12

Zendesk Connections Overview

Create a Zendesk connection to read data from and write data to Zendesk. You can use the Zendesk connection to specify source and target in synchronization tasks. When you create a Zendesk connection, you enter connection properties specific to Zendesk.

You can create a Zendesk connection on the **Connection** page or in the Synchronization Task wizard. The connection then becomes available to the entire organization.

Zendesk Connector Custom Objects and Custom Attributes

Use Zendesk to create custom fields. You can use Zendesk Connector to read data from and insert data to the custom attributes that are present in the Tickets object.

Note: When you use the Hosted Agent as the runtime environment, you cannot create custom fields.


Configuring the schema.ini file

To read and insert the values of custom fields supported by Zendesk, you must configure the `schema.ini` file.

Use the following syntax format to configure the `schema.ini` file:

```
Object="CF_FieldID1,DataType,Size,Filterable,PrimaryKey";"CF_FieldID2,DataType,Size,Filterable,PrimaryKey".
```

The following image shows a sample `schema.ini` file:



The following are the significance of the syntax terms:

- Object: It is one of the objects which populates in the source object list of Zendesk.
- CF_FieldID1 and CF_FieldID2: The IDs of the fields which you want to customize. You can retrieve the custom field ID from your Zendesk account.

  Note: Internet Connection Sharing generates an exception if the custom field ID has blank spaces.
- Data Type: Data Type of the fields.
- Size: This is the size of the field.
- Filterable: If the field is filterable.
- Primary Key: If the field is a primary key.

The following table displays the names of supported data types:

Data Types	Supported
BIGINT	Yes
BINARY	Yes
BOOLEAN	Yes
DATE	Yes
DATETIME	Yes
DECIMAL	Yes
DOUBLE	Yes
FLOAT	Yes
INTEGER	Yes
LONG	Yes
SHORT	Yes
STRING	Yes
TIME	Yes

If you want to use the `schema.ini` file, perform the following steps:

1. Copy the `schema.ini` file from `<Secure Agent installation directory>\downloads\<latest connector package>\package\plugins\Zendesk\` to `<Secure Agent installation directory>\apps\Data_Integration_Server\ext\deploy_to_main\bin\rdtm-extra\Zendesk\`

   Note: If the `deploy_to_main\bin\rdtm-extra\Zendesk\` directory does not already exist, create the directory.

   Note: The folder name is case sensitive on Linux.
2. Create the following directory:
   `Secure Agent installation directory>\downloads\<latest connector package>\package\tpl`
3. Create the `tpl.properties` file in the following directory:
   `Secure Agent installation directory>\downloads\<latest connector package>\package\tpl`

4. Open the `tpl.properties` file and add the following values:

```
path=rdtm-extra/Zendesk
```

5. Save the `tpl.properties` file.
6. Restart the Secure Agent.

Zendesk connection properties

When you set up a Zendesk connection, you must configure the connection properties.

Important: Zendesk Connector is deprecated and has been moved to maintenance mode. Informatica intends to drop support in a future release. Informatica recommends that you use Zendesk V2 Connector to access Zendesk.

The following table describes the Zendesk connection properties:

Connection property	Description
Secure Agent	The Secure Agent that you want to run the tasks.
Username	Username of the Zendesk account.
Password	Password of the Zendesk account.
URL	URL of the Zendesk account. Specify the complete URL.

Custom Field	Specify custom fields for Zendesk objects.
	Specify the custom fields in Zendesk using the following format, where FieldKey is value of the custom field key in Zendesk:
	`Object1=”FieldKey1,DataType,Size,Filterable,PrimaryKey”;”FieldKey2,DataType,Size,Filterable,Pr`
	`Object2=”FieldKey1,DataType,Size,Filterable,PrimaryKey”;”FieldID2,DataType,Size,Filterable,Pri`
	For example:
	`Organizations="support_description,String,255,true,false";`
	`Users="fixes,String,255,true,false";age,Double,255,true,false";"required,Boolean,255,true,fals`
	`ing,255,true,false";"support_description,String,255,true,false";"reg_ex,String,255,true,false"`
	Note: When you specify a custom field for Tickets object, you must specify the custom fields in the following format:
	`Tickets=”CF_FieldKey1,DataType,Size,Filterable,PrimaryKey”;”CF_FieldID2,DataType,Size,Filterab`
	For example:
	`Tickets="CF_360003199614,String,255,true,false;"CF_360003373654,String,255,true,false"`

CHAPTER 3

Synchronization Tasks with Zendesk Connector

This chapter includes the following topics:

- Zendesk Sources in Synchronization Tasks, 13
- Zendesk Targets in Synchronization Tasks, 13
- Synchronization Example, 14

Zendesk Sources in Synchronization Tasks

You can use a Zendesk object as a single source in a synchronization task.

You can configure Zendesk source properties on the **Source** page of the Synchronization Task wizard.

The following table describes the Zendesk source properties:

Property	Description
Connection	Name of the Zendesk source connection.
Source Type	Type of the Zendesk source. You must select **Single** as the source type.
Source Object	Name of the source object. Zendesk Connector supports incremental export API for Tickets, Users, and Organizations objects. To use Incremental Export API, you must provide the value for the Updated_at field in GMT format.

Zendesk Targets in Synchronization Tasks

You can use the insert, update, and delete operations for a Zendesk target in a synchronization task.

When you perform an insert operation, define the source data in synchronization application to write to the Zendesk target. The Agents insert the source rows that you specify into the Zendesk target.

When you perform an update operation, define the source data in the synchronization application to update the records in the Zendesk target. The Agents update the rows that you specify in the Zendesk target. When

you perform a delete operation, define the source data in the synchronization application to delete the records in the Zendesk target. The Agents delete the records that you specify in the Zendesk target.

The following table describes the Zendesk target properties:

Property	Description
Connection	Name of the Zendesk target connection.
Target Type	Type of the Zendesk target type. You must select **Single** as the target type.
Target Object	Name of the Zendesk target object.

Synchronization Example

You are an operational analyst in an organization and you need to analyze the tickets of your organization Zendesk account. You need to fetch the ticket information from your Zendesk account to analyze the tickets.

Ticket information includes Ticket_ID, Type, Subject, Priority, Status, Created_At, and Updated_At. You can use the ticket information to analyze the tickets in your Zendesk account.

Configure a synchronization task to read the ticket information from your Zendesk account and write to the flat file.

You perform the following synchronization task:

Source

The source for the synchronization task is Tickets from Zendesk connection. The Tickets object is a single source in the synchronization task.


Target

The target for the synchronization task is a flat file. Create a target object based on the source definition. Specify the name of the target file. You can also select fields from the source object to include in the target file. The flat file contains all the source fields by default.

Mapping

Map all the fields under the Zendesk Tickets source object with all fields in the target file. The Secure Agent reads the mapped source data to the target file.

The following image shows the mapping of the Zendesk_Tickets source with the Tickets_Information target file in the location you specified in the connection properties:



CHAPTER 4

Mappings and Mapping Tasks with Zendesk Connector

This chapter includes the following topics:

- Zendesk Sources in Mappings, 16
- Zendesk Targets in Mappings, 16

Zendesk Sources in Mappings

When you create a mapping, you can configure the source properties to use Zendesk objects to read the data from your Zendesk account. The source properties appear on the **Source** tab when you specify a Zendesk connection. The following table describes the Zendesk source properties.

Source Property	Description
Connection Type	Name of the source connection.
Source Type	Select Single as the source type.
Source Object	Select the source object for the task.

Zendesk Targets in Mappings

When you configure a mapping, you can use Zendesk Connector as a target connection to write data to your Zendesk account. The target properties appear on the **Target** tab when you specify a Zendesk connection.

The following table describes the Zendesk target properties:

Source Property	Description
Connection Type	Name of the target connection.
Target Type	Select Single Object as the source type.

Source Property	Description
Source Object	Select the source object for the task.
Task Operation	Select the target operation. You can perform insert, update, and delete operations with Zendesk Connector.

APPENDIX A

Zendesk Data Type Reference

This appendix includes the following topics:

- Data Type Reference Overview, 18
- Zendesk and Transformation Data Types, 18

Data Type Reference Overview

Data Integration uses the following data types in mappings, synchronization tasks, and mapping tasks with Zendesk:

Zendesk native data types

Zendesk data types appear in the **Fields** tab for Source and Target transformations when you choose to edit metadata for the fields.

Transformation data types

Set of data types that appear in the remaining transformations. They are internal data types based on ANSI SQL-92 generic data types, which Data Integration uses to move data across platforms. Transformation data types appear in all remaining transformations in a mapping, synchronization task, or mapping task.

When Data Integration reads source data, it converts the native data types to the comparable transformation data types before transforming the data. When Data Integration writes to a target, it converts the transformation data types to the comparable native data types.

Zendesk and Transformation Data Types

Data Integration uses the Zednesk connection to read data from your Zendesk account. The Agents convert the Zendesk data type to the IData Integration transformation data type to move data across platforms.

When Data Integration writes to a Zendesk target, the Agents convert the transformation data type to the corresponding Zendesk data type.

The following table lists the Zendesk data types that Data Integration supports and the corresponding transformation data types:

Zendesk Data Type	Transformation Data Type	Range
INTEGER	Double	-2,147,483,648 to 2,147,487,647 Precision 10, Scale 0
BOOLEAN	Boolean	-2,147,483,648 to 2,147,487,647 Precision 10, Scale 0
DATE	Date/Time	Jan 1, 0001 A.D. to Dec 31, 9999 A.D. (Precision to the nanosecond)
STRING	String	1 to 104,857,600 characters
DOUBLE	Double	Precision 15
ARRAY	String	1 to 104,857,600 characters

INDEX

C

Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4
connections
  Zendesk 12

D

Data Integration community
  URL 4
data type reference
  overview 18

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Cloud Services
  web site 4

M

maintenance outages 5

S

status
  Informatica Intelligent Cloud Services 5
Synchronization tasks
  example 14
system status 5

T

transformation
  data types 18
trust site
  description 5

U

upgrade notifications 5

W

web site 4

Z

Zendesk
  connection properties 12
  data types 18
Zendesk connections
  overview 10
Zendesk Connector
  administration 9
  custom attributes 10
  custom fields 10
  example 6
  overview 6
  supported object types 7
  supported task types 9
Zendesk Connector source
  Synchronization tasks 13
Zendesk Connector target
  Synchronization tasks 13
Zendesk source
  mappings 16
Zendesk target
  mappings 16