Informatica®

Informatica® Cloud Data Integration

Zuora Connector

Informatica Cloud Data Integration Zuora Connector
January 2020

© Copyright Informatica LLC 2016, 2024

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2024-11-25

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- Informatica Intelligent Cloud Services web site 4
- Informatica Intelligent Cloud Services Communities 4
- Informatica Intelligent Cloud Services Marketplace 4
- Data Integration connector documentation 5
- Informatica Knowledge Base 5
- Informatica Intelligent Cloud Services Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: Introduction to Zuora Connector 6

Zuora Connector Overview 6

Zuora Supported Task Types and Object Types 6

Administration of Zuora Connector 8

Chapter 2: Zuora Connections 9

Zuora Connections Overview 9

Zuora connection properties 9

Chapter 3: Synchronization Tasks with Zuora Connector 11

Zuora Sources in Synchronization Tasks 11

Zuora Targets in Synchronization Tasks 12

Creating a Zuora Synchronization Task 12

Data Filters 15

Chapter 4: Troubleshooting 17

Increasing the secure agent memory 17

Chapter 5: Known Future Enhancements 19

Future Enhancements 19

Chapter 6: FAQ 20

FAQ 20

Index 23

Preface

Use *Zuora Connector* to learn how to read from or write to Zuora by using Cloud Data Integration. Learn to create a connection, develop mappings, synchronization tasks, and run synchronization and mapping tasks in Cloud Data Integration

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, on the Informatica Intelligent Cloud Services Status page, click **SUBSCRIBE TO UPDATES**. You can choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introduction to Zuora Connector

This chapter includes the following topics:

- Zuora Connector Overview, 6
- Zuora Supported Task Types and Object Types, 6
- Administration of Zuora Connector, 8

Zuora Connector Overview

You can use Zuora Connector to connect to Zuora from Data Integration. Use Zuora Connector to read data from or write data to Zuora. You can use Zuora objects as sources and targets in synchronization tasks, mapping tasks, and mappings.

ZuoraM Connector do not support another addition of web operation or web object. For example, Zuora table or entity. You must create the metadata data stub for other version of WSDL or customization of the current WSDL version 82. Zuora Connector supports customization of WSDL and WSDL version 82.

When you run a task or mapping, the Secure Agent uses the Zuora API to perform the specified operation and reads data from or writes data to Zuora.

Zuora Supported Task Types and Object Types

The following table lists the object and operation types that Zuora Connector supports:

Objects	Fetch	Insert	Update	Delete	Upsert	Data Preview* [1]	Lookup
Account	Yes	Yes	Yes	Yes	NA	Yes	Yes
AccountingCode	Yes	Yes	Yes	NA	NA	Yes	Yes
AccountingPeriod	Yes	Yes	Yes	NA	NA	Yes	Yes
Amendment	Yes	Yes	NA	Yes	NA	Yes	Yes
Contact	Yes	Yes	Yes	Yes	NA	Yes	Yes

Objects	Fetch	Insert	Update	Delete	Upsert	Data Preview* [1]	Lookup
CreditBalanceAdjustment	Yes	Yes	Yes	Yes	NA	Yes	Yes
CommunicationProfile	Yes	NA	NA	NA	NA	Yes	Yes
Export	Yes	Yes	NA	NA	NA	Yes	Yes
Import	Yes	NA	NA	NA	NA	Yes	Yes
Invoice	Yes	Yes	Yes	Yes	NA	Yes	Yes
InvoiceAdjustment	Yes	Yes	Yes	Yes	NA	Yes	Yes
InvoiceItem	Yes	NA	NA	NA	NA	Yes	Yes
InvoiceItemAdjustment	Yes	Yes	Yes	Yes	NA	Yes	Yes
InvoicePayment	Yes	Yes	Yes	NA	NA	Yes	Yes
Payment	Yes	Yes	Yes	Yes	NA	Yes	Yes
PaymentMethod	Yes	Yes	Yes	Yes	NA	Yes	Yes
Product	Yes	Yes	Yes	Yes	NA	Yes	Yes
ProductRatePlan	Yes	Yes	Yes	Yes	NA	Yes	Yes
ProductRatePlanCharge	Yes	Yes	Yes	Yes	NA	Yes	Yes
ProductRatePlanChargeTier	Yes	Yes	Yes	NA	NA	Yes	Yes
RatePlan	Yes	Yes	Yes	NA	NA	Yes	Yes
RatePlanCharge	Yes	Yes	Yes	NA	NA	Yes	Yes
RatePlanChargeTier	Yes	Yes	Yes	NA	NA	Yes	Yes
Refund	Yes	Yes	NA	NA	NA	Yes	Yes
RefundInvoicePayment	Yes	NA	NA	NA	NA	Yes	Yes
Subscribe	NA	Yes	NA	NA	NA	Yes	Yes
Subscription	Yes	Yes	Yes	NA	NA	Yes	Yes
TaxationItem	Yes	Yes	NA	Yes	NA	Yes	Yes
Usage	Yes	Yes	NA	Yes	NA	Yes	Yes

1. You cannot preview objects that contain non-queryable fields.

The following table lists the task types that Zuora Connector supports:

Task Type	Source	Target
Synchronization	Yes	Yes
Mappingn	Yes	Yes

Administration of Zuora Connector

Before you use Zuora Connector, you must complete the following prerequisite tasks:

1. Access Zuora portal access to create user credentials for using a Zuora Connector.
2. Download WSDL version 82 from the Zuora portal.
3. Provide the WSDL path and the Endpoint Url belonging to the WSDL version.

CHAPTER 2

Zuora Connections

This chapter includes the following topics:

- Zuora Connections Overview, 9
- Zuora connection properties, 9

Zuora Connections Overview

Create a Zuora connection to connect to Zuora and read data from or write data to Zuora. You can use Zuora connections in synchronization tasks, mapping tasks, and mappings.

Zuora connection properties

When you create a Zuora connection, you must configure the connection properties.

Important: Zuora Connector is deprecated and has been moved to maintenance mode. Informatica intends to drop support in a future release. Informatica recommends that you use REST V2 Connector to access Zuora.

The following table describes the Zuora connection properties:

Property	Description
Runtime Environment	Runtime environment that contains Secure Agent used to access Zuora.
Username	User name for the Zoura portal login.
Password	Password for the Zuora portal login.
WSDL Url	Path of the Zuora WSDL Url.
EndPoint Url	Path of the Zuora Endpoint Url.

Property	Description
UTC Offset	The difference in hours from the Coordinated Universal Time (UTC) for a particular place and date. You can use the UTC offset value when you use the $LastRuntime data filter field to read data from Zuora based on the specified time zone. By default, the UTC value is 0.
No of Records for Batch	Number of the records that the Secure Agent reads in batches.
No of records for Batch Write	Number of the records that the Secure Agent writes to the end point in batches. By default, the value of the field is 100.
Enable Debug logger	Determines whether to print the SOAP request and response in the session log.

CHAPTER 3

Synchronization Tasks with Zuora Connector

This chapter includes the following topics:

- Zuora Sources in Synchronization Tasks, 11
- Zuora Targets in Synchronization Tasks, 12
- Creating a Zuora Synchronization Task, 12
- Data Filters, 15

Zuora Sources in Synchronization Tasks

You can configure the Zuora source properties on the **Source** page of the Synchronization Task wizard.

To optimize performance, you can configure a filter in the **Data Filters** tab. Create a data filter, where you can select an object, field, operator, and enter a filter value based on which the synchronization task runs.

Note: Advanced data filter is not supported by Zuora Connector.

The following table describes the Zuora source properties:

Property	Description
Connection	Name of the Zuora source connection.
Source Type	Type of the Zuora source object available.
Source Object	Name of the source object.
Display source fields in alphabetical order	Displays source fields in alphabetical order. By default, fields appear in the order returned by the source system.

Zuora Targets in Synchronization Tasks

You can use a single Zuora object as a target in a synchronization task.

The following table describes the Zuora target properties:

Property	Description
Connection	Name of the Zuora target connection.
Target Object	Type of the Zuora target object available.
Child Object	This attribute is not applicable for Zuora Connector.
Display technical names instead of labels	Displays technical names instead of business names.
Display target fields in alphabetical order	Displays source fields in alphabetical order. By default, fields appear in the order returned by the target system.

The following table describes the advanced properties for Zuora targets:

Property	Description
Success File Directory	Directory for the success file. Enter a directory that is local to the Secure Agent.
Error File Directory	Directory for the error file. Enter a directory that is local to the Secure Agents.


Creating a Zuora Synchronization Task

You need to create a Zuora connection before you create a synchronization task.
Perform the following steps to create a synchronization task:

1. In Data Integration, click **New** > **Tasks**.
2. Select **Synchronization Task** and click **Create**.


   The **Definition** tab appears.

The following image shows the **Definition** page:



3. Specify the **Task Name** required for the task.
4. Provide a **Description** required for the task.
5. Select **Insert** as the task operation.
6. Click **Next**.


   The **Source** tab appears.
   The following image shows the **Source** page:



7. Select the **Connection** for the task.
8. Select the **Source Type** for the connection.
9. Select the **Source Object** for the task.
10. Click **Next**.

    The **Target** tab appears.

The following image shows the **Target** tab:




11. Select the target **Connection** and **Target Object** required for the task.
12. Click **Next**.

    The **Data Filters** tab appears in which by default,Process all rows is chosen.
13. Click **Next**.

    The **Field Mapping** tab appears.
14. On the **Field Mapping** tab, map source fields to target fields accordingly.

The following image shows the **Field Mapping** page:



15. Click **Next**.

    The **Schedule** tab appears where you can schedule the task for each requirement and save.

16. Click **Save** and then click **Finish**.
17. On the **Explore** page, select the task, click **Actions** and select **Run**.

    In Monitor, you can monitor the status after you run the task.

Data Filters

You can create simple data filters. You can also create a set of data filters for each object included in a synchronization task. Each set of data filters act independently of the other sets.

You can create one or more simple data filters. When you create multiple simple data filters, the associated task creates an AND operator between the filters and loads rows that apply to all simple data filters. Perform the following steps to use data filters:

1. Select **Data Filters** tab in the synchronization task.

   The **Data Filters** tab appears.

2. Click **New**.

   The **Data Filter** dialog box appears.

3. Specify the following details in the **Data Filter** page:

Field Type	Description
Object	Select the required object.
Filter By	Select the filter field.
Operator	Select the corresponding operator.
Filter Value	Enter the filter value.

4. Click **OK**.

The following table provides the information on the available filters for feed object:

Zuora Operator	Supported Data Types	Zuora Supported Data Types
!=	String, Int, DateTime, Double, Boolean	booleans, dateTimes, numbers, strings
=	String, Int, DateTime, Double, Boolean	booleans, dateTimes, numbers, strings
>=	Int, DateTime, Double, Boolean	dateTimes, numbers,strings
<=	Int, DateTime, Double, Boolean	dateTimes, numbers, strings
Like	String	strings

CHAPTER 4

Troubleshooting

This chapter includes the following topic:

- Increasing the secure agent memory, 17

Increasing the secure agent memory

To increase performance and avoid runtime environment memory issues, perform the following steps:


1. In Administrator, select **Runtime Environments**.
2. Select the Secure Agent for which you want to increase memory from the list of available Secure Agents.
3. In the upper-right corner, click **Edit**.
4. In the **System Configuration Details** section, select the **Type** as **DTM** for the Data Integration Service.
5. Edit **JVMOption1** as **-Xms4056m** and **JVMOption2** as **-Xmx4056m**.

   The following image shows the **Details** page:



6. In the **System Configuration Details** section, select the **Type** as **TomCatJRE**
7. Edit **INFA_memory** as **-Xms256m -Xmx512m**.

The following image shows the **Agent Details** page:



Note: The minimum and maximum values for the Java heap size are given as an example. Specify the size according to your requirements.

8. Restart the Secure Agent.

CHAPTER 5

Known Future Enhancements

This chapter includes the following topic:

- Future Enhancements, 19

Future Enhancements

The following are the future enhancements of Zuora Connector:

- Zuora Connector does not support **CLOB**, **BLOB**, or **base64Encode** data fields attached to the Zuora table.
- The **Big Data** fields will be supported in the future release.
- Field mapping does not support the **Validate** button.
- Multi-Source is not supported in the current version.
- Advanced filter does not support variable such as $LastRunTime and $LastRunDate.

CHAPTER 6

FAQ

This chapter includes the following topic:

- FAQ, 20

FAQ

How to download Zuora WSDL?

Find the Zuora knowledge base link to download the WSDL from Zuora site:

http://knowledgecenter.zuora.com/C_Zuora_User_Guides/A_Billing/A_Z-Billing/C_Billing_Settings/M_Download_the_Zuora_WSDL

How to get the WSDL Url?

You can find the Endpoint Url in the WSDL document. Try to search for `<soap:address>` location.


How to create metadata jar out of Zuora WSDL?

Follow the steps to create a Stub `Zuora-metadata.jar` for the Zuora Custom WSDL:

Note: You need to have the environment set-up to begin with stub creation.

Download `jdk1.8.3_131` from the following link:
http://download.oracle.com/otn-pub/java/jdk/8u131-b11/d54c1d3a095b4ff2b6607d096fa80163/jdk-8u131-windows-x64.exe

Note:



Java SE Development Kit 8u131

You must accept the Oracle Binary Code License Agreement for Java SE to download this software.
Thank you for accepting the Oracle Binary Code License Agreement for Java SE; you may now download this software.

Product / File Description	File Size	Download
Linux ARM 32 Hard Float ABI	77.87 MB	jdk-8u131-linux-arm32-vfp-hflt.tar.gz
Linux ARM 64 Hard Float ABI	74.81 MB	jdk-8u131-linux-arm64-vfp-hflt.tar.gz
Linux x86	164.66 MB	jdk-8u131-linux-i586.rpm
Linux x86	179.39 MB	jdk-8u131-linux-i586.tar.gz
Linux x64	162.11 MB	jdk-8u131-linux-x64.rpm
Linux x64	176.95 MB	jdk-8u131-linux-x64.tar.gz
Mac OS X	226.57 MB	jdk-8u131-macosx-x64.dmg
Solaris SPARC 64-bit	139.79 MB	jdk-8u131-solaris-sparcv9.tar.Z
Solaris SPARC 64-bit	99.13 MB	jdk-8u131-solaris-sparcv9.tar.gz
Solaris x64	140.51 MB	jdk-8u131-solaris-x64.tar.Z
Solaris x64	96.96 MB	jdk-8u131-solaris-x64.tar.gz
Windows x86	191.22 MB	jdk-8u131-windows-i586.exe
Windows x64	198.03 MB	jdk-8u131-windows-x64.exe

Open a command prompt and set `wspath` variable as the following:

```
set wspath="C:\Program Files\Java\jdk1.8.3_131\bin"
set JAVA_HOME="C:\Program Files\Java\jdk1.8.3_131"
```

Create a `zuora.xjb` binding file using the following contents:

```
<jaxb:bindings version="2.1" xmlns:jaxb="http://java.sun.com/xml/ns/jaxb"
xmlns:xjc="http://java.sun.com/xml/ns/jaxb/xjc" xmlns:xs="http://www.w3.org/2001/
XMLSchema">
<jaxb:globalBindings generateElementProperty="false"/>
</jaxb:bindings>
```

Run the following command from the command prompt to generate stub class files in a directory structure `com/Zuora/api`:

```
%wspath%\wsimport.exe -b <binding file path>\zuora.xjb -p com.zuora.api -
XadditionalHeaders -verbose <Zuora modified wsdl>\zuora.wsdl
```

Run the following command to generate jar out of the class files:

```
jar cvf Zuora-metadata.jar -C <directory path of generated 'com' folder > com
```

After you run the command, a `Zuora-metadata.jar` file will be created.

Stop the Secure Agent.

If you want to modify the `Zuora-metadata.jar` file, perform the following steps:

1. Copy the `Zuora-metadata.jar` file from `<Secure Agent installation directory>\downloads\<latest connector package>\package\plugins\<connector name>\` to `<Secure Agent installation directory>\apps\Data_Integration_Server\ext\deploy_to_main\bin\rdtm-extra\<pluginID>\`

   Note: If the `deploy_to_main\bin\rdtm-extra\<pluginID>\` directory does not already exist, create the directory.

   Note: The folder name is case sensitive on Linux.

2. Restart the Secure Agent.

INDEX

C

Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4
connections
  Zuora 9

D

Data Integration community
  URL 4

F

FAQ 20

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Cloud Services
  web site 4

M

maintenance outages 5

S

Secure Agent
  increasing memory 17
status
  Informatica Intelligent Cloud Services 5
synchronization
  task 12
system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4

Z

Zuora
  advanced target properties 12
  connection properties 9
  object types 6
  source properties 11
  target properties 12
  task types 6
Zuora connections
  overview 9
Zuora Connector
  prerequisite tasks 8
  data filters 15
  future enhancements 19
  overview 6