Informatica® Cloud Data Integration
October 2026

# Data Integration Connector What's New

Informatica Cloud Data Integration Data Integration Connector What's New
October 2026

© Copyright Informatica LLC 2016, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices and AI assistant acknowledgements are included with the product.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-10-16

# Table of Contents


**Preface** . . . . . 4

Informatica Resources . . . . . 4

- Informatica Documentation . . . . . 4
- IDMC web site . . . . . 4
- IDMC Communities . . . . . 4
- IDMC Marketplace . . . . . 4
- Data Integration connector documentation . . . . . 5
- Informatica Knowledge Base . . . . . 5
- IDMC Trust Center . . . . . 5
- IDMC Pulse Dashboard . . . . . 5
- Informatica Global Customer Support . . . . . 5

**Chapter 1: October 2026** . . . . . 6

Changelog October 2026 . . . . . 6

New and updated connector packages . . . . . 6

Important notices and upcoming changes . . . . . 8

Enhanced connectors . . . . . 8

Changed behavior . . . . . 13

Upgrade . . . . . 15

- Post-upgrade tasks for the October 2026 release . . . . . 15

**Chapter 2: July 2026** . . . . . 16

Changelog July 2026 . . . . . 16

New and updated connector packages . . . . . 16

Enhanced connectors . . . . . 17

**Chapter 3: April 2026** . . . . . 19

Changelog April 2026 . . . . . 19

New and updated connector packages . . . . . 20

Important notices . . . . . 21

Enhanced connectors . . . . . 21

Changed behavior . . . . . 27

**Index** . . . . . 29

# Preface

Read Data Integration Connector *What's New* to learn about new and updated connector packages, new connectors, enhanced connectors, and behavior changes in Data Integration Connectors for the October 2026 release. You can also learn about upgrade steps that you might need to perform.

# Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

## Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

## IDMC web site

You can access the Informatica® Intelligent Data Management Cloud™ (IDMC) web site at http://www.informatica.com/cloud.

## IDMC Communities

Use the IDMC Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the IDMC Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

## IDMC Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

## Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

## Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

## IDMC Trust Center

The IDMC Trust Center provides information about Informatica security, compliance, and privacy practices.

You can access the trust center at https://trust.informatica.com/.

## IDMC Pulse Dashboard

The IDMC Pulse Dashboard provides system status and upgrade information for all PODs and services across IDMC.

Follow the services you use and subscribe to alerts to receive notifications about upgrades, maintenance, production incidents, and upcoming releases. The IDMC Pulse Dashboard displays the production status of all the IDMC products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single service or all IDMC services. Subscribing to all services is the best way to be certain you never miss an update.

For more information, see the Service Status and Communications guide.

## Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the IDMC Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

# October 2026

The October 2026 release of Data Integration Connectors includes the following updates.

## Changelog October 2026

Read the changelog to learn about significant changes to this publication for this release.

The following table describes changes in this publication:

| Publication Date | Type of Change | Section Title |
|---|---|---|
| October 16, 2026 | Deleted | "Changed behavior" on page 13 |
| October 16, 2026 | Deleted | "Changed behavior" on page 13 |
| September 24, 2026 | Deleted | "New and updated connector packages" on page 6 |
| September 24, 2026 | Added | "SAP OData V4 Connector" on page 14 |
| September 24, 2026 | Deleted | "SAP OData V4 Connector" on page 12 |
| September 10, 2026 | Initial publication | |

## New and updated connector packages

Read about new and updated connector packages in the October 2026 release of Data Integration Connectors.

The updated packages might include feature enhancements or might address bugs and internal fixes implemented for the release.

The following table lists the new and updated connector packages:

| | |
|---|---|
| Amazon Athena Connector | Microsoft Fabric Data Warehouse Connector |
| Amazon DynamoDB V2 Connector | Microsoft Fabric Lakehouse Connector |
| Amazon Redshift V2 Connector | Microsoft Fabric OneLake Connector |
| Amazon S3 V2 Connector | MongoDB V2 Connector |
| Amazon Sagemaker Lakehouse Connector | Mixpanel Connector |
| Amplitude Connector | Netezza Connector |
| Ariba V2 Connector | NetSuite Connector |
| Box Connector | NetSuite RESTlet V2 Connector |
| Cassandra V2 Connector | OData Consumer Connector |
| Concur V2 Connector | OData V2 Applications Connector |
| Coupa V2 Connector | Oracle Autonomous Database Connector |
| Databricks Connector | Oracle Cloud Object Storage Connector |
| Db2 for i Connector | Open Table Connector |
| Db2 for zOS Connector | PostgreSQL Connector |
| Elasticsearch Connector | Salesforce Connector |
| Eloqua Bulk API Connector | Salesforce Analytics Connector |
| File Processor Connector | Salesforce Data 360 Connector |
| FileIo Connector | Salesforce Marketing Cloud Connector |
| Google Analytics Connector | SAP ADSO Writer Connector |
| Google BigQuery V2 Connector | SAP BW Connector |
| Google Cloud Storage V2 Connector | SAP HANA Connector |
| Greenplum Connector | SAP IDoc Reader Connector |
| Hadoop Files V2 Connector | SAP IDoc Writer Connector |
| IBM MQ Connector | SAP OData V2 Connector |
| JIRA Connector | SAP OData V4 Connector |
| JMS Connector | SAP ODP Extractor Connector |
| Kafka Connector | SAP Table Connector |
| Klaviyo Connector | ServiceNow Connector |
| Mailchimp Connector | Snowflake Data Cloud Connector |
| Marketo V3 Connector | SurveyMonkey Connector |
| Microsoft Azure Blob Storage V3 Connector | Teradata Connector |
| Microsoft Azure Cosmos DB SQL API Connector | Web Service Consumer Connector |
| Microsoft Azure Data Lake Storage Gen2 Connector | Xero Connector |
| Microsoft Azure Synapse SQL Connector | Zendesk V2 Connector |
| Microsoft Excel Connector | |

# Important notices and upcoming changes

The October 2026 release of Data Integration Connectors includes the following important notices and upcoming changes.

## Deprecation initiated

Informatica intends to drop support for the user name and password-based authentication to connect to Snowflake by October 31, 2026 following Snowflake's scheduled deprecation.

For more information about the announcement from Snowflake, see Deprecation of single-factor password sign-ins.

This change applies to the following connectors, wherever you use a user name and password to connect to Snowflake:

- Snowflake Data Cloud Connector
- Snowflake Cloud Data Warehouse Connector
- ODBC Connector with the Snowflake subtype

To avoid service disruption, switch to a multi-factor authentication method as soon as possible.

For more information, contact Informatica Global Customer Support.

## Upcoming change

We want to let you know that by February 2027 or later, Snowflake Data Cloud Connector will use the JDBC driver version 4.3.2, by default, to connect to Snowflake and run your Snowflake Data Cloud mappings and tasks.

The JDBC driver version 4.3.2 is available in the Secure Agent installation directory.

To prepare for the change, ensure that you test the JDBC driver version 4.3.2 in a lower or non-production environment before the February 2027 release.

If you encounter any issues, contact Informatica Global Customer Support.

For more information about configuring the latest driver in a lower or non-production environment, see the Configure the JDBC driver for Snowflake Data Cloud Connector Knowledge article.

Informatica intends to include this functionality in February 2027 or later but might choose not to in accordance with changing market or technical circumstances.

# Enhanced connectors

The October 2026 release of Data Integration Connectors includes the following new features and enhancements.

## Common

This release includes the following enhancement across multiple connectors:

When you create a Source transformation, you can select from multiple supported operations. You can use the request message editor to configure the input parameters for the operation that you want to perform.

This enhancement applies to the connectors listed in the following table:

| | |
|---|---|
| Amplitude Connector<br>Klaviyo Connector<br>Mixpanel Connector | SurveyMonkey Connector<br>Xero Connector |

## Amazon Redshift V2 Connector

Amazon Redshift V2 Connector uses JDBC driver version 2.2.5.

## Amazon S3 V2 Connector

You can use the MS 932 code page when you read from and write to a flat file.

For more information, see *Amazon S3 V2 Connector* documentation.

## Amplitude Connector

When you configure an Amplitude connection, you can select the US or EU data residency region for the endpoints.

For more information, see *Amplitude Connector* documentation.

## Databricks Connector

This release includes the following enhancements for Databricks Connector:

- You can use OAuth Machine-to-Machine authentication for service principals to read from and write to Databricks objects in a mapping in advanced mode. OAuth Machine-to-Machine authentication uses the OAuth 2.0 protocol to authenticate access to Databricks objects.
- You can use IAM AssumeRole authentication for secure and controlled access to the Amazon S3 staging bucket when you run a mapping in advanced mode.
- To optimize reader performance, you can configure the Secure Agent to stage the data as flat files in a local temporary folder after it reads from Databricks. You can also use Gzip compression for the flat files.
- You can specify the number of rows to fetch from the database per batch in a mapping that reads from Databricks.

For more information, see *Databricks Connector* documentation.

## Google BigQuery V2 Connector

You can use Workload Identity Federation with the client credentials grant to authenticate the Google BigQuery V2 connection. As a result, you can connect through your existing identity provider and access datasets across Google Cloud projects.

For more information, see *Google BigQuery V2 Connector* documentation.

## Google Cloud Storage V2 Connector

This release includes the following enhancements for Google Cloud Storage V2 Connector:

- You can use Workload Identity Federation with the client credentials grant to authenticate the Google Cloud Storage V2 connection. As a result, you can authenticate through your existing identity provider and access data across Google Cloud projects.
- You can configure a flat file source to read field values that contain line breaks as part of a single record. As a result, you can read source data with multi-line values correctly and avoid splitting a record into multiple records.

For more information, see *Google Cloud Storage V2 Connector* documentation.

## Kafka Connector

You can run mappings that connect to Confluent Kafka with Schema Registry when the Schema Registry response contains the metadata field. As a result, you can maintain reliable, real-time data integration with Confluent Kafka environments that return additional schema metadata.

For more information, see *Kafka Connector* documentation.

## Klaviyo Connector

You can configure OAuth 2.0 Authorization Code authentication to connect to Klaviyo when you read data in a mapping.

For more information, see *Klaviyo Connector* documentation.

## Microsoft Azure Blob Storage V3 Connector

Microsoft Azure Blob Storage V3 Connector uses the Azure Blob File System (ABFS) driver, replacing the Windows Azure Storage Blob (WASB) driver, for complex file formats. The connector also uses Microsoft Azure Storage SDK V2, replacing the earlier SDK version that is reaching end-of-life.

## Microsoft Azure Synapse SQL Connector

You can configure the Microsoft recommended JDBC driver version 13.4.0.jre8 available in the BASE folder to run all your mappings and tasks.

For more information about configuring this driver, see
How to configure the JDBC driver for Microsoft Azure Synapse SQL Connector Knowledge article.

## Microsoft Fabric Data Warehouse Connector

This release includes the following enhancements for Microsoft Fabric Data Warehouse Connector:

- You can use the Copy command to stage data as Parquet files in Microsoft Fabric OneLake and load the data into Microsoft Fabric Data Warehouse tables.
- You can read data from Microsoft Fabric Data Warehouse tables that contain an IDENTITY column.
- You can push the IIF logical function to Microsoft Fabric Data Warehouse.
  For a list of functions that you can push down to Microsoft Fabric Data Warehouse, see the Microsoft Fabric Data Warehouse Connector documentation.
- You can configure the Microsoft recommended JDBC driver version 13.4.0.jre8 available in the BASE folder to run all your mappings and tasks.
  For more information about configuring this driver, see
  How to configure the JDBC driver for Microsoft Fabric Data Warehouse Connector Knowledge article.

For more information, see *Microsoft Fabric Data Warehouse Connector* documentation.

## Microsoft Fabric Lakehouse Connector

You can configure the Microsoft recommended JDBC driver version 13.4.0.jre8 available in the BASE folder to run all your mappings and tasks.

For more information about configuring this driver, see
How to configure the JDBC driver for Microsoft Fabric Lakehouse Connector Knowledge article.

## Microsoft SQL Server Connector

This release includes the following enhancements for Microsoft SQL Server Connector:

- You can run a mapping with the following upgraded JDBC and ODBC driver versions:

  - JDBC Base driver: 6.0.0.001957

- JDBC Latest driver: 6.0.0.002120
- ODBC Base driver: 08.02.2200

The connector uses the JDBC and ODBC Base drivers by default.

To use the Latest driver, update the Secure Agent configuration. For more information about configuring the Latest driver, see the How to configure the JDBC or ODBC driver for Microsoft SQL Server Connector Knowledge article.

- The ODBC driver available in the `Latest` folder uses OpenSSL 3.5.

## Mixpanel Connector

When you configure a Mixpanel connection, you can select the US, EU, or India data residency region for the endpoints.

For more information, see *Mixpanel Connector* documentation.

## MongoDB V2 Connector

When you write data to a MongoDB V2 target in a mapping task configured with an error threshold, you can capture the rejected rows in an error file. This enhancement doesn't apply to mapping tasks that are based on mappings in advanced mode.

For more information, see *MongoDB V2 Connector* documentation.

## Open Table Connector

This release includes the following enhancements for Open Table Connector:

- You can read from and write to Apache Iceberg tables that are managed by the Nessie catalog and stored in MinIO.
- You can commit all the rows at once or periodically based on the commit interval in a mapping that writes to Apache Iceberg tables.
- You can use a custom query as a source object in a mapping.
  You can create a custom query to perform a complicated join of multiple tables or to reduce the number of fields that enter the data flow in a very large source.
- You can read from and write to Apache Iceberg tables that are managed by the REST Catalog and stored in Amazon S3 in a mapping.
- You can read from and write to Apache Iceberg tables that are managed by the REST Catalog and stored in Microsoft Azure Data Lake Storage Gen2 in a mapping in advanced mode.
- When you query data using a specific snapshot or timestamp, you can use absolute values or relative references, such as latest or latest-n.

For more information, see *Open Table Connector* documentation.

## Oracle Connector

This release includes the following enhancements for Oracle Connector:

- You can read from and write to Oracle Database 26ai.
- You can run a mapping with the following upgraded JDBC and ODBC driver versions:
  - JDBC Base driver: 6.0.0.001794
  - JDBC Latest driver: 6.0.0.001877
  - ODBC Base driver: 08.02.3863

  The connector uses the JDBC and ODBC Base drivers by default.

To use the Latest driver, update the Secure Agent configuration. For more information about configuring the Latest driver, see the How to configure the JDBC or ODBC driver for Oracle Connector Knowledge article.

- The ODBC driver available in the `Latest` folder uses OpenSSL 3.5.

### Oracle Autonomous Database Connector

You can read from and write to Oracle Autonomous Database tables that contain TIMESTAMP WITH TIME ZONE and TIMESTAMP WITH LOCAL TIME ZONE columns. As a result, you can process time-zone-sensitive data in your integrations and maintain time zone accuracy.

For more information, see *Oracle Autonomous Database Connector* documentation.

### Oracle Cloud Object Storage Connector

You can configure host patterns to bypass the configured forward proxy and connect directly to Oracle Cloud Object Storage. As a result, you can route traffic according to your network policies instead of sending every connection through the proxy.

For more information, see *Oracle Cloud Object Storage Connector* documentation.

### PostgreSQL Connector

This release includes the following enhancements for PostgreSQL Connector:

- You can read from and write to PostgreSQL 17.x databases.
- You can run a mapping with the following upgraded JDBC driver versions:
  - Base driver: 6.0.0.001843
  - Latest driver: 6.0.0.001982

  The connector uses the JDBC Base driver by default.

  To use the Latest driver, update the Secure Agent configuration. For more information about configuring the Latest driver, see the How to configure the JDBC driver for PostgreSQL Connector Knowledge article.
- You can connect to PostgreSQL databases through an HTTP proxy server configured on the Secure Agent. As a result, you can integrate PostgreSQL data in secured networks that route outbound traffic through a proxy.

For more information, see *PostgreSQL Connector* documentation.

### Salesforce Connector

This release includes the following enhancements for Salesforce Connector:

- Salesforce Connector uses the Salesforce API version 67.0.
- You can use the JWT bearer token as an authentication type to connect to Salesforce.

For more information, see *Salesforce Connector* documentation.

### SAP OData V4 Connector

You can read data from analytical models in SAP Datasphere applications.

For more information, see *SAP OData V4 Connector* documentation.

### Xero Connector

You can configure OAuth 2.0 Client Credentials authentication to connect to Xero when you read data in a mapping.

For more information, see *Xero Connector* documentation.

# Changed behavior

The October 2026 release includes changes in behavior for the following connectors.

## Kafka Connector

A mapping that writes to a Schema Registry topic completes successfully with a Warning status if the registry rejects records with an incorrect schema. This Warning status applies even when the registry rejects all of the records in the mapping.

Previously, the mapping failed with an Error status.

## Microsoft Fabric Lakehouse Connector


When Lakehouse schema is enabled and you specify a schema in the connection that differs from the schema in the target path, the schema specified in the connection takes precedence. When you create a new target or run existing mappings, if the schema in the target path does not match the schema in the connection, Microsoft Fabric Lakehouse Connector creates or writes to the target table in the schema specified in the connection.

Previously, the schema specified in the target path took precedence over the schema specified in the connection.

## Open Table Connector

This release includes the following changes in behavior for Open Table Connector:

- When you configure an Open Table connection with a REST catalog, you can enable credential vending from the list of storage authentication types.




  Previously, credential vending was a separate connection property on the UI.

- The advanced property **Iceberg Spark Properties** for Source and Lookup transformations is renamed to **Iceberg Advanced Properties**. However, there is no impact on its functionality.

For more information, see *Open Table Connector* documentation.

## SAP OData V4 Connector

When you configure the `InfaAgent.NonProxyHost` property in the proxy.ini file, you can bypass the proxy server and connect directly to the listed hosts using SAP OData V4 Connector.

If your existing SAP OData V4 connection uses a proxy.ini file configured with the `InfaAgent.NonProxyHost` property, the connection honors the property and bypasses the proxy server.

Previously, SAP OData V4 Connector didn't honor the `InfaAgent.NonProxyHost` property.

For more information, see *SAP OData V4 Connector* documentation.

# Upgrade

The following topics provide information about tasks that you might need to perform before or after an upgrade of Data Integration Connectors. Post-upgrade tasks for previous monthly releases are also included in case you haven't performed these tasks after the previous upgrade.

## Post-upgrade tasks for the October 2026 release

Perform the following task after your organization is upgraded to the October 2026 release.

### Open Table Connector

Open Table Connector includes the following upgrade impacts:

- After the upgrade, if you run existing mappings, the commit interval is not considered and all the rows are committed at the end of the job.
  This issue occurs because the **Enable Transactional Commit** option in the advanced target properties is disabled by default.

  To resolve this issue, select the **Enable Transactional Commit** option to commit the rows periodically during the job based on the commit interval.
- After the upgrade, you can't disable credential vending for existing Open Table connections if the property was enabled before the upgrade.
  This issue occurs because the **Credential Vending** property is removed and now appears as an option under **Storage Authentication Type**. For existing connections with credential vending enabled, the option to disable is no longer available on the UI.

  To connect to a REST catalog without credential vending, create a new connection.

For more information, see *Open Table Connector* documentation.

CHAPTER 2

# July 2026

The July 2026 release includes details of new and updated connector packages and enhanced connectors in Data Integration Connectors.

## Changelog July 2026

Read the changelog to learn about significant changes to this publication for this release.

The following table describes changes in this publication:

| Publication Date | Type of Change | Section Title |
|---|---|---|
| June 22, 2026 | Deleted | "New and updated connector packages" on page 16 |
| June 11, 2026 | Initial publication | |

## New and updated connector packages

Read about new and updated connector packages in the July 2026 release of Data Integration Connectors.

The updated packages might include feature enhancements or might address bugs and internal fixes implemented for the release.

The following table lists the new and updated connector packages:

| | |
|---|---|
| Amazon Athena Connector | Microsoft Fabric OneLake Connector |
| Amazon DynamoDB V2 Connector | MongoDB V2 Connector |
| Amazon Redshift V2 Connector | Netezza Connector |
| Amazon S3 V2 Connector | Oracle Autonomous Database Connector |
| Azure AI Search Connector | Oracle Cloud Object Storage Connector |
| Box Connector | Pinecone Connector |
| Cassandra V2 Connector | QuickBooks V2 Connector |
| Databricks Connector | REST V2 Connector |
| Eloqua Bulk API Connector | Salesforce Connector |
| FileIo Connector | Salesforce Analytics Connector |
| Google Analytics Connector | Salesforce Data 360 Connector |
| Google BigQuery V2 Connector | SAP BW Connector |
| Greenplum Connector | SAP HANA Connector |
| Hive Connector | SAP OData V2 Connector |
| Kafka Connector | SAP Table Connector |
| Large Language Model Connector | ServiceNow Connector |
| Microsoft Azure Synapse SQL Connector | Teradata Connector |
| Microsoft Fabric Data Warehouse Connector | Veeva Vault Connector |
| Microsoft Fabric Lakehouse Connector | |

# Enhanced connectors

The July 2026 release of Data Integration Connectors includes the following new features and enhancements.

## Databricks Connector

You can use a custom query as a source object in a Databricks mapping in advanced mode.

You can create a custom query to perform a complicated join of multiple tables or to reduce the number of fields that enter the data flow in a very large source.

## Microsoft Azure Synapse SQL Connector

You can configure the Microsoft recommended JDBC driver version 13.4.0.jre8 available in the LATEST folder to run all your mappings and tasks.

For more information about configuring this driver, see How to upgrade the JDBC driver and configure authentication for Microsoft Azure Synapse SQL Connector Knowledge article.

## Microsoft Fabric Data Warehouse Connector

You can configure the Microsoft recommended JDBC driver version 13.4.0.jre8 available in the LATEST folder to run all your mappings and tasks.

For more information about configuring this driver, see How to configure the JDBC driver for Microsoft Fabric Data Warehouse Connector Knowledge article.

## Microsoft Fabric Lakehouse Connector

You can configure the Microsoft recommended JDBC driver version 13.4.0.jre8 available in the LATEST folder to run all your mappings and tasks.

For more information about configuring this driver, see
How to configure the JDBC driver for Microsoft Fabric Lakehouse Connector Knowledge article.

CHAPTER 3

# April 2026

The April 2026 release includes details of new and updated connector packages, enhanced connectors, and behavior changes in Data Integration Connectors.

## Changelog April 2026

Read the changelog to learn about significant changes to this publication for this release.

The following table describes changes in this publication:

| Publication Date | Type of Change | Section Title |
|---|---|---|
| May 13, 2026 | Added | SAP Table Connectoron page 26 |
| April 30, 2026 | Added | "Permission-based connection access" on page 27 |
| April 10, 2026 | Modified | "SAP BW Connector" on page 26 |
| April 10, 2026 | Deleted | "Enhanced connectors" on page 21 |
| March 26, 2026 | Added | "Open Table Connector" on page 28 |
| March 19, 2026 | Added | Deprecation initiated |
| March 19, 2026 | Modified | "Databricks JDBC driver" on page 21 |
| March 19, 2026 | Added | "Amazon DynamoDB V2 Connector" on page 22 |
| March 19, 2026 | Added | ODBC Connectoron page 27 |
| March 11, 2026 | Initial publication | |

# New and updated connector packages

Read about new and updated connector packages in the April 2026 release of Data Integration Connectors.

The updated packages might include feature enhancements or might address bugs and internal fixes implemented for the release.

The following table lists the new and updated connector packages:

| | |
|---|---|
| Amazon Athena Connector | Microsoft Excel Connector |
| Amazon DynamoDB V2 Connector | Microsoft Fabric Data Warehouse Connector |
| Amazon Redshift V2 Connector | Microsoft Fabric Lakehouse Connector |
| Amazon S3 V2 Connector | Microsoft Fabric OneLake Connector |
| Amazon SageMaker Lakehouse Connector | MongoDB V2 Connector |
| Databricks Connector | Netezza Connector |
| DB2 Loader Connector | Open Table Connector |
| Eloqua Bulk API Connector | Oracle Business Intelligence Publisher V1 Connector |
| File Processor Connector | Oracle HCM Cloud V1 Connector |
| Google BigQuery V2 Connector | PostgreSQL Connector |
| Google Cloud Storage V2 Connector | REST V2 Connector |
| Greenplum Connector | Salesforce Connector |
| Hadoop Files V2 Connector | Salesforce Data 360 Connector |
| Hive Connector | SAP BW Connector |
| IBM MQ Connector | SAP HANA Connector |
| JDBC V2 Connector | SAP OData V2 Connector |
| JMS Connector | SAP OData V4 Connector |
| Kafka Connector | SAP ODP Extractor Connector |
| Klaviyo Connector | SAP RFC/BAPI Interface Connector |
| Large Language Model Connector | SAP IDoc Reader Connector |
| LDAP Connector | SAP IDoc Writer Connector |
| Marketo V3 Connector | SAP Table Connector |
| Microsoft Azure Cosmos DB SQL API Connector | ServiceNow Connector |
| Microsoft Azure Data Lake Storage Gen2 Connector | Snowflake Data Cloud Connector |
| Microsoft Azure Synapse SQL Connector | Tableau V3 Connector |
| Microsoft Dynamics 365 for Operations Connector | Teradata Connector |
| Microsoft Dynamics 365 for Sales Connector | Zuora AQuA Connector |

# Important notices

Informatica has modified the levels of customer support that it offers for one or more Data Integration features in the current release. The following notices identify the features and the current support levels.

## Preview lifted

**S3 tables lakehouse pattern in Amazon SageMaker Lakehouse Connector**

Effective in the April 2026 release, the S3 tables lakehouse pattern is production ready. Previously, this functionality was only available in preview.

You can use Amazon SageMaker Lakehouse Connector to read from and write to Apache Iceberg tables in Amazon SageMaker Lakehouse. The Apache Iceberg tables are managed by the S3 tables catalog and stored in Amazon S3. You can use an Amazon SageMaker Lakehouse connection only in a mapping in advanced mode.

## Databricks JDBC driver

You can configure the Databricks JDBC driver version 2.7.5.

Informatica recommends that you test your tasks in the pre-release environment to ensure seamless integration before using the JDBC driver version 2.7.5 in your production environment.

For more information about how to configure the Databricks JDBC driver version 2.7.5, see the Databricks JDBC driver Knowledge Base article.

# Enhanced connectors

The April 2026 release of Data Integration Connectors includes the following new features and enhancements.

## Common

This release includes the following enhancements across multiple connectors:

- You can configure AWS private link to enable private communication between the serverless runtime environment and service network endpoints hosted on the AWS platform.
  This enhancement applies to the connectors listed in the following table:

| | |
|---|---|
| Amazon Redshift V2 Connector | ODBC Connector |
| File Processor Connector | Oracle Connector |
| Kafka Connector | REST V2 Connector |
| Microsoft SQL Server Connector | Salesforce Connector |
| MongoDB V2 Connector | Salesforce Marketing Cloud Connector |

- You can use the following connectors in tasks that run in an elastic runtime environment:

| | |
|---|---|
| ActiveCampaign Connector | Kafka Connector |
| Adobe Analytics Connector | Magento V1 Connector |
| Amplitude Connector | Mailchimp Connector |
| Eloqua Bulk API Connector | Mixpanel Connector |
| FileIo Connector | OData Connector |
| Hadoop Files V2 Connector | Salesforce Analytics Connector |
| JMS Connector | Shopify Connector |

## Amazon Athena Connector

This release includes the following enhancements for Amazon Athena Connector:

- Amazon Athena Connector uses the AWS SDK version 2.30.15 and the Athena JDBC driver version 3.7.0.
- You can use a credential file that stores the AWS credentials, such as access keys and secret keys, to authenticate access to Amazon Athena.
- You can read data of Array, Struct, and Map data types in JSON format in a mapping.
- You can configure a connection and mapping in one environment and then migrate and run the mapping in another environment using a different connection.

## Amazon DynamoDB V2 Connector

Amazon DynamoDB V2 Connector uses AWS SDK version 2.30.15.

## Amazon S3 V2 Connector

This release includes the following enhancements for Amazon S3 V2 Connector:

- You can read from and write to delta format files in a mapping in advanced mode.
- You can read and write data in Apache Iceberg format in a mapping. You can also read data in Apache Iceberg format in a mapping in advanced mode.
- You can use a checksum algorithm in a mapping that writes to Amazon S3.

## Amazon SageMaker Lakehouse Connector

You can configure cross-account access when the Secure Agent running on an EC2 instance is in one AWS account, while Apache Iceberg tables, Glue Catalogs, and Athena workgroups reside in a different AWS account.

## Concur V2 Connector

You can override the source connection and target connection at run time with values specified in a parameter file.

## Databricks Connector

This release includes the following enhancements for Databricks Connector:

- When you read from Databricks, you can sort data based on a sort condition before the data enters the data flow.
- You can read data from external tables in Text, JSON, Avro, and ORC formats in Databricks. You can also write to and create external tables at runtime in Text, JSON, Avro, ORC, Parquet, and CSV formats.
- Databricks Connector uses the AWS SDK version 2.30.15 to stage data in Amazon S3.

- You can configure the Secure Agent to automatically retrieve the primary key columns if the target table contains them. Therefore, you no longer need to explicitly specify the primary key columns in the Update Columns advanced target property.

### DB2 Loader Connector

You can write data of Graphic and Vargraphic data types in a mapping.

### Google Cloud Storage V2 Connector

You can read from and write to Apache Iceberg files in a mapping. This enhancement doesn't apply to a mapping in advanced mode.

### Hadoop Files V2 Connector

This release includes the following enhancements for Hadoop Files V2 Connector:

- You can use Amazon EMR version 7.12.0 as a distribution version for Hadoop Files V2 Connector.
- You can preview data in a mapping that reads from and writes to Avro, Parquet, ORC, and Flat files. You can also apply a limit to the number of rows to preview.

### Hive Connector

You can use Cloudera CDP version 7.3.1 as a distribution version for Hive Connector. This enhancement doesn't apply to mappings in advanced mode.

### JMS Connector

You can use JMS Connector to read and write data to RabbitMQ.

### IBM MQ Connector

You can write message data encoded with code pages that are compatible with CCSID and certified by IBM MQ to an IBM MQ target.

For more information, see the *IBM MQ Connector* documentation.

### Kafka Connector

Kafka Connector uses Kafka client version 3.9.1.

### Klaviyo Connector

You can filter the list of unsubscribed profiles for the Global Exclusions and Unsubscribes source object.

### Microsoft Azure Data Lake Storage Gen2 Connector

This release includes the following enhancements for Microsoft Azure Data Lake Storage Gen2 Connector:

- You can read from Apache Iceberg files in a mapping in advanced mode.
- When you run a mapping in advanced mode, you can read data from a file with no header.

### Microsoft Fabric Data Warehouse Connector

This release includes the following enhancements for Microsoft Fabric Data Warehouse Connector:

- You can specify additional connection properties in a Microsoft Fabric Data Warehouse connection to configure parameters such as retry count, retry interval, and login timeout, thereby enhancing connection resiliency.
- When you write data to Microsoft Fabric Data Warehouse, you can specify additional runtime properties to configure retry delay, maximum number of retries, and the SQL endpoint in the lakehouse where data is stored temporarily.

### Microsoft Fabric Lakehouse Connector

When you configure a Microsoft Fabric Lakehouse connection, you can specify if the Lakehouse is schema-enabled. You can also override the schema specified in the connection at run time.

### Microsoft Fabric OneLake Connector

This release includes the following enhancements for Microsoft Fabric OneLake Connector:

- You can read from Apache Iceberg files in a mapping in advanced mode.
- You can read from and write to Avro files in a mapping in advanced mode.

### Microsoft SQL Server Connector

This release includes the following enhancements for Microsoft SQL Server Connector:

- You can configure the JDBC driver version 6.0.0.001957 available in the `LATEST` folder to run all your mappings and tasks.
  For more information about configuring this driver, see
  How to configure the updated JDBC driver with Microsoft SQL Server Connector Knowledge article.
- You can sort the source fields in ascending or descending order in a mapping.

### MongoDB V2 Connector

This release includes the following enhancements for MongoDB V2 Connector:

- When you write data to a MongoDB V2 target, you can omit columns with null values.
- You can delete all documents from MongoDB collections before writing data to the target in a mapping. This enhancement doesn't apply to mappings in advanced mode.
- You can configure an error threshold that a mapping task can encounter before it fails. This enhancement doesn't apply to mapping tasks that are based on mappings in advanced mode.
- You can use an authenticated and unauthenticated SOCKS proxy server to connect to MongoDB.
  For more information about how to configure the SOCKS proxy server, contact Informatica Global Customer Support.
- You can connect to MongoDB version 8.x using a MongoDB V2 connection.

### MySQL Connector

You can sort the source fields in ascending or descending order in a mapping.

### ODBC Connector

This release includes the following enhancements for ODBC Connector:

- You can connect to a DB2 z/OS database using the DB2 subtype in the connection.
- You can sort the source fields in ascending or descending order in a mapping.

### Oracle Connector

This release includes the following enhancements for Oracle Connector:

- You can configure the following JDBC and ODBC driver versions available in the `LATEST` folder to run all your mappings and tasks:

  - JDBC: 6.0.0.001794
  - ODBC: 08.02.3863

  For more information about configuring these drivers, see
  How to configure the updated JDBC and ODBC drivers with Oracle Connector Knowledge article.

- You can connect to Oracle using LDAP authentication.
- You can sort the source fields in ascending or descending order in a mapping.

### Oracle Eloqua Bulk API Connector

You can read, preview, and look up data from ExternalActivity objects.

### Open Table Connector

This release includes the following enhancements for Open Table Connector:

- When you write to Open Table, you can configure a mapping to manage table history and storage, remove unreferenced files from snapshots, and consolidate manifest files to optimize performance.
- You can perform update, upsert, and delete operations in a mapping.
- You can configure cross-account access when the Secure Agent running on an EC2 instance is in one AWS account, while Iceberg tables, Glue Catalogs, and Athena workgroups reside in a different AWS account.

### PostgreSQL Connector

This release includes the following enhancements for PostgreSQL Connector:

- You can configure the JDBC driver version 6.0.0.001843 available in the `latest` folder to run all your mappings and tasks.
  For more information about configuring this driver, see
  How to configure the updated JDBC driver for PostgreSQL Connector Knowledge article.
- You can read and write data of UUID data type in a mapping.
- When you write to PostgreSQL, you can configure the commit interval.
- When you write to PostgreSQL, you can configure the CDC recovery.
- You can configure a stored function in an SQL transformation.

### REST V2 Connector

When an access token expires, REST V2 Connector calls a REST API endpoint to receive a new access token. You can now configure the wait time to get the new access token if the endpoint is temporarily unavailable.

### Salesforce Connector

Salesforce Connector uses the Salesforce API version 64.0.

### Salesforce Data 360 Connector

This release includes the following enhancements for Salesforce Data 360 Connector:

- Salesforce Data Cloud Connector is renamed to Salesforce Data 360 Connector.
- You can read data from multiple data spaces in mappings and mapping tasks.
- When you write data to Salesforce Data 360, you can select target objects from an Ingestion API Connection. You can also create a new target object at run time.
- You can enable dynamic schema handling in a task to refresh the schema every time the task runs.
- You can use a custom query to read from multiple source objects.

### SAP BW BEx Query Connector

You can override the source connection at run time with values specified in a parameter file.

## SAP BW Connector

This release includes the following enhancements for SAP BW Connector:

- You can override the source connection at run time with values specified in a parameter file.
- You can read data from Open ODS View objects in SAP BW/4HANA applications.
- SAP BW Connector uses the latest transport requests B43K900012 for the BW4HANA transport.

## SAP HANA Connector

This release includes the following enhancements for SAP HANA Connector:

- You can override the source, target, and lookup connections at run time with values specified in a parameter file.
- When you read from or write to SAP HANA, you can perform the following actions on the data:
  - Override the default SQL query.
  - Override the schema specified in the connection.
  - Override the table name of the imported SAP HANA table.

## SAP OData V2 Connector

This release includes the following enhancements for SAP OData V2 Connector:

- When you read data in smaller chunks by enabling pagination on the SAP server side.
- You can read column names with Unicode characters from hierarchical entities.

## SAP OData V4 Connector

This release includes the following enhancements for SAP OData V4 Connector:

- You can use OAuth 2.0 authorization code and OAuth 2.0 client credentials authentication to connect to SAP S/4HANA applications.
- You can use SAP query parameters to connect to SAP S/4HANA or SAP Datasphere applications using an SAP OData V4 connection.
- You can insert data to hierarchical entities in SAP S/4HANA applications.

## SAP Table Connector

This release includes the following enhancements for SAP Table Connector:

- You can override the source, target, and lookup connections at run time with values specified in a parameter file.
- SAP Table Connector uses the latest transport requests ER6K900252 for the TABLE_READER transport.

## Snowflake Data Cloud Connector

This release includes the following enhancements for Snowflake Data Cloud Connector:

- **Mapping in SQL ELT mode**
  You can optimize the mapping performance by pushing down the following functions to Snowflake:
  - Conditional expressions
  - Regular expressions
  - String and binary functions

  For the list of functions that you can push down to Snowflake, see the *Snowflake Data Cloud Connector* documentation.
- You can use the programmatic access token as a new authentication type to connect to Snowflake.

- You can configure Google Cloud Private Link to enable private communication between the Secure Agent and Snowflake endpoint hosted on the Google Cloud platform.
- You can configure fixed partitioning to optimize the mapping performance and enable faster reading capabilities from Snowflake sources. This enhancement doesn't apply to mappings in advanced mode and mappings in SQL ELT mode.
- When you look up data from Snowflake, you can configure the precision of datetime fields in a cached connected or unconnected lookup. This enhancement doesn't apply to mappings in advanced mode and mappings in SQL ELT mode.

### Tableau V3 Connector

This release includes the following enhancements for Tableau V3 Connector:

- You can use an authenticated and unauthenticated proxy server to connect to Tableau V3.
- When you create a new target at runtime, you can retain the exact source field names in the target.

# Changed behavior

The April 2026 release includes changes in behavior for the following connectors.

### Permission-based connection access

Informatica enforces connection-level permissions for listing and selecting connection assets. You can now granularly control who can view, edit, or delete specific connections based on the permissions. This update improves security and access control by restricting visibility and access to connection assets based on your assigned permissions, preventing unauthorized users from viewing or using connections.

Previously, you could see the names of all connections in the organization, even if you didn't have specific permissions for those connections.

For more information about the required permissions, see Permissions in the Administrator help.

### Amazon Redshift V2 Connector

When you read from external tables, the string data type is mapped to varchar data type.

Previously, the columns of string data type were ignored.

### MongoDB V2 Connector

You can configure an error threshold in the **Stop on Error** session property in a mapping task.

When you set an error threshold, the mapping task continues to run until the cumulative errors reach or exceed the threshold. As the mapping task runs in batch mode, the cumulative errors might exceed the threshold before the task fails.

Previously, the error threshold was not honored.

This changed behavior doesn't apply to mapping tasks that are based on mappings in advanced mode.

### ODBC Connector

When you use the DB2 subtype in the connection and select the **Truncate Target** option in the Target properties of a mapping, the mapping runs the `TRUNCATE TABLE` query first. If the `TRUNCATE TABLE` query fails, the mapping runs the `DELETE` query.

Previously, the `DELETE` query was always run when the **Truncate Target** option was selected.

## Open Table Connector

The advanced target property Iceberg Spark Properties is renamed to Iceberg Advanced Properties. However, there is no impact on its functionality.

## Salesforce Data 360 Connector

Salesforce Data Cloud Connector is renamed to Salesforce Data 360 Connector.

## Snowflake Data Cloud Connector

The **Password/PAT** connection property for standard authentication is renamed to the **Password** connection property. If you want to use a programmatic access token generated in Snowflake, use the Programmatic Access Token authentication type to connect to Snowflake.

Previously, if your connection used standard authentication with a programmatic access token, the connection is not impacted.

However, Informatica recommends that you use authorization code, key pair, client credentials, or programmatic access token authentication to connect to Snowflake instead of using standard authentication.

# INDEX


## C

Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4

## D

Data Integration community
  URL 4

## I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Data Management Cloud
  web site 4

## M

maintenance outages 5

## S

status
  IDMC 5
system status 5

## T

trust site
  description 5

## U

upgrade notifications 5

## W

web site 4