Informatica® Cloud Data Integration

Concur Connector

Informatica Cloud Data Integration Concur Connector
December 2017

© Copyright Informatica LLC 2015, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-05-12

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- Informatica Intelligent Cloud Services web site 4
- Informatica Intelligent Cloud Services Communities 4
- Informatica Intelligent Cloud Services Marketplace 5
- Data Integration connector documentation 5
- Informatica Knowledge Base 5
- Informatica Intelligent Cloud Services Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: Introduction to Concur Connector 6

Overview 6

Concur Connector 7

Supported Objects and Task Operations 8

Enabling Concur Connector 8

Registering Concur Application 9

- Different Levels of Visibility 11

Chapter 2: Concur Connections 12

Concur Connections Overview 12

Concur connection properties 12

Chapter 3: Synchronization Tasks with Concur Connector 14

Creating a Concur Synchronization Task (DSS) 14

Data Filters 16

- Objects and Operators 17
- Allowed Filter Values 20

Selecting Multiple Objects in Source Tab 22

Known Issues 22

Chapter 4: Frequently Asked Questions and Answers 24

Frequently Asked Questions and Answers 24

Index 25

Preface

Concur Connector guide provides a brief introduction on Concur Connector and its features.

The guide provides detailed information on setting up the connector and running synchronization tasks. A brief overview of supported features and task operations that can be performed using Concur Connector is mentioned.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Data Integration editions and applications as well as information about other Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

To find resources on using Application Integration (the Informatica Cloud Real Time service), access the community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-application-integration/content

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/community/collections/cloud_integration

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, go to the Informatica Intelligent Cloud Services Status page and click **SUBSCRIBE TO UPDATES**. You can then choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Customer Support Center by telephone or online.

For online support, click **Submit Support Request** in Informatica Intelligent Cloud Services. You can also use Online Support to log a case. Online Support requires a login. You can request a login at https://network.informatica.com/welcome.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introduction to Concur Connector


This chapter includes the following topics:

- Overview, 6
- Concur Connector, 7
- Supported Objects and Task Operations, 8
- Enabling Concur Connector, 8
- Registering Concur Application, 9

Overview

Data Integration Connector developed using SDK framework are off-cycle, off release “add-ins” that facilitate data integration to SaaS and on-premise applications, which are not supported natively by Data Integration.

The cloud connectors are specifically designed to address most common use cases such as moving data into cloud and retrieving data from cloud for individual application.



Once the Concur Connector is enabled for your ICS ORG ID, you need to create a connection in Data Integration to use the connector.

Concur Connector

Concur Connector allows you to integrate travel and user related data between Concur and other SaaS applications or on premise applications.

You can use Concur Connector to perform the following tasks:

- Integrate Marketo information like expenses, attendees and users.
- Integrate user information from HR applications like Workday into Concur.
- Deactivate users in Concur applications.

Supported Objects and Task Operations

The following table provides the list of objects and task operations supported by Concur Connector.

Objects	Read	Insert	Update	Upsert	Delete	Data Preview	Lookup
User	Yes	NA	NA	Yes	Yes	Yes	Yes
ExpenseSummary	Yes	NA	NA	NA	NA	Yes	NA
ExpenseSummaryV3	Yes	NA	NA	NA	NA	Yes	NA
ExpenseEntry	Yes	NA	NA	NA	NA	Yes	NA
ExpenseEntryV3	Yes	NA	NA	NA	NA	Yes	NA
Attendee	Yes	NA	NA	NA	NA	Yes	NA
ExpenseItemization	Yes	NA	NA	NA	NA	Yes	NA

Note: When you perform delete operation, it only makes the user inactive.

Note: You need to select Upsert to perform Insert or Update task operation.

Enabling Concur Connector


To enable Concur Connector, contact Informatica support or Informatica representative. It usually takes 15 minutes for the connector to download to Secure Agent, after it is enabled.

Note: To install Secure Agent, see Installing Informatica Secure Agent.

Registering Concur Application


Perform the following steps to register the partner application in Concur.

1. In the Concur home page, click **Administration** > **Web Services**.




Note: The **Administration** tab appears only when you have the administrator privileges to edit applications.

The **Web Services** page appears.




2. Click **Register Partner Application**.

The **Application Registration** page appears.



3. Click **New**.

The **New Partner Application** page appears.



4. Specify the following details.

Application Property	Description
Name	Enter a unique name for the application.
Description	Provide a relevant description for the application.
Visibility	Select the required visibility level for application. **Note:** Users, who have system administrator privileges, can edit the Visibility field. For details, see "Different Levels of Visibility" on page 11.
Active	Select whether the application needs to be active or not. **Note:** If you select inactive, the application will not be visible in the list of available applications.
APIs Used	Select all the Concur WebServices APIs that interact with the application. It is mandatory to select **Expense Report** and **User API** to access all the objects in cloud.
Company Domain	The application authorization displays your company domain.
Key (Auto generated)	The key to be entered while creating a connection in Data Integration. For details, see "Concur connection properties" on page 12.
Secret (Auto generated)	The secret token generated with respect to the new application.

Note: The key and secret provide access to company domain, which enables the application. You must keep this information secret (as specified in the Concur Legal Agreement) to maintain security.

5. Click **OK**.

The application will be automatically enabled for your company domain.

Different Levels of Visibility

You can select the following visibility levels for the application.

Visibility Level	Description
Private	The application appears only in the list of available applications for your own company domain. Only the company domain users can access it.
Global	The application is automatically enabled for all clients. Only Concur internal users can set an application visibility to Global.
Public	The application appears in the list of available applications for all clients. Only Concur internal users can set an application to Public. Public partner applications must be certified by Concur.

CHAPTER 2

Concur Connections

This chapter includes the following topics:

- Concur Connections Overview, 12
- Concur connection properties, 12

Concur Connections Overview

Use a Concur connection to access objects in a Concur application. When you create a Concur connection, specify the user name, password, and OAUTH 2.0 key for the Concur account.

You create a Concur connection on the **Connections** page. You can use the connection to create a synchronization task in the Synchronization Task wizard.

Concur connection properties

To use Concur Connector in a synchronization task, you must create a connection in Data Integration.

Important: Concur Connector is deprecated and has been moved to maintenance mode. Informatica intends to drop support in a future release.

Perform the following steps to create Concur connection in Data Integration.

1. Click **Administrator** > **Connections**, and then click **New Connection** to create a connection.

   The **New Connection** page appears.
2. Specify the following details:

Connection Property	Description
Connection Name	Enter a unique name for the connection.
Description	Provide a relevant description for the connection.
Secure Agent	Select the appropriate Secure Agent from the list.

Connection Property	Description
Username	Enter relevant username.
Password	Enter relevant password.
Key	Enter Concur OAUTH 2.0 key. For details, see *Key*.
Company Domain	Enter Concur company domain address, part of the Concur authentication using OAUTH 2.0.
Service URL	Enter service URL to connect to Concur account.
Enable Logging	Select to enable logging.
Paging Size	Enter the number of records to be pushed to Concur. The default value is 100.

3. Click **Test Connection** to test the connection.
4. Click **Save** to save the connection.

CHAPTER 3

Synchronization Tasks with Concur Connector

This chapter includes the following topics:

- Creating a Concur Synchronization Task (DSS), 14
- Data Filters, 16
- Selecting Multiple Objects in Source Tab, 22
- Known Issues, 22

Creating a Concur Synchronization Task (DSS)

You need to create a connection before creating a synchronization task.


Let us consider the task operation Insert to perform the synchronization task.

Perform the following steps to create a synchronization task in Data Integration.

Note: Select Upsert task operation to perform insert or update operation.


1. To create a synchronization task, click **Data Integration** > **New** > **Tasks**. Select **Synchronization Task** and click **Create**.

   The **Definition** tab appears.



2. Specify **Task Name**, provide a **Description** and select **Upsert** as the **Task Operation**.
3. Click **Next**.


The **Source** tab appears.



4. Select the source **Connection**, **Source Type** and **Source Object** to be used for the task.
5. Click **Next**.

   Note: You can select the Source Type as Multiple. For details, see "Selecting Multiple Objects in Source Tab" on page 22.

   The Target tab appears.
6. Select the target **Connection** and **Target Object** required for the task.



7. Click **Next**.


   The Data Filters tab appears.
8. In **Data Filters** tab, by default Process all rows is chosen. To assign filters to the synchronization task, see "Data Filters" on page 16.

1. **Note:** Data Filters are applicable only for parent level objects.

9. Click **Next**.

   The Field mapping tab appears.

10. In **Field Mapping** tab, map source fields to target fields accordingly.




11. Click **Next**.

    The Schedule tab appears.

12. In Schedule tab, you can schedule the task as per requirement and save.

13. If you do not want schedule the task, click **Save and Run** the task.



After you Save and Run the task, you will be redirected to monitor log page. In monitor log page, you can monitor the status of synchronization tasks.

Data Filters


Data filters help you to fetch specific data of a particular object. The synchronization task processes the data based on the filter field assigned to the object.

Perform the following steps to use data filters:


1. In the synchronization task, select the **Data Filters** tab.

   The **Data Filters** tab appears.

2. Click **New** as shown in the following image:



The **Data Filter** dialog box appears.



3. Specify the following details.

Field Type	Description
Object	Select object for which you want to assign filter fields.
Filter By	Select the filter field.
Operator	Select the operator.
Filter Value	Enter the filter value.

4. Click **OK**.

Objects and Operators

The following table displays various operators supported by objects.

Object	Filter Fields	Data Type	Operators	Allowed Values
User	LoginID	String	Equals	Any String
Expense ummary, ExpenseEntry, Attendee, ExpenseItemization	ReportName	String	All except is/not Null	Any String

Object	Filter Fields	Data Type	Operators	Allowed Values
	Status	String	Equals	See: "Allowed Filter Values" on page 20
	EmployeeName	String	All except is/not Null	Any String
	LastModifiedDate	DateTime	Equals	Any DateTime
	ReportName_Config_File	String	Equals	Location of the filter file contains only the report names.
ExpenseSummaryV3	ExpenseSummaryApprovalStatusCode	String	Equals	A_AAFH, A_ACCO, A_APPR, A_EXTV, A_FILE, A_NOTF, A_PBDG,A_PECO,A_PEND, A_PVAL, A_RESU, A_RHLD, A_TEXP
	ExpenseSummaryApproverLoginID	String	Equals	Any String
	ExpenseSummaryCurrencyCode	String	Equals	The 3-letter ISO 4217 currency code for the report currency. For example, USD.
	ExpenseSummaryPaymentStatusCode	String	Equals	P_HOLD, P_NOTP, P_PAID, P_PAYC, P_PROC
	ExpenseSummaryUser	String	Equals	Any String
	ExpenseSummaryPaymentType	String	Equals	Any String
	ExpenseSummaryReimbursementMethod	String	Equals	ADPPAYR, CNQRPAY, PMTSERV NOTE: PAY_PAL is NOT supported.
	ExpenseSummaryExpenseTypeCode	String	Equals	Any String
	ExpenseSummaryAttendeeTypeCode	String	Equals	Any String
	ExpenseSummaryCountryCode	String	Equals	The report country. Maximum 2 characters. Format is, The ISO 3166-1 alpha-2 country code. For example, United States is US.
	ExpenseSummaryBatchID	String	Equals	Any String
	ExpenseSummaryVendorName	String	Equals	Any String
	ExpenseSummaryHasVAT	Boolean	Equals	0, 1

Object	Filter Fields	Data Type	Operators	Allowed Values
	ExpenseSummaryHasImages	Boolean	Equals	0, 1
	ExpenseSummaryHasImages	Boolean	Equals	0, 1
	ExpenseSummaryIsTestUser	Boolean	Equals	0, 1
	ExpenseSummaryExpenseGroupConfigID	String	Equals	Any String
	ExpenseSummaryCostObject	String	Equals	Any String
	ExpenseSummaryEntryTransactionDateBefore	DateTime	Equals	Date in YYYY-MM-DD format
	ExpenseSummaryEntryTransactionDateAfter	DateTime	Equals	Date in YYYY-MM-DD format
	ExpenseSummaryCreateDateBefore	DateTime	Equals	Date in YYYY-MM-DD format
	ExpenseSummaryCreateDateAfter	DateTime	Equals	Date in YYYY-MM-DD format
	ExpenseSummaryUserDefinedDateBefore	DateTime	Equals	Date in YYYY-MM-DD format
	ExpenseSummaryUserDefinedDateAfter	DateTime	Equals	Date in YYYY-MM-DD format
	ExpenseSummarySubmitDateBefore	DateTime	Equals	Date in YYYY-MM-DD format
	ExpenseSummarySubmitDateAfter	DateTime	Equals	Date in YYYY-MM-DD format
	ExpenseSummaryProcessingPaymentDateBefore	DateTime	Equals	Date in YYYY-MM-DD format
	ExpenseSummaryProcessingPaymentDateAfter	DateTime	Equals	Date in YYYY-MM-DD format
	ExpenseSummaryPaidDateBefore	DateTime	Equals	Date in YYYY-MM-DD format
	ExpenseSummaryPaidDateAfter	DateTime	Equals	Date in YYYY-MM-DD format
	ExpenseSummaryModifiedDateBefore	DateTime	Equals	Date in YYYY-MM-DD format
	ExpenseSummaryModifiedDateAfter	DateTime	Equals	Date in YYYY-MM-DD format

Object	Filter Fields	Data Type	Operators	Allowed Values
ExpenseEntryV3	ExpensEntryUser	String	Equals	Any String
	ExpenseEntryID	String	Equals	Any String

Note: To fetch all the company reports for a 24-hour period, use the LastModified date query string.

LastModifiedDate is applicable only for following report status types and time stamp is not considered for the LastModifiedDate search criteria.

Report Status Types	Supported
ALL	Yes
ACTIVE	Yes
UNSUBMITTED	Yes
APPROVED	Yes
PENDING	Yes
PROCESSED	Yes
PAID	Yes
PAYMENTCONFIRMED	Yes
RECENT	Yes
TOAPPROVE	Yes

Allowed Filter Values

You can use the following filter values for the Status filter field.

Filter Value	Description
RECENT	Provides all reports that have been modified in the last 31 days of the specified user.
ACTIVE	Provides all unsubmitted and unpaid (payment status is not Paid) reports of the specified user.
UNSUBMITTED	Provides all unsubmitted reports of the specified user.
PENDING	Provides all pending reports of the specified user.
APPROVED	Provides all approved reports of the specified user.
PROCESSED	Provides all processed reports of the specified user.

Filter Value	Description
PAID	Provides all paid reports of the specified user.
PAYMENTCONFIRMED	Provides all confirmed paid reports of the specified user.
FORTHISMONTH	Provides all reports with date of creation in the current month by the specified user.
FORLASTMONTH	Provides all reports with date of creation in the previous month by the specified user.
FORTHISQUARTER	Provides all reports with date of creation in current quarter calendar by the specified user.
FORLASTQUARTER	Provides all reports with date of creation in the previous quarter calendar by the specified user.
FORTHISYEAR	Provides all reports with date of creation in current year by the specified user.
FORLASTYEAR	Provides all reports with date of creation in the past year by the specified user.
TOAPPROVE	Provides all reports that have approval pending from the specified user.
APPROVEDTHISMONTH	Provides all reports approved or pending approval from the specified user in the current month.
APPROVEDLASTMONTH	Provides all reports approved by the specified user in the current month.
APPROVEDTHISQUARTER	Provides all reports approved or pending approval from the specified user in the current calendar quarter.
APPROVEDLASTQUARTER	Provides all reports approved by the specified user in the previous calendar quarter.
APPROVEDTHISYEAR	Provides all reports approved or pending approval from the specified user in the current calendar year.
APPROVEDLASTYEAR	Provides all reports approved by the specified user in the previous calendar year.

Selecting Multiple Objects in Source Tab


Perform the following steps to add multiple objects in **Source** tab of the synchronization task:

1. In the **Source** tab, select **Multiple** as the source type.

   For details, see "Creating a Concur Synchronization Task (DSS)" on page 14.



2. Click **Add Primary** button to add parent object.
3. Click **Add Child** button to select child object.



The following are the supported parent-child relationships for expense objects.

Parent Object	Child Object
ExpenseSummary	ExpenseEntry
ExpenseEntry	Attendee
ExpenseEntry	ExpenseItemization
ExpenseSummaryV3	ExpenseEntryV3

Known Issues

The following information will help you to debug the connector and identify the root cause in case of an issue.

- The log and exception messages are captured in the `infaagent.log` life. The file is located in the root directory where the Secure Agent is installed.
  For example, `<Secure Agent installation directory>\infaagent.log`

- When you set up a synchronization task with invalid configuration, a NULL error message is displayed. The exception details are available in `infaagent.log` life.
- When a synchronization task fails, the exception and log details are captured under Session Log.

Note: The session log files contain information of last 10 tasks only. Older log files are overwritten by the new log files. It is recommended to take back-up of the log files.

CHAPTER 4

Frequently Asked Questions and Answers

This chapter includes the following topic:

- Frequently Asked Questions and Answers, 24

Frequently Asked Questions and Answers

▶ Does Concur allow fetching all the details associated with a particular user in one attempt?

Answer:

The Concur API does not allow fetching all the details of a user in one attempt. You must mention the login ID of the user in the data filters to pull all the details. When you mention the login ID of the user, all the details associated with that user are displayed in one attempt.

Note: If you do not provide the login details, you get the OAuth details of the user.

INDEX

C

Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4
Concur
  connection properties 12
connections
  Concur 12

D

Data Integration community
  URL 4

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Cloud Services
  web site 4

M

maintenance outages 5

S

status
  Informatica Intelligent Cloud Services 5
system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4