Informatica®

Informatica® Cloud Data Integration

Birst Cloud Connect Connector

Informatica Cloud Data Integration Birst Cloud Connect Connector
October 2025

© Copyright Informatica LLC 2018, 2025

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2025-10-03

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Network 4
- Informatica Knowledge Base 4
- Informatica Documentation 4
- Informatica Product Availability Matrices 5
- Informatica Velocity 5
- Informatica Marketplace 5
- Informatica Global Customer Support 5

Chapter 1: Introduction to Birst Cloud Connect Connector 6

Birst Cloud Connect Connector assets 6

Chapter 2: Birst Cloud Connect connections 7

Birst Cloud Connect connection properties 7

Chapter 3: Synchronization tasks with Birst Cloud Connect Connector 9

Birst Cloud Connect targets in Synchronization tasks 9

Synchronization task example 10

Chapter 4: Troubleshooting 12

Increasing Secure Agent Memory 12

Chapter 5: Data type reference 13

Index 14

Preface

Use *Birst Cloud Connect Connector* to learn how to write to Birst Cloud Connect by using Cloud Data Integration. Learn to create a Birst Cloud Connect connection and run synchronization tasks in Cloud Data Integration.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Network

The Informatica Network is the gateway to many resources, including the Informatica Knowledge Base and Informatica Global Customer Support. To enter the Informatica Network, visit https://network.informatica.com.

As an Informatica Network member, you have the following options:

- Search the Knowledge Base for product resources.
- View product availability information.
- Create and review your support cases.
- Find your local Informatica User Group Network and collaborate with your peers.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Product Availability Matrices

Product Availability Matrices (PAMs) indicate the versions of the operating systems, databases, and types of data sources and targets that a product release supports. You can browse the Informatica PAMs at https://network.informatica.com/community/informatica-network/product-availability-matrices.

Informatica Velocity

Informatica Velocity is a collection of tips and best practices developed by Informatica Professional Services and based on real-world experiences from hundreds of data management projects. Informatica Velocity represents the collective knowledge of Informatica consultants who work with organizations around the world to plan, develop, deploy, and maintain successful data management solutions.

You can find Informatica Velocity resources at http://velocity.informatica.com. If you have questions, comments, or ideas about Informatica Velocity, contact Informatica Professional Services at ips@informatica.com.

Informatica Marketplace

The Informatica Marketplace is a forum where you can find solutions that extend and enhance your Informatica implementations. Leverage any of the hundreds of solutions from Informatica developers and partners on the Marketplace to improve your productivity and speed up time to implementation on your projects. You can find the Informatica Marketplace at https://marketplace.informatica.com.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introduction to Birst Cloud Connect Connector

Use Birst Cloud Connect Connector to securely write data to Birst Cloud Connect.

You can read data from files, databases, and other applications and write data to Birst Cloud Connect. Birst Cloud Connect Connector uses Birst SOAP API to write data into Birst API endpoints.

Example

You are a business analyst in an organization. Your organization uses Concur for expense management and Birst Cloud Connect to analyze the expenses. You need to analyze the expense data in Birst Cloud Connect. Use Birst Cloud Connect Connector to create a synchronization task to read data from Concur and write data to Birst Cloud Connect.

Note: This connector is developed by Informatica partners, third-party system integrators, or customers. You can look up the Product Availability Matrix or Informatica Marketplace for more information.

Birst Cloud Connect Connector assets

The following table lists the Birst Cloud Connect Connector object types that you can include in Data Integration tasks:

Task Type	Source	Target	Lookup
Synchronization	No	Yes	No

The following table lists the objects and task operations that Birst Cloud Connect Connector supports:

Objects	Read	Insert	Update	Upsert	Delete
UploadData	No	Yes	No	No	No

CHAPTER 2

Birst Cloud Connect connections

Create a Birst Cloud Connect connection to securely write data to Birst Cloud Connect.

You can create a Birst Cloud Connect connection on the Connections page or when you create a task. After you create a connection, it becomes available to all users who have access to the organization.

Birst Cloud Connect connection properties

When you set up a Birst Cloud Connect connection, you must configure the connection properties.

The following table describes the Birst Cloud Connect connection properties:

Connection property	Description
Connection Name	Name of Birst Cloud Connect Connector.
Description	Description of Birst Cloud Connect Connector.
Use Secret Vault	Stores sensitive credentials for this connection in the secrets manager that is configured for your organization. This property appears only if secrets manager is set up for your organization. When you enable the secret vault in the connection, you can select which credentials that the Secure Agent retrieves from the secrets manager. If you don't enable this option, the credentials are stored in the repository or on a local Secure Agent, depending on how your organization is configured. **Note:** If you're using this connection to apply data access policies through pushdown or proxy services, you cannot use the Secret Vault configuration option. For information about how to configure and use a secrets manager, see "Secrets manager configuration" in the Administrator help.
Runtime Environment	The name of the runtime environment where you want to run the tasks.
Username	User name for Birst Cloud Connect application.
Password	Password for Birst Cloud Connect application.
Endpoint URL	Birst Web Services end-point URL.
Space ID	UDID of Birst Space in which you want to upload data.

Connection property	Description
Enable Debug Logger	Select to enable debug logging.
Configuration Location	Temporary storage for internal configuration.

CHAPTER 3

Synchronization tasks with Birst Cloud Connect Connector

Use a Synchronization task to synchronize data between a source and target.

You can configure a synchronization task using the Synchronization Task wizard.

When you create a task, you can associate it with a schedule to run it at specified times or on regular intervals. Or, you can run it manually. You can monitor tasks that are currently running in the activity monitor and view logs about completed tasks in the activity log.

Birst Cloud Connect targets in Synchronization tasks

You can configure the Birst Cloud Connect target properties on the Target page of the Synchronization Task wizard.

The following table describes the Birst Cloud Connect target properties:

Property	Description
Connection	Name of the active Birst Cloud Connect target connection.
Target Object	You can select an existing object from the list or create a target at run time.
Child Object	Not applicable.
Display target fields in alphabetical order	Displays target fields in alphabetical order. By default, fields appear in the order returned by the target system.

The following table describes the Birst Cloud Connect advanced target properties:

Advanced Property	Description
Data chunk size for upload	Chunk size for the upload operation.
Only recognize Quote at Start and End of Field	Select True or False.
Character Encoding	Select UTF-8.

Synchronization task example

You are a business analyst in an organization. Your organization uses Concur for expense management and Birst Cloud Connect to analyze the expenses. You need to analyze the expense data in Birst Cloud Connect. Use Birst Cloud Connect Connector to create a synchronization task to read data from Concur and write data to Birst Cloud Connect.
Perform the following steps to create a synchronization task in Data Integration

1. Select **Data Integration** from the menu.

   The **Data Integration** Home page appears.
2. Click **New** > **Tasks** > **Synchronization Task**.
3. On the **Definition** tab, configure the following fields:

Field	Description
Task Name	Name of the synchronization task.
Description	Description of the synchronization task. Maximum length is 255 characters.
Task Operation	Select **Insert**. Birst Cloud Connect connector does not support update, upsert, and delete operation.

4. Click **Next**.
5. On the **Source** tab, configure the following fields:

Field	Description
Connection	Select the Concur connection that you have created.
Source Type	Select **Single**.
Source Object	Select **ExpenseEntry** as the source object.

6. Click **Next**.
7. On the **Target** tab, configure the following fields:

Field	Description
Connection	Select a Birst Cloud Connect connection.
Target Object	Select **ExpenseEntry** as the target object.
Child Object	This attribute is not applicable to the Birst Cloud Connect connector.

8. Click **Next**.
9. As the data filter is not supported in this connector, click **Next**.
10. On the **Field Mapping** tab, map the ExpenseEntry source object in Concur with the ExpenseEntry target object in Birst Cloud Connect. To map the source to the target, drag and drop the required fields from the source to the target.

11. Click **Next**.
12. On the **Schedule** tab you can schedule the task for each requirement and save. You can run a synchronization task manually, or you can schedule the task to run at a specific time or at specified time intervals.
13. Click **Finish**. To run the task, click **Run**.

    In **Monitor**, you can monitor the status of the task.

CHAPTER 4

Troubleshooting

Use the following sections to troubleshoot errors in Birst Cloud Connector.

Increasing Secure Agent Memory

To overcome memory issues faced by the Secure Agent perform the following steps:

1. In the Data Integration home page, select the Secure Agent under **Runtime Environments**.

   The Runtime Environments page appears.
2. From the list of available Secure Agents, select the Secure Agent for which you want to increase memory.

   The details of the Secure Agent appear.
3. Click **Edit**.

   The Edit Agent page appears.
4. In **System Configuration** section, select the **Type** as **DTM**.
5. Edit **JVMOption1** as **-Xmx512m**.
6. Again in **System Configuration** section, select the **Type** as **TomCatJRE**.
7. Edit **INFA_memory** to **-Xms256m -Xmx512m**.
8. Restart the Secure Agent.

CHAPTER 5

Data type reference

Data Integration uses the following data types in synchronization tasks with Birst Cloud Connect:

Birst Cloud Connect native data types

Birst Cloud Connect data types appear in the Source and Target transformations when you choose to edit metadata for the fields.

Transformation data types

Set of data types that appear in the transformations. They are internal data types based on ANSI SQL-92 generic data types, which the Secure Agent uses to move data across platforms. Transformation data types appear in all transformations in a mapping.

When Data Integration reads source data, it converts the native data types to the comparable transformation data types before transforming the data. When Data Integration writes to a target, it converts the transformation data types to the comparable native data types.

INDEX

B

Birst Cloud Connect
  connection properties 7
  Synchronization task 9

C

connections
  Birst Cloud Connect 7

I

Informatica Global Customer Support
  contact information 5