Informatica®

Informatica® Cloud Data Integration

CallidusCloud Commissions Connector

Informatica Cloud Data Integration CallidusCloud Commissions Connector
October 2025

© Copyright Informatica LLC 2016, 2025

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2025-10-03

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- Informatica Intelligent Cloud Services web site 4
- Informatica Intelligent Cloud Services Communities 4
- Informatica Intelligent Cloud Services Marketplace 4
- Data Integration connector documentation 5
- Informatica Knowledge Base 5
- Informatica Intelligent Cloud Services Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: Introduction to CallidusCloud Commissions Connector 6

CallidusCloud Commissions Connector assets 6

Chapter 2: CallidusCloud Commissions Connections 8

CallidusCloud Commissions connection properties 8

Chapter 3: Synchronization tasks with CallidusCloud Commissions Connector 10

CallidusCloud Commissions Sources in Synchronization tasks 10

CallidusCloud Commissions Targets in the Synchronization task 11

Data filters 11

- Filter fields 12

Synchronization example 14

Chapter 4: Mappings and Mapping Tasks with CallidusCloud Commissions 16

CallidusCloud Commissions sources in mappings 16

CallidusCloud Commissions targets in mappings 17

Appendix A: Data type reference 19

CallidusCloud Commissions and transformation data types 19

Calculation Object Specification 20

Index 22

Preface

Use *CallidusCloud Commissions Connector* to learn how to read from or write to CallidusCloud Commissions by using Cloud Data Integration. Learn to create a CallidusCloud Commissions connection, develop and run synchronization tasks, mappings, and mapping tasks in Cloud Data Integration.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, on the Informatica Intelligent Cloud Services Status page, click **SUBSCRIBE TO UPDATES**. You can choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introduction to CallidusCloud Commissions Connector

You can use CallidusCloud Commissions Connector to connect to CallidusCloud Commissions from Data Integration. Use CallidusCloud Commissions Connector to read data from and write data to CallidusCloud Commissions. Use CallidusCloud Commissions Connector to integrate data with CallidusCloud Commissions and other SaaS Applications.

You can use a CallidusCloud Commissions object as a source and a target in Synchronization tasks, mapping tasks, and mappings.

You can switch mappings to advanced mode to include transformations and functions that enable advanced functionality.

When you run a task or mapping, the Secure Agent uses the JAVA client libraries of the CallidusCloud APIs to integrate with CallidusCloud Commissions.

Note: This connector is developed by Informatica partners, third-party system integrators, or customers. You can look up the Product Availability Matrix or Informatica Marketplace for more information.

CallidusCloud Commissions Connector assets

You can perform insert, update, and delete operations on a CallidusCloud Commissions target. You cannot perform upsert operations on a CallidusCloud Commissions target.

When you use CallidusCloud Commissions Connector, you can include the following Data Integration assets:

- Mapping
- Mapping task
- Synchronization task

The following table lists the objects and task operations that CallidusCloud Commissions Connector supports:

Object	Read	Insert	Update	Upsert	Delete
Participant	Yes	No	Yes	No	Yes
Position	Yes	No	Yes	No	Yes

Object	Read	Insert	Update	Upsert	Delete
Transaction	Yes	No	Yes	No	Yes
Calculation	NA	Yes	No	No	No

For more information about configuring assets and transformations, see *Mappings*, *Transformations*, and *Tasks* in the Data Integration documentation.

CHAPTER 2

CallidusCloud Commissions Connections

Create an CallidusCloud Commissions connection to access CallidusCloud Commissions data from Data Integration. You can create a connection on the **Connections** page or when you create a task. After you create a connection, it becomes available to all users who have access to the organization.

You can use CallidusCloud Commissions connections in synchronization tasks, mapping tasks, and mappings.

CallidusCloud Commissions connection properties

When you create a CallidusCloud Commissions connection, you must configure the connection properties.

The following table describes the CallidusCloud Commissions connection properties:

Property	Description
Connection Name	Name of the connection. Each connection name must be unique within the organization. Connection names can contain alphanumeric characters, spaces, and the following special characters: _ . + -, Maximum length is 255 characters.
Description	Description of the connection. Maximum length is 4000 characters.
Use Secret Vault	Stores sensitive credentials for this connection in the secrets manager that is configured for your organization. This property appears only if secrets manager is set up for your organization. When you enable the secret vault in the connection, you can select which credentials that the Secure Agent retrieves from the secrets manager. If you don't enable this option, the credentials are stored in the repository or on a local Secure Agent, depending on how your organization is configured. **Note:** If you're using this connection to apply data access policies through pushdown or proxy services, you cannot use the Secret Vault configuration option. For information about how to configure and use a secrets manager, see "Secrets manager configuration" in the Administrator help.
Runtime Environment	Name of the runtime environment where you want to run the tasks.

Property	Description
UserName	User name for the CallidusCloud portal login.
Password	Password of the CallidusCloud portal login.
BaseURL	The base URL to connect to the CallidusCloud application. Use the following sample to specify the base URL: `https://<domainName>/TrueComp-SaaS/services/rest/`
PageSize	The page size for the read operation. Default value is 10.

Guidelines for a CallidusCloud Commissions connection

You can set the values for the session timeout properties as per your requirement through the JVM options for the Secure Agent.

You can configure the following properties:

- Session timeout: The time in seconds after which the session with the CallidusCloud Commissions endpoint times out.
- Attempts: The number of attempts to reconnect to the CallidusCloud Commissions endpoint.
- Wait time to re-attempt: The time in seconds between 2 attempts.

You must set the values for the properties higher than the default values, else the default values are considered.

The default values are:


```
-Dconnection.sessionTimeout=50
```

```
-Dconnection.attempts=3
```

```
-Dconnection.waitTimeToReattempt=5
```

Perform the following steps to configure the JVM options:

1. In Administrator, select the Secure Agent listed on the **Runtime Environments** tab.
2. Click **Edit**.
3. In the **System Configuration Details** section, select **Data Integration Server** as the service and **DTM** as the type.
4. Specify the values for the JVM options.



5. Click **Save**.

CHAPTER 3

Synchronization tasks with CallidusCloud Commissions Connector

Use a Synchronization task to synchronize data between a source and target.

You can configure a synchronization task using the Synchronization Task wizard.

When you create a task, you can associate it with a schedule to run it at specified times or on regular intervals. Or, you can run it manually. You can monitor tasks that are currently running in the activity monitor and view logs about completed tasks in the activity log.

CallidusCloud Commissions Sources in Synchronization tasks

You can use a single object in a synchronization task.

You can configure the CallidusCloud Commissions source properties on the **Source** page of the Synchronization Task wizard.

The following table describes the CallidusCloud Commissions source properties:

Property	Description
Connection	Name of the active CallidusCloud Commissions source connection.
Source Type	Type of the CallidusCloud Commissions source objects available. You can read data from a single CallidusCloud Commissions source object. You cannot read data from multiple objects or parameterize the object.
Source Object	Name of the CallidusCloud Commissions source object. You can choose one of the following source objects when you read data from CallidusCloud Commissions: - Participant - Position - Transaction

Property	Description
Display technical names instead of labels	This property is not applicable for CallidusCloud Commissions Connector because both the technical names and labels are the same for CallidusCloud.
Display source fields in alphabetical order	Displays source fields in alphabetical order. By default, fields appear in the order returned by the source system.

CallidusCloud Commissions Targets in the Synchronization task

You can use a single CallidusCloud Commissions object as a target in a synchronization task.

The following table describes the CallidusCloud Commissions target properties:

Property	Description
Connection	Name of the active CallidusCloud Commissions target connection.
Target Object	Name of the CallidusCloud Commissions target object. You can choose one of the following target objects when you write data to CallidusCloud Commissions: - Participant - Position - Transaction - Calculation
Child Object	This property is not applicable for CallidusCloud Commissions Connector.
Display technical names instead of labels	This property is not applicable for CallidusCloud Commissions Connector because both the technical names and labels are the same for CallidusCloud.
Display target fields in alphabetical order	Displays target fields in alphabetical order. By default, fields appear in the order returned by the target system.

Data filters

Data filters help you to fetch specific data of a particular object. The synchronization task will process the data based on the filter field assigned to the object.

You can create simple data filters for the following objects in CallidusCloud Commissions:

- Participant
- Position
- Calculation

You cannot create advanced data filters for CallidusCloud Commissions objects.

Filter fields

The following tables provides information on various filter fields available for CallidusCloud Commissions objects.

Object	Filters Fields	Operators
Participant	payeeId	<=, <, =, !=, >, >=
	businessUnits	<=, <, =, !=, >, >=
	effectiveStartDate	<=, <, =, !=, >, >=
	effectiveEndDate	<=, <, =, !=, >, >=
	Prefix	<=, <, =, !=, >, >=
	firstName	<=, <, =, !=, >, >=
	middleName	<=, <, =, !=, >, >=
	lastName	<=, <, =, !=, >, >=
	Suffix	<=, <, =, !=, >, >=
	taxId	<=, <, =, !=, >, >=
	Salary	<=, <, =, !=, >, >=
	unitType	<=, <, =, !=, >, >=
	hireDate	<=, <, =, !=, >, >=
	terminationDate	<=, <, =, !=, >, >=
	userId	<=, <, =, !=, >, >=
	participantEmail	<=, <, =, !=, >, >=
	genericAttribute1	<=, <, =, !=, >, >=
	genericAttribute2	<=, <, =, !=, >, >=
	genericAttribute3	<=, <, =, !=, >, >=
	genericAttribute4	<=, <, =, !=, >, >=

Object	Filters Fields	Operators
	genericBoolean2	<=, <, =, !=, >, >=
	genericBoolean3	<=, <, =, !=, >, >=

Object	Filters Fields	Operators
Position	Name	<=, <, =, !=, >, >=
	Description	<=, <, =, !=, >, >=
	modelSeq	<=, <, =, !=, >, >=
	businessUnits	<=, <, =, !=, >, >=
	effectiveStartDate	<=, <, =, !=, >, >=
	effectiveEndDate	<=, <, =, !=, >, >=
	creditStartDate	<=, <, =, !=, >, >=
	creditEndDate	<=, <, =, !=, >, >=
	processingStartDate	<=, <, =, !=, >, >=
	processingEndDate	<=, <, =, !=, >, >=
	positionGroup	<=, <, =, !=, >, >=
	genericAttribute1	<=, <, =, !=, >, >=
	genericAttribute2	<=, <, =, !=, >, >=
	genericAttribute3	<=, <, =, !=, >, >=
	genericAttribute4	<=, <, =, !=, >, >=
	genericAttribute5	<=, <, =, !=, >, >=
	genericAttribute6	<=, <, =, !=, >, >=
	genericAttribute7	<=, <, =, !=, >, >=
	genericAttribute8	<=, <, =, !=, >, >=
	genericAttribute9	<=, <, =, !=, >, >=
	genericAttribute10	<=, <, =, !=, >, >=
	targetCompensation	<=, <, =, !=, >, >=
	unitTypetargetCompensation	<=, <, =, !=, >, >=

Object	Filters Fields	Operators
	Title	<=, <, =, !=, >, >=
	Manager	<=, <, =, !=, >, >=

Object	Filters Fields	Operators
Transaction	modelSeq	<=, <, =, !=, >, >=
	salesOrder	<=, <, =, !=, >, >=
	lineNumber	<=, <, =, !=, >, >=
	unitType for line	<=, <, =, !=, >, >=
	subLine	<=, <, =, !=, >, >=
	unitType for subline	<=, <, =, !=, >, >=
	eventType	<=, <, =, !=, >, >=
	compensationDate	<=, <, =, !=, >, >=
	isRunnable	<=, <, =, !=, >, >=
	preadjustedValue	<=, <, =, !=, >, >=
	unitType for preadjustedvalue	<=, <, =, !=, >, >=
	Value	<=, <, =, !=, >, >=
	unitType for value	<=, <, =, !=, >, >=
	transactionAssignments	<=, <, =, !=, >, >=
	businessUnits	<=, <, =, !=, >, >=

Synchronization example

Configure a synchronization task to read from CallidusCloud File Processor and write to a flat file.

You perform the following synchronization tasks:

Define the synchronization task.

Configure a synchronization task to use the insert operation.

Use a CallidusCloud File Processor source object.

The source for the mapping is a CallidusCloud File Processor connection that contains the *Contacts.csv* file. The CallidusCloud File Processor object is a single source in the synchronization task. Specify *Contacts.csv* as the resource for the source object.

Create a flat file target object.

Select the fields from the source object that you want to insert into the target object. Select a flat file connection and a .csv file for the target object. The synchronization task writes the data to the flat file. You can also use an existing target object.


Specify a data filter for the CallidusCloud File Processor source object

Define a data filter for the *Contacts.csv* object.

Configure a field mapping.

Map all the fields in the *Contacts.csv* source file to all the fields in the target object. The synchronization application writes the mapped source data to the flat file.

The following image shows the mapping of the *Contacts.csv* source with the target in the **Field Mapping** tab:



Configure the advanced source properties

You configure the advance source properties on the Schedule page of the Synchronization Task wizard. In the advanced source properties, you choose properties that are specific to CallidusCloud File Processor.

Specify a pattern for the CallidusCloud File Processor source file in the **Read Pattern** field under the advanced source properties.

CHAPTER 4

Mappings and Mapping Tasks with CallidusCloud Commissions

Use the Data Integration Mapping Designer to create a mapping. When you create a mapping, you configure a source or target to represent a CallidusCloud object.

In advanced mode, the Mapping Designer updates the mapping canvas to include transformations and functions that enable advanced functionality.

CallidusCloud Commissions sources in mappings

To read data from CallidusCloud Commissions, configure a CallidusCloud Commissions object as the Source transformation in a mapping or Mapping task.

Specify the name and description of the CallidusCloud Commissions source. Configure the source, query options, and advanced properties for the source object.

The following table describes the source properties that you can configure for a CallidusCloud Commissions source:

Property	Description
Connection	Name of the active CallidusCloud Commissions source connection.
Source Type	Type of the CallidusCloud Commissions source objects available. You can read data from a single CallidusCloud Commissions source object. You cannot write data to multiple objects or parameterize the object.
Object	Name of the CallidusCloud Commissions source object. You can choose one of the following source objects when you read data from CallidusCloud Commissions: - Participant - Position - Transaction
Filter	Configure a simple filter to remove rows at the source. You can improve efficiency by filtering early in the data flow. A simple filter includes a field name, operator, and value.

You can set the tracing level in the advanced properties session to determine the amount of details that logs contain.

The following table describes the tracing levels that you can configure:

Property	Description
Terse	The Secure Agent logs initialization information, error messages, and notification of rejected data.
Normal	The Secure Agent logs initialization and status information, errors encountered, and skipped rows due to transformation row errors. Summarizes session results, but not at the level of individual rows.
Verbose Initialization	In addition to normal tracing, the Secure Agent logs additional initialization details, names of index and data files used, and detailed transformation statistics.
Verbose Data	In addition to verbose initialization tracing, the Secure Agent logs each row that passes into the mapping. Also notes where the Secure Agent truncates string data to fit the precision of a column and provides detailed transformation statistics. When you configure the tracing level to verbose data, the Secure Agent writes row data for all rows in a block when it processes a transformation.

CallidusCloud Commissions targets in mappings

To write data to a CallidusCloud Commissions target, configure a CallidusCloud Commissions object as the Target transformation in a mapping or Mapping task.

Specify the name and description of CallidusCloud Commissions target. Configure the target and advanced properties for the target object.

The following table describes the target properties that you can configure for a CallidusCloud Commissions target:

Property	Description
Connection	Name of the active CallidusCloud Commissions connection.
Target Type	Type of the CallidusCloud Commissions target objects available. You can write data to a single CallidusCloud Commissions target object. You cannot write data to multiple objects or parameterize the object.

Property	Description
Object	Name of the CallidusCloud Commissions target object. You can choose one of the following target objects when you write data to CallidusCloud Commissions: - Participant - Position - Transaction - Calculation
Operation	You can select one the following operations: - Insert - Update - Upsert - Delete - Data Driven **Note:** You cannot perform upsert operation using a CallidusCloud Commissions connection.

The following table describes the advanced properties that you can configure for a CallidusCloud Commissions target:

Property	Description
Success File Directory	Not applicable for CallidusCloud Commissions Connector.
Error File Directory	Not applicable for CallidusCloud Commissions Connector.
Forward Rejected Rows	Not applicable for CallidusCloud Commissions Connector.

APPENDIX A

Data type reference

Data Integration uses the following data types in mappings, synchronization tasks, and mapping tasks with CallidusCloud Commissions:

CallidusCloud Commissions native data types

CallidusCloud Commissions data types appear in the **Fields** tab for Source and Target transformations when you choose to edit metadata for the fields.

Transformation data types

Set of data types that appear in the transformations. They are internal data types based on ANSI SQL-92 generic data types, which the Secure Agent uses to move data across platforms. Transformation data types appear in all transformations in a mapping.

When Data Integration reads source data, it converts the native data types to the comparable transformation data types before transforming the data. When Data Integration writes to a target, it converts the transformation data types to the comparable native data types..

CallidusCloud Commissions and transformation data types

The following table describes the data types that Data Integration supports for CallidusCloud Commissions sources and targets:

CallidusCloud Commissions data type	Transformation data type	Range and description for the transformation data type
Boolean	String	Length 5
Date	Date/Time	Scale 6
Double	Double	Precision 15, scale 0
Integer	Integer	- 2,147,483,648 to 2,147,483,647 Precision 10, Scale 0
Long	BigInt	9,223,372,036,854,775,808 to 9,223,372,036,854,775,807 Precision 19, scale 0
String	String	1 to 104,857,600 characters

Calculation Object Specification

The following tables provide information on different fields in the Calculation object and the values that you can specify:

Field Name	Import Operation	Pipeline Operation	Report Generation
ALLREPORTSTANDARDGROUPS	Not Applicable	Not Applicable	True or False
BATCHNAME	Batch Name (TENT_TXSTA_xxx)	Not Applicable	Not Applicable
BOREPORTGROUPSLIST	Not Applicable	Not Applicable	["ENG3 Compensation Reports Admin Group"]
CALANDER	Main Monthly Calendar	Main Monthly Calendar	Main Monthly Calendar
CALCULATIONMODE	Synchronous or Asynchronous	Synchronous or Asynchronous	Synchronous or Asynchronous
COMMAND	Import	PipelineRun	PipelineRun
DATAEXTRACTSFILETYPE	Not Applicable	For example, EPAY	Not Applicable
DEFER	Not Applicable	True or False	True or False
FROMPERIODSEQ	Not Applicable	For example, January 2006	For example, January 2006
GENERATEODSREPORTS	Not Applicable	Not Applicable	True
ISMERGEPDF	Not Applicable	Not Applicable	True
MERGEPDFFIELDNAME	Not Applicable	Not Applicable	Custom Name For example, MyPDF
MODULE	OrganizationData or TransactionalData	Not Applicable	Not Applicable
ODSREPORTLIST	Not Applicable	Not Applicable	["Report Name 1","Report Name 2"]
PERIODSEQ	For example, January 2006	For example, January 2006	For example, January 2006
POSITIONGROUPS	Not Applicable	Positions group name or Seq	Positions group name or Seq
POSITIONSEQS	Not Applicable	Position name or seq	Positions name or Seq
PROCESSINUNIT	ProcessingUnitName	ProcessingUnitName	ProcessingUnitName
REMOVESTALERESULT	Not Applicable	True or False	False
REPORTFORMATLIST	Not Applicable	Not Applicable	["native","excel","pdf"]

Field Name	Import Operation	Pipeline Operation	Report Generation
REPORTTYPENAME	Not Applicable	Not Applicable	Crystal and Webi
RUNDATAEXTRACTS	Not Applicable	True or False	Not Applicable
RUNETL	Not Applicable	False	True or False
RUNMODE	All new	Full incremental positions	Full positions
RUNSTATS	True	True or False	True or False
SQLLOGGING	True	True	True
STAGETABLES	["Participant"] ["Position"] ["Participant","Position"] ["TransactionAndCredit"]	Not Applicable	Not Applicable
STAGETYPE	Validate Transfer TransferIfAllValid ValidateAndTransfer ValidateAndTransferIfAllValid	Compensate, Summarize, or CompensateAndPay	ODSReportsGeneration
STOPALLONERROR	Not Applicable	False or True	True
TOPERIODSEQ	Not Applicable	For example, June 2006	For example, June 2006
TRACELEVEL	Status internal profile	Status internal profile	Status internal profile
USERID	Administrator	Administrator	Administrator

INDEX

C

CallidusCloud Commissions
  connection properties 8
CallidusCloud Commissions connections
  overview 8
CallidusCloud Commissions connector
  overview 6
  assets 6
CallidusCloud Commissions data types
  mapping to transformation data types 19
  overview 19
CallidusCloud Commissions sources 10
Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4
connections
  CallidusCloud Commissions 8

D

Data Integration community
  URL 4

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Cloud Services
  web site 4

M

maintenance outages 5
mapping
  CallidusCloud Commissions sources 16
  CallidusCloud Commissions targets 17

O

ODBC
  Synchronization task 10

S

status
  Informatica Intelligent Cloud Services 5
system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4