Informatica

Informatica® Cloud Data Integration

CallidusCloud File Processor Connector

Informatica Cloud Data Integration CallidusCloud File Processor Connector
October 2025

© Copyright Informatica LLC 2018, 2025

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2025-10-03

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- Informatica Intelligent Cloud Services web site 4
- Informatica Intelligent Cloud Services Communities 4
- Informatica Intelligent Cloud Services Marketplace 4
- Data Integration connector documentation 5
- Informatica Knowledge Base 5
- Informatica Intelligent Cloud Services Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: Introduction to CallidusCloud File Processor Connector 6

CallidusCloud File Processor Connector assets 6

CallidusCloud File Processor Compression Formats 6

SFTP Folder Structure 7

Chapter 2: CallidusCloud File Processor Connections 8

CallidusCloud File Processor connection properties 8

Chapter 3: Synchronization Tasks with CallidusCloud File Processor Connector 11

CallidusCloud File Processor Sources in Synchronization Tasks 11

- Advanced Source Properties for CallidusCloud File Processor 12

CallidusCloud File Processor Targets in the Synchronization Task 12

- Advanced Target Properties for CallidusCloud File Processor 12

Synchronization example 13

Chapter 4: Mappings and Mapping Tasks with CallidusCloud File Processor 15

CallidusCloud File Processor Sources in Mappings 15

CallidusCloud File Processor Targets in Mappings 16

Appendix A: Data type reference 18

CallidusCloud File Processor and Transformation Data Types 18

Index 20

Preface

Use *CallidusCloud File Processor Connector* to learn how to read from or write to CallidusCloud File Processor by using Cloud Data Integration. Learn to create a CallidusCloud File Processor connection, develop and run synchronization tasks, mappings, and mapping tasks in Cloud Data Integration.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, on the Informatica Intelligent Cloud Services Status page, click **SUBSCRIBE TO UPDATES**. You can choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introduction to CallidusCloud File Processor Connector

You can use CallidusCloud File Processor Connector to read data from or write data to files in SFTP server. You can also read and write compressed files.

You can also use the connector to access folders in the SFTP server to perform certain actions on the files in the SFTP server.

You can use a CallidusCloud File Processor object as a source or a target in synchronization tasks, mapping tasks, and mappings.

You can switch mappings to advanced mode to include transformations and functions that enable advanced functionality.

Note: This connector is developed by Informatica partners, third-party system integrators, or customers. You can look up the Product Availability Matrix or Informatica Marketplace for more information.

CallidusCloud File Processor Connector assets

Create assets to integrate data using CallidusCloud File Processor Connector.

You can perform insert operations on a CallidusCloud File Processor target. You cannot perform update, upsert, and delete operations on a CallidusCloud File Processor target.

CallidusCloud File Processor Connector supports files only in CSV format.

When you use CallidusCloud File Processor Connector, you can include the following Data Integration assets:

- Mapping
- Mapping task
- Synchronization task

For more information about configuring assets and transformations, see *Mappings*, *Transformations*, and *Tasks* in the Data Integration documentation.

CallidusCloud File Processor Compression Formats

You can use CallidusCloud File Processor Connector to read or write compressed files.

CallidusCloud File Processor Connector supports the GNU zip compression format that uses the DEFLATE algorithm to compress and decompress binary files.

SFTP Folder Structure

The SFTP server contains the following predefined folders in the remote directory that the Secure Agent uses to perform certain actions:

Folder Name	Description
inbound	All the files associated that is used as a source object in a task will be read from the inbound folder of the SFTP server.
outbound	All the files associated that is used as a target object in a task will be created in the outbound folder of the SFTP server.
processed	After a file is read from the inbound folder, the Secure Agent moves the file into this folder. The file is renamed along with a timestamp. The files in the processed folder allows the user to track the previously processed files. **Note:** The file will be moved to the processed folder whether a task succeeds or fails to read from the SFTP server.
template	The SFTP server uses a template file to maintain a file structure. When you select a source or target object in a task, the Secure Agent searches for template files from the template folder. Once the file structure is defined based on the selected file, Secure Agent will read or write into the inbound or outbound folder, respectively. **Note:** All template files must be flat files.

Note: You must specify SFTP folder names in lowercase letters.

CHAPTER 2

CallidusCloud File Processor Connections

Create an CallidusCloud File Processor connection to access CallidusCloud File Processor data from Data Integration. You can create a connection on the **Connections** page or when you create a task. After you create a connection, it becomes available to all users who have access to the organization.

You can use CallidusCloud File Processor connections in synchronization tasks, mapping tasks, and mappings.

CallidusCloud File Processor connection properties

When you create a CallidusCloud File Processor connection, you must configure the connection properties.

The following table describes the CallidusCloud File Processor connection properties:

Property	Description
Connection Name	Name of the connection. Each connection name must be unique within the organization. Connection names can contain alphanumeric characters, spaces, and the following special characters: _ . + -, Maximum length is 255 characters.
Description	Description of the connection. Maximum length is 4000 characters.
Use Secret Vault	Stores sensitive credentials for this connection in the secrets manager that is configured for your organization. This property appears only if secrets manager is set up for your organization. When you enable the secret vault in the connection, you can select which credentials that the Secure Agent retrieves from the secrets manager. If you don't enable this option, the credentials are stored in the repository or on a local Secure Agent, depending on how your organization is configured. **Note:** If you're using this connection to apply data access policies through pushdown or proxy services, you cannot use the Secret Vault configuration option. For information about how to configure and use a secrets manager, see "Secrets manager configuration" in the Administrator help.
Runtime Environment	Name of the runtime environment where you want to run the tasks.

Property	Description
UserName	The user name to use for connecting to the SFTP server.
Password	The password to use for connecting to the SFTP server.
SFTP Key	The private key to use for connecting to the SFTP server. You must specify the SFTP key in a single line.
SFTP Key Pass Phrase	The pass phrase to connect to the SFTP server. You must specify the SFTP Key Pass Phrase in a single line
Host	The host name of the SFTP server.
Port	The port number to use for connecting to the server. If left blank, the default port number is 22.
Remote Directory	The directory on the SFTP host accessible to the Secure Agent. **Note:** Add / at the end of the specified path.
Charset	Specify the character set to use for encoding data. CallidusCloud File Processor Connector supports the following character sets: - Big5 - Big5-HKSCS - CESU-8 - EUC-JP - EUC-KR - GB18030 - GB2312 - GBK - IBM00858 - IBM01140 - IBM01141 - IBM01142 - IBM01143 - IBM01144 - IBM01145 - UTF-8 The default value is UTF-8, which works well for all character data.
Delimiter	Delimiter used in the file to separate columns of data. Select the delimiter. The default delimiter is Comma.
Compression Mode	The compression format for binary files. Select one of the following options: - None - gzip Default is None.
Encryption Mode	The type of encryption that the SFTP server uses to encrypt the data. Select one of the following options: - None - GPG Default is None.
Encryption Public Key	Required when you select **GPG** as the **Encryption Mode**. You must specify the public key in a single line to encrypt data.

Property	Description
Encryption Private Key	Required when you select **GPG** as the **Encryption Mode**. You must specify the private key in a single line to decrypt data.
Encryption Pass Phrase	Required when you select **GPG** as the **Encryption Mode**. You must specify the pass phrase in a single line to encrypt data.

For more information about converting multiline key file or pass phrase to single line key string, see the CallidusCloud File Processor documentation.

CHAPTER 3

Synchronization Tasks with CallidusCloud File Processor Connector

Use a Synchronization task to synchronize data between a source and target.

You can configure a synchronization task using the Synchronization Task wizard.

When you create a task, you can associate it with a schedule to run it at specified times or on regular intervals. Or, you can run it manually. You can monitor tasks that are currently running in the activity monitor and view logs about completed tasks in the activity log.

CallidusCloud File Processor Sources in Synchronization Tasks

You can use a single object in a synchronization task.

You can configure the CallidusCloud File Processor source properties on the **Source** page of the Synchronization Task wizard.

The following table describes the CallidusCloud File Processor source properties:

Property	Description
Connection	Name of the active CallidusCloud File Processor source connection.
Source Type	Type of the CallidusCloud File Processor source objects available. You can read data from a single CallidusCloud File Processor source object. You cannot read data from multiple objects or parameterize the object.
Source Object	Name of the CallidusCloud File Processor source object.
Display technical names instead of labels	This property is not applicable for CallidusCloud File Processor Connector because both the technical names and labels are the same for CallidusCloud.
Display source fields in alphabetical order	Displays source fields in alphabetical order. By default, fields appear in the order returned by the source system.

Advanced Source Properties for CallidusCloud File Processor

You can configure advanced source properties on the **Schedule** page of the Synchronization task wizard.

You can specify a pattern for the CallidusCloud File Processor source file in the **Read Pattern** field under the advanced source properties. Based on pattern, the Secure Agent selects a file from the inbound folder located in the remote directory of the SFTP server and reads from the CallidusCloud File Processor source. You can use an asterisk (*) as a wild card characters in the read pattern.

For example, `Contact_*.Details*.txt`.

CallidusCloud File Processor Targets in the Synchronization Task

You can use a single CallidusCloud File Processor object as a target in a synchronization task.

The following table describes the CallidusCloud File Processor target properties:

Property	Description
Connection	Name of the active CallidusCloud File Processor target connection.
Target Object	Name of the CallidusCloud File Processor target object.
Child Object	This property is not applicable for CallidusCloud File Processor Connector.
Display technical names instead of labels	This property is not applicable for CallidusCloud File Processor Connector because both the technical names and labels are the same for CallidusCloud.
Display target fields in alphabetical order	Displays target fields in alphabetical order. By default, fields appear in the order returned by the target system.

Advanced Target Properties for CallidusCloud File Processor

You can configure advanced target properties on the **Schedule** page of the Synchronization task wizard.

The following table describes the advanced properties that you can configure for a CallidusCloud File Processor target:

Property	Description
Write Pattern	Specify a pattern for the CallidusCloud File Processor target file. Based on the pattern, the Secure Agent creates a file in the outbound folder located in the remote directory of SFTP server and writes to the CallidusCloud File Processor target. You must specify a column name or a date enclosed in square brackets. For example, `Contacts_Detail_[City]_[yyyyMMddHHmm].txt`. **Note:** The values in the column name enclosed in square brackets are populated at run time and the value populated in the column name is used to generate the target file name. Additionally, the timestamp specified is expanded and used to generate the file name. The maximum length of the file name including extension is 150 characters.
Success File Directory	Not applicable for CallidusCloud File Processor Connector.
Error File Directory	Not applicable for CallidusCloud File Processor Connector.

Synchronization example

Configure a synchronization task to read from CallidusCloud File Processor and write to a flat file.

You perform the following synchronization tasks:

Define the synchronization task.

Configure a synchronization task to use the insert operation.

Use a CallidusCloud File Processor source object.

The source for the mapping is a CallidusCloud File Processor connection that contains the *Contacts.csv* file. The CallidusCloud File Processor object is a single source in the synchronization task. Specify *Contacts.csv* as the resource for the source object.

Create a flat file target object.

Select the fields from the source object that you want to insert into the target object. Select a flat file connection and a .csv file for the target object. The synchronization task writes the data to the flat file. You can also use an existing target object.


Specify a data filter for the CallidusCloud File Processor source object

Define a data filter for the *Contacts.csv* object.

Configure a field mapping.

Map all the fields in the *Contacts.csv* source file to all the fields in the target object. The synchronization application writes the mapped source data to the flat file.

The following image shows the mapping of the *Contacts.csv* source with the target in the **Field Mapping** tab:



Configure the advanced source properties

You configure the advance source properties on the Schedule page of the Synchronization Task wizard. In the advanced source properties, you choose properties that are specific to CallidusCloud File Processor.

Specify a pattern for the CallidusCloud File Processor source file in the **Read Pattern** field under the advanced source properties.

CHAPTER 4

Mappings and Mapping Tasks with CallidusCloud File Processor

Use the Data Integration Mapping Designer to create a mapping. When you create a mapping, you configure a source or target to represent the object.

In advanced mode, the Mapping Designer updates the mapping canvas to include transformations and functions that enable advanced functionality.

CallidusCloud File Processor Sources in Mappings

To read data from CallidusCloud File Processor, configure a CallidusCloud File Processor object as the Source transformation in a mapping or Mapping task.

Specify the name and description of the CallidusCloud File Processor source. Configure the source, query options, and advanced properties for the source object.

The following table describes the source properties that you can configure for a CallidusCloud File Processor source:

Property	Description
Connection	Name of the CallidusCloud File Processor source connection.
Source Type	Type of the CallidusCloud File Processor source objects available. You can read data from a single CallidusCloud File Processor source object. You cannot write data to multiple objects or parameterize the object.
Object	Name of the CallidusCloud File Processor source file.
Filter	Configure a simple filter to remove rows at the source. You can improve efficiency by filtering early in the data flow. A simple filter includes a field name, operator, and value.

The following table describes the advanced properties that you can configure for a CallidusCloud File Processor source:

Property	Description
Read Pattern	Specifies a pattern for the CallidusCloud File Processor source file. Based on pattern, the Secure Agent selects a file from the inbound folder located in the remote directory of the SFTP server and reads from the CallidusCloud File Processor source file. You can use an asterisk (*) as a wild card characters in the read pattern. For example, `Contact_*.Details*.txt`.
Tracing Level	Determines the amount of detail that appears in the log for the source. You can choose Terse, Normal, Verbose Initialization, or Verbose Data tracing level. Default is Normal.

CallidusCloud File Processor Targets in Mappings

To write data to a CallidusCloud File Processor target, configure a CallidusCloud File Processor object as the Target transformation in a mapping or Mapping task.

Specify the name and description of CallidusCloud File Processor target. Configure the target and advanced properties for the target object.

The following table describes the target properties that you can configure for a CallidusCloud File Processor target:

Property	Description
Connection	Name of the active CallidusCloud File Processor connection.
Target Type	Type of the CallidusCloud File Processor target objects available. You can write data to a single CallidusCloud File Processor target object. You cannot write data to multiple objects or parameterize the object.
Object	Name of the CallidusCloud File Processor target object.
Operation	Select **Insert**.

The following table describes the advanced properties that you can configure for a CallidusCloud File Processor target:

Property	Description
Write Pattern	Specifies a pattern for the CallidusCloud File Processor target file. Based on the pattern, the Secure Agent creates a file in the outbound folder located in the remote directorys of SFTP server and writes to the CallidusCloud File Processor target. You must specify a column name or a date enclosed in square brackets. For example, `Contacts_Detail_[City]_[yyyyMMddHHmm].txt`. **Note:** The values in the column name enclosed in square brackets are populated at run time and the value populated in the column name is used to generate the target file name. Additionally, the timestamp specified is expanded and used to generate the file name. The maximum length of the file name including extension is 150 characters.
Success File Directory	Not applicable for CallidusCloud File Processor Connector.
Error File Directory	Not applicable for CallidusCloud File Processor Connector.
Forward Rejected Rows	Determines whether the transformation passes rejected rows to the next transformation or drops rejected rows. By default, the Secure Agent forwards rejected rows to the next transformation.

APPENDIX A

Data type reference

Data Integration uses the following data types in mappings, synchronization tasks, and mapping tasks with CallidusCloud File Processor:

CallidusCloud File Processor native data types

CallidusCloud File Processor data types appear in the **Fields** tab for Source and Target transformations when you choose to edit metadata for the fields.

Transformation data types

Set of data types that appear in the transformations. They are internal data types based on ANSI SQL-92 generic data types, which the Secure Agent uses to move data across platforms. Transformation data types appear in all transformations in a mapping.

When Data Integration reads source data, it converts the native data types to the comparable transformation data types before transforming the data. When Data Integration writes to a target, it converts the transformation data types to the comparable native data types..

CallidusCloud File Processor and Transformation Data Types

The following table describes the data types that Data Integration supports for CallidusCloud File Processor sources and targets:

CallidusCloud File Processor Data Type	Transformation Data Type	Range and Description for the Transformation Data Type
ARRAY	Binary	1 to 104,857,600 bytes
BIGINT	BigInt	-9,223,372,036,854,775,808 to 9,223,372,036,854,775,807 Precision 19, scale 0
BINARY	Binary	1 to 104,857,600 bytes
BOOLEAN	Integer	-2,147,483,648 to 2,147,483,647 Precision 10, scale 0
DECIMAL	Decimal	Precision 1 to 28, scale 0 to 28
DOUBLE	Double	Precision 15, scale 0

CallidusCloud File Processor Data Type	Transformation Data Type	Range and Description for the Transformation Data Type
INTEGER	Integer	- 2,147,483,648 to 2,147,483,647
LONG	BigInt	9,223,372,036,854,775,808 to 9,223,372,036,854,775,807 Precision 19, scale 0
OBJECT	String	1 to 104,857,600 characters
STRING	String	1 to 104,857,600 characters
TIMESTAMP	Date	Jan 1, 0001 A.D. to Dec 31, 9999 A.D. (precision to the nanosecond)

INDEX

C

CallidusCloud File Processor
  connection properties 8
  Synchronization task 11
CallidusCloud File Processor connections
  overview 8
CallidusCloud File Processor connector
  overview 6
  supported task and object types 6
CallidusCloud File Processor data types
  mapping with transformation data types 18
  overview 18
Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4
connections
  CallidusCloud File Processor 8

D

Data Integration community
  URL 4

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Cloud Services
  web site 4

M

maintenance outages 5
mapping
  CallidusCloud File Processor sources 15
  CallidusCloud File Processor targets 16

S

status
  Informatica Intelligent Cloud Services 5
synchronization
  CallidusCloud File Processor sources 11
  CallidusCloud File Processor targets 12
system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4