Informatica®

Informatica® Cloud Data Integration

Cvent V2 Connector

Informatica Cloud Data Integration Cvent V2 Connector
October 2025

© Copyright Informatica LLC 2025

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2025-11-17

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- Informatica Intelligent Cloud Services web site 4
- Informatica Intelligent Cloud Services Communities 4
- Informatica Intelligent Cloud Services Marketplace 4
- Data Integration connector documentation 5
- Informatica Knowledge Base 5
- Informatica Intelligent Cloud Services Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: Introduction to Cvent V2 Connector 6

Cvent V2 Connector assets 6

Chapter 2: Connections for Cvent V2 7

Prerequisites 7

Connect to Cvent 7

- Before you begin 7
- Connection details 8
- Authentication types 8
- Advanced settings 9

Proxy server settings 9

Chapter 3: Mappings for Cvent V2 10

Cvent V2 sources in mappings 10

- Configuring a request using request message editor 11

Cvent V2 midstream transformation in mappings 11

- Advanced midstream properties 12

Rules and guidelines for Cvent V2 mappings 12

Filter options and operators 13

Cvent REST objects 13

Index 14

Preface

Use *Cvent V2 Connector* to learn how to read from Cvent by using Cloud Data Integration. Learn to create a connection, develop mappings, run mapping tasks in Cloud Data Integration.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, on the Informatica Intelligent Cloud Services Status page, click **SUBSCRIBE TO UPDATES**. You can choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introduction to Cvent V2 Connector

Cvent V2 Connector is a REST API-based connector. You can use a Cvent V2 connection to securely connect to Cvent and read event-related data from Cvent.

You can use Cvent V2 Connector in Source and Midstream transformations in Cloud Data Integration to interact with Cvent REST APIs and retrieve Cvent objects.

Cvent V2 Connector assets

Create assets in Data Integration to integrate data using Cvent V2 Connector.

When you use Cvent V2 Connector, you can include the following Data Integration assets:

- Mapping
- Mapping task

For more information about configuring assets and transformations, see *Mappings*, *Transformations*, and *Tasks* in the Data Integration documentation.

CHAPTER 2

Connections for Cvent V2

Create a Cvent V2 connection to securely read data from Cvent. You can use a Cvent V2 connection to specify sources in mappings and mapping tasks.

Prerequisites

The Cvent account users must create a workspace, define read scopes, and invite developers to access Cvent REST APIs. The developer users must create an application and select the defined scope.
Before you configure the connection properties, make sure to complete the following prerequisites:

Prerequisites for Cvent account users

- On the Cvent developer portal, create a workspace and invite the developers to join the workspace where the developers can interact with the Cvent REST APIs.
  For more information about creating a workspace and inviting developers to join it, see Creating a workspace and inviting developers.

Prerequisites for Cvent developers

1. On the Cvent developer portal, create an account.
   For more information about creating a developer account, see Creating a developer account.
2. Create an application using the Machine to Machine application type.
   For more information about creating an application, see Creating an application.
3. Select the required read scope for the Cvent application.
4. Store the client ID and client secret values from the application to use when you configure a Cvent V2 connection.

Connect to Cvent

Let's configure the Cvent V2 connection properties to connect to Cvent.

Before you begin

Before you configure the connection properties, you'll need to create an account, and then create an application on the Cvent portal.

Check out "Prerequisites" on page 7 to learn about the requirements before you configure a connection.

Connection details

The following table describes the basic connection properties:

Property	Description
Connection Name	Name of the connection. Each connection name must be unique within the organization. Connection names can contain alphanumeric characters, spaces, and the following special characters: _ . + -, Maximum length is 255 characters.
Description	Description of the connection. Maximum length is 4000 characters.
Use Secret Vault	Stores sensitive credentials for this connection in the secrets manager that is configured for your organization. This property appears only if secrets manager is set up for your organization. When you enable the secret vault in the connection, you can select which credentials that the Secure Agent retrieves from the secrets manager. If you don't enable this option, the credentials are stored in the repository or on a local Secure Agent, depending on how your organization is configured. **Note:** If you're using this connection to apply data access policies through pushdown or proxy services, you cannot use the Secret Vault configuration option. For information about how to configure and use a secrets manager, see "Secrets manager configuration" in the Administrator help.
Runtime Environment	The name of the runtime environment where you want to run tasks. Select a Secure Agent or a Hosted Agent For more information about how to configure and use the runtime environments, see *Runtime Environments* in the Administrator help.

Authentication types

You can configure OAuth 2.0 Client Credentials authentication to access your Cvent account.

Select the authentication type, and then configure the authentication-specific parameters.

OAuth 2.0 client credentials authentication

OAuth 2.0 Client Credentials authentication uses the client ID, client secret, and access token URL to connect to Cvent.

The following table describes the basic connection properties for OAuth 2.0 client credentials authentication:

Property	Description
Access Token URL	The URL where the OAuth 2.0 requests are sent to obtain the Cvent access token.
Client ID	The client ID of your application to connect to Cvent.
Client Secret	The client secret of your application associated with the client ID.
Access Token	The access token value. Click **Generate Access Token** to populate the access token value.

Advanced settings

The following table describes the advanced connection properties:

Property	Description
Scope	The scope parameters that define the permissions an access token grants to the Cvent REST endpoint. For example, event/admission-items:read, event/contacts:read, and budget/payments:read. Specify multiple scopes separated by a space. If you do not specify any value in this property, the access token is generated based on the scope configured at the application level.
Retry Count	The maximum number of retry attempts to receive a response from the Cvent REST endpoint after an error. Default is 3.
Retry Interval	The wait time in milliseconds between each retry attempt. Default is 5000 milliseconds.

Proxy server settings

If your organization uses an outgoing proxy server to connect to the Internet, the Secure Agent connects to Informatica Intelligent Cloud Services through the proxy server.

You can configure the Secure Agent to use the proxy server on Windows and Linux. You can only use an unauthenticated proxy server to connect to Cvent.

Configure the Secure Agent through the Secure Agent Manager on Windows or shell command on Linux.

For instructions, see "Configure the proxy settings on Windows" or "Configure the proxy settings on Linux" in *Getting Started* in the Data Integration help.

CHAPTER 3

Mappings for Cvent V2

When you configure a mapping, you describe the flow of data from the source to the target. A mapping defines reusable data flow logic that you can use in mapping tasks.

When you create a mapping, you define the Source and Midstream transformations to represent a Cvent object. Use the Mapping Designer in Data Integration to add the Source and Midstream transformations in the mapping canvas and configure the source and midstream properties.

Cvent V2 sources in mappings

To read data from Cvent, configure a Cvent object as the Source transformation in a mapping.

Specify the name and description of the Cvent source.

The following table describes the source properties that you can configure for a Cvent source:

Property	Description
Connection	Name of the Cvent V2 source connection. You can select an existing connection or create a new connection. You can also click **New Parameter** to define a parameter for the source connection.
Operation	An operation to represent a Cvent Rest API. Each operation is equivalent to a Cvent REST API. When you select a particular operation, Data Integration generates the corresponding request and response fields.

The following table describes the advanced source property that you can configure in a Source transformation:

Property	Description
Cache Size for Web Service Request (KB)	Memory available for the web service request, in kilobytes. Default is 1024 KB. If the request is more than 1024 KB, you can increase the cache size.
Tracing Level	Sets the amount of detail that appears in the log file. Select one of the following options: - Terse - Normal - Verbose Initialization - Verbose Data Default is Normal.
Optimize Transformation	Select to improve performance for processing records at run time. Default is disabled.

Configuring a request using request message editor

When you create a Source transformation, configure a request message for the operation that you want to perform in the web service application.

Use the **Request Message Editor** to create a request message. You can use the sample request message for the operation and then customize the request message to specify the data that you want to enter into the data flow.

To customize your request, copy the request message from the sample template to the **Request Message Editor** pane where you can edit the message and add the attributes for the request. Remove unnecessary and empty tags from the request message to avoid operation failure.

Header fields, path parameters, and query parameters appear as fields in source and midstream transformations.

Cvent V2 midstream transformation in mappings

Use Cvent V2 Connector to interact with web service applications that support REST API. You can use Cvent V2 Connector midstream in a mapping to pass a single request to a web service application and process the response data.

Before you configure a midstream transformation, you must create a business service from the **New** > **Components** tab. You must select a Cvent V2 connection and an operation when you create a business service.

When you configure the midstream transformation, drag and drop the Web Service transformation, and then select the business service and the operation on the **Web Service** tab.

You can map the input fields from source file to elements in request structure on the **Request Mapping** tab.

You can view the response structure in the field mapping. When you map the elements from the response structure to the output fields, the Secure Agent creates the output groups, along with the primary and foreign keys for the field names.

Advanced midstream properties

The following table describes the advanced properties that you can configure for a midstream transformation:

Property	Description
Cache Size for Web Service Request (KB)	Memory available for the web service request. Default is 100 KB. If the request is more than 100 KB, you can increase the cache size.
Cache Size for Web Service Response (KB)	Memory available for the web service response. If the web service response contains many rows or columns, you might want to increase the cache size. Default is 100 KB.
Allow Input Flush	Allows the Web Service transformation to create the request or response when all the data is available for a group. If you do not enable this option, the Web Service transformation stores the data in memory and creates the request or response after it receives data for all the groups. Configure the mapping so that the transformation receives data that is sorted by group.
Transaction Commit Control	Control to commit or roll back transactions based on the set of rows that pass through the transformation. Use the transaction commit control if you have a large amount of data and you want to control how it is processed.
Transformation Scope	The method in which the mapping applies the transformation logic to incoming data. Select one of the following transformation scopes from the list: - All Input. Processes data from a source that is not real-time. - Transaction. Processes data from a real-time source. Default is All Input.
Optimize Transformation	Select to improve performance for processing records at run time. Default is disabled.

Rules and guidelines for Cvent V2 mappings

Consider the following rules and guidelines for Cvent V2 mappings:

- If the length of the data exceeds the precision defined in the source object, data truncation might occur, or numeric values might be rounded to the nearest higher value.
- If the request message does not contain mandatory inputs or includes invalid inputs for the Cvent endpoint, the mapping fails even though the mapping status indicates success. To troubleshoot the issue, edit the mapping, review the error message, and correct the missing or invalid inputs.

Filter options and operators

You can configure the Source or a midstream transformation to filter data before the data enters the data flow.

You can either use a simple or an advanced filter. You can create one or more simple filter conditions. A simple filter condition includes a field name, operator, and value. You can use an advanced filter condition to define a complex filter condition. When you configure an advanced filter condition, you can incorporate multiple conditions using the *and* or *or* logical operators.

You can configure a filter in the query options of the transformation and use the following operators in a filter expression:

- = (Equals)
- <> (Not equals)
- < (Less than)
- < = (Less than or equals)
- > (Greater than)
- > = (Greater than or equals)
- Starts with
- Contains a value

The filter query parameters must adhere to the following syntax:

```
filter=field comparisonType 'value'
```

For example, `filter=appointmentEvent.id eq 'd165ad63-4bec-449d-aa9e-054fc7fcbb71' and contact.id eq 'da561161-8e80-4c70-9663-750cbc2045f6' and deleted eq 'false'`

You can filter data only on specific fields. For more information about the fields on which you can apply filters, see Filtering in the Cvent documentation on the Cvent portal.

Cvent REST objects

REST objects are key entities or resources that Cvent V2 Connector interacts with through REST APIs. You can use web request such as GET to send requests to the endpoints and interact with Cvent data.

For more information about the REST API objects, see the Migration guide on the Cvent portal.

INDEX

C

Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4
Configuring a Request 11
Cvent V2
  supported assets 6
Cvent V2 Connector 6

D

Data Integration community
  URL 4

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Cloud Services
  web site 4

M

maintenance outages 5
mapping
  Cvent sources 10
mapping tasks
  overview 10

R

Request Message Editor 11

S

status
  Informatica Intelligent Cloud Services 5
system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4