Informatica®

Informatica® Cloud Data Integration

Google Sheets V2 Connector

Informatica Cloud Data Integration Google Sheets V2 Connector
October 2025

© Copyright Informatica LLC 2021, 2025

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2025-10-03

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- Informatica Intelligent Cloud Services web site 4
- Informatica Intelligent Cloud Services Communities 4
- Informatica Intelligent Cloud Services Marketplace 4
- Data Integration connector documentation 5
- Informatica Knowledge Base 5
- Informatica Intelligent Cloud Services Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: Introduction to Google Sheets V2 Connector 6

Google Sheets V2 Connector assets 6

Administration of Google Sheets V2 Connector 7

Chapter 2: Google Sheets V2 connections 8

Google Sheets V2 connection properties 8

Chapter 3: Mappings and mapping tasks with Google Sheets V2 Connector 10

Google Sheets V2 sources in mappings 10

Google Sheets V2 targets in mappings 11

Rules and guidelines for mapping and mapping tasks 12

Chapter 4: Data type reference 14

Google Sheets V2 and transformation data types 14

Index 15

Preface

Use *Google Sheets V2 Connector* to learn how to read from or write to Google Sheets by using Cloud Data Integration. Learn to create a connection, develop mappings, and run mapping tasks in Cloud Data Integration.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, on the Informatica Intelligent Cloud Services Status page, click **SUBSCRIBE TO UPDATES**. You can choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introduction to Google Sheets V2 Connector

You can use Google Sheets V2 Connector to connect to Google Sheets from Data Integration. Use Google Sheets V2 Connector to read data from and write data to Google Sheets.

You can use a Google Sheets object as a source and target in mappings and mapping tasks.

You can switch mappings to advanced mode to include transformations and functions that enable advanced functionality.

When you run a task or mapping, the Secure Agent uses the JAVA client libraries of the Google Sheets APIs to integrate with Google Sheets.

Note: This connector is developed by Informatica partners, third-party system integrators, or customers. You can look up the Product Availability Matrix or Informatica Marketplace for more information.

Google Sheets V2 Connector assets

Create assets in Data Integration to integrate data using Google Sheets Connector.

You can perform insert, update, and delete operations on a Google Sheets target. You cannot perform upsert operation on a Google Sheets target.

When you use Google Sheets V2 Connector, you can include the following Data Integration assets:

- Mapping
- Mapping task

The standard objects are the Sheet Names that are present in the Google Sheets spreadsheet. The Sheet Names are dynamic and fetched automatically during data preview.

You can perform the following operations on the spreadsheet object in Google Sheets V2 Connector:

- Read
- Insert
- Update
- Delete

For more information about configuring assets and transformations, see *Mappings*, *Transformations*, and *Tasks* in the Data Integration documentation.

Administration of Google Sheets V2 Connector

Before you use Google Sheets V2 Connector, you must complete the following prerequisite tasks:

1. Ensure you have a Google service account to access Google Sheets.
2. Ensure you have the OAuth 2.0 client ID, client secret, and refresh token values for the project. You require these details when you create a Google Sheets V2 connection in Data Integration.
   For more information about generating the OAuth 2.0 client ID, client secret, and refresh token, see the Google Sheets documentation.
3. Ensure that you have enabled the **Google Sheets API** and **Google Drive API** for your project. Google Sheets V2 Connector uses the Google APIs to integrate with Google Sheets.

CHAPTER 2

Google Sheets V2 connections

Create an Google Sheets V2 connection to access Google Sheets data from Data Integration. You can create a connection on the Connections page or when you create a task. After you create a connection, it becomes available to all users who have access to the organization.

You can use Google Sheets V2 connections in mappings and mapping tasks.

Google Sheets V2 connection properties

When you create a Google Sheets V2 connection, configure the connection properties.

The following table describes the Google Sheets V2 connection properties:

Property	Description
Connection Name	Name of the connection. Each connection name must be unique within the organization. Connection names can contain alphanumeric characters, spaces, and the following special characters: _ . + -, Maximum length is 255 characters.
Description	Description of the connection. Maximum length is 4000 characters.
Use Secret Vault	Stores sensitive credentials for this connection in the secrets manager that is configured for your organization. This property appears only if secrets manager is set up for your organization. When you enable the secret vault in the connection, you can select which credentials that the Secure Agent retrieves from the secrets manager. If you don't enable this option, the credentials are stored in the repository or on a local Secure Agent, depending on how your organization is configured. **Note:** If you're using this connection to apply data access policies through pushdown or proxy services, you cannot use the Secret Vault configuration option. For information about how to configure and use a secrets manager, see "Secrets manager configuration" in the Administrator help.
Runtime Environment	Name of the runtime environment where you want to run tasks.
Client ID	Required. The client ID from Google Developer Console.
Client Secret	Required. The client secret from Google Developer Console.

Property	Description
Refresh Token	Required. The refresh token received after you exchange authorization code for Google Sheets.
Spreadsheet ID	ID of the spreadsheet in Google Sheets.
Header Present	Indicates that the sheet contains a header. If you select this option and the sheet does not contain a header, the first row is treated as the header.

CHAPTER 3

Mappings and mapping tasks with Google Sheets V2 Connector

Use the Data Integration Mapping Designer to create a mapping. When you create a mapping, you configure a source or target to represent an Google Sheets V2 Connector object.

In advanced mode, the Mapping Designer updates the mapping canvas to include transformations and functions that enable advanced functionality.

Google Sheets V2 sources in mappings

To read data from Google Sheets, configure a Google Sheets object as the Source transformation in a mapping or mapping task.

You can switch mappings to advanced mode to include transformations and functions that enable advanced functionality.

Specify the name and description of the Google Sheets source. Configure the source, query options, and advanced properties for the source object.

The following table describes the source properties that you can configure for a Google Sheets source:

Property	Description
Connection	Name of the Google Sheets V2 source connection.
Source Type	Type of the Google Sheets source objects available. You can read data from a single Google Sheets source object or parameterize the object.
Object	Name of the Google Sheets source object based on the source type you select.
Filter	Configure a simple filter or an advanced filter to remove rows at the source. You can improve efficiency by filtering early in the data flow. A simple filter includes a field name, operator, and value. Use an advanced filter to define a more complex filter condition, which can include multiple conditions using the AND or OR logical operators.

The following table describes the advanced properties that you can configure for a Google Sheets V2 source:

Property	Description
Initial Column Range	Specifies the first column name from a data range in a Google Sheets spreadsheet from where you want to start reading the data. For example, specify the Initial Column Range value as Sheet1!C5.
Final Column Range	Specifies the last column name from a data range in a Google Sheets spreadsheet from where you want to stop reading the data. For example, specify the Final Column Range value as Sheet1!G25.

You can set the tracing level in the advanced properties session to determine the amount of details that logs contain.

The following table describes the tracing levels that you can configure:

Property	Description
Terse	The Secure Agent logs initialization information, error messages, and notification of rejected data.
Normal	The Secure Agent logs initialization and status information, errors encountered, and skipped rows due to transformation row errors. Summarizes session results, but not at the level of individual rows.
Verbose Initialization	In addition to normal tracing, the Secure Agent logs additional initialization details, names of index and data files used, and detailed transformation statistics.
Verbose Data	In addition to verbose initialization tracing, the Secure Agent logs each row that passes into the mapping. Also notes where the Secure Agent truncates string data to fit the precision of a column and provides detailed transformation statistics. When you configure the tracing level to verbose data, the Secure Agent writes row data for all rows in a block when it processes a transformation.

Google Sheets V2 targets in mappings

To write data to a Google Sheets target, configure a Google Sheets object as the Target transformation in a mapping or mapping task.

You can switch mappings to advanced mode to include transformations and functions that enable advanced functionality.

Specify the name and description of Google Sheets target. Configure the target and advanced properties for the target object.

The following table describes the target properties that you can configure for a Google Sheets target:

Property	Description
Connection	Name of the Google Sheets V2 target connection.
Target Type	Type of the Google Sheets target objects available. You can write data to a single Google Sheets target object. You cannot write data to multiple objects or parameterize the object.
Object	Name of the target object. You can select an existing object or create a new target at run time. When you select **Create New at Runtime**, enter the object name and spreadsheet ID of the target object. The object name can contain alphanumeric characters. You can use only a period (.), an underscore (_), an at the rate sign (@), a dollar sign ($), and a percentage sign (%) special characters in the file name.
Operation	You can select one the following operations: - Insert - Update - Delete

The following table describes the advanced properties that you can configure for a Google Sheets target:

Property	Description
Initial Column Range	Specifies the first column name from a data range in a Google Sheets spreadsheet from where you want to start writing the data. For example, specify the Initial Column Range value as Sheet1!C5.
Final Column Range	Specifies the last column name from a data range in a Google Sheets spreadsheet from where you want to stop writing the data. For example, specify the Final Column Range value as Sheet1!G25.
Spreadsheet ID	The ID of the spreadsheet in Google Sheets.
Success File Directory	Not applicable.
Error File Directory	Not applicable.
Forward Rejected Rows	Not applicable.

Rules and guidelines for mapping and mapping tasks

Consider certain rules and guidelines when you configure a mapping to read or write data.

Sources

To read a specific range of data from the spreadsheet, you need to specify the **Initial Column Range** and **Final Column Range** fields in the source advanced properties.

Targets

When you configure a Target transformation, consider the following rules and guidelines:

- To perform an update operation, you need to specify the **Initial Column Range** and **Final Column Range** fields in the target advanced properties. If you don't specify the values for these fields, the mapping processes incorrect rows.
- To perform a delete operation on a Google Sheets target, you need to configure a data filter based on the **Range** field in the Google Sheets source. The mapping applies the filter and ensures that the delete operation targets only the specific data.

CHAPTER 4

Data type reference

Data Integration uses the following data types in mappings and mapping tasks with Google Sheets:

Google Sheets native data types

Google Sheets data types appear in the **Fields** tab for Source and Target transformations when you choose to edit metadata for the fields.

Transformation data types

Set of data types that appear in the transformations. They are internal data types based on ANSI SQL-92 generic data types, which the Secure Agent uses to move data across platforms. Transformation data types appear in all transformations in a mapping.

When Data Integration reads source data, it converts the native data types to the comparable transformation data types before transforming the data. When Data Integration writes to a target, it converts the transformation data types to the comparable native data types.

Google Sheets V2 and transformation data types

The following table describes the data types that Data Integration supports for Google Sheets V2 sources and targets:

Google Sheets Data Type	Transformation Data Type	Range and Description for the Transformation Data Type
String	String	1 to 104,857,600 characters

INDEX

C

Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4
connections
  Google Sheets V2 8

D

Data Integration community
  URL 4

G

Google Sheets connector
  supported task and object types 6
Google Sheets data types
  mapping to transformation data types 14
Google Sheets V2
  connection properties 8
Google Sheets V2 connections
  overview 8
Google Sheets V2 Connector
  administration 7
  overview 6
Google Sheets V2 data types
  overview 14

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Cloud Services
  web site 4

M

maintenance outages 5
mapping
  Google Sheets sources 10
  Google Sheets targets 11
mapping tasks
  overview 10
mappings
  overview 10

S

status
  Informatica Intelligent Cloud Services 5
system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4