Informatica®

Informatica® Cloud Data Integration

HubSpot Connector

Informatica Cloud Data Integration HubSpot Connector
October 2025

© Copyright Informatica LLC 2020, 2025

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2025-10-03

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- Informatica Intelligent Cloud Services web site 4
- Informatica Intelligent Cloud Services Communities 4
- Informatica Intelligent Cloud Services Marketplace 4
- Data Integration connector documentation 5
- Informatica Knowledge Base 5
- Informatica Intelligent Cloud Services Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: Introduction to HubSpot Connector 6

Introduction to HubSpot 6

HubSpot Connector task and object types 6

HubSpot supported objects and task operations 7

Administration of HubSpot Connector 7

Chapter 2: HubSpot connections 9

HubSpot connection properties 9

Chapter 3: Mappings and mapping tasks with HubSpot Connector 11

HubSpot sources in mappings and mapping tasks 11

Source transformation mapping example 12

HubSpot targets in mappings and mapping tasks 14

Target transformation mapping example 14

Chapter 4: HubSpot data type reference 17

HubSpot and transformation data types 17

Index 18

Preface

Use *HubSpot Connector* to learn how to read from or write to HubSpot by using Cloud Data Integration. Learn to create a connection and develop and run mappings in Cloud Data Integration.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, on the Informatica Intelligent Cloud Services Status page, click **SUBSCRIBE TO UPDATES**. You can choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introduction to HubSpot Connector

You can use HubSpot Connector to connect to HubSpot using Cloud Data Integration.

Use HubSpot Connector to read data from and write data to HubSpot. .You can use HubSpot objects as sources and targets in mappings and mapping tasks.

You can switch mappings to advanced mode to include transformations and functions that enable advanced functionality.

Note: This connector is developed by Informatica partners, third-party system integrators, or customers. You can look up the Product Availability Matrix or Informatica Marketplace for more information.

Introduction to HubSpot

You can use HubSpot to streamline data and processes across information systems for operational efficiency which includes the automation of training assignments and moderation of administrative tasks.

HubSpot is an inbound marketing and sales software containing Customer Relationship Management (CRM), marketing, sales, Content Management System (CMS), and service automation tools that helps you to increase traffic to your website and grow your business.

HubSpot Connector task and object types

The following table lists the HubSpot object types that you can use in Data Integration tasks:

Task Type	Source	Target
Mapping	Yes	Yes

HubSpot supported objects and task operations

You can configure the following standard objects in read, insert, update, and delete operations in mappings and mapping tasks:


- Calls
- Communications
- Company
- Contact
- Deal
- Line_Items
- Meetings
- Notes
- Postal_Mail
- Products
- Quotes
- Tasks
- Tickets

Note: Quotes applies to only the read operation.

Administration of HubSpot Connector


Before you use HubSpot Connector, an administrator must complete the following tasks:

1. Create a HubSpot account to access HubSpot.
2. Create a HubSpot developer account to generate the authorization credentials.
3. Use **Create app** to create a HubSpot application and generate the connection credentials required for authorization.
   The following image shows a HubSpot app for the developer account:



4. After creating the application, get the client ID and client secret, that you need to specify while creating a HubSpot connection.

5. To generate the refresh token, see the Oath QuickStart guide at the following website: https://developers.hubspot.com/docs/api/oauth-quickstart-guide
The following image shows the app credentials generated by using the HubSpot application:



CHAPTER 2

HubSpot connections

Create a HubSpot connection to access HubSpot data from Data Integration. You can create a connection on the Connections page or when you create a task. After you create a connection, it becomes available to all users who have access to the organization.

Use the connection when you create a mapping task. You can specify the HubSpot source and target in mappings or mapping tasks.

HubSpot connection properties

When you set up a HubSpot connection, you must configure the connection properties.

The following table describes the HubSpot connection properties:

Connection property	Description
Connection Name	Name of the connection. Each connection name must be unique within the organization. Connection names can contain alphanumeric characters, spaces, and the following special characters: _ . + -, Maximum length is 255 characters.
Description	Description of the connection. Maximum length is 4000 characters.
Use Secret Vault	Stores sensitive credentials for this connection in the secrets manager that is configured for your organization. This property appears only if secrets manager is set up for your organization. When you enable the secret vault in the connection, you can select which credentials that the Secure Agent retrieves from the secrets manager. If you don't enable this option, the credentials are stored in the repository or on a local Secure Agent, depending on how your organization is configured. **Note:** If you're using this connection to apply data access policies through pushdown or proxy services, you cannot use the Secret Vault configuration option. For information about how to configure and use a secrets manager, see "Secrets manager configuration" in the Administrator help.
Runtime Environment	The name of the runtime environment where you want to run the tasks. Select a Secure Agent.
Client Id	The ID of your application to authenticate access to HubSpot. You can get the client ID value from the HubSpot applications.

Connection property	Description
Client Secret	The client secret key to authenticate access to HubSpot. You can get the client secret value from the HubSpot applications.
RefreshToken	The refresh token that you need to authenticate access to HubSpot.

CHAPTER 3

Mappings and mapping tasks with HubSpot Connector

Use the Mapping Designer to create a mapping. When you create a mapping, you configure a source or target to represent a HubSpot object.

Describe the flow of data from source to the target, along with the required transformations before the Secure Agent writes data to the target. In advanced mode, the Mapping Designer updates the mapping canvas to include transformations and functions that enable advanced functionality. When you create a mapping task, select the mapping that you want to use. Use the Mapping Task wizard to create a mapping task. The mapping task processes data based on the data flow logic you define in the mapping.

HubSpot sources in mappings and mapping tasks

In a mapping, you can configure a Source transformation to represent a HubSpot object.

The following table describes the HubSpot source properties that you can configure in a Source transformation:

Property	Description
Connection	Name of the source connection.
Source Type	Type of the source object. You can select from the following options: - Single Object - Parameter
Object	Name of the source object.

The following table describes the HubSpot source advanced properties:

Property	Description
Tracing Level	Amount of detail that appears in the log for the Source transformation. Use the following tracing levels: - Terse - Normal - Verbose Initialization - Verbose Default is Normal.


Source transformation mapping example

You can map a HubSpot source to a target and use the mapping in a mapping task.

To read data from the HubSpot, perform the following tasks:


1. In Data Integration, click **New** > **Mapping** > **Create**.

   The Mapping Designer appears.
2. Enter a name and description for the mapping.
3. In the Source transformation, perform the following steps:
   1. In the general properties, specify a name and description.
      The following image shows a sample HubSpot mapping:




   2. On the Source tab, specify the following properties:
      a. In the **Connection** field, select the configured HubSpot connection to connect to HubSpot.
      b. In the **Source Type** field, select Single Object.
      c. In the **Object** field, select contacts.

      The following image shows the source properties in the mapping:




4. In the Target transformation, perform the following steps:
    1. In the general properties, specify a name and description.
    2. On the Target tab, specify the following properties:
        a. In the **Connection** field, select a flat file connection.
        b. In the **Target Type** field, select Single Object.
        c. In the **Object** field, select the contacts that you want to read.

        The following image shows the target properties in the mapping:



5. Map the source and target.
6. Click **Save** to save the mapping.
7. In Data Integration, click **New** > **Task**.
8. Click **Mapping Task** > **Create**, and select the mapping for the task.

    The following image shows the Mapping Task wizard with the applied mapping:



9. Select the Runtime Environment and Run the task.

HubSpot targets in mappings and mapping tasks

In a mapping, you can use a HubSpot object as a target.

The following table describes the HubSpot target properties that you can configure in a Target transformation:

Property	Description
Connection	Name of the target connection.
Target Type	Type of the target object. You can select Single Object or Parameter.
Object	Name of the target object.
Operation	Target operation. Select from the following options: - Insert - Update - Delete You can perform Insert, Update, and Delete operations in batches to process large amounts of data.

The following table describes the advanced target properties for HubSpot Connector:

Advanced Target Property	Description
Forward Rejected Rows	Configure the transformation to either pass rejected rows to the next transformation or drop them.


Target transformation mapping example

You can map a HubSpot source to a target and use the mapping in a mapping task.

To read data from the HubSpot, perform the following tasks:


1. In Data Integration, click **New** > **Mapping** > **Create**.

   The Mapping Designer appears.
2. Enter a name and description for the mapping.
3. In the Source transformation, perform the following steps:
   1. Under general properties, specify a name and description.
      The following image shows a sample HubSpot mapping:




2. On the Source tab, specify the following proprties:
    a. In the **Connection** field, select a flat file connection.
    b. In the **Source Type** field, select Single Object.
    c. In the **Object** field, select a contacts file.

    The following image shows the source properties in the mapping:




4. In the Target transformation, perform the following steps:
    1. In the general properties, specify a name and description.
    2. On the Target tab, specify the following properties:
        a. In the **Connection** field, select a HubSpot connection.
        b. In the **Target Type** field, select Single Object.
        c. In the **Object** field, select the contacts that you want to write to the target.
        d. In the **Operation** field, select Insert.

        The following image shows the target properties in the mapping:




5. In the **Field Mapping** tab, select the input elements to map to the target fields.

    The following image shows all the mapped fields between the input file and the HubSpot target:



6. Map the source and target.
7. Click **Save** to save the mapping.
8. In Data Integration, click **New** > **Task**.
9. Click **Mapping Task** > **Create**, and select the mapping for the task.

The following image shows the Mapping Task wizard with the applied mapping:



10. Select the Runtime Environment and Run the task.

CHAPTER 4

HubSpot data type reference

Data Integration uses the following data types in mappings and mapping tasks with HubSpot Connector:

HubSpot native data types

HubSpot data types appear in the source and target transformations when you choose to edit metadata for the fields.

Transformation data types

Set of data types that appear in the transformations. They are internal data types based on ANSI SQL-92 generic data types, which the Secure Agent uses to move data across platforms. Transformation data types appear in all transformations in mappings and mapping tasks.

When Data Integration reads source data, it converts the native data types to the comparable transformation data types before transforming the data. When Data Integration writes to a target, it converts the transformation data types to the comparable native data types.

HubSpot and transformation data types

HubSpot data types map to transformation data types that the Secure Agent uses to move data across platforms.

The following table lists the HubSpot data types that Data Integration supports and the corresponding transformation data types:

HubSpot Data Type	Transformation Data Type	Description
String	String	1 to 104,857,600 characters

INDEX

A

administration 7

C

Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4
connections
  HubSpot 9

D

Data Integration community
  URL 4
data type reference
  overview 17
data types
  HubSpot 17

H

HubSpot
  connection properties 9
  introduction 6
  Source transformation 11
  Sources in mappings 11
  Target transformation 14
  targets in mappings 14
HubSpot Connector
  overview 6, 9

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Cloud Services
  web site 4

M

maintenance outages 5
mappings
  HubSpot Source properties 11
  HubSpot target properties 14

S

source transformation
  mapping example 12, 14
Source transformation
  HubSpot properties 11
Sources
  HubSpot in mappings 11
status
  Informatica Intelligent Cloud Services 5
system status 5

T

Target transformation
  HubSpot properties 14
targets
  HubSpot in mappings 14
trust site
  description 5

U

upgrade notifications 5

W

web site 4