Informatica® Cloud Data Integration

Salesforce Pardot Connector

Informatica Cloud Data Integration Salesforce Pardot Connector
October 2025

© Copyright Informatica LLC 2023, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-05-18

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- Informatica Intelligent Cloud Services web site 4
- Informatica Intelligent Cloud Services Communities 4
- Informatica Intelligent Cloud Services Marketplace 4
- Data Integration connector documentation 5
- Informatica Knowledge Base 5
- Informatica Intelligent Cloud Services Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: Introduction to Salesforce Pardot Connector 6

Salesforce Pardot Connector assets 6

Chapter 2: Salesforce Pardot connections 7

Salesforce Pardot connection properties 7

Chapter 3: Mappings with Salesforce Pardot 9

Salesforce Pardot sources in mappings 9

Rules and guidelines for Salesforce Pardot mappings 10

Chapter 4: Data type reference 11

Salesforce Pardot and transformation data types 11

Index 12

Preface

Use Salesforce Pardot Connector to learn how to read from Salesforce Pardot by using Cloud Data Integration. Learn to create a Salesforce Pardot connection, run mappings and tasks in Cloud Data Integration.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, on the Informatica Intelligent Cloud Services Status page, click **SUBSCRIBE TO UPDATES**. You can choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introduction to Salesforce Pardot Connector

You can use Salesforce Pardot Connector to securely read data from Salesforce Pardot.

When you use Salesforce Pardot Connector, you can create a Salesforce Pardot connection and use the connection in Data Integration mappings, mapping tasks, and data transfer tasks.

Run a Salesforce Pardot mapping or task to read data from Salesforce Pardot based on the workflow and Salesforce Pardot connection configuration.

Salesforce Pardot Connector assets

Create assets in Data Integration to integrate data using Salesforce Pardot Connector.

When you use Salesforce Pardot Connector, you can include the following Data Integration assets:

- Data transfer task
- Mapping
- Mapping task

For more information about configuring assets and transformations, see *Mappings*, *Transformations*, and *Tasks* in the Data Integration documentation.

CHAPTER 2

Salesforce Pardot connections

Use a Salesforce Pardot connection to access a Salesforce Pardot object.

Create a Salesforce Pardot connection to securely read data from Salesforce Pardot. You can use a Salesforce Pardot connection to specify sources in mappings, mapping tasks, and data transfer tasks.

Salesforce Pardot connection properties

When you set up a Salesforce Pardot connection, configure the connection properties.

The following table describes the Salesforce Pardot connection properties:

Property	Description
Connection Name	Name of the connection. Each connection name must be unique within the organization. Connection names can contain alphanumeric characters, spaces, and the following special characters: _ . + -, Maximum length is 255 characters.
Description	Description of the connection. Maximum length is 4000 characters.
Use Secret Vault	Stores sensitive credentials for this connection in the secrets manager that is configured for your organization. This property appears only if secrets manager is set up for your organization. When you enable the secret vault in the connection, you can select which credentials that the Secure Agent retrieves from the secrets manager. If you don't enable this option, the credentials are stored in the repository or on a local Secure Agent, depending on how your organization is configured. **Note:** If you're using this connection to apply data access policies through pushdown or proxy services, you cannot use the Secret Vault configuration option. For information about how to configure and use a secrets manager, see "Secrets manager configuration" in the Administrator help.

Property	Description
Runtime Environment	The name of the runtime environment where you want to run tasks. Specify a Secure Agent, Hosted Agent, or elastic runtime environment.. For more information about how to configure and use the runtime environments, see *Runtime Environments* in the Administrator help.
Authentication	The authentication method to access the Salesforce Pardot objects.
Authorization URL	The Salesforce Pardot server endpoint that is used to authorize the user request and get the authorization code. The authorization URL is `https://login.salesforce.com/services/oauth2/authorize`.
Access Token URL	The Salesforce Pardot access token endpoint that is used to exchange the authorization code for an access token. The access token URL is `https://login.salesforce.com/services/oauth2/token` .
Client ID	The client ID of the Salesforce Pardot application created during the registration process.
Client Secret	The client secret of the Salesforce Pardot application created during the registration process.
Scope	The scope of access that is granted to an access token.
Access Token	The access token generated by Salesforce Pardot to access data.
Refresh Token	The refresh token to get a new access token.
Pardot Business Unit ID	The ID of the Salesforce Pardot business unit from which you want to read the data.
Access Token Parameters	Additional parameters to use with the access token URL.
Authorization Code Parameters	Additional parameters to use with the authorization URL.

CHAPTER 3

Mappings with Salesforce Pardot

When you create a mapping, you define the source to represent a Salesforce Pardot object. Use the Mapping Designer in Data Integration to add the Source transformation in the mapping canvas and configure the Salesforce Pardot source properties.

Salesforce Pardot sources in mappings

To read data from Salesforce Pardot, configure a Salesforce Pardot object as the Source transformation in a mapping.

The following table describes the source properties that you can configure for a Salesforce Pardot source:

Property	Description
Connection	Name of the Salesforce Pardot source connection. You can select an existing connection or create a new connection. You can also click **New Parameter** to define a parameter for the source connection.
Source Type	Type of the source object. Select one of the following options: - Single Object - Parameter
Object	Name of the Salesforce Pardot source object based on the source type selected. Select the source object.

The following table describes the advanced source properties that you can configure in a Source transformation:

Property	Description
Limit	The number of records to return. This value must be between 1 and 1000, inclusive. Default value is 0.
Tracing Level	Sets the amount of detail that appears in the log file. Select one of the following options: - terse - normal - verbose initialization - verbose Default is normal.

Rules and guidelines for Salesforce Pardot mappings

Consider the following guideline for Salesforce Pardot mappings:

When you connect to Salesforce Pardot, the connector supports a maximum of 100,000 API requests per day, which limits record processing to 100,000 records. These limits reset at the beginning of each day. Requests that exceed the limit result in an error. This is a third-party limitation.

CHAPTER 4

Data type reference

Data Integration uses the following data types in mappings, mapping tasks, and data transfer tasks with Salesforce Pardot:

Salesforce Pardot native data types: Salesforce Pardot data types appear in the fields tab for Source transformations when you choose to edit metadata for the fields.

Transformation data types: These data types are set of data types that appear in the remaining transformations. They are internal data types based on ANSI SQL92 generic data types, which Informatica Cloud uses to move data across platforms. Transformation data types appear in all transformations in a mapping.

When the Secure Agent reads source data, it converts the native data types to the comparable transformation data types before transforming the data.

Salesforce Pardot and transformation data types

The following table describes the Salesforce Pardot data types that Data Integration supports and the corresponding transformation data types:

Salesforce Pardot Native Data Type	Transformation Data Type	Range and Description
Boolean	Small Integer	Precision 5, scale 0
Number	Decimal	Precision 1 to 28, scale 0 to 28
String	Varchar	1 to 104,857,600 characters

INDEX

C

Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4
connections
  Salesforce Pardot 7

D

Data Integration community
  URL 4
data types
  mapping to transformation data types 11

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Cloud Services
  web site 4

M

maintenance outages 5
mapping tasks
  overview 9

S

Salesforce Pardot
  connection properties 7
Salesforce Pardot connections
  overview 7
Salesforce Pardot Connector
  assets 6
  overview 6
Salesforce Pardot data types
  overview 11
status
  Informatica Intelligent Cloud Services 5
system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4