Informatica®

Informatica® Cloud Data Integration

Smartsheet Connector

Informatica Cloud Data Integration Smartsheet Connector
November 2025

© Copyright Informatica LLC 2025, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, Informatica Cloud, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-02-23

Table of Contents

Preface 4

Informatica Resources 4

- Informatica Documentation 4
- Informatica Intelligent Cloud Services web site 4
- Informatica Intelligent Cloud Services Communities 4
- Informatica Intelligent Cloud Services Marketplace 4
- Data Integration connector documentation 5
- Informatica Knowledge Base 5
- Informatica Intelligent Cloud Services Trust Center 5
- Informatica Global Customer Support 5

Chapter 1: Introduction to Smartsheet Connector 6

Smartsheet Connector assets 6

Chapter 2: Connections for Smartsheet 7

Prerequisites 7

Connect to Smartsheet 7

- Before you begin 7
- Connection details 8

Chapter 3: Mappings for Smartsheet 9

Smartsheet sources in mappings 9

Smartsheet targets in mappings 10

Chapter 4: Data type reference 12

Smartsheet and transformation data types 12

Index 13

Preface

Use *Smartsheet Connector* to learn how to read from or write to Smartsheet by using Cloud Data Integration. Learn to create a Smartsheet connection and develop and run mappings and mapping tasks in Cloud Data Integration.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit https://docs.informatica.com.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Intelligent Cloud Services web site

You can access the Informatica Intelligent Cloud Services web site at http://www.informatica.com/cloud. This site contains information about Informatica Cloud integration services.

Informatica Intelligent Cloud Services Communities

Use the Informatica Intelligent Cloud Services Community to discuss and resolve technical issues. You can also find technical tips, documentation updates, and answers to frequently asked questions.

Access the Informatica Intelligent Cloud Services Community at:

https://network.informatica.com/community/informatica-network/products/cloud-integration

Developers can learn more and share tips at the Cloud Developer community:

https://network.informatica.com/community/informatica-network/products/cloud-integration/cloud-developers

Informatica Intelligent Cloud Services Marketplace

Visit the Informatica Marketplace to try and buy Data Integration Connectors, templates, and mapplets:

https://marketplace.informatica.com/

Data Integration connector documentation

You can access documentation for Data Integration Connectors at the Documentation Portal. To explore the Documentation Portal, visit https://docs.informatica.com.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit https://search.informatica.com. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Intelligent Cloud Services Trust Center

The Informatica Intelligent Cloud Services Trust Center provides information about Informatica security policies and real-time system availability.

You can access the trust center at https://www.informatica.com/trust-center.html.

Subscribe to the Informatica Intelligent Cloud Services Trust Center to receive upgrade, maintenance, and incident notifications. The Informatica Intelligent Cloud Services Status page displays the production status of all the Informatica cloud products. All maintenance updates are posted to this page, and during an outage, it will have the most current information. To ensure you are notified of updates and outages, you can subscribe to receive updates for a single component or all Informatica Intelligent Cloud Services components. Subscribing to all components is the best way to be certain you never miss an update.

To subscribe, on the Informatica Intelligent Cloud Services Status page, click **SUBSCRIBE TO UPDATES**. You can choose to receive notifications sent as emails, SMS text messages, webhooks, RSS feeds, or any combination of the four.

Informatica Global Customer Support

You can contact a Global Support Center through the Informatica Network or by telephone.

To find online support resources on the Informatica Network, click **Contact Support** in the Informatica Intelligent Cloud Services Help menu to go to the **Cloud Support** page. The **Cloud Support** page includes system status information and community discussions. Log in to Informatica Network and click **Need Help** to find additional resources and to contact Informatica Global Customer Support through email.

The telephone numbers for Informatica Global Customer Support are available from the Informatica web site at https://www.informatica.com/services-and-training/support-services/contact-us.html.

CHAPTER 1

Introduction to Smartsheet Connector

You can use Smartsheet Connector to securely read data from and write data to Smartsheet.

Smartsheet Connector supports create, read, update, and delete operations on Smartsheet objects such as sheets, rows, columns, and attachments. These operations use corresponding Smartsheet APIs to manage data within your workflows.

Note: This connector is developed by Informatica partners, third-party system integrators, or customers. You can look up the Product Availability Matrix or Informatica Marketplace for more information.

Smartsheet Connector assets

Create assets in Data Integration to integrate data using Smartsheet Connector.

When you use Smartsheet Connector, you can include the following Data Integration assets:

- Mapping
- Mapping task

For more information about configuring assets and transformations, see *Mappings*, *Transformations*, and *Tasks* in the Data Integration documentation.

CHAPTER 2

Connections for Smartsheet

Create a Smartsheet connection to securely read data from or write data to Smartsheet.

Before you create a connection, enable the connector for the runtime environment. For more information about enabling connectors, see *Service and connector assignment* in the Administrator help.

You can use a Smartsheet connection to specify Smartsheet sources and targets in mappings and mapping tasks.

Prerequisites

Before you configure the connection properties, make sure to complete certain prerequisites.

Smartsheet Connector requires an access token to connect to Smartsheet.

To generate an access token in Smartsheet, the account adminstrator needs to perform the following steps:

1. Log in to your Smartsheet account.
2. On the left navigation bar at the bottom, click your profile image and open **Personal Settings**.
3. In the **Personal Settings** window, open the **API Access** tab, and click **Generate new access token**. The access token is generated. Ensure you save your access token in a secure location, as it will not be visible again in your account settings for security reasons.

Note: The third-party information included in Informatica documentation is subject to change without prior notice. Check the third-party documentation for the most up-to-date information.

Connect to Smartsheet

Let's configure the Smartsheet connection properties to connect to Smartsheet.

Before you begin

Before you get started, you'll need the base URL and access token from your Smartsheet account.

Check out "Prerequisites" on page 7 to learn more about the connection prerequisites.

Connection details

The following table describes the basic connection properties:

Property	Description
Connection Name	Name of the connection. Each connection name must be unique within the organization. Connection names can contain alphanumeric characters, spaces, and the following special characters: _ . + -, Maximum length is 255 characters.
Description	Description of the connection. Maximum length is 4000 characters.
Use Secret Vault	Stores sensitive credentials for this connection in the secrets manager that is configured for your organization. This property appears only if secrets manager is set up for your organization. When you enable the secret vault in the connection, you can select which credentials that the Secure Agent retrieves from the secrets manager. If you don't enable this option, the credentials are stored in the repository or on a local Secure Agent, depending on how your organization is configured. **Note:** If you're using this connection to apply data access policies through pushdown or proxy services, you cannot use the Secret Vault configuration option. For information about how to configure and use a secrets manager, see "Secrets manager configuration" in the Administrator help.
Runtime Environment	The name of the runtime environment where you want to run tasks. You can specify a Secure Agent or Hosted Agent. For more information about how to configure and use the runtime environments, see *Runtime Environments* in the Administrator help.
Base URL	The base URL to connect to Smartsheet APIs. For example, `https://api.smartsheet.com/2.0`
Access Token	The access token generated from your Smartsheet account to authenticate access and make requests to Smartsheet APIs.

CHAPTER 3

Mappings for Smartsheet

When you configure a mapping, you describe the flow of data from the source to the target. A mapping defines reusable data flow logic that you can use in mapping tasks.

When you create a mapping, you define Source or Target transformations to represent a Smartsheet operation. Use the Mapping Designer in Data Integration to add the Source or Target transformations in the mapping canvas and configure the Smartsheet source or target properties.

Smartsheet sources in mappings

In a mapping, you can configure a Source transformation to represent a Smartsheet source.

The following table describes the Smartsheet source properties that you can configure in a Source transformation:

Property	Description
Connection	Name of the source connection. You can select an existing connection or create a new connection.
Operation	The read operation that you want to perform in Smartsheet. Click the API endpoint from the list of available packages, and select the operation you want to perform.
Request Message	Request message for the operation that you want to perform in Smartsheet. The request message is in JSON format. You can copy and paste the request message from the request message template. Do not leave the request message empty. You must at least specify a blank JSON object {} in the request message.
Field Mapping	Map the response parameters to the output fields.

The following table describes the advanced source properties that you can configure in a Source transformation:

Property	Description
Tracing Level	Detail level of error and status messages that Data Integration writes in the session log. You can choose terse, normal, verbose initialization, or verbose data. Default is normal.
Cache Size for Web Service Response (KB)	Memory available for the web service response. If the web service response contains many rows or columns, you might want to increase the cache size. Default is 1024 KB.
Optimize transformation	Select to improve performance for processing records at run time. Default is disabled.

Smartsheet targets in mappings

In a mapping, you can configure a Target transformation to represent a Smartsheet target.

The following table describes the Smartsheet target properties that you can configure in a Target transformation:

Property	Description
Connection	Name of the target connection. You can select an existing connection or create a new connection.
Operation	The write operation that you want to perform in Smartsheet. Click the API endpoint from the list of available packages, and select the operation you want to perform.
Field Mapping	Map your input fields to the target fields. Ensure that you map all the mandatory fields in the target.

The following table describes the advanced target properties that you can configure in a Target transformation:

Property	Description
Cache Size for Web Service Request (KB)	Memory available for the web service request. If the web service request contains many rows or columns, you might want to increase the cache size. Default is 1024 KB.
Transaction Commit Control	Control to commit or roll back transactions based on the set of rows that pass through the transformation. Use the transaction commit control if you have a large amount of data and you want to control how it is processed.

Property	Description
Transformation Scope	Specifies how Data Integration applies the transformation logic to incoming data: - Transaction. Applies the transformation logic to all rows in a transaction. Choose Transaction when a row of data depends on all rows in the same transaction, but does not depend on rows in other transactions. - All Input. Applies the transformation logic on all incoming data. When you choose All Input, Data Integration drops incoming transaction boundaries. Choose All Input when a row of data depends on all rows in the source.
Optimize transformation	Select to improve performance for processing records at run time. Default is disabled.

CHAPTER 4

Data type reference

Cloud Data Integration uses the following data types in Smartsheet mappings:

- Smartsheet native data types appear in the source and target transformations when you choose to edit metadata for the fields.
- Transformation data types. Set of data types that appear in the transformations. These are internal data types based on ANSI SQL-92 generic data types, which the agent uses to move data across platforms. They appear in all transformations in a mapping or mapping in advanced mode.

When the agent reads source data, it converts the native data types to the comparable transformation data types before transforming the data. When the agent writes to a target, it converts the transformation data types to the comparable native data types.

Smartsheet and transformation data types

The following table lists the Smartsheet data types that Data Integration supports and the corresponding transformation data types:

Smartsheet data type	Transformation data type	Description
Boolean	Integer	Checked (1) or unchecked (0). Precision 10, scale 0.
Date	Date/Time	Jan 1, 0001 A.D. to Dec 31, 9999 A.D (precision to the milliseconds).
Date/Time	Date/Time	Jan 1, 0001 A.D. to Dec 31, 9999 A.D (precision to the milliseconds).
Integer	String	1 to 104,857,600 characters. Default precision is 4000.
Text	String	1 to 104,857,600 characters. Default precision is 4000.

INDEX

C

Cloud Application Integration community
  URL 4
Cloud Developer community
  URL 4

D

Data Integration community
  URL 4

I

Informatica Global Customer Support
  contact information 5
Informatica Intelligent Cloud Services
  web site 4

M

maintenance outages 5

S

status
  Informatica Intelligent Cloud Services 5
system status 5

T

trust site
  description 5

U

upgrade notifications 5

W

web site 4