How-To Library

Informatica

Performance Tuning Guidelines for ServiceNow Connector in Informatica Cloud Data Integration

© Copyright Informatica LLC 2019, 2021. Informatica, the Informatica logo, and Informatica Cloud Integration are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https:// www.informatica.com/ trademarks.html.

Abstract

When you use ServiceNow Connector to read data from or write data to ServiceNow, you can optimize the performance by tuning the mapping parameters appropriately. This article describes general reference guidelines to help you tune the performance of ServiceNow Connector in Cloud Data Integration.

Supported Versions

- Informatica® Cloud Data Integration ServiceNow Connector

Table of Contents

Overview. 2
Performance Tuning Parameters. 2
Tune the Batch Size for ServiceNow Sources. 2
Tune the Batch Size for ServiceNow Targets. 3

Overview

Performance tuning is an iterative process in which you analyze the performance, use guidelines to estimate and define parameters that impact the performance, and monitor and adjust the results as required.

Note: The performance testing results listed in this article are based on observations in an internal Informatica environment using data from real-world scenarios. The performance of ServiceNow Connector might vary based on individual environments and other parameters even when you use the same data.

Performance Tuning Parameters


You can optimize the performance of a read or write operation when you use ServiceNow Connector by tuning the batch size.

Tune the Batch Size for ServiceNow Sources

Informatica recommends that you increase the batch size based on the data volume to improve the performance when you read data from ServiceNow. For example, when you read data from ServiceNow and increase the batch size from the default value of 200 to 10000, there is a 2.5x increase in performance.

However, it is observed that data truncation issues occur when the batch size is more than 10000. You can overcome the data truncation issue by increasing the value of the `REST Table API request timeout` parameter in the ServiceNow database. For example, increase the value of `REST Table API request timeout parameter` from the default value of 60 seconds to more than 3600 seconds.

The following image shows the time taken to read data from ServiceNow is reduced when you increase the batch size from 200 to 1000:




Tune the Batch Size for ServiceNow Targets

Informatica recommends that you increase the batch size based on the data volume to improve the performance when you write data to ServiceNow. For example, when you write data to ServiceNow and increase the batch size from the default value of 200 to 10000, there is a 2x increase in performance.

However, it is observed that there is a partial data loss when a batch of size more than 10000 is used.

The following image shows the impact of batch size on writer performance:



Author

Sakshi Bansal

Acknowledgements

The author would like to acknowledge Sonal RN for her technical assistance.