How-To Library

Informatica

Roll back source-controlled assets to previous versions

© Copyright Informatica LLC 2020, 2023. Informatica, the Informatica logo, and Informatica Intelligent Cloud Services are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html

Abstract

You can manage versions of Informatica Intelligent Cloud Services assets using a cloud-based Git repository such as GitHub. In this article, we provide an example of how you can correct errors that were discovered in the production organization by reverting to previous asset versions in your Git repository.

Supported Versions

- Informatica Intelligent Cloud Services Spring 2020 September and later


Table of Contents

Overview. 2
Creating the assets. 3
Updating the project. 5
Rolling back changes. 6
Conclusion. 7

Overview

To provide an example of reverting to older asset versions, we walk through a typical development and testing process, and then show how to roll back errors that are discovered in production.

The scenario includes the following development (DEV), test (TEST), and production (PROD) environments:



All three organizations have been configured with the same Git repository. However, all three organizations don't have the same permissions:

- The DEV organization has been configured as a read/write organization. This means the DEV organization can pull assets from the repository and write assets to the repository.
- The TEST and PROD organizations are configured as read-only organizations. This means that these organizations can't write assets to the repository. They can only pull assets from the repository.

Developers create assets and check them into the repository. The assets are rolled into the TEST and PROD organizations.

In the latest production patch, it's observed during run time that a couple of assets contain bugs and a necessary asset has been deleted. The current patch version in production is now unstable. A rollback is needed in production. We know that the previous versions of assets were all running fine in production.


We can roll back to a stable state in production using a pull action.

Creating the assets

You create assets in the DEV organization and check them into your Git repository. You test the assets in the TEST organization.


In the DEV organization, perform the following steps:

1. In Data Integration, create a mapping, a mapping task, and a PowerCenter task. Put the assets in the Folder1 folder in the PROJECT_MAIN_REL project.
2. Check the assets into the Git repository.




In the TEST organization, perform the following steps:

1. In Data Integration, click **Explore**, and then click **Pull from Git**.
2. Select the PROJECT_MAIN_REL project and click **Next**. The **Pull Version** page appears showing one version of the project with the Git hash, 7aea46f.




3. Select the available version and click **Pull**. The Pull detail page appears showing all of the asset to be pulled. It also shows the target runtime environment and target connections to map for the TEST organization.




4. Test the pull and then click **Pull**.

5. In Monitor, click **Source Control Logs**, and then click the **Pull** action to view the source control pull summary. The summary contains details about the assets that were pulled with the Git hash 7aea46f, as shown in the following image:



6. In Data Integration, click **Explore**, and then open Folder1 in the PROJECT_MAIN_REL project. You can see all of the pulled assets.



7. Test the assets in the TEST organization, and then pull the assets from the Git repository into the PROD organization.

Updating the project


You update the mapping and mapping task that are in the Folder1 folder. You also delete the PowerCenter task from the Folder1 folder.

In the DEV organization, perform the following steps:


1. In Data Integration, check out and edit the mapping and mapping task, and save the changes.
2. Check in the updated mapping and mapping task.
3. Check out the PowerCenter task and delete it.

In the TEST organization, perform the following steps:


1. In Data Integration, click **Explore**, and then click **Pull from Git**. Note the new Git hash, a85b40e:




2. Select the PROJECT_MAIN_REL project and click **Next**. The **Pull Version** page shows multiple versions of the project:



3. Select the latest version of the project and click **Pull**.
4. Map the connections and test the pull action, and then pull all of the assets again. The mapping and mapping task are overwritten with the new versions, and the PowerCenter Task is deleted from the project.
5. In Monitor, click **Source Control Logs** and review the source control pull summary:



6. In Data Integration, click **Explore**, and then select the PROJECT_MAIN_REL project.
7. Open the Folder1 folder. You can see that the assets have been replaced with new versions of the assets and the PowerCenter task has been deleted:




8. Test the assets in the TEST organization, and then pull the assets from the Git repository into the PROD organization.

Rolling back changes


You just realized that the mapping and mapping task updates contain a bug. You also need to restore the PowerCenter task. Therefore, you want to revert back to the previous versions of these assets.

In the TEST and PROD organizations, perform the following steps:


1. In Data Integration, click **Explore**.
2. Click **Pull from Git** and select the PROJECT_MAIN_REL project. The **Select Project** page appears:



3. Click **Next**. The **Pull Version** page appears showing all of the versions:




4. Select the project version with the Git hash 7aea46f. This version has the tested assets and includes the PowerCenter task.
5. Click **Next**. The **Select Assets** page shows all of the assets with statuses:




6. Test and pull the assets.

7. In Monitor, click **Source Control Logs**.



8. Click the **Pull** action. The **Source Control Pull** summary shows the details:



9. In Data Integration, click **Explore**, and then check the contents in the PROJECT_MAIN_REL project. The assets have reverted back to the previous versions.

Conclusion

We recommend adopting a well-defined, uniform team-based SDLC practice across your organization.

Our vision for team-based development with Informatica Intelligent Cloud Services is to enable a complete DevOps practice for all of your integration needs. Depending on the maturity model of your team-based development methodology, you can leverage the most appropriate set of capabilities in Informatica Intelligent Cloud Services.

Author

Malleswari Naga