Informatica® Application Integration
April 2025

Address Verification Service Connector Guide

Informatica Application Integration Address Verification Service Connector Guide
April 2025

© Copyright Informatica LLC 1993, 2025

Publication Date: 2025-09-03

Table of Contents

Preface 4

Chapter 1: Introduction to Address Verification Service Connector 5

Informatica Address Verification Service Connector Overview 5

Chapter 2: Address Verification Service Connections 6

Address Verification Service Connections Overview 6

Basic Connection Properties 6

Address Verification Service Connection Properties 7

Chapter 3: Address Verification Service Connector Processes 8

Interactive Service 8

Index 10

Preface

Read the *Address Verification Service Connector Guide* to learn how to set up and use connections with Informatica Address Verification Service Connector.

This guide assumes that you have an understanding of how to define service calls using Application Integration.

CHAPTER 1

Introduction to Address Verification Service Connector

This chapter includes the following topic:

- Informatica Address Verification Service Connector Overview, 5

Informatica Address Verification Service Connector Overview

Informatica Address Verification Service Connector is an online address validation solution that you can use to verify and validate international postal addresses in real time through an exposed API. You can use Informatica Address Verification Service Connector with Application Integration to interact with programs and services that are in the Informatica Cloud®, inside your firewall, or anywhere in the cloud.

To access an exposed API, you can create a Service Connector in Informatica Process Designer.

You can use Informatica Address Verification Service Connector to configure a connection and access the Address Verification Service API through a SOAP protocol. Then, you can use the services exposed by the API in a process.

Informatica Address Verification Service Connector is already licensed for use by customers. You do not need to buy a license to use it.

CHAPTER 2

Address Verification Service Connections

This chapter includes the following topics:

- Address Verification Service Connections Overview, 6
- Basic Connection Properties, 6
- Address Verification Service Connection Properties, 7

Address Verification Service Connections Overview

Use an Address Verification Service connection to access the Address Verification Service API through a SOAP protocol. Then, you can use the services exposed by the API in a process.

After you create an Address Verification Service connection, you can validate and save the connection.

You can then publish the Address Verification Service connection and click the **Metadata** tab to view the generated process objects for the connection.

Basic Connection Properties

The following table describes the basic properties that you can configure on the **Properties** tab of the connection creation page:

Property	Description
Name	Required. Unique name for the Address Verification Service connection that identifies it in the Process Designer. The name must start with an alphabet, and can contain only alphabets, numbers, or hyphens (-).
Location	Optional. The location of the project or folder where you want to save the connection. Click **Browse** to select a location. If the **Explore** page is currently active and a project or folder is selected, the default location for the connection is the selected project or folder. Otherwise, the default location is the location of the most recently saved asset.

Property	Description
Description	Optional. Description of the connection.
Type	Required. The type of connection that you want to use for the connector or service connector. Select **Informatica Address Verification Service (Licensed for use)**.
Runtime Environment	Required. The runtime environment for the connection. You can run the connection on the Cloud Server, a Secure Agent group, or a Secure Agent machine.
Connection Test	Not supported for Informatica Address Verification Service Connector.
OData-Enabled	Not supported for Informatica Address Verification Service Connector.

After you configure the basic properties, you must also define the properties applicable to Informatica Address Verification Service Connector.

The **Metadata** tab displays the generated process objects when you publish the Informatica Address Verification Service connection.

Address Verification Service Connection Properties

The following table describes the Informatica Address Verification Service connection properties:

Property	Description
Login	Required. The Data Quality Center account ID of the Address Verification Service.
Password	Required. The Data Quality Center password of the Address Verification Service.
EndPointUrl	The endpoint URL at which the service connector can access the Address Verification Service connection. Default is `https://validator5.addressdoctor.com/webservice5/v2/addressvalidation.asmx`.

CHAPTER 3

Address Verification Service Connector Processes

This chapter includes the following topic:

- Interactive Service, 8

Interactive Service

Configure the Interactive service and enter addresses to validate them with Informatica Address Verification Service Connector.

Informatica Address Verification Service Connector includes a service called Interactive. You can use the interactive service to receive the best available match for the input address.

To use the Interactive service, create a process and perform the following steps:

1. Select **Service** as the step type.
2. Select **Address Verification Service Connection Name** > **Address Validation** > **Interactive** as the Action.
3. Identify and pass the input fields required for the service.

   Configure the following input fields:

Input Field	Description
Street	Street address of the input address. The input value can be a house or building number, a street name, and a street type.
City	City or town of the input address.
State	State name of the input address.
Country	Country name of the input address.

   Informatica Address Verification Service Connector receives the information from these input fields.

You can view the following output fields:

Output Field	Description
Full Address	Complete address as validated by Informatica Address Verification Service Connector.
Street	Street address as validated by Informatica Address Verification Service Connector.
City	City or town name as validated by Informatica Address Verification Service Connector.
State	State as validated by Informatica Address Verification Service Connector.
Country	Country as validate as validated by Informatica Address Verification Service Connector.
Zip	Zipcode as validated by Informatica Address Verification Service Connector.

INDEX

A

Address Verification Service
  connection properties 7
Address Verification Service connections
  basic properties 6
Address Verification Service Connector
  overview 5

I

Interactive 8

S

services 8