Informatica® Cloud Application Integration
October 2025

Gemini Connector Guide

Informatica Cloud Application Integration Gemini Connector Guide
October 2025

© Copyright Informatica LLC 2024, 2025

Publication Date: 2025-10-27

Table of Contents

Preface 4

Chapter 1: Introduction to Gemini Connector 5

Gemini Connector 5

Introduction to Gemini 5

Chapter 2: Gemini connections 6

Gemini connections overview 6

Basic connection properties 7

Gemini connection properties 7

Create a Gemini API key 7

Gemini connection metadata 9

Using a Gemini connection in a process 9

Preface

Read the *Gemini Connector Guide* to learn how to set up and use Gemini connections. This guide assumes that you have an understanding of the Gemini for Google Cloud concepts.

CHAPTER 1

Introduction to Gemini Connector

This chapter includes the following topics:

- Gemini Connector, 5
- Introduction to Gemini, 5

Gemini Connector

You can use Gemini Connector for content generation and embedding using API key.

Gemini Connector provides advanced AI multi-modal content generation functionalities. Gemini models can create content from various types of data input, including text, images, and audio.

You can create and use the API Key only if you belong to the set of regions specified by Google. For information about the regions that are allowed to create and use the API Key, see the Available regions Gemini documentation.

Introduction to Gemini

Gemini for Google Cloud offers generative AI-powered assistance to a wide range of Google Cloud users, including developers and data scientists. To provide an integrated assistance experience, Gemini for Google Cloud is embedded in many Google Cloud products.

Gemini is a series of multi-modal generative AI models developed by Google. Gemini models can accept text and image in prompts, depending on what model variation you choose, and output text responses. The Gemini API gives you access to the latest generative models from Google.

CHAPTER 2

Gemini connections

This chapter includes the following topics:

- Gemini connections overview, 6
- Basic connection properties, 7
- Gemini connection properties, 7
- Gemini connection metadata, 9
- Using a Gemini connection in a process, 9

Gemini connections overview

Use a Gemini connection for content generation and embedding using API key.

You can perform various actions, such as content generation and embedding, separately or in batches, count the number of tokens for input content, and get information about a specific model or a list of models available through the Gemini API.

The Gemini connector is implemented for Gemini v1, not the v1beta API version. Gemini v1 does not support video files and function calling. However, the v1 version is stable, while the beta version gives early access to features without a guarantee that they will be included in the next release.

After you create a Gemini connection, you can validate, test, and save the connection.

You can then publish the Gemini connection and click the **Metadata** tab to view the generated process objects for the connection.

Basic connection properties

The following table describes the basic properties that you can configure on the **Properties** tab of the connection creation page:

Property	Description
Name	Required. Unique name for the Gemini connection that identifies it in the Process Designer. The name must start with an alphabet and can contain only alphabets, numbers, and hyphens (-).
Location	The location of the project or folder where you want to save the connection. Click **Browse** to select a location. If the **Explore** page is currently active and a project or folder is selected, the default location for the connection is the selected project or folder. Otherwise, the default location is the location of the most recently saved asset.
Description	Optional. Description of the connection.
Runtime Environment	Required. The runtime environment for the connection. You can run the connection on the Cloud Server, a Secure Agent group, or a Secure Agent machine.
Connection Test	Not supported for Gemini Connector.
OData-Enabled	Not supported for Gemini Connector.

Gemini connection properties

To use the Gemini API, you need an API key and API version to access the Gemini instance.

The following table defines the Gemini connection properties that you must configure in the **Connection Properties** section:

Property	Description
API_Key	API key to authenticate Gemini connection requests.
API_Version	The Gemini API version. For example: v1, v1beta.

Create a Gemini API key


Create a Gemini API key to access the Gemini APIs. This key allows Gemini AI to track your usage and generate accurate billing.

After the API Key is generated, you can use the key during the entire period of Gemini Connector usage.

To create a Gemini API key, perform the following steps:


1. Log in to the Google AI Studio for the Gemini AI and click **Get API Key**.

   The following image shows the **Get API Key** option on the Google AI Studio for the Gemini AI:




2. Click **Create API key in new project** or **Create API key in existing project** as needed.

   The following image shows the options to create an API key in the new project or an existing project:



3. Click **Copy**.

   The following image shows the **Copy** option to copy the API key:




Gemini connection metadata

After you create a Gemini connection, you can validate and save the connection. You can then publish the Gemini connection and click the **Metadata** tab to view the generated process objects for the connection.

When you publish a Gemini connection in Application Integration, a list of **Actions** and **Objects** appears on the **Metadata** tab.


The following image shows the **Metadata** tab for a published Gemini connection:



Using a Gemini connection in a process

After you create a Gemini connection, you can use it in a Service step in a process.

1. Add a Service step to the process.
2. Click the **Service** tab.
3. From the **Service Type** list, select **Connection**.
4. From the **Connection** list, browse and select the Gemini connection that you created.
5. From the **Action** list, select the action that you want to perform on Gemini Connector. For example, select **Generate Content** to generate a response from the model based on the given input as shown in the following image:



In this case, Application Integration populates the **text** and **response** object under output fields. Similar to the Generate Content step, you can configure more service steps as required.

6. Configure further steps as needed.
7. Validate, save, and publish the process.