Informatica® Cloud Application Integration
September 2025

Microsoft SharePoint Connector Guide

Informatica Cloud Application Integration Microsoft SharePoint Connector Guide
September 2025

© Copyright Informatica LLC 2025

This software and documentation contain proprietary information of Informatica LLC and are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright law. Reverse engineering of the software is prohibited. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. This Software may be protected by U.S. and/or international Patents and other Patents Pending.

Use, duplication, or disclosure of the Software by the U.S. Government is subject to the restrictions set forth in the applicable software license agreement and as provided in DFARS 227.7202-1(a) and 227.7702-3(a) (1995), DFARS 252.227-7013©(1)(ii) (OCT 1988), FAR 12.212(a) (1995), FAR 52.227-19, or FAR 52.227-14 (ALT III), as applicable.

The information in this product or documentation is subject to change without notice. If you find any problems in this product or documentation, please report them to us in writing.

Informatica, Informatica Platform, Informatica Data Services, PowerCenter, PowerCenterRT, PowerCenter Connect, PowerCenter Data Analyzer, PowerExchange, PowerMart, Metadata Manager, Informatica Data Quality, Informatica Data Explorer, Informatica B2B Data Transformation, Informatica B2B Data Exchange Informatica On Demand, Informatica Identity Resolution, Informatica Application Information Lifecycle Management, Informatica Complex Event Processing, Ultra Messaging, Informatica Master Data Management, and Live Data Map are trademarks or registered trademarks of Informatica LLC in the United States and in jurisdictions throughout the world. All other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright © University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jQWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright© MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (http://www.apache.org/), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at http://www.apache.org/licenses/. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (http://www.mozilla.org/), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at http:// www.gnu.org/licenses/lgpl.html. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at http://www.openssl.org and http://www.openssl.org/source/license.html.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://curl.haxx.se/docs/copyright.html. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://www.dom4j.org/ license.html.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://dojotoolkit.org/license.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://source.icu-project.org/repos/icu/icu/trunk/license.html.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at http:// www.gnu.org/software/ kawa/Software-License.html.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at http://www.opensource.org/licenses/mit-license.php.

This product includes software developed by Boost (http://www.boost.org/) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at http:/ /www.boost.org/LICENSE_1_0.txt.

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at http:// www.pcre.org/license.txt.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http:// www.eclipse.org/org/documents/epl-v10.php and at http://www.eclipse.org/org/documents/edl-v10.php.

This product includes software licensed under the terms at http://www.tcl.tk/software/tcltk/license.html, http://www.bosrup.com/web/overlib/?License, http://www.stlport.org/doc/ license.html, http://asm.ow2.org/license.html, http://www.cryptix.org/LICENSE.TXT, http://hsqldb.org/web/hsqlLicense.html, http://httpunit.sourceforge.net/doc/ license.html, http://jung.sourceforge.net/license.txt , http://www.gzip.org/zlib/zlib_license.html, http://www.openldap.org/software/release/license.html, http://www.libssh2.org, http://slf4j.org/license.html, http://www.sente.ch/software/OpenSourceLicense.html, http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3- license-agreement; http://antlr.org/license.html; http://aopalliance.sourceforge.net/; http://www.bouncycastle.org/licence.html; http://www.jgraph.com/jgraphdownload.html; http://www.jcraft.com/jsch/LICENSE.txt; http://jotm.objectweb.org/bsd_license.html; . http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231; http://www.slf4j.org/license.html; http://nanoxml.sourceforge.net/orig/copyright.html; http://www.json.org/license.html; http://forge.ow2.org/projects/javaservice/, http://www.postgresql.org/about/licence.html, http://www.sqlite.org/copyright.html, http://www.tcl.tk/software/tcltk/license.html, http://www.jaxen.org/faq.html, http://www.jdom.org/docs/faq.html, http://www.slf4j.org/license.html; http://www.iodbc.org/dataspace/iodbc/wiki/iODBC/License; http://www.keplerproject.org/md5/license.html; http://www.toedter.com/en/jcalendar/license.html; http://www.edankert.com/bounce/index.html; http://www.net-snmp.org/about/license.html; http://www.openmdx.org/#FAQ; http://www.php.net/license/3_01.txt; http://srp.stanford.edu/license.txt; http://www.schneier.com/blowfish.html; http://www.jmock.org/license.html; http://xsom.java.net; http://benalman.com/about/license/; https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js; http://www.h2database.com/html/license.html#summary; http://jsoncpp.sourceforge.net/LICENSE; http://jdbc.postgresql.org/license.html; http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto; https://github.com/rantav/hector/blob/master/LICENSE; http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html; http://jibx.sourceforge.net/jibx-license.html; https://github.com/lyokato/libgeohash/blob/master/LICENSE; https://github.com/hjiang/jsonxx/blob/master/LICENSE; https://code.google.com/p/lz4/; https://github.com/jedisct1/libsodium/blob/master/LICENSE; http://one-jar.sourceforge.net/index.php?page=documents&file=license; https://github.com/EsotericSoftware/kryo/blob/master/license.txt; http://www.scala-lang.org/license.html; https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt; http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html; https://aws.amazon.com/asl/; https://github.com/twbs/bootstrap/blob/master/LICENSE; https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt; https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE, and https://github.com/apache/hbase/blob/master/LICENSE.txt.

This product includes software licensed under the Academic Free License (http://www.opensource.org/licenses/afl-3.0.php), the Common Development and Distribution License (http://www.opensource.org/licenses/cddl1.php) the Common Public License (http://www.opensource.org/licenses/cpl1.0.php), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (http:// www.opensource.org/licenses/bsd-license.php), the new BSD License (http://opensource.org/licenses/BSD-3-Clause), the MIT License (http://www.opensource.org/licenses/mit-license.php), the Artistic License (http://www.opensource.org/licenses/artistic-license-1.0) and the Initial Developer's Public License Version 1.0 (http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://xstream.codehaus.org/license.html. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit http://www.extreme.indiana.edu/.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

Publication Date: 2025-09-22

Table of Contents

Preface 5

Chapter 1: Introduction to Microsoft SharePoint Connector 6

Microsoft SharePoint overview 6

Chapter 2: Microsoft SharePoint connections 7

Create a Microsoft SharePoint application 7

Basic connection properties 8

Microsoft SharePoint connection authentication properties 9

Microsoft SharePoint connection properties 10

Microsoft SharePoint connection metadata 10

Microsoft SharePoint connection actions and objects 11

Using a Microsoft SharePoint connection in a process 37

Preface

Read the *Microsoft SharePoint Connector Guide* to learn how to set up and use Microsoft SharePoint connections. Use an Microsoft SharePoint connection to read from or write to Microsoft SharePoint by using Application Integration. This guide assumes that you have an understanding of Microsoft SharePoint concepts.

CHAPTER 1

Introduction to Microsoft SharePoint Connector

The Microsoft SharePoint Connector is a tool that enables seamless integration between SharePoint and other applications or automation platforms. It allows users to seamlessly connect, interact with, and manage SharePoint resources, such as documents, lists, and libraries directly within their workflows or custom applications. This eliminates the need for manual handling, streamlines collaboration, and boosts productivity by automating content management and data exchange.

The connector enables workflows to interact directly with SharePoint content, such as creating, updating, or deleting documents and list items without manual intervention. This makes business processes faster and more reliable.

Microsoft SharePoint Connector offers key features that includes easy data synchronization, automated document management, enhanced collaboration capabilities, and support for secure authentication methods. It reduces manual effort and improves overall business process efficiency.

Microsoft SharePoint Connector supports only the default port. You cannot use any other port except the default port.

Microsoft SharePoint overview

Microsoft SharePoint is a web-based collaborative platform that integrates with Microsoft Office. It is commonly used for document management, content sharing, intranet portals, and team collaboration within organizations.

Microsoft SharePoint enables teams to create, store, organize, and share information seamlessly across departments and locations. It serves as a centralized hub for intranet portals, document libraries, workflows, and business process automation.

CHAPTER 2

Microsoft SharePoint connections

Use Microsoft SharePoint Connector to connect to Microsoft SharePoint from Application Integration. You can also use the Microsoft SharePoint Connector to link SharePoint with external data sources, services, or APIs to extend its functionality and enable data exchange.

The Microsoft Sharepoint Connector facilitates automated interaction with the Microsoft Graph API. You can perform CRUD operations, such as create, read, update, and delete, on existing Drive, such as OneDrive, SharePoint, sites, and list, Sites and List resources using delegated user access.

You can perform various actions, such as copying an item to a new folder, creating a shared link for a drive item, creating folder in drive, and creating items in a list. For a complete list of actions, see "Microsoft SharePoint connection actions and objects" on page 11.


After you create an Microsoft SharePoint connection, you can validate and save the connection.

You can then publish the Microsoft SharePoint connection and click the **Metadata** tab to view the generated process objects for the connection.

Create a Microsoft SharePoint application

To use Microsoft SharePoint connector, you must create an application for Microsoft SharePoint connector.

1. Log in to the Microsoft Entra using https://entra.microsoft.com/#home.
2. Navigate to **Entra ID** > **App registrations** > **New registration** and enter a name for your application.
3. For supported account types, choose the appropriate option based on your application needs. For redirect URI, select **Web** and enter your redirect URL.
4. Click **Register**.
   The registered application page appears.
5. Go to **Manage** > **Authentication** and add the redirect URIs if you haven't already.
6. To add redirect URIs, click **Add a platform**, select the application and enter the redirect URIs.
7. In the **Implicit grant and hybrid flows** section, enable **Access tokens** and **ID tokens**, and click **Configure**.
8. Go to **Manage** > **API permissions** > **Add a permission** and select **Microsoft Graph**.
9. Choose **Delegated permissions** and select necessary permissions, such as User.Read, email, offline _access, openid, and profile and click **Add permissions**.
10. On the application's overview page, copy the **Application (client) ID**.
11. Go to **Manage** > **Certificates & secrets** > **Client secrets** and click **New client secret** as shown in the following image:



12. Enter a description and select an expiration date and click **Add**.
13. Copy the value of the new client secret. It will not be displayed again.
14. Use the client ID and client secret to connect your Microsoft SharePoint connector application.

Basic connection properties

The following table describes the basic properties that you can configure on the **Properties** tab of the connection creation page:

Property	Description
Name	Required. Unique name for the Microsoft SharePoint connection that identifies it in the Process Designer. The name must start with an alphabet and can contain only alphabets, numbers, and hyphens (-).
Location	The location of the project or folder where you want to save the connection. Click **Browse** to select a location. If the **Explore** page is currently active and a project or folder is selected, the default location for the connection is the selected project or folder. Otherwise, the default location is the location of the most recently saved asset.
Description	Optional. Description of the connection.
Type	Required. The type of connection you want to use for the connector or service connector. Select **Microsoft SharePoint**.
Runtime Environment	Required. The runtime environment for the connection. You can run the connection on the Cloud Server, a Secure Agent group, or a Secure Agent machine.
Connection Test	Not supported for Microsoft SharePoint Connector.
OData-Enabled	Not supported for Microsoft SharePoint Connector.

After you configure the basic properties, you can define the OAuth2 authentication properties for the Microsoft SharePoint connection.

Microsoft SharePoint connection authentication properties

When you create a Microsoft SharePoint connection, you can configure the connection using OAuth2 authentication properties.

To authenticate the Microsoft SharePoint connection using OAuth2 authentication, select **OAuth2** from the **Authentication Type** list and configure the following properties:

Property	Description
Grant Type	Required. Select the required grant type based on your use case.
Authorization URL	Required. Enter the OAuth authorization URL for the OAuth provider to authorize the user request. For example: `https://login.microsoftonline.com/xxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxx/oauth2/v2.0/authorize`
Token Request URL	Required. Enter the OAuth token request URL that handles token requests. For example: `https://login.microsoftonline.com/xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx/oauth2/v2.0/token` The expiration of the refresh token depends on the OAuth provider. You must re-authenticate and publish the connection before the token expires. **Note:** The refresh token doesn't apply to agents and agent groups.
Client ID	Required. Specify the identifier value from the OAuth provider.
Client Secret	Required. Enter the client secret to connect to the email application.
Scope	Required. Specify the scope. The scope in OAuth authentication limits an application's access to a user's account. You can select multiple scopes for a single client. To enter multiple scopes, separate each value with a space. For example, Channel.Create Channel.Delete.All Channel.ReadBasic.All ChannelMember.Read.All email offline_access Group.Read.All Group.ReadWrite.All.
Session duration	Optional. Enter the number of minutes to wait before refreshing the session. This is used if you cannot obtain the token expiration from the OAuth provider. Default is 60 minutes.
Other Parameters	Optional. Enter parameters to customize the authorization request, separated with semicolons. You can provide extra information or specify requirements of the OAuth provider.
Authorization Status	Indicates the current status, the name of the user who authorized, and the last time when the authorization was completed.
Authorize Access	Click to initiate the authorization workflow using OAuth.

Microsoft SharePoint connection properties

To use the Microsoft SharePoint connection, you need the base URL. Enter the base URL in the **Base_URL** property in the **Connection Properties** section. The base URL connects to the hostname of the Microsoft Graph API endpoint.


Microsoft SharePoint Connector supports only the default `https://graph.microsoft.com/v1.0` endpoint. You cannot use any other port except the default port.

Microsoft SharePoint connection metadata

After you create a Microsoft SharePoint connection, you can validate and save the connection. You can then publish the Microsoft SharePoint connection and click the **Metadata** tab to view the generated process objects for the connection.

When you publish an Microsoft SharePoint connection in Application Integration, the **Actions** and **Objects** appear on the **Metadata** tab.

The following image shows the **Metadata** tab for a published Microsoft SharePoint connection:



Microsoft SharePoint connection actions and objects

When you publish an Microsoft SharePoint connection in Application Integration, the **Actions** and **Objects** appear on the **Metadata** tab.

Consider the following information when you use specific actions and objects:

- The Get Root for a Drive action gets the root folder of a drive.
  The following snippets provide sample values for the output fields:

  - Get_Root_Response

```
<root>
   <parentReference>
      <driveId>b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh</
driveId>
      <driveType>business</driveType>
   </parentReference>
   <lastModifiedDateTime>2025-08-05T10:31:58Z</lastModifiedDateTime>
   <folder>
      <childCount>6</childCount>
   </folder>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#Collection(driveItem)/
$entity</odata.context>
   <size>2837993</size>
   <webUrl>https://informaticates-my.sharepoint.com/personal/svc-
cai_informaticates_onmicrosoft_com/Documents</webUrl>
   <root/>
   <name>root</name>
   <createdDateTime>2025-06-29T05:12:53Z</createdDateTime>
   <id>01URY5QYV6Y2GOVW7725BZO354PWSELRRZ</id>
   <fileSystemInfo>
      <lastModifiedDateTime>2025-08-05T10:31:58Z</lastModifiedDateTime>
      <createdDateTime>2025-06-29T05:12:53Z</createdDateTime>
   </fileSystemInfo>
</root>
```

  - Drive_ID

```
b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh
```

- The Get Drive Details action gets metadata about a drive.
  The following snippets provide sample values for the input fields:

  - Drive_ID

```
b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh
```

  The following snippets provide sample values for the output fields:

  - Get_One_Drive_Response

```
<root>
   <owner>
      <user>
         <displayName>SVC-CAI</displayName>
         <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </owner>
   <lastModifiedDateTime>2025-08-05T10:19:52Z</lastModifiedDateTime>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#drives/$entity</
odata.context>
   <createdBy>
      <user>
         <displayName>System Account</displayName>
      </user>
   </createdBy>
   <driveType>business</driveType>
   <webUrl>https://informaticates-my.sharepoint.com/personal/svc-
```

```
cai_informaticates_onmicrosoft_com/Documents</webUrl>
   <lastModifiedBy>
      <user>
         <displayName>SVC-CAI</displayName>
         <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </lastModifiedBy>
   <quota>
      <total>1099511627776</total>
      <deleted>4463378</deleted>
      <used>9790722</used>
      <state>normal</state>
      <remaining>1099497373676</remaining>
   </quota>
   <name>OneDrive</name>
   <createdDateTime>2025-06-29T05:12:53Z</createdDateTime>
   <description/>
   <id>b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh</id>
</root>
```

- The Get Folders in a Drive action lists all children of the root folder of a drive.
  The following snippets provide sample values for the output fields:

  - Get_Folder_Response

```
<root>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#Collection(driveItem)</
odata.context>
   <value>
      <lastModifiedDateTime>2025-07-09T09:36:00Z</lastModifiedDateTime>
      <lastModifiedBy>
         <application>
            <displayName>OfficeServicesManager</displayName>
            <id>9e4a5442-a5c9-4f6f-b03f-5b9fcaaf24b1</id>
         </application>
         <user>
            <displayName>SVC-CAI</displayName>
            <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
            <email>SVC-CAI@informaticates.onmicrosoft.com</email>
         </user>
      </lastModifiedBy>
      <createdDateTime>2025-07-09T09:36:00Z</createdDateTime>
      <parentReference>
         <path>/drive/root:</path>
         <driveId>b!
tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh</driveId>
         <driveType>business</driveType>
         <name>Documents</name>
         <siteId>2fd33bb6-1886-4359-a3c4-fe28b569a7d0</siteId>
         <id>01URY5QYV6Y2GOVW7725BZO354PWSELRRZ</id>
      </parentReference>
      <folder>
         <childCount>14</childCount>
      </folder>
      <size>8247</size>
      <createdBy>
         <application>
            <displayName>OfficeServicesManager</displayName>
            <id>9e4a5442-a5c9-4f6f-b03f-5b9fcaaf24b1</id>
         </application>
         <user>
            <displayName>SVC-CAI</displayName>
            <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
            <email>SVC-CAI@informaticates.onmicrosoft.com</email>
         </user>
      </createdBy>
      <webUrl>https://informaticates-my.sharepoint.com/personal/svc-
cai_informaticates_onmicrosoft_com/Documents/Attachments</webUrl>
      <name>Attachments</name>
```

```
      <cTag>"c:{759B0F6A-6F1F-4EB9-913D-0B250D07EA08},0"</cTag>
      <eTag>"{759B0F6A-6F1F-4EB9-913D-0B250D07EA08},1"</eTag>
      <id>01URY5QYTKB6NXKH3PXFHJCPILEUGQP2QI</id>
      <specialFolder>
         <name>attachments</name>
      </specialFolder>
      <fileSystemInfo>
         <lastModifiedDateTime>2025-07-09T09:36:00Z</lastModifiedDateTime>
         <createdDateTime>2025-07-09T09:36:00Z</createdDateTime>
      </fileSystemInfo>
   </value>
..
..
..
..
   <value>
      <lastModifiedDateTime>2025-07-31T11:07:34Z</lastModifiedDateTime>
      <lastModifiedBy>
         <application>
            <displayName>M365Chat</displayName>
            <id>c0ab8ce9-e9a0-42e7-b064-33d422df41f1</id>
         </application>
         <user>
            <displayName>SVC-CAI</displayName>
            <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
            <email>SVC-CAI@informaticates.onmicrosoft.com</email>
         </user>
      </lastModifiedBy>
      <createdDateTime>2025-07-31T11:07:34Z</createdDateTime>
      <parentReference>
         <path>/drive/root:</path>
         <driveId>b!
tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh</driveId>
         <driveType>business</driveType>
         <name>Documents</name>
         <siteId>2fd33bb6-1886-4359-a3c4-fe28b569a7d0</siteId>
         <id>01URY5QYV6Y2GOVW7725BZO354PWSELRRZ</id>
      </parentReference>
      <folder>
         <childCount>0</childCount>
      </folder>
      <size>0</size>
      <createdBy>
         <application>
            <displayName>M365Chat</displayName>
            <id>c0ab8ce9-e9a0-42e7-b064-33d422df41f1</id>
         </application>
         <user>
            <displayName>SVC-CAI</displayName>
            <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
            <email>SVC-CAI@informaticates.onmicrosoft.com</email>
         </user>
      </createdBy>
      <webUrl>https://informaticates-my.sharepoint.com/personal/svc-
cai_informaticates_onmicrosoft_com/Documents/Microsoft%20Copilot%20Chat%20Files</
webUrl>
      <name>Microsoft Copilot Chat Files</name>
      <cTag>"c:{498E5468-AD54-4E33-A465-0E685C484015},0"</cTag>
      <eTag>"{498E5468-AD54-4E33-A465-0E685C484015},1"</eTag>
      <id>01URY5QYTIKSHESVFNGNHKIZIONBOEQQAV</id>
      <specialFolder>
         <name>copilotuploads</name>
      </specialFolder>
      <fileSystemInfo>
         <lastModifiedDateTime>2025-07-31T11:07:34Z</lastModifiedDateTime>
         <createdDateTime>2025-07-31T11:07:34Z</createdDateTime>
      </fileSystemInfo>
   </value>
</root>
```

- The Create Folder in Drive action creates a driveItem in the specified drive.

The following snippets provide sample values for the input fields:

- Name - `Check`
- Folder - `{}`
- Conflict_Behaviour - `replace`

The following snippets provide sample values for the output fields:

- Create_Folder_Response

```
<root>
   <lastModifiedDateTime>2025-08-06T07:00:50Z</lastModifiedDateTime>
   <odata.context>https://graph.microsoft.com/
v1.0/$metadata#users('a9d23a15-5882-4f54-88da-94aab9f0bbc4')/drive/root/children/
$entity</odata.context>
   <lastModifiedBy>
      <application>
         <displayName>CAI_Sharepoint_connector</displayName>
         <id>7a158294-91c3-4534-99fc-4f9e8b1b86bb</id>
      </application>
      <user>
         <displayName>SVC-CAI</displayName>
         <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </lastModifiedBy>
   <createdDateTime>2025-08-06T07:00:50Z</createdDateTime>
   <parentReference>
      <path>/drives/b!
tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh/root:</path>
      <driveId>b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh</
driveId>
      <driveType>business</driveType>
      <id>01URY5QYV6Y2GOVW7725BZO354PWSELRRZ</id>
      <sharepointIds>
         <listId>fcd80baa-2756-41c7-86dc-8a24a466f221</listId>
         <listItemUniqueId>87268b88-0360-4a11-8629-c616dcf8aa6f</listItemUniqueId>
         <siteUrl>https://informaticates-my.sharepoint.com/personal/svc-
cai_informaticates_onmicrosoft_com</siteUrl>
         <webId>a4de462d-1764-4c80-9926-a637d296116d</webId>
         <tenantId>4fcd0ec7-1fc1-4043-b8ce-57cbdf25d687</tenantId>
         <siteId>2fd33bb6-1886-4359-a3c4-fe28b569a7d0</siteId>
      </sharepointIds>
   </parentReference>
   <folder>
      <childCount>0</childCount>
   </folder>
   <size>0</size>
   <createdBy>
      <application>
         <displayName>CAI_Sharepoint_connector</displayName>
         <id>7a158294-91c3-4534-99fc-4f9e8b1b86bb</id>
      </application>
      <user>
         <displayName>SVC-CAI</displayName>
         <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </createdBy>
   <webUrl>https://informaticates-my.sharepoint.com/personal/svc-
cai_informaticates_onmicrosoft_com/Documents/Checks</webUrl>
   <name>Checks</name>
   <commentSettings>
      <commentingDisabled>
         <isDisabled>false</isDisabled>
      </commentingDisabled>
   </commentSettings>
   <cTag>"c:{E3A21DBA-89AF-4D15-B837-64AB5139FDE0},0"</cTag>
```

```
   <eTag>"{E3A21DBA-89AF-4D15-B837-64AB5139FDE0},1"</eTag>
   <id>01URY5QYV2DWROHL4JCVG3QN3EVNITT7PA</id>
   <odata.etag>"{E3A21DBA-89AF-4D15-B837-64AB5139FDE0},1"</odata.etag>
   <fileSystemInfo>
      <lastModifiedDateTime>2025-08-06T07:00:50Z</lastModifiedDateTime>
      <createdDateTime>2025-08-06T07:00:50Z</createdDateTime>
   </fileSystemInfo>
</root>
```

- Folder_ID - `01URY5QYV2DWROHL4JCVG3QN3EVNITT7PA`
- Folder_URL - `https://informaticates-my.sharepoint.com/personal/svc-cai_informaticates_onmicrosoft_com/Documents/Checks`

- The Delete Item from Drive action deletes a driveItem.
  The following snippets provide sample values for the input fields:
  - Drive_ID - `b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh`
  - Item_ID - `01URY5QYV2DWROHL4JCVG3QN3EVNITT7PA`

  You will receive 204 response code in return.
- The Upload a New Text File to Drive action uploads the contents to a driveItem.
  The following snippets provide sample values for the input fields:
  - Drive_ID - `b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh`
  - Parent_ID - `01URY5QYROWH4ROWRS6FBLSLDGGZWQRKRQ`
  - File_Name - `charge.txt`
  - Contents_of_File - `hi hello`
  - Required_Resource_Type - `text/plain`

  The following snippets provide sample values for the output fields:
  - Upload_File_Response

```
<root>
   <lastModifiedDateTime>2025-08-06T07:10:07Z</lastModifiedDateTime>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#drives('b
%21tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh')/items/$entity</
odata.context>
   <microsoft.graph.downloadUrl>https://informaticates-my.sharepoint.com/personal/
svc-cai_informaticates_onmicrosoft_com/_layouts/15/download.aspx?UniqueId=1fb29f6f-
ceec-4110e-aa1a-
ded8c892ea86&amp;Translate=false&amp;tempauth=v1.eyJzaXRlaWQiOiIyZmQzM2JiNi0xODg2LTQz
NTktYTNjNC1mZTI4YjU2OWE3ZDAiLCJhcHBfZGlzcGxheW5hbWUiOiJDQUlfU2hhcmVwb2ludF9jb25uZWN0b
3IiLCJhcHBpZCI6IjdhMTU4Mjk0LTkxYzMtNDUzNC05OWZjLTRmOWU4YjFiODZiYiIsImF1ZCI6IjAwMDAwMD
AzLTAwMDAtMGZmMS1jZTAwLTAwMDAwMDAwMC9pbmZvcm1hdGljYXRlcy1teS5zaGFyZXBvaW50LmNvbUA
0ZmNkMGVjNy0xZmMxLTQwNDMtYjhjZS01N2NiZGYyNWQ2ODciLCJleHAiOiIxNzU0NDY3ODA3In0.CkAKDGVu
dHJhX2NsYWltcxIwQ09yNHk4UUdFQUFhRmtaclQwbEtTekJTWTFWdFYwdFlaa2wzUjNOUFFVRXFBQT09CjIKC
mFjdG9yYXBwaWQSJDAwMDAwMDAzLTAwMDAtMDAwMC1jMDAwLTAwMDAwMDAwMDAwMAoKCgRzbmlkEgI2NBILCP
DYsenJsKo-
EAUaDTQwLjEyNi4yNi4xNjAqLGc2MGVabk92anNXRG5iaFp3bEY3RzcxVzVURGRKME5pL0ZFZEpGa2ZDVE09M
LABOAFCEKG5BkGFEACQecJ5-
RoymjpKEGhhc2hlZHByb29mdG9rZW5qJDAwN2IwNDQ5LWZiZjctNDU1NC0zOWU1LWI3NjQ3MTk0YzIzN3IpMG
guZnxtZW1iZXJzaGlwfDEwMDMyMDA0ZDg3ZjljZWFAbGl2ZS5jb216ATKCARIJxw7NT8EfQ0ARuM5Xy98l1oe
SAQNTVkOaAQNDQUmiASZzdmMtY2FpQGluZm9ybWF0aWNhdGVzLm9ubWljcm9zb2Z0LmNvbaoBEDEwMDMyMDA0
RDg3RjlDRUGyAXVteWZpbGVzLnJlYWQgYWxsZmlsZXMucmVhZCBteWZpbGVzLndyaXRlIGFsbGZpbGVzLndya
XRlIGFsbHNpdGVzLm1hbmFnZSBhbGxzaXRlcy5yZWFkIGFsbHNpdGVzLndyaXRlIGFsbHByb2ZpbGVzLnJlYW
TIAQE.BqcA2CjZVogkRpCss435MSbs2hT4PVqxdqinTc4R6xY&amp;ApiVersion=2.0</
microsoft.graph.downloadUrl>
   <lastModifiedBy>
      <application>
         <displayName>CAI_Sharepoint_connector</displayName>
         <id>7a158294-91c3-4534-99fc-4f9e8b1b86bb</id>
      </application>
      <user>
```

```
            <displayName>SVC-CAI</displayName>
            <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
            <email>SVC-CAI@informaticates.onmicrosoft.com</email>
         </user>
      </lastModifiedBy>
      <createdDateTime>2025-08-06T07:10:07Z</createdDateTime>
      <parentReference>
         <path>/drives/b!
tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh/root:/Check</path>
         <driveId>b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh</
driveId>
         <driveType>business</driveType>
         <name>Check</name>
         <siteId>2fd33bb6-1886-4359-a3c4-fe28b569a7d0</siteId>
         <id>01URY5QYROWH4ROWRS6FBLSLDGGZWQRKRQ</id>
      </parentReference>
      <file>
         <hashes>
            <quickXorHash>aCgDG9jwBgAAAAAABQAAAAAAAAA=</quickXorHash>
         </hashes>
         <mimeType>text/plain</mimeType>
      </file>
      <size>5</size>
      <createdBy>
         <application>
            <displayName>CAI_Sharepoint_connector</displayName>
            <id>7a158294-91c3-4534-99fc-4f9e8b1b86bb</id>
         </application>
         <user>
            <displayName>SVC-CAI</displayName>
            <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
            <email>SVC-CAI@informaticates.onmicrosoft.com</email>
         </user>
      </createdBy>
      <webUrl>https://informaticates-my.sharepoint.com/personal/svc-
cai_informaticates_onmicrosoft_com/Documents/Check/charge.txt</webUrl>
      <name>charge.txt</name>
      <cTag>"c:{1FB29F6F-CEEC-410E-AA1A-DED8C892EA86},1"</cTag>
      <eTag>"{1FB29F6F-CEEC-410E-AA1A-DED8C892EA86},1"</eTag>
      <id>01URY5QYTPT6ZB73GOBZA2UGW63DEJF2UG</id>
      <fileSystemInfo>
         <lastModifiedDateTime>2025-08-06T07:10:07Z</lastModifiedDateTime>
         <createdDateTime>2025-08-06T07:10:07Z</createdDateTime>
      </fileSystemInfo>
   </root>
```


- File_ID - `01URY5QYTPT6ZB73GOBZA2UGW63DEJF2UG`
- Web_Url - `https://informaticates-my.sharepoint.com/personal/svc-cai_informaticates_onmicrosoft_com/Documents/Check/charge.txt`

- The Read Content from File action reads the contents of a file.
  The following snippets provide sample values for the input fields:
  - Drive_ID - `b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh`
  - Item_ID - `01URY5QYTPT6ZB73GOBZA2UGW63DEJF2UG`

  The following snippets provide sample values for the output fields:

  Read_Content_Response - `<result xml="false">hello</result>`
- The Replace Content in the Existing File action replaces the contents of an existing file with new contents.
  The following snippets provide sample values for the input fields:
  - Drive_ID - `b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh`
  - Item_ID - `01URY5QYTPT6ZB73GOBZA2UGW63DEJF2UG`
  - Replace_Request_Body - `saving the new changes`

- Replaced_Content_Type - `text./plain`

The following snippets provide sample values for the output fields:

- Replace_Existing_Response

```
<root>
   <shared>
      <scope>users</scope>
   </shared>
   <lastModifiedDateTime>2025-08-06T07:19:15Z</lastModifiedDateTime>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#drives('b
%21tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh')/items/$entity</
odata.context>
   <microsoft.graph.downloadUrl>https://informaticates-my.sharepoint.com/personal/
svc-cai_informaticates_onmicrosoft_com/_layouts/15/download.aspx?UniqueId=ac69a7e9-
fed9-4869-
a6d6-6910aca4a660&amp;Translate=false&amp;tempauth=v1.eyJzaXRlaWQiOiIyZmQzM2JiNi0xODg
2LTQzNTktYTNjNC1mZTI4YjU2OWE3ZDAiLCJhcHBfZGlzcGxheW5hbWUiOiJDQUlfU2hhcmVwb2ludF9jb25u
ZWN0b3IiLCJhcHBpZCI6IjdhMTU4Mjk0LTkxYzMtNDUzNC05OWZjLTRmOWU4YjFiODZiYiIsImF1ZCI6IjAwM
DAwMDAzLTAwMDAtMGZmMS1jZTAwLTAwMDAwMDAwMC9pbmZvcm1hdGljYXRlcy1teS5zaGFyZXBvaW50Lm
NvbUA0ZmNkMGVjNy0xZmMxLTQwNDMtYjhjZS01N2NiZGYyNWQ2ODciLCJleHAiOiIxNzU0NDY4MzU1In0.CkA
KDGVudHJhX2NsYWltcxIwQ09yNHk4UUdFQUFhRmtaclQwbEtTekJTWTFWdFYwdFlaa2wzUjNOUFFVRXFBQT09
CjIKCmFjdG9yYXBwaWQSJDAwMDAwMDAzLTAwMDAtMDAwMC1jMDAwLTAwMDAwMDAwMDAwMAoKCgRzbmlkEgI2N
BILCJabldHysKo-
EAUaDjIwLjE5MC4xNTQuMTYwKixOanBDT0RyQzF2UnlHV3JyK3FENG1tV0MyWTRhL3VtUUVhRVdTMlJOL3JrP
TCwATgBQhChuQbHR2AAkMYhKgXke8fgShBoYXNoZWRwcm9vZnRva2VuaiQwMDdiMDQ0OS1mYmY3LTQ1NTQtMz
llNS1iNzY0NzE5NGMyMzdyKTBoLmZ8bWVtYmVyc2hpcHwxMDAzMjAwNGQ4N2Y5Y2VhQGxpdmUuY29tegEyggE
SCccOzU_BH0NAEbjOV8vfJdaHkgEDU1ZDmgEDQ0FJogEmc3ZjLWNhaUBpbmZvcm1hdGljYXRlcy5vbm1pY3Jv
c29mdC5jb22qARAxMDAzMjAwNEQ4N0Y5Q0VBsgF1bXlmaWxlcy5yZWFkIGFsbGZpbGVzLnJlYWQgbXlmaWxlc
y53cml0ZSBhbGxmaWxlcy53cml0ZSBhbGxzaXRlcy5tYW5hZ2UgYWxsc2l0ZXMucmVhZCBhbGxzaXRlcy53cm
l0ZSBhbGxwcm9maWxlcy5yZWFkyAEB.81UGwuY6kyjW9yDPcussUcZQJuIiMWBjoBjIlpwgF78&amp;ApiVer
sion=2.0</microsoft.graph.downloadUrl>
   <lastModifiedBy>
      <application>
         <displayName>CAI_Sharepoint_connector</displayName>
         <id>7a158294-91c3-4534-99fc-4f9e8b1b86bb</id>
      </application>
      <user>
         <displayName>SVC-CAI</displayName>
         <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </lastModifiedBy>
   <createdDateTime>2025-08-01T13:34:28Z</createdDateTime>
   <parentReference>
      <path>/drives/b!
tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh/root:/Attachments</
path>
      <driveId>b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh</
driveId>
      <driveType>business</driveType>
      <name>Attachments</name>
      <siteId>2fd33bb6-1886-4359-a3c4-fe28b569a7d0</siteId>
      <id>01URY5QYTKB6NXKH3PXFHJCPILEUGQP2QI</id>
   </parentReference>
   <file>
      <hashes>
         <quickXorHash>ENGqbcAwIQ69VZJjyPYPkrwjIws=</quickXorHash>
      </hashes>
      <mimeType>text/plain</mimeType>
   </file>
   <size>2035</size>
   <createdBy>
      <application>
         <displayName>CAI_Sharepoint_connector</displayName>
         <id>7a158294-91c3-4534-99fc-4f9e8b1b86bb</id>
      </application>
      <user>
```

```
            <displayName>SVC-CAI</displayName>
            <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
            <email>SVC-CAI@informaticates.onmicrosoft.com</email>
         </user>
      </createdBy>
      <webUrl>https://informaticates-my.sharepoint.com/personal/svc-
   cai_informaticates_onmicrosoft_com/Documents/Attachments/save.txt</webUrl>
      <name>save.txt</name>
      <cTag>"c:{AC69A7E9-FED9-4869-A6D6-6910ACA4A660},11"</cTag>
      <eTag>"{AC69A7E9-FED9-4869-A6D6-6910ACA4A660},15"</eTag>
      <id>01URY5QYTPT6ZB73GOBZA2UGW63DEJF2UG</id>
      <fileSystemInfo>
         <lastModifiedDateTime>2025-08-06T07:19:15Z</lastModifiedDateTime>
         <createdDateTime>2025-08-01T13:34:28Z</createdDateTime>
      </fileSystemInfo>
   </root>
```

- The Rename an Existing File action updates the metadata for a driveItem by ID.
  The following snippets provide sample values for the input fields:

  - Drive_ID - `b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh`
  - Item_ID - `01URY5QYXJU5U2ZWP6NFEKNVTJCCWKJJTA`
  - Name - `collapse.txt`

  The following snippets provide sample values for the output fields:

  - Rename_Response

```
<root>
   <shared>
      <scope>users</scope>
   </shared>
   <lastModifiedDateTime>2025-08-06T07:22:48Z</lastModifiedDateTime>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#drives('b
%21tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh')/items/$entity</
odata.context>
   <microsoft.graph.downloadUrl>https://informaticates-my.sharepoint.com/personal/
svc-cai_informaticates_onmicrosoft_com/_layouts/15/download.aspx?UniqueId=ac69a7e9-
fed9-4869-
a6d6-6910aca4a660&amp;Translate=false&amp;tempauth=v1.eyJzaXRlaWQiOiIyZmQzM2JiNi0xODg
2LTQzNTktYTNjNC1mZTI4YjU2OWE3ZDAiLCJhcHBfZGlzcGxheW5hbWUiOiJDQUlfU2hhcmVwb2ludF9jb25u
ZWN0b3IiLCJhcHBpZCI6IjdhMTU4Mjk0LTkxYzMtNDUzNC05OWZjLTRmOWU4YjFiODZiYiIsImF1ZCI6IjAwM
DAwMDAzLTAwMDAtMGZmMS1jZTAwLTAwMDAwMDAwMC9pbmZvcm1hdGljYXRlcy1teS5zaGFyZXBvaW50Lm
NvbUA0ZmNkMGVjNy0xZmMxLTQwNDMtYjhjZS01N2NiZGYyNWQ2ODciLCJleHAiOiIxNzU0NDY4NTY3In0.CkA
KDGVudHJhX2NsYWltcxIwQ09yNHk4UUdFQUFhRmtaclQwbEtTekJTWTFWdFYwdFlaa2wzUjNOUFFVRXFBQT09
CjIKCmFjdG9yYXBwaWQSJDAwMDAwMDAzLTAwMDAtMDAwMC1jMDAwLTAwMDAwMDAwMDAwMAoKCgRzbmlkEgI2N
BILCLa87rqCsao-
EAUaDTIwLjE5MC4xNTQuMzIqLE5qcENPRHJDMXZSeUdXcnIrcUQ0bW1XQzJZNGEvdW1RRWFFV1MyUk4vcms9M
LABOAFCEKG5Bvsp4ACQ52_GBkSpckBKEGhhc2hlZHByb29mdG9rZW5qJDAwN2IwNDQ5LWZiZjctNDU1NC0zOW
U1LWI3NjQ3MTk0YzIzN3IpMGguZnxtZW1iZXJzaGlwfDEwMDMyMDA0ZDg3ZjljZWFAbGl2ZS5jb216ATKCARI
Jxw7NT8EfQ0ARuM5Xy98l1oeSAQNTVkOaAQNDQUmiASZzdmMtY2FpQGluZm9ybWF0aWNhdGVzLm9ubWljcm9z
b2Z0LmNvbaoBEDEwMDMyMDA0RDg3RjlDRUGyAXVteWZpbGVzLnJlYWQgYWxsZmlsZXMucmVhZCBteWZpbGVzL
ndyaXRlIGFsbGZpbGVzLndyaXRlIGFsbHNpdGVzLm1hbmFnZSBhbGxzaXRlcy5yZWFkIGFsbHNpdGVzLndyaX
RlIGFsbHByb2ZpbGVzLnJlYWTIAQE.lqupeJh9ouhOKWYjDOkJnuVuh3LZ4YuM3raD-
BW67Ho&amp;ApiVersion=2.0</microsoft.graph.downloadUrl>
   <lastModifiedBy>
      <application>
         <displayName>CAI_Sharepoint_connector</displayName>
         <id>7a158294-91c3-4534-99fc-4f9e8b1b86bb</id>
      </application>
      <user>
         <displayName>SVC-CAI</displayName>
         <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </lastModifiedBy>
   <createdDateTime>2025-08-01T13:34:28Z</createdDateTime>
   <parentReference>
```

```
      <path>/drives/b!
tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh/root:/Attachments</
path>
      <driveId>b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh</
driveId>
      <driveType>business</driveType>
      <name>Attachments</name>
      <siteId>2fd33bb6-1886-4359-a3c4-fe28b569a7d0</siteId>
      <id>01URY5QYTKB6NXKH3PXFHJCPILEUGQP2QI</id>
   </parentReference>
   <file>
      <hashes>
         <quickXorHash>ENGqbcAwIQ69VZJjyPYPkrwjIws=</quickXorHash>
      </hashes>
      <mimeType>text/plain</mimeType>
   </file>
   <size>2035</size>
   <createdBy>
      <application>
         <displayName>CAI_Sharepoint_connector</displayName>
         <id>7a158294-91c3-4534-99fc-4f9e8b1b86bb</id>
      </application>
      <user>
         <displayName>SVC-CAI</displayName>
         <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </createdBy>
   <webUrl>https://informaticates-my.sharepoint.com/personal/svc-
cai_informaticates_onmicrosoft_com/Documents/Attachments/collapse.txt</webUrl>
   <name>collapse.txt</name>
   <cTag>"c:{AC69A7E9-FED9-4869-A6D6-6910ACA4A660},11"</cTag>
   <eTag>"{AC69A7E9-FED9-4869-A6D6-6910ACA4A660},16"</eTag>
   <id>01URY5QYXJU5U2ZWP6NFEKNVTJCCWKJJTA</id>
   <fileSystemInfo>
      <lastModifiedDateTime>2025-08-06T07:22:48Z</lastModifiedDateTime>
      <createdDateTime>2025-08-01T13:34:28Z</createdDateTime>
   </fileSystemInfo>
</root>
```


- Web_URL

  ```
  https://informaticates-my.sharepoint.com/personal/svc-
  cai_informaticates_onmicrosoft_com/Documents/Attachments/collapse.txt
  ```

- The Download a File from Your Drive action downloads the contents of the primary stream file of a driveItem from your drive. Only driveItem objects with the file property can be downloaded.
  The following snippets provide sample values for the input fields:

  - Item_ID - `01URY5QYXJU5U2ZWP6NFEKNVTJCCWKJJTA`

  The following snippets provide sample values for the output fields:

  - Download_File_Response


```
<root>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#Collection(driveItem)/
$entity</odata.context>
   <microsoft.graph.downloadUrl>https://informaticates-my.sharepoint.com/personal/
svc-cai_informaticates_onmicrosoft_com/_layouts/15/download.aspx?UniqueId=ac69a7e9-
fed9-4869-
a6d6-6910aca4a660&amp;Translate=false&amp;tempauth=v1.eyJzaXRlaWQiOiIyZmQzM2JiNi0xODg
2LTQzNTktYTNXXXXXXXXXXXXU0NDY4NzczIn0.CkAKDGVudHJhX2NsYWltcxIwQ09yNHkXXXXXMDAwMDAwMA
oKCgRzbmlkEgI2NBILCMSnieeRsao-
EAUaDjIwLjE5MC4xNTQuMTXXXXXXXXXXX9maWxlcy5yZWFkyAEB.fRfCL8HU-1GIT9a7QplHeUM1jdukH3at
uScNTE0ew-4&amp;ApiVersion=2.0</microsoft.graph.downloadUrl>
   <id>01URY5QYXJU5U2ZWP6NFEKNVTJCCWKJJTA</id>
</root>
```

- Download_URL

```
https://informaticates-my.sharepoint.com/personal/svc-
cai_informaticates_onmicrosoft_com/_layouts/15/download.aspx?UniqueId=ac69a7e9-
fed9-4869-
a6d6-6910aca4a660&Translate=false&tempauth=v1.eyJzaXRlaWQiOiIyZmQzM2JiNi0xODg2LTQzNTk
tYTNXXXXXXXXXXXXIxNzU0NDY4NzczIn0.CkAKDGVudHJhX2NsYWltcxIwQ09yNHk4UUdFQUFhRmtaclQwbXX
XXXXI2NBILCMSnieeRsao-
EAUaDjIwLjE5XXXXXXXXXXXVhQGxpdmUuY29tegEyggESCccOzU_BH0NAEbjOV8vfJdaHkgEDU1ZDmgEXXXX
XXXXXXXBhbGxwcm9maWxlcy5yZWFkyAEB.fRfCL8HU-1GIT9a7QplHeUM1jdukH3atuScNTE0ew-4&ApiVer
sion=2.0
```

- The Download File from Shared Drive action downloads the contents of the primary stream file of a driveItem from a shared drive. Only driveItem objects with the file property can be downloaded.
  The following snippets provide sample values for the input fields:

  - Drive_ID - `b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh`
  - Item_ID - `01URY5QYXJU5U2ZWP6NFEKNVTJCCWKJJTA`

  You will get a download file option in response.

- The Move an Item to a New Folder action moves a driveItem to a new parent item by updating its parentReference.
  The following snippets provide sample values for the input fields:

  - Drive_ID - `b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh`
  - Item_ID - `01URY5QYXJU5U2ZWP6NFEKNVTJCCWKJJTA`
  - Parent_Folder_ID - `01URY5QYTKB6NXKH3PXFHJCPILEUGQP2QI`
  - New_File_Name - `close.txt`

  The following snippets provide sample values for the output fields:

  - Move_Item_Response

```
<root>
   <shared>
      <scope>users</scope>
   </shared>
   <lastModifiedDateTime>2025-08-06T07:33:28Z</lastModifiedDateTime>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#drives('b
%21tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh')/items/$entity</
odata.context>
   <microsoft.graph.downloadUrl>https://informaticates-my.sharepoint.com/personal/
svc-cai_informaticates_onmicrosoft_com/_layouts/15/download.aspx?UniqueId=ac69a7e9-
fed9-4869-
a6d6-6910aca4a660&amp;Translate=false&amp;tempauth=v1.eyJzaXRlaWQiOiIyZmQzM2JiNi0xODg
2LTQzNTktYTNjNC1mZTI4YjU2OWE3ZDAiLCJhcHBfZGlzcGxheW5hbWUiOiJDQUlfU2hhcmVwb2ludF9jb25u
ZWN0b3IiLCJhcHBpZCI6IjdhMTU4Mjk0LTkxYzMtNDUzNC05OWZjLTRmOWU4YjFiODZiYiIsImF1ZCI6IjAwM
DAwMDAzLTAwMDAtMGZmMS1jZTAwLTAwMDAwMDAwMDAwMC9pbmZvcm1hdGljYXRlcy1teS5zaGFyZXBvaW50Lm
NvbUA0ZmNkMGVjNy0xZmMxLTQwNDMtYjhjZS01N2NiZGYyNWQ2ODciLCJleHAiOiIxNzU0NDY5MjA3In0.CkA
KDGVudHJhX2NsYWltcxIwQ09yNHk4UUdFQUFhRmtaclQwbEtTekJTWTFWdFYwdFlaa2wzUjNOUFFVRXFBQT09
CjIKCmFjdG9yYXBwaWQSJDAwMDAwMDAzLTAwMDAtMDAwMC1jMDAwLTAwMDAwMDAwMDAwMAoKCgRzbmlkEgI2N
BILCMa9rZSysao-
EAUaDDQwLjEyNi4yNi4yNCosTmpwQ09EckMxdlJ5R1dycitxRDRtbVdDMlk0YS91bVFFYUVXUzJSTi9yaz0ws
AE4AUIQobkHl3-
gAJDGISrl64PwjkoQaGFzaGVkcHJvb2Z0b2tlbmokMDA3YjA0NDktZmJmNy00NTU0LTM5ZTUtYjc2NDcxOTRj
MjM3cikwaC5mfG1lbWJlcnNoaXB8MTAwMzIwMDRkODdmOWNlYUBsaXZlLmNvbXoBMoIBEgnHDs1PwR9DQBG4z
lfL3yXWh5IBA1NWQ5oBA0NBSaIBJnN2Yy1jYWlAaW5mb3JtYXRpY2F0ZXMub25taWNyb3NvZnQuY29tqgEQMT
AwMzIwMDREODdGOUNFQbIBdW15ZmlsZXMucmVhZCBhbGxmaWxlcy5yZWFkIG15ZmlsZXMud3JpdGUgYWxsZml
sZXMud3JpdGUgYWxsc2l0ZXMubWFuYWdlIGFsbHNpdGVzLnJlYWQgYWxsc2l0ZXMud3JpdGUgYWxscHJvZmls
ZXMucmVhZMgBAQ.-kaxUIKQqRgYmp_rpLzOCvAvU5YzWQzHIfKiavMWWjg&amp;ApiVersion=2.0</
microsoft.graph.downloadUrl>
   <lastModifiedBy>
      <application>
         <displayName>CAI_Sharepoint_connector</displayName>
         <id>7a158294-91c3-4534-99fc-4f9e8b1b86bb</id>
```

```
      </application>
      <user>
         <displayName>SVC-CAI</displayName>
         <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </lastModifiedBy>
   <createdDateTime>2025-08-01T13:34:28Z</createdDateTime>
   <parentReference>
      <path>/drives/b!
tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh/root:/Attachments</
path>
      <driveId>b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh</
driveId>
      <driveType>business</driveType>
      <name>Attachments</name>
      <siteId>2fd33bb6-1886-4359-a3c4-fe28b569a7d0</siteId>
      <id>01URY5QYTKB6NXKH3PXFHJCPILEUGQP2QI</id>
   </parentReference>
   <file>
      <hashes>
         <quickXorHash>ENGqbcAwIQ69VZJjyPYPkrwjIws=</quickXorHash>
      </hashes>
      <mimeType>text/plain</mimeType>
   </file>
   <size>2035</size>
   <createdBy>
      <application>
         <displayName>CAI_Sharepoint_connector</displayName>
         <id>7a158294-91c3-4534-99fc-4f9e8b1b86bb</id>
      </application>
      <user>
         <displayName>SVC-CAI</displayName>
         <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </createdBy>
   <webUrl>https://informaticates-my.sharepoint.com/personal/svc-
cai_informaticates_onmicrosoft_com/Documents/Attachments/close.txt</webUrl>
   <name>close.txt</name>
   <cTag>"c:{AC69A7E9-FED9-4869-A6D6-6910ACA4A660},11"</cTag>
   <eTag>"{AC69A7E9-FED9-4869-A6D6-6910ACA4A660},17"</eTag>
   <id>01URY5QYXJU5U2ZWP6NFEKNVTJCCWKJJTA</id>
   <fileSystemInfo>
      <lastModifiedDateTime>2025-08-06T07:33:28Z</lastModifiedDateTime>
      <createdDateTime>2025-08-01T13:34:28Z</createdDateTime>
   </fileSystemInfo>
</root>
```


- Preview_URL

  ```
  https://informaticates-my.sharepoint.com/personal/svc-
  cai_informaticates_onmicrosoft_com/Documents/Attachments/close.txt
  ```

- The Copy an Item to a New Folder action creates a copy of a driveItem asynchronously, including child items.
  The following snippets provide sample values for the input fields:

  - Drive_ID - `b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh`
  - Item_ID - `01URY5QYXJU5U2ZWP6NFEKNVTJCCWKJJTA`
  - Parent_Folder_ID - `01URY5QYTKB6NXKH3PXFHJCPILEUGQP2QI`
  - Copied_File_Name - `mail.txt`

  You will receive 204 response code in return.

- The Search for DriveItems within a Drive action searches the hierarchy of items for those matching a query.

The following snippets provide sample values for the input fields:

- Drive_ID - `b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh`
- Search_Text - `log`

The following snippets provide sample values for the output fields:

- Search_Drive_Item_Response

```
<root>
   <odata.context>https://graph.microsoft.com/
v1.0/$metadata#Collection(microsoft.graph.driveItem)</odata.context>
   <value>
      <searchResult/>
      <parentReference>
         <driveId>b!
tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh</driveId>
         <driveType>business</driveType>
         <siteId>2fd33bb6-1886-4359-a3c4-fe28b569a7d0</siteId>
         <id>01URY5QYTKB6NXKH3PXFHJCPILEUGQP2QI</id>
      </parentReference>
      <lastModifiedDateTime>2025-08-05T10:27:37Z</lastModifiedDateTime>
      <file>
         <hashes/>
         <mimeType>text/plain</mimeType>
      </file>
      <size>2035</size>
      <createdBy>
         <user>
            <displayName>SVC-CAI</displayName>
            <email>SVC-CAI@informaticates.onmicrosoft.com</email>
         </user>
      </createdBy>
      <webUrl>https://informaticates-my.sharepoint.com/personal/svc-
cai_informaticates_onmicrosoft_com/Documents/Attachments/log.txt</webUrl>
      <lastModifiedBy>
         <user>
            <displayName>SVC-CAI</displayName>
            <email>SVC-CAI@informaticates.onmicrosoft.com</email>
         </user>
      </lastModifiedBy>
      <name>log.txt</name>
      <createdDateTime>2025-08-01T13:34:28Z</createdDateTime>
      <id>01URY5QYVQIMDVXBNOKZBIIO5DMCRH3W56</id>
      <fileSystemInfo>
         <lastModifiedDateTime>2025-08-05T10:27:37Z</lastModifiedDateTime>
         <createdDateTime>2025-08-01T13:34:28Z</createdDateTime>
      </fileSystemInfo>
   </value>
    ....
    ....
    ....
   <value>
      <searchResult/>
      <parentReference>
         <driveId>b!
tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh</driveId>
         <driveType>business</driveType>
         <siteId>2fd33bb6-1886-4359-a3c4-fe28b569a7d0</siteId>
         <id>01URY5QYROWH4ROWRS6FBLSLDGGZWQRKRQ</id>
      </parentReference>
      <lastModifiedDateTime>2025-08-01T06:26:59Z</lastModifiedDateTime>
      <file>
         <hashes/>
         <mimeType>application/vnd.openxmlformats-
officedocument.spreadsheetml.sheet</mimeType>
      </file>
      <size>12072</size>
      <createdBy>
```

```
            <user>
               <displayName>SVC-CAI</displayName>
               <email>SVC-CAI@informaticates.onmicrosoft.com</email>
            </user>
         </createdBy>
         <webUrl>https://informaticates-my.sharepoint.com/personal/svc-
cai_informaticates_onmicrosoft_com/_layouts/15/Doc.aspx?sourcedoc=
%7BB5BBB80D-6081-4AAE-
BE30-57F21379D234%7D&amp;file=resp.xlsx&amp;action=default&amp;mobileredirect=true&am
p;DefaultItemOpen=1</webUrl>
         <lastModifiedBy>
            <user>
               <displayName>SVC-CAI</displayName>
               <email>SVC-CAI@informaticates.onmicrosoft.com</email>
            </user>
         </lastModifiedBy>
         <name>resp.xlsx</name>
         <createdDateTime>2025-08-01T06:00:46Z</createdDateTime>
         <id>01URY5QYQNXC53LALAVZFL4MCX6IJXTURU</id>
         <fileSystemInfo>
            <lastModifiedDateTime>2025-08-01T06:26:59Z</lastModifiedDateTime>
            <createdDateTime>2025-08-01T06:00:46Z</createdDateTime>
         </fileSystemInfo>
      </value>
   </root>
```

- The Create a Shared Link for a DriveItem action creates a link to share a driveItem.
  The following snippets provide sample values for the input fields:

  - Drive_ID - b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh

  - Item_ID - 01URY5QYXJU5U2ZWP6NFEKNVTJCCWKJJTA

  - Create_Share_Request_Body

    ```
    <root xmlns:m="urn:informatica:ae:xquery:json2xml:meta-data">
        <password>1234</password>
        <scope>anonymous</scope>
        <type>view</type>
    </root>
    ```

    The following snippets provide sample values for the output fields:

    - Create_Share_Response

      ```
      <root>
         <odata.context>https://graph.microsoft.com/
      v1.0/$metadata#microsoft.graph.permission</odata.context>
         <roles>read</roles>
         <link>
            <preventsDownload>false</preventsDownload>
            <webUrl>https://informaticates-my.sharepoint.com/:t:/g/personal/svc-
      cai_informaticates_onmicrosoft_com/EemnaazZ_mlIptZpEKykpmABMDM_NaZGB6YnvvXzuEoRqw</
      webUrl>
            <scope>anonymous</scope>
            <type>view</type>
         </link>
         <shareId>u!
      aHR0cHM6Ly9pbmZvcm1hdGljYXRlcy1teS5zaGFyZXBvaW50LmNvbS86dDovZy9wZXJzb25hbC9zdmMtY2FpX
      2luZm9ybWF0aWNhdGVzX29ubWljcm9zb2Z0X2NvbS9FZW1uYWF6Wl9tbElwdFpwRUt5a3BtQUJNRE1fTmFaR0
      I2WW52dlh6dUVvUnF3</shareId>
         <hasPassword>true</hasPassword>
         <id>2deac8fb-55bf-49c9-ab3b-e9ae4750a501</id>
      </root>
      ```

    - Sharing_Link

      ```
      https://informaticates-my.sharepoint.com/:t:/g/personal/svc-
      cai_informaticates_onmicrosoft_com/EemnaazZ_mlIptZpXXXXABMDM_NaZGB6YnvvXzuEoRqw
      ```

- The Get All Sites action accesses the root SharePoint site within a tenant.

The following snippets provide sample values for the output fields:

- Get_All_Site_Response

```
<root>
   <lastModifiedDateTime>2025-08-05T10:35:07Z</lastModifiedDateTime>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#sites/$entity</
odata.context>
   <siteCollection>
      <hostname>informaticates.sharepoint.com</hostname>
   </siteCollection>
   <displayName>Communication site</displayName>
   <webUrl>https://informaticates.sharepoint.com</webUrl>
   <root/>
   <name/>
   <createdDateTime>2019-10-15T06:10:27.983Z</createdDateTime>
   <description/>
   <id>informaticates.sharepoint.com,080e1c19-be08-4dca-89eb-b125fffb416a,9424d7f1-
f0d6-47c8-ac23-1f9fa42ede45</id>
</root>
```

- Site_ID

```
informaticates.sharepoint.com,080e1c19-be08-4dca-89eb-b125fffb416a,9424d7f1-
f0d6-47c8-ac23-1f9fa42ede45
```

- The List Subsites for a Site action gets a collection of subsites defined for a site.
  The following snippets provide sample values for the input fields:

  - Site_ID

```
informaticates.sharepoint.com,080e1c19-be08-4dca-89eb-b125fffb416a,9424d7f1-
f0d6-47c8-ac23-1f9fa42ede45
```

  The following snippets provide sample values for the output fields:

  - List_Subsites_Response

```
<root>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#sites</odata.context>
   <value>
      <parentReference>
         <siteId>informaticates.sharepoint.com,080e1c19-be08-4dca-89eb-
b125fffb416a,9424d7f1-f0d6-47c8-ac23-1f9fa42ede45</siteId>
      </parentReference>
      <lastModifiedDateTime>2025-07-18T10:38:19Z</lastModifiedDateTime>
      <displayName>Normal</displayName>
      <webUrl>https://informaticates.sharepoint.com/NormalSite</webUrl>
      <name>NormalSite</name>
      <createdDateTime>2025-05-16T10:57:09Z</createdDateTime>
      <description/>
      <id>informaticates.sharepoint.com,080e1c19-be08-4dca-89eb-
b125fffb416a,14c56002-3e2a-466b-aef6-231ba66b9222</id>
   </value>
   <value>
      <parentReference>
         <siteId>informaticates.sharepoint.com,080e1c19-be08-4dca-89eb-
b125fffb416a,9424d7f1-f0d6-47c8-ac23-1f9fa42ede45</siteId>
      </parentReference>
      <lastModifiedDateTime>2025-07-18T10:34:44Z</lastModifiedDateTime>
      <displayName>Normal</displayName>
      <webUrl>https://informaticates.sharepoint.com/Scanner_Test</webUrl>
      <name>Scanner_Test</name>
      <createdDateTime>2025-05-16T10:52:30Z</createdDateTime>
      <description/>
      <id>informaticates.sharepoint.com,080e1c19-be08-4dca-89eb-
b125fffb416a,3ee01470-7979-4fd7-90f7-5fd2c29a11d5</id>
   </value>
</root>
```

- The Get a Site using the Site ID action accesses a SharePoint site using the siteId.

The following snippets provide sample values for the input fields:

- Site_ID

```
1d609331-fca2-44f8-9dc1-012a0e2e84f4
```

The following snippets provide sample values for the output fields:

- Get_Site_Response

```
<root>
   <lastModifiedDateTime>2025-08-06T05:48:32Z</lastModifiedDateTime>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#sites/$entity</
odata.context>
   <siteCollection>
      <hostname>informaticates.sharepoint.com</hostname>
   </siteCollection>
   <displayName>Team: Demo</displayName>
   <webUrl>https://informaticates.sharepoint.com/sites/TeamDemo</webUrl>
   <root/>
   <name>TeamDemo</name>
   <createdDateTime>2025-07-09T09:35:52.91Z</createdDateTime>
   <description/>
   <id>informaticates.sharepoint.com,1d609331-
fca2-44f8-9dc1-012a0e2e84f4,135caa3a-0740-4400-9ac6-ea1c02aeae15</id>
</root>
```

- Display_Name - Team: `Demo`
- Web_URL - `https://informaticates.sharepoint.com/sites/TeamDemo`

- The Search for items in Sites action searches across a SharePoint tenant for sites that match the provided keywords.
  The following snippets provide sample values for the input fields:

  - Query - Communication

  The following snippets provide sample values for the output fields:

  - Search_Response

```
<root>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#sites</odata.context>
   <value>
      <lastModifiedDateTime>2023-08-25T20:58:05Z</lastModifiedDateTime>
      <siteCollection>
         <hostname>informaticates.sharepoint.com</hostname>
      </siteCollection>
      <displayName>Communication site</displayName>
      <webUrl>https://informaticates.sharepoint.com</webUrl>
      <root/>
      <name>informaticates.sharepoint.com</name>
      <createdDateTime>2019-10-15T06:10:27Z</createdDateTime>
      <id>informaticates.sharepoint.com,080e1c19-be08-4dca-89eb-
b125fffb416a,9424d7f1-f0d6-47c8-ac23-1f9fa42ede45</id>
   </value>
</root>
```

- The List Pages in Site action gets the collection of baseSitePage objects from the site pages list in a site.
  The following snippets provide sample values for the input fields:

  - Site_ID - `1d609331-fca2-44f8-9dc1-012a0e2e84f4`

  The following snippets provide sample values for the output fields:

  - List_Pages_Response

```
<root>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#sites('1d609331-
fca2-44f8-9dc1-012a0e2e84f4')/pages</odata.context>
   <value>
      <lastModifiedDateTime>2025-07-09T09:39:09Z</lastModifiedDateTime>
```

```
      <pageLayout>home</pageLayout>
      <thumbnailWebUrl>https://media.akamai.odsp.cdn.office.net/
informaticates.sharepoint.com/_layouts/15/images/sitepagethumbnail.png</
thumbnailWebUrl>
      <lastModifiedBy>
         <user>
            <displayName>SVC-CAI</displayName>
            <email>SVC-CAI@informaticates.onmicrosoft.com</email>
         </user>
      </lastModifiedBy>
      <createdDateTime>2025-07-09T09:35:58Z</createdDateTime>
      <title>Home</title>
      <promotionKind>page</promotionKind>
      <showRecommendedPages>false</showRecommendedPages>
      <parentReference>
         <siteId>1d609331-fca2-44f8-9dc1-012a0e2e84f4</siteId>
      </parentReference>
      <odata.type>#microsoft.graph.sitePage</odata.type>
      <createdBy>
         <user>
            <displayName>SVC-CAI</displayName>
            <email>SVC-CAI@informaticates.onmicrosoft.com</email>
         </user>
      </createdBy>
      <webUrl>https://informaticates.sharepoint.com/sites/TeamDemo/SitePages/
CollabHome.aspx</webUrl>
      <name>CollabHome.aspx</name>
      <eTag>"{4F91E697-647E-47D2-B0C7-D67DF10071A6},12"</eTag>
      <reactions/>
      <id>4f91e697-647e-47d2-b0c7-d67df10071a6</id>
      <odata.etag>"{4F91E697-647E-47D2-B0C7-D67DF10071A6},12"</odata.etag>
      <contentType>
         <name>Site Page</name>

<id>0x0101009D1CB255DA76424F860D91F20E6C411800474F5F61594A394EB97D459B33A666FC</id>
      </contentType>
      <showComments>false</showComments>
      <publishingState>
         <versionId>2.0</versionId>
         <level>published</level>
      </publishingState>
   </value>
    ...
    ...
   <value>
      <lastModifiedDateTime>2025-06-29T05:24:57Z</lastModifiedDateTime>
      <pageLayout>home</pageLayout>
      <lastModifiedBy>
         <user>
            <displayName>System Account</displayName>
         </user>
      </lastModifiedBy>
      <createdDateTime>2025-06-29T05:24:57Z</createdDateTime>
      <title>Home</title>
      <promotionKind>page</promotionKind>
      <showRecommendedPages>false</showRecommendedPages>
      <parentReference>
         <siteId>1d609331-fca2-44f8-9dc1-012a0e2e84f4</siteId>
      </parentReference>
      <odata.type>#microsoft.graph.sitePage</odata.type>
      <createdBy>
         <user>
            <displayName>System Account</displayName>
         </user>
      </createdBy>
      <webUrl>https://informaticates.sharepoint.com/sites/TeamDemo/SitePages/
Home.aspx</webUrl>
      <name>Home.aspx</name>
      <eTag>"{25466E6C-E201-4124-B4D3-7729B2031C11},4"</eTag>
```

```
      <reactions/>
      <id>25466e6c-e201-4124-b4d3-7729b2031c11</id>
      <odata.etag>"{25466E6C-E201-4124-B4D3-7729B2031C11},4"</odata.etag>
      <contentType>
         <name>Site Page</name>

<id>0x0101009D1CB255DA76424F860D91F20E6C411800474F5F61594A394EB97D459B33A666FC</id>
      </contentType>
      <showComments>false</showComments>
      <publishingState>
         <versionId>1.0</versionId>
         <level>published</level>
      </publishingState>
   </value>
</root>
```

- The Create List in a Site action creates a new list in a site.
  The following snippets provide sample values for the input fields:

  - Site_ID - `1d609331-fca2-44f8-9dc1-012a0e2e84f4`

  - Create_List_Request_Body

```
<root xmlns:m="urn:informatica:ae:xquery:json2xml:meta-data">
     <displayName>Mail</displayName>
     <columns>
         <name>Desk</name>
         <text>{}</text>
     </columns>
     <columns>
         <number >{}</number>
         <name>PageCount</name>
     </columns>
     <list>
         <template>genericList</template>
     </list>
 </root>
```

  The following snippets provide sample values for the output fields:

  - Create_List_Response

```
<root>
   <lastModifiedDateTime>2025-08-06T09:00:35Z</lastModifiedDateTime>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#sites('1d609331-
fca2-44f8-9dc1-012a0e2e84f4')/lists/$entity</odata.context>
   <displayName>Mail</displayName>
   <createdDateTime>2025-08-06T09:00:34Z</createdDateTime>
   <description/>
   <list>
      <template>genericList</template>
      <hidden>false</hidden>
      <contentTypesEnabled>false</contentTypesEnabled>
   </list>
   <parentReference>
      <siteId>informaticates.sharepoint.com,1d609331-
fca2-44f8-9dc1-012a0e2e84f4,135caa3a-0740-4400-9ac6-ea1c02aeae15</siteId>
   </parentReference>
   <createdBy>
      <user>
         <displayName>SVC-CAI</displayName>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </createdBy>
   <webUrl>https://informaticates.sharepoint.com/sites/TeamDemo/Lists/Mail</webUrl>
   <name>Mail</name>
   <eTag>18d58390-ce01-4dac-8864-1dbc4eaf4ece,7</eTag>
   <id>18d58390-ce01-4dac-8864-1dbc4eaf4ece</id>
   <odata.etag>18d58390-ce01-4dac-8864-1dbc4eaf4ece,7</odata.etag>
</root>
```

- List_ID - `18d58390-ce01-4dac-8864-1dbc4eaf4ece`
- Web_URL - `https://informaticates.sharepoint.com/sites/TeamDemo/Lists/Mail`

- The Get List from a Site action gets metadata for a list.
  The following snippets provide sample values for the input fields:
  - Site_ID - `1d609331-fca2-44f8-9dc1-012a0e2e84f4`
  - List_ID - `9320402d-4544-43f5-a007-6f44c742a260`

  The following snippets provide sample values for the output fields:
  - Get_List_Response

```
<root>
   <lastModifiedDateTime>2025-08-06T09:00:35Z</lastModifiedDateTime>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#sites('1d609331-
fca2-44f8-9dc1-012a0e2e84f4')/lists/$entity</odata.context>
   <displayName>Mail</displayName>
   <createdDateTime>2025-08-06T09:00:34Z</createdDateTime>
   <description/>
   <list>
      <template>genericList</template>
      <hidden>false</hidden>
      <contentTypesEnabled>false</contentTypesEnabled>
   </list>
   <parentReference>
      <siteId>informaticates.sharepoint.com,1d609331-
fca2-44f8-9dc1-012a0e2e84f4,135caa3a-0740-4400-9ac6-ea1c02aeae15</siteId>
   </parentReference>
   <createdBy>
      <user>
         <displayName>SVC-CAI</displayName>
         <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </createdBy>
   <webUrl>https://informaticates.sharepoint.com/sites/TeamDemo/Lists/Mail</webUrl>
   <name>Mail</name>
   <eTag>"18d58390-ce01-4dac-8864-1dbc4eaf4ece,7"</eTag>
   <id>18d58390-ce01-4dac-8864-1dbc4eaf4ece</id>
   <odata.etag>"18d58390-ce01-4dac-8864-1dbc4eaf4ece,7"</odata.etag>
</root>
```

  - Display_Name - `Mail`
  - Web_URL - `https://informaticates.sharepoint.com/sites/TeamDemo/Lists/Mail`

- The Get Items from a List action gets a collection of list items from a list.
  The following snippets provide sample values for the input fields:
  - Site_ID - `1d609331-fca2-44f8-9dc1-012a0e2e84f4`
  - List_ID - `18d58390-ce01-4dac-8864-1dbc4eaf4ece`

  The following snippets provide sample values for the output fields:
  - Get_Item_Response

```
 <root>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#sites('1d609331-
fca2-44f8-9dc1-012a0e2e84f4')/lists('18d58390-ce01-4dac-8864-1dbc4eaf4ece')/items</
odata.context>
   <value>
      <parentReference>
         <siteId>informaticates.sharepoint.com,1d609331-
fca2-44f8-9dc1-012a0e2e84f4,135caa3a-0740-4400-9ac6-ea1c02aeae15</siteId>
         <id>d9e390c9-1764-4755-8760-c582c84da9cf</id>
      </parentReference>
      <lastModifiedDateTime>2025-08-06T09:07:00Z</lastModifiedDateTime>
```

```
      <createdBy>
         <user>
            <displayName>SVC-CAI</displayName>
            <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
            <email>SVC-CAI@informaticates.onmicrosoft.com</email>
         </user>
      </createdBy>
      <webUrl>https://informaticates.sharepoint.com/sites/TeamDemo/Lists/Mail/
1_.000</webUrl>
      <lastModifiedBy>
         <application>
            <displayName>CAI_Sharepoint_connector</displayName>
            <id>7a158294-91c3-4534-99fc-4f9e8b1b86bb</id>
         </application>
         <user>
            <displayName>SVC-CAI</displayName>
            <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
            <email>SVC-CAI@informaticates.onmicrosoft.com</email>
         </user>
      </lastModifiedBy>
      <createdDateTime>2025-08-06T09:07:00Z</createdDateTime>
      <eTag>"2c08bf96-f4ca-4896-bf2f-9eddc40a6816,1"</eTag>
      <id>1</id>
      <odata.etag>"2c08bf96-f4ca-4896-bf2f-9eddc40a6816,1"</odata.etag>
      <contentType>
         <name>Item</name>
         <id>0x0100675B7E8C9FB81B429BF975F5A02F13ED</id>
      </contentType>
   </value>
</root>
```

- The Create Items in a List action creates a new list item in a list.
  The following snippets provide sample values for the input fields:

  - Site_ID - `1d609331-fca2-44f8-9dc1-012a0e2e84f4`
  - List_ID - `18d58390-ce01-4dac-8864-1dbc4eaf4ece`
  - Create_Item_Request_Body

```
<root
    xmlns:m="urn:informatica:ae:xquery:json2xml:meta-data">
    <fields>
        <Desk>Parser</Desk>
        <PageCount>1876</PageCount>
    </fields>
</root>
```

  The following snippets provide sample values for the output fields:

  - Create_Item_Response

```
<root>
   <fieldsodata.context>https://graph.microsoft.com/v1.0/$metadata#sites('1d609331-
fca2-44f8-9dc1-012a0e2e84f4')/lists('18d58390-ce01-4dac-8864-1dbc4eaf4ece')/
items('1')/fields/$entity</fieldsodata.context>
   <lastModifiedDateTime>2025-08-06T09:07:00Z</lastModifiedDateTime>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#sites('1d609331-
fca2-44f8-9dc1-012a0e2e84f4')/lists('18d58390-ce01-4dac-8864-1dbc4eaf4ece')/items/
$entity</odata.context>
   <lastModifiedBy>
      <application>
         <displayName>CAI_Sharepoint_connector</displayName>
         <id>7a158294-91c3-4534-99fc-4f9e8b1b86bb</id>
      </application>
      <user>
         <displayName>SVC-CAI</displayName>
         <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </lastModifiedBy>
```

```
   <createdDateTime>2025-08-06T09:07:00Z</createdDateTime>
   <parentReference>
      <siteId>informaticates.sharepoint.com,1d609331-
fca2-44f8-9dc1-012a0e2e84f4,135caa3a-0740-4400-9ac6-ea1c02aeae15</siteId>
      <id>d9e390c9-1764-4755-8760-c582c84da9cf</id>
   </parentReference>
   <createdBy>
      <user>
         <displayName>SVC-CAI</displayName>
         <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </createdBy>
   <webUrl>https://informaticates.sharepoint.com/sites/TeamDemo/Lists/Mail/1_.000</
webUrl>
   <eTag>"2c08bf96-f4ca-4896-bf2f-9eddc40a6816,1"</eTag>
   <id>1</id>
   <odata.etag>"2c08bf96-f4ca-4896-bf2f-9eddc40a6816,1"</odata.etag>
   <fields>
      <_ComplianceTagWrittenTime/>
      <Modified>2025-08-06T09:07:00Z</Modified>
      <ContentType>Item</ContentType>
      <AppEditorLookupId>10</AppEditorLookupId>
      <Edit/>
      <AppAuthorLookupId>10</AppAuthorLookupId>
      <Attachments>false</Attachments>
      <_ComplianceTag/>
      <Created>2025-08-06T09:07:00Z</Created>
      <_UIVersionString>1.0</_UIVersionString>
      <EditorLookupId>9</EditorLookupId>
      <_ComplianceTagUserId/>
      <ItemChildCount>0</ItemChildCount>
      <_ComplianceFlags/>
      <id>1</id>
      <odata.etag>"2c08bf96-f4ca-4896-bf2f-9eddc40a6816,1"</odata.etag>
      <AuthorLookupId>9</AuthorLookupId>
      <FolderChildCount>0</FolderChildCount>
   </fields>
   <contentType>
      <name>Item</name>
      <id>0x0100675B7E8C9FB81B429BF975F5A02F13ED</id>
   </contentType>
</root>
```

- Web_URL - `https://informaticates.sharepoint.com/sites/TeamDemo/Lists/Mail/1_.000`
- Item_ID - `1`

- The Update Item in List action updates the properties of a list item.
  The following snippets provide sample values for the input fields:
  - Site_ID - `1d609331-fca2-44f8-9dc1-012a0e2e84f4`
  - List_ID - `18d58390-ce01-4dac-8864-1dbc4eaf4ece`
  - Item_ID - `1`
  - Update_Item_Request_Body

```
<root
    xmlns:m="urn:informatica:ae:xquery:json2xml:meta-data">
    <Desk>Tomato guy</Desk>
    <PageCount>45</PageCount>
</root>
```

  The following snippets provide sample values for the output fields:

  - Updater_Item_Response

```
<root>
   <_ComplianceTagWrittenTime/>
```

```
   <Modified>2025-08-06T09:17:27Z</Modified>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#sites('1d609331-
fca2-44f8-9dc1-012a0e2e84f4')/lists('18d58390-ce01-4dac-8864-1dbc4eaf4ece')/
items('1')/fields/$entity</odata.context>
   <ContentType>Item</ContentType>
   <AppEditorLookupId>10</AppEditorLookupId>
   <Edit/>
   <AppAuthorLookupId>10</AppAuthorLookupId>
   <Attachments>false</Attachments>
   <_ComplianceTag/>
   <Created>2025-08-06T09:07:00Z</Created>
   <_UIVersionString>2.0</_UIVersionString>
   <PageCount>45</PageCount>
   <EditorLookupId>9</EditorLookupId>
   <_ComplianceTagUserId/>
   <ItemChildCount>0</ItemChildCount>
   <Desk>Tomato guy</Desk>
   <_ComplianceFlags/>
   <id>1</id>
   <odata.etag>"2c08bf96-f4ca-4896-bf2f-9eddc40a6816,2"</odata.etag>
   <AuthorLookupId>9</AuthorLookupId>
   <FolderChildCount>0</FolderChildCount>
</root>
```

- The Delete Item from list action deletes a list item from a list.
  The following snippets provide sample values for the input fields:

  - Site_ID - `1d609331-fca2-44f8-9dc1-012a0e2e84f4`
  - List_ID - `18d58390-ce01-4dac-8864-1dbc4eaf4ece`
  - Item_ID - `1`

  You will receive 204 response code in return.

- The Get Columns for our List action gets the collection of columns represented as columnDefinition resources in a list.
  The following snippets provide sample values for the input fields:

  - Site_ID - `1d609331-fca2-44f8-9dc1-012a0e2e84f4`
  - List_ID - `18d58390-ce01-4dac-8864-1dbc4eaf4ece`

  The following snippets provide sample values for the output fields:

  - Get_Column_Response

```
<root>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#sites('1d609331-
fca2-44f8-9dc1-012a0e2e84f4')/lists('18d58390-ce01-4dac-8864-1dbc4eaf4ece')/columns</
odata.context>
   <value>
      <columnGroup>Custom Columns</columnGroup>
      <hidden>false</hidden>
      <indexed>false</indexed>
      <displayName>Title</displayName>
      <name>Title</name>
      <description/>
      <enforceUniqueValues>false</enforceUniqueValues>
      <readOnly>false</readOnly>
      <id>fa564e0f-0c70-4ab9-b863-0177e6ddd247</id>
      <text>
         <linesForEditing>0</linesForEditing>
         <appendChangesToExistingText>false</appendChangesToExistingText>
         <allowMultipleLines>false</allowMultipleLines>
         <maxLength>255</maxLength>
      </text>
      <required>true</required>
   </value>
...
```

```
...
   <value>
      <columnGroup>Custom Columns</columnGroup>
      <hidden>false</hidden>
      <indexed>false</indexed>
      <displayName>Desk</displayName>
      <name>Desk</name>
      <description/>
      <enforceUniqueValues>false</enforceUniqueValues>
      <readOnly>false</readOnly>
      <id>2195d466-5a55-4630-8551-7e23747cb30f</id>
      <text>
         <linesForEditing>0</linesForEditing>
         <appendChangesToExistingText>false</appendChangesToExistingText>
         <allowMultipleLines>false</allowMultipleLines>
         <maxLength>255</maxLength>
      </text>
      <required>false</required>
   </value>
   <value>
      <number>
         <decimalPlaces>automatic</decimalPlaces>
         <displayAs>number</displayAs>

<maximum>17976931348623157000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000</maximum>

<minimum>-17976931348623157000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000
00000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000</minimum>
      </number>
      <columnGroup>Custom Columns</columnGroup>
      <hidden>false</hidden>
      <indexed>false</indexed>
      <displayName>PageCount</displayName>
      <name>PageCount</name>
      <description/>
      <enforceUniqueValues>false</enforceUniqueValues>
      <readOnly>false</readOnly>
      <id>afb746ff-b281-4fd3-97c0-efd27110edf7</id>
      <required>false</required>
   </value>
   <value>
      <columnGroup>Custom Columns</columnGroup>
      <hidden>false</hidden>
      <indexed>false</indexed>
      <displayName>ID</displayName>
      <name>ID</name>
      <description/>
      <enforceUniqueValues>false</enforceUniqueValues>
      <readOnly>true</readOnly>
      <id>1d22ea11-1e32-424e-89ab-9fedbadb6ce1</id>
      <required>false</required>
   </value>
   <value>
      <columnGroup>_Hidden</columnGroup>
      <hidden>false</hidden>
      <indexed>false</indexed>
      <displayName>Content Type</displayName>
      <name>ContentType</name>
      <description/>
      <enforceUniqueValues>false</enforceUniqueValues>
      <readOnly>false</readOnly>
      <id>c042a256-787d-4a6f-8a8a-cf6ab767f12d</id>
      <required>false</required>
   </value>
```

```
   <value>
      <dateTime>
         <displayAs>default</displayAs>
         <format>dateTime</format>
      </dateTime>
      <columnGroup>Custom Columns</columnGroup>
      <hidden>false</hidden>
      <indexed>false</indexed>
      <displayName>Modified</displayName>
      <name>Modified</name>
      <description/>
      <enforceUniqueValues>false</enforceUniqueValues>
      <readOnly>true</readOnly>
      <id>28cf69c5-fa48-462a-b5cd-27b6f9d2bd5f</id>
      <required>false</required>
   </value>
   <value>
      <dateTime>
         <displayAs>default</displayAs>
         <format>dateTime</format>
      </dateTime>
      <columnGroup>Custom Columns</columnGroup>
      <hidden>false</hidden>
      <indexed>false</indexed>
      <displayName>Created</displayName>
      <name>Created</name>
      <description/>
      <enforceUniqueValues>false</enforceUniqueValues>
      <readOnly>true</readOnly>
      <id>8c06beca-0777-48f7-91c7-6da68bc07b69</id>
      <required>false</required>
   </value>
   <value>
      <columnGroup>Custom Columns</columnGroup>
      <hidden>false</hidden>
      <indexed>false</indexed>
      <displayName>Created By</displayName>
      <name>Author</name>
      <description/>
      <personOrGroup>
         <allowMultipleSelection>false</allowMultipleSelection>
         <chooseFromType>peopleAndGroups</chooseFromType>
         <displayAs>nameWithPresence</displayAs>
      </personOrGroup>
      <enforceUniqueValues>false</enforceUniqueValues>
      <readOnly>true</readOnly>
      <id>1df5e554-ec7e-46a6-901d-d85a3881cb18</id>
      <required>false</required>
   </value>
...
...
...
   <value>
      <columnGroup>Custom Columns</columnGroup>
      <hidden>false</hidden>
      <indexed>false</indexed>
      <displayName>Type</displayName>
      <name>DocIcon</name>
      <description/>
      <enforceUniqueValues>false</enforceUniqueValues>
      <readOnly>true</readOnly>
      <id>081c6e4c-5c14-4f20-b23e-1a71ceb6a67c</id>
      <required>false</required>
   </value>
   <value>
      <lookup>
         <listId/>
         <allowMultipleValues>false</allowMultipleValues>
         <primaryLookupColumnId>ID</primaryLookupColumnId>
```

```
            <allowUnlimitedLength>false</allowUnlimitedLength>
            <columnName>ItemChildCount</columnName>
         </lookup>
         <columnGroup>Custom Columns</columnGroup>
         <hidden>false</hidden>
         <indexed>false</indexed>
         <displayName>Item Child Count</displayName>
         <name>ItemChildCount</name>
         <description/>
         <enforceUniqueValues>false</enforceUniqueValues>
         <readOnly>true</readOnly>
         <id>b824e17e-a1b3-426e-aecf-f0184d900485</id>
         <required>false</required>
      </value>
...
...
      <value>
         <lookup>
            <listId/>
            <allowMultipleValues>false</allowMultipleValues>
            <primaryLookupColumnId>ID</primaryLookupColumnId>
            <allowUnlimitedLength>false</allowUnlimitedLength>
            <columnName>ComplianceTagUserId</columnName>
         </lookup>
         <columnGroup>Custom Columns</columnGroup>
         <hidden>false</hidden>
         <indexed>false</indexed>
         <displayName>Label applied by</displayName>
         <name>_ComplianceTagUserId</name>
         <description/>
         <enforceUniqueValues>false</enforceUniqueValues>
         <readOnly>true</readOnly>
         <id>418d7676-2d6f-42cf-a16a-e43d2971252a</id>
         <required>false</required>
      </value>
      <value>
         <columnGroup>Custom Columns</columnGroup>
         <hidden>false</hidden>
         <indexed>false</indexed>
         <displayName>Item is a Record</displayName>
         <name>_IsRecord</name>
         <description/>
         <enforceUniqueValues>false</enforceUniqueValues>
         <readOnly>true</readOnly>
         <id>8382d247-72a9-44b1-9794-7b177edc89f3</id>
         <required>false</required>
      </value>
      <value>
         <lookup>
            <listId>AppPrincipals</listId>
            <allowMultipleValues>false</allowMultipleValues>
            <allowUnlimitedLength>false</allowUnlimitedLength>
            <columnName>Title</columnName>
         </lookup>
         <columnGroup>Custom Columns</columnGroup>
         <hidden>false</hidden>
         <indexed>false</indexed>
         <displayName>App Created By</displayName>
         <name>AppAuthor</name>
         <description/>
         <enforceUniqueValues>false</enforceUniqueValues>
         <readOnly>true</readOnly>
         <id>6bfaba20-36bf-44b5-a1b2-eb6346d49716</id>
         <required>false</required>
      </value>
      <value>
         <lookup>
            <listId>AppPrincipals</listId>
            <allowMultipleValues>false</allowMultipleValues>
```

```
            <allowUnlimitedLength>false</allowUnlimitedLength>
            <columnName>Title</columnName>
         </lookup>
         <columnGroup>Custom Columns</columnGroup>
         <hidden>false</hidden>
         <indexed>false</indexed>
         <displayName>App Modified By</displayName>
         <name>AppEditor</name>
         <description/>
         <enforceUniqueValues>false</enforceUniqueValues>
         <readOnly>true</readOnly>
         <id>e08400f3-c779-4ed2-a18c-ab7f34caa318</id>
         <required>false</required>
      </value>
   </root>
```

- The Update the Column Definition action updates a site, a list, or a content type column definition.
  The following snippets provide sample values for the input fields:

  - Site_ID - `1d609331-fca2-44f8-9dc1-012a0e2e84f4`
  - List_ID - `005ff3d0-13c4-4d50-8f5b-bb6a1172efb8`
  - Column_ID - `1d22ea11-1e32-424e-89ab-9fedbadb6ce1`

  The following snippets provide sample values for the output fields:

  - Patch_Column_Response

```
<root>
   <columnGroup>Custom Columns</columnGroup>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#sites('1d609331-
fca2-44f8-9dc1-012a0e2e84f4')/lists('005ff3d0-13c4-4d50-8f5b-bb6a1172efb8')/columns/
$entity</odata.context>
   <hidden>false</hidden>
   <indexed>false</indexed>
   <displayName>ID</displayName>
   <name>ID</name>
   <description/>
   <enforceUniqueValues>false</enforceUniqueValues>
   <readOnly>false</readOnly>
   <id>1d22ea11-1e32-424e-89ab-9fedbadb6ce1</id>
   <required>false</required>
</root>
```

- The Upload a New PDF or Word File to OneDrive action uploads a PDF or Microsoft Word file to your OneDrive.
  The following snippets provide sample values for the input fields:

  - Drive_ID - `b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh`
  - Parent_ID - `01URY5QYROWH4ROWRS6FBLSLDGGZWQRKRQ`
  - File_Name - `apache.pdf`
  - Contents_of_File - `any pdf file from our local system`
  - Required_Source_Type - `applicaion/pdf`

  The following snippets provide sample values for the output fields:

  - Upload_PDF_Response

```
<root>
   <lastModifiedDateTime>2025-08-06T09:51:35Z</lastModifiedDateTime>
   <odata.context>https://graph.microsoft.com/v1.0/$metadata#drives('b
%21tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh')/items/$entity</
odata.context>
   <microsoft.graph.downloadUrl>https://informaticates-my.sharepoint.com/personal/
svc-cai_informaticates_onmicrosoft_com/_layouts/15/download.aspx?
UniqueId=e5a22234-46b2-4455-86ee-789471b1e7d4&amp;Translate=false&amp;tempauth=v1.eyJ
zaXRlaWQiOiIyZmQzM2JiNi0xODg2LTQzNTktYTNjNC1mZTI4YjU2OWE3ZDAiLCJhcHBfZGlzcGxheW5hbWUi
```

```
OiJDQUlfU2hhcmVwb2ludF9jb25uZWN0b3IiLCJhcHBpZCI6IjdhMTU4Mjk0LTkxYzMtNDUzNC05OWZjLTRmO
WU4YjFiODZiYiIsImF1ZCI6IjAwMDAwMDAzLTAwMDAtMGZmMS1jZTAwLTAwMDAwMDAwMDAwMC9pbmZvcm1hdG
ljYXRlcy1teS5zaGFyZXBvaW50LmNvbUA0ZmNkMGVjNy0xZmMxLTQwNDMtYjhjZS01N2NiZGYyNWQ2ODciLCJ
leHAiOiIxNzU0NDc3NDk1In0.CkAKDGVudHJhX2NsYWltcxIwQ0wybXpNUUdFQUFhRm5oS01YWjVXREIxY3pC
UFNFeDRRbWhuWkhNNVFVRXFBQT09CjIKCmFjdG9yYXBwaWQSJDAwMDAwMDAzLTAwMDAtMDAwMC1jMDAwLTAwM
DAwMDAwMDAwMAoKCgRzbmlkEgI2NBILCND27cybtqo-
EAUaDTIwLjE5MC4xNTQuMzIqLG9XUVI3VitBbk82d1RNemJ4VnlBbVBhUVdBbHNmWkFEUzRmNWNzcWlNZHc9M
LABOAFCEKG5D36vUACQxiEg2veCC6dKEGhhc2hlZHByb29mdG9rZW5qJDAwN2IwNDQ5LWZiZjctNDU1NC0zOW
U1LWI3NjQ3MTk0YzIzN3IpMGguZnxtZW1iZXJzaGlwfDEwMDMyMDA0ZDg3ZjljZWFAbGl2ZS5jb216ATKCARI
Jxw7NT8EfQ0ARuM5Xy98l1oeSAQNTVkOaAQNDQUmiASZzdmMtY2FpQGluZm9ybWF0aWNhdGVzLm9ubWljcm9z
b2Z0LmNvbaoBEDEwMDMyMDA0RDg3RjlDRUGyAXVteWZpbGVzLnJlYWQgYWxsZmlsZXMucmVhZCBteWZpbGVzL
ndyaXRlIGFsbGZpbGVzLndyaXRlIGFsbHNpdGVzLm1hbmFnZSBhbGxzaXRlcy5yZWFkIGFsbHNpdGVzLndyaX
RlIGFsbHByb2ZpbGVzLnJlYWTIAQE.Or-
xg6RMn8kRB1fUQUhlskYfyALWtSk1bGzBWfcVONg&amp;ApiVersion=2.0</
microsoft.graph.downloadUrl>
   <lastModifiedBy>
      <application>
         <displayName>CAI_Sharepoint_connector</displayName>
         <id>7a158294-91c3-4534-99fc-4f9e8b1b86bb</id>
      </application>
      <user>
         <displayName>SVC-CAI</displayName>
         <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </lastModifiedBy>
   <createdDateTime>2025-08-04T05:51:21Z</createdDateTime>
   <parentReference>
      <path>/drives/b!
tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh/root:/Check</path>
      <driveId>b!tjvTL4YYWUOjxP4otWmn0C1G3qRkF4BMmSamN9KWEW2qC9j8VifHQYbciiSkZvIh</
driveId>
      <driveType>business</driveType>
      <name>Check</name>
      <siteId>2fd33bb6-1886-4359-a3c4-fe28b569a7d0</siteId>
      <id>01URY5QYROWH4ROWRS6FBLSLDGGZWQRKRQ</id>
   </parentReference>
   <file>
      <hashes>
         <quickXorHash>AAAAAAAAAAAAAAAAAAAAAAAAAAA=</quickXorHash>
      </hashes>
      <mimeType>application/pdf</mimeType>
   </file>
   <size>0</size>
   <createdBy>
      <application>
         <displayName>CAI_Sharepoint_connector</displayName>
         <id>7a158294-91c3-4534-99fc-4f9e8b1b86bb</id>
      </application>
      <user>
         <displayName>SVC-CAI</displayName>
         <id>a9d23a15-5882-4f54-88da-94aab9f0bbc4</id>
         <email>SVC-CAI@informaticates.onmicrosoft.com</email>
      </user>
   </createdBy>
   <webUrl>https://informaticates-my.sharepoint.com/personal/svc-
cai_informaticates_onmicrosoft_com/Documents/Check/apache.pdf</webUrl>
   <name>apache.pdf</name>
   <cTag>"c:{E5A22234-46B2-4455-86EE-789471B1E7D4},10"</cTag>
   <eTag>"{E5A22234-46B2-4455-86EE-789471B1E7D4},10"</eTag>
   <id>01URY5QYRUEKROLMSGKVCIN3TYSRY3DZ6U</id>
   <fileSystemInfo>
      <lastModifiedDateTime>2025-08-06T09:51:35Z</lastModifiedDateTime>
      <createdDateTime>2025-08-04T05:51:21Z</createdDateTime>
   </fileSystemInfo>
</root>
```



- Web_URL - `https://informaticates-my.sharepoint.com/personal/svc-cai_informaticates_onmicrosoft_com/Documents/Check/apache.pdf`

- File_ID - `01URY5QYRUEKROLMSGKVCIN3TYSRY3DZ6U`

Using a Microsoft SharePoint connection in a process

After you create a Microsoft SharePoint connection, you can use it in a Service step in a process.

1. Add a Service step to the process.
2. Click the **Service** tab.
3. From the **Service Type** list, select **Connection**.
4. From the **Connection** list, browse and select the Microsoft SharePoint connection that you created.
5. From the **Action** list, select the action that you want to perform. For example, select the **Create Items in a List** action to create a new item in a list as shown in the following image:



   In this case, Application Integration populates the **Site_ID**, **List_ID**, and **Create_Item_Request_Body** objects under the input fields and the **Create_Item_Response**, **Web_URL**, and **Item_ID** objects under the output fields.
6. Configure further steps as needed.
7. Validate, save, and publish the process.