Informatica

Informatica® Cloud Application Integration
April 2025

AI Agent for Supply Chain Management using Amazon Bedrock

Informatica Cloud Application Integration AI Agent for Supply Chain Management using Amazon Bedrock
April 2025

© Copyright Informatica LLC 2025

This software and documentation contain proprietary information of Informatica LLC and are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright law. Reverse engineering of the software is prohibited. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. This Software may be protected by U.S. and/or international Patents and other Patents Pending.

Use, duplication, or disclosure of the Software by the U.S. Government is subject to the restrictions set forth in the applicable software license agreement and as provided in DFARS 227.7202-1(a) and 227.7702-3(a) (1995), DFARS 252.227-7013©(1)(ii) (OCT 1988), FAR 12.212(a) (1995), FAR 52.227-19, or FAR 52.227-14 (ALT III), as applicable.

The information in this product or documentation is subject to change without notice. If you find any problems in this product or documentation, please report them to us in writing.

Informatica, Informatica Platform, Informatica Data Services, PowerCenter, PowerCenterRT, PowerCenter Connect, PowerCenter Data Analyzer, PowerExchange, PowerMart, Metadata Manager, Informatica Data Quality, Informatica Data Explorer, Informatica B2B Data Transformation, Informatica B2B Data Exchange Informatica On Demand, Informatica Identity Resolution, Informatica Application Information Lifecycle Management, Informatica Complex Event Processing, Ultra Messaging, Informatica Master Data Management, and Live Data Map are trademarks or registered trademarks of Informatica LLC in the United States and in jurisdictions throughout the world. All other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright © University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jQWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright© MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (http://www.apache.org/), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at http://www.apache.org/licenses/. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (http://www.mozilla.org/), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at http:// www.gnu.org/licenses/lgpl.html. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at http://www.openssl.org and http://www.openssl.org/source/license.html.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://curl.haxx.se/docs/copyright.html. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://www.dom4j.org/ license.html.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://dojotoolkit.org/license.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://source.icu-project.org/repos/icu/icu/trunk/license.html.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at http:// www.gnu.org/software/ kawa/Software-License.html.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at http://www.opensource.org/licenses/mit-license.php.

This product includes software developed by Boost (http://www.boost.org/) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at http:/ /www.boost.org/LICENSE_1_0.txt.

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at http:// www.pcre.org/license.txt.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http:// www.eclipse.org/org/documents/epl-v10.php and at http://www.eclipse.org/org/documents/edl-v10.php.

This product includes software licensed under the terms at http://www.tcl.tk/software/tcltk/license.html, http://www.bosrup.com/web/overlib/?License, http://www.stlport.org/doc/ license.html, http://asm.ow2.org/license.html, http://www.cryptix.org/LICENSE.TXT, http://hsqldb.org/web/hsqlLicense.html, http://httpunit.sourceforge.net/doc/ license.html, http://jung.sourceforge.net/license.txt , http://www.gzip.org/zlib/zlib_license.html, http://www.openldap.org/software/release/license.html, http://www.libssh2.org, http://slf4j.org/license.html, http://www.sente.ch/software/OpenSourceLicense.html, http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3- license-agreement; http://antlr.org/license.html; http://aopalliance.sourceforge.net/; http://www.bouncycastle.org/licence.html; http://www.jgraph.com/jgraphdownload.html; http://www.jcraft.com/jsch/LICENSE.txt; http://jotm.objectweb.org/bsd_license.html; . http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231; http://www.slf4j.org/license.html; http://nanoxml.sourceforge.net/orig/copyright.html; http://www.json.org/license.html; http://forge.ow2.org/projects/javaservice/, http://www.postgresql.org/about/licence.html, http://www.sqlite.org/copyright.html, http://www.tcl.tk/software/tcltk/license.html, http://www.jaxen.org/faq.html, http://www.jdom.org/docs/faq.html, http://www.slf4j.org/license.html; http://www.iodbc.org/dataspace/iodbc/wiki/iODBC/License; http://www.keplerproject.org/md5/license.html; http://www.toedter.com/en/jcalendar/license.html; http://www.edankert.com/bounce/index.html; http://www.net-snmp.org/about/license.html; http://www.openmdx.org/#FAQ; http://www.php.net/license/3_01.txt; http://srp.stanford.edu/license.txt; http://www.schneier.com/blowfish.html; http://www.jmock.org/license.html; http://xsom.java.net; http://benalman.com/about/license/; https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js; http://www.h2database.com/html/license.html#summary; http://jsoncpp.sourceforge.net/LICENSE; http://jdbc.postgresql.org/license.html; http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto; https://github.com/rantav/hector/blob/master/LICENSE; http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html; http://jibx.sourceforge.net/jibx-license.html; https://github.com/lyokato/libgeohash/blob/master/LICENSE; https://github.com/hjiang/jsonxx/blob/master/LICENSE; https://code.google.com/p/lz4/; https://github.com/jedisct1/libsodium/blob/master/LICENSE; http://one-jar.sourceforge.net/index.php?page=documents&file=license; https://github.com/EsotericSoftware/kryo/blob/master/license.txt; http://www.scala-lang.org/license.html; https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt; http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html; https://aws.amazon.com/asl/; https://github.com/twbs/bootstrap/blob/master/LICENSE; https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt; https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE, and https://github.com/apache/hbase/blob/master/LICENSE.txt.

This product includes software licensed under the Academic Free License (http://www.opensource.org/licenses/afl-3.0.php), the Common Development and Distribution License (http://www.opensource.org/licenses/cddl1.php) the Common Public License (http://www.opensource.org/licenses/cpl1.0.php), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (http:// www.opensource.org/licenses/bsd-license.php), the new BSD License (http://opensource.org/licenses/BSD-3-Clause), the MIT License (http://www.opensource.org/licenses/mit-license.php), the Artistic License (http://www.opensource.org/licenses/artistic-license-1.0) and the Initial Developer's Public License Version 1.0 (http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://xstream.codehaus.org/license.html. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit http://www.extreme.indiana.edu/.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

Publication Date: 2025-08-30

Table of Contents

Preface 5

Chapter 1: Introduction to AI Agent for Supply Chain Management using Amazon Bedrock recipe 6

AI Agent for Supply Chain Management using Amazon Bedrock recipe contents 6

AI Agent for Supply Chain Management using Amazon Bedrock recipe assets 7

Chapter 2: Using the AI Agent for Supply Chain Management using Amazon Bedrock recipe 9

Step 1. Copy and access the recipe 9

Step 2. Publish the Agent Dispatcher service connector 10

Step 3. Publish the Salesforce service connector 10

Step 4. Configure and publish the CDAM service connector 10

Step 5. Configure and publish the Salesforce connection 11

Step 6. Configure and publish the Amazon Bedrock connection 11

Step 7. Configure and publish the Agent Dispatcher connection 12

Step 8. Configure and publish the CDAM connection 12

Step 9. Publish the processes 12

Step 10. Invoke the process 13

Step 11: Publish and run the guide 13

Preface

Use *AI Agent for Supply Chain Management using Amazon Bedrock* to learn how to handle natural language queries across services, such as Informatica Master Data Management, Informatica Data Governance and Catalog, Oracle, and Salesforce.

CHAPTER 1

Introduction to AI Agent for Supply Chain Management using Amazon Bedrock recipe


The AI Agent for Supply Chain Management using Amazon Bedrock recipe is based on REST and SOAP APIs. Use the recipe to handle natural language queries across services, such as Informatica Master Data Management, Informatica Data Governance and Catalog, Oracle, and Salesforce. The Uber Planner processes the input prompts using Amazon Bedrock AI, orchestrates the workflow for its corresponding agents, and provides a summarized result of the query.

The recipe uses a guide to invoke the Amazon Bedrock RAG agent. The Amazon Bedrock RAG agent calls the Amazon Bedrock Uber Planner. The Uber Planner uses the planner input and the prompt to identify the agent to call, that is, a Salesforce agent, MDM agent, Oracle agent, or CDGC agent. The dispatcher service then dispatches the query to the corresponding agent. The agent then converses with Amazon Bedrock and passes on the information. The agent executor executes the request and provides a response. The Amazon Bedrock summarizer then converses with the Amazon Bedrock RAG agent and returns a summary.

AI Agent for Supply Chain Management using Amazon Bedrock recipe contents

The recipe contains multiple assets, such as a process objects, app connections, service connectors, processes, and guide.

The following image shows the assets that the AI Agent for Supply Chain Management using Amazon Bedrock recipe package contains:



AI Agent for Supply Chain Management using Amazon Bedrock recipe assets

The following table lists the assets that the AI Agent for Supply Chain Management using Amazon Bedrock recipe package contains:

Asset Name	Asset Type	Description
AttributePO	Process object	Contains custom attributes for the planner.
UberPlannerPO	Process object	Contains custom attributes for the Uber Planner.
PlannerPO	Process object	Generated from [plannerType complex type] located in the [PlannerStepsPO.xsd] source XML schema.
CDAMSvcCn	Service connector	Informatica Data Access Management service connector.
SalesforceRESTSvcCn	Service connector	Salesforce service connector to access REST endpoint.
AgentDispatcherSvcCn	Service connector	Agent dispatcher service connector.
SalesforceRESTCn	App connection	Salesforce connection.
CDAMCn	App connection	Informatica Data Access Management (CDAM) connection.
AgentDispatcherCn	App connection	Agent Dispatcher connection.
BedrockCn	App connection	Amazon Bedrock connection.

Asset Name	Asset Type	Description
AWSBedrockAgentDispatcher	Process	Subprocess that calls the sub-agents based on the query prompt and dispatches the workflow to the right agent at run time
SFDC Executor	Process	Subprocess that queries Salesforce with the selector query to retrieve information about the order status.
Bedrock Summarizer	Process	Subprocess that summarizes the request using converse with Amazon Bedrock and creates a summary.
Bedrock SFDC Parser	Process	Subprocess that converses with Amazon Bedrock to parse the Salesforce response received from the SFDC executor.
CDGC Knowledge base Executor	Process	Subprocess that retrieves knowledge base from Data Governance and Catalog.
AWSBedrockSALESFORCEAgent	Process	Process with Salesforce agent that gets the context from Amazon Bedrock and calls the SFDC executor and parser.
AWSBedrockUberPlanner	Process	Subprocess with an agent that analyzes the prompt and orchestrates the workflow by dispatching the query to the corresponding agent.
AWSRAGAgent	Process	Process that calls the Amazon Bedrock Uber Planner to orchestrate the workflow.
AWSBedrockORCLAgent	Process	Process that uses LLM to construct and execute the SQL query on Data Access Management and provides a response to Amazon Bedrock summarizer.
AWSBedrockCDGCAgent	Process	Process with agent that executes the CDGC knowledge base and provides the executor response.
AWSBedrockMDMAgent	Process	Process with agent that queries Master Data Management (MDM) to get details on the product and assigns it to the response.
ContextForAWSBedrock	Process	Subprocess that retrieves the context for Amazon Bedrock based on the context type of the query.
MDM Knowledge base Executor	Process	Subprocess that retrieves and generates a knowledge base from an Informatica Master Data Management (MDM) system.
Supply Chain AI Assistant	Guide	Guide that sends natural language prompts to the Supply Chain AI Assistant using Amazon Bedrock and summarizes the response.

CHAPTER 2

Using the AI Agent for Supply Chain Management using Amazon Bedrock recipe

To use the AI Agent for Supply Chain Management using Amazon Bedrock recipe, you must perform the following steps manually:

1. Copy and access the recipe.
2. Publish the Agent Dispatcher Service connector.
3. Publish the Salesforce Service connector.
4. Configure and publish the CDAM Service connector.
5. Configure and publish the Salesforce connection.
6. Configure and publish the Amazon Bedrock connection.
7. Configure and publish the Agent Dispatcher connection.
8. Configure and publish the CDAM connection.
9. Publish the processes.
10. Invoke the process.
11. Publish and run the guide.

Step 1. Copy and access the recipe


Copy the pre-configured assets in the recipe to a separate project or folder.

1. Open the **AI Agent for Supply Chain Management using Amazon Bedrock** recipe and click **Use**.
2. Select the location where you want to copy the recipe, and then click **Continue**.
3. In the **Copying the recipe** dialog box, click **OK**.

   It might take some time for the recipe to get copied. You will receive a notification when the recipe is ready for use.
4. After the recipe is copied, click **Explore** to access the recipe content.

5. Navigate to the project or folder where you copied the recipe or enter the recipe name in the **Find** box.

   All the assets in the recipe are displayed as shown in the following image:



Step 2. Publish the Agent Dispatcher service connector

You can publish the **AgentDispatcherSvcCn** service connector from the assets page.

To publish the service connector, click **Actions** in the row that contains the service connector and select **Publish**.

Step 3. Publish the Salesforce service connector

You can publish the **SalesforceRESTSvcCn** service connector from the assets page.

To publish the service connector, click **Actions** in the row that contains the service connector and select **Publish**.

Step 4. Configure and publish the CDAM service connector

You can configure the Secure Agent, JDBC driver, JDBC connection URL, user name, and password to connect to the database, and then publish the **CDAMSvcCn** service connector.

Optionally, you can also publish the service connector first and configure the fields in the **CDAMCn** connection later. For more information about the fields to configure for CDAM, see Configure and publish the CDAMCn connection.

Step 5. Configure and publish the Salesforce connection

Configure the client ID and client secret details to connect toSalesforce, and then publish the **SalesforceRESTCn** connection.

1. Open the **SalesforceRESTCn** connection.
2. From the **Type** list, select **SalesforceRESTSvcCn** from the recipe folder.
3. From the **Runtime Environment** list, select **Cloud Server or any Secure Agent**.
4. In the **Connection Properties** section, enter values for the following properties:

Property	Description
client_id	Client ID for Salesforce.
client_secret	Client Secret for Salesforce.

5. Save and publish the connection.

Step 6. Configure and publish the Amazon Bedrock connection

Configure the access key, secret key, and region to connect to Amazon Bedrock, and then publish the **BedrockCn** connection.

1. Open the **BedrockCn** connection.
2. From the **Type** list, select **Amazon Bedrock**.
3. From the **Runtime Environment** list, select **Cloud Server or any Secure Agent**.
4. From the **Authentication Type** list, select **OAuth** or **Password** as required.

Property	Description
AccessKey	The access key to access Amazon Bedrock.
SecretKey	The secret key to access Amazon Bedrock.
Region	The region that hosts Amazon Bedrock.

5. Save and publish the connection.

Step 7. Configure and publish the Agent Dispatcher connection

Configure the connection type in the **AgentDispatcherCn** connection, and then publish the connection.

1. Open the **AgentDispatcherCn** connection.
2. From the **Type** list, select **AgentDispatcherSvcCn** from the recipe folder.
3. From the **Runtime Environment** list, select **Cloud Server or any Secure Agent**.
4. Save and publish the connection.

Step 8. Configure and publish the CDAM connection

Configure the JDBC driver, JDBC connection URL, user name, and password to connect to the database, and then publish the **CDAMCn** connection.

1. Open the **CDAMCn** connection.
2. From the **Type** list, select **CDAMSvcCn** from the recipe folder.
3. From the **Runtime Environment** list, select the Secure Agent.
4. In the **Connection Properties** section, enter values for the following properties:

Property	Description
JDBC Driver	The fully qualified Java class name of the JDBC driver.
JDBC Connection URL	The JDBC connection URL to connect to the database.
User Name	The user name to log in to the database.
Password	The password to log in to the database.

5. Save and publish the connection.

Step 9. Publish the processes

1. Open the following processes in the order specified below:
    1. AWSRAGAgent
    2. AWSBedrockAgentDispatcher
    3. Bedrock Summarizer
    4. AWSBedrockUberPlanner
    5. ContextForAWSBedrock

6. AWSBedrockCDGCAgent
7. CDGC Knowledge base Executor
8. AWSBedrockMDMAgent
9. MDM Knowledge base Executor
10. AWSBedrockSALESFORCEAgent
11. SFDC Executor
12. Bedrock SFDC Parser
13. AWSBedrockORCLAgent

2. Save and publish the processes.

Alternatively, you can publish the processes from the assets page. To publish the process, click **Actions** in the row that contains the process and select **Publish**.

Step 10. Invoke the process

You can provide the user prompt and invoke the AWSRAGAgent process.

1. Open the **AWSRAGAgent** process and click **Actions** > **Properties Details** > **Copy Service URL**.
2. Open a text editor and add the input fields and values to the service URL as shown in the following format:
   `<Cloud Application Integration POD URL>/active-bpel/public/rt/<API_name>?prompt=<user prompt>`
3. Open a browser and paste the service URL.

You can also invoke the process using the Run Using option, REST or SOAP API endpoints in any API client, such as cURL, Postman, SOAP UI, or through any programming language.

Step 11: Publish and run the guide

You can ask questions to the supply chain AI assistant and get a summarized response.

1. Open the **Supply Chain AI Assistant** guide.
2. On the **Start** tab of the Start step, ensure that the **Run As** field is set to **Current User**.
3. Save and publish the guide.
4. On the **Actions** menu, click **Run**. Alternatively, you can copy the execution URL from the **Properties Details** dialog box to run the guide.
5. On the **Instructions** page, enter the request in the **Enter the prompt** field.
6. Click **Continue**.
   You will receive a response from the supply chain AI assistant.

You can also use the embed code to embed the guide into an HTML document of a third-party application.