Informatica® Cloud Application Integration
April 2025

Patient Consent Management

Informatica Cloud Application Integration Patient Consent Management
April 2025

© Copyright Informatica LLC 2025

This software and documentation contain proprietary information of Informatica LLC and are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright law. Reverse engineering of the software is prohibited. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. This Software may be protected by U.S. and/or international Patents and other Patents Pending.

Use, duplication, or disclosure of the Software by the U.S. Government is subject to the restrictions set forth in the applicable software license agreement and as provided in DFARS 227.7202-1(a) and 227.7702-3(a) (1995), DFARS 252.227-7013©(1)(ii) (OCT 1988), FAR 12.212(a) (1995), FAR 52.227-19, or FAR 52.227-14 (ALT III), as applicable.

The information in this product or documentation is subject to change without notice. If you find any problems in this product or documentation, please report them to us in writing.

Informatica, Informatica Platform, Informatica Data Services, PowerCenter, PowerCenterRT, PowerCenter Connect, PowerCenter Data Analyzer, PowerExchange, PowerMart, Metadata Manager, Informatica Data Quality, Informatica Data Explorer, Informatica B2B Data Transformation, Informatica B2B Data Exchange Informatica On Demand, Informatica Identity Resolution, Informatica Application Information Lifecycle Management, Informatica Complex Event Processing, Ultra Messaging, Informatica Master Data Management, and Live Data Map are trademarks or registered trademarks of Informatica LLC in the United States and in jurisdictions throughout the world. All other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright © University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jQWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright© MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (http://www.apache.org/), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at http://www.apache.org/licenses/. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (http://www.mozilla.org/), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at http:// www.gnu.org/licenses/lgpl.html. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at http://www.openssl.org and http://www.openssl.org/source/license.html.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://curl.haxx.se/docs/copyright.html. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://www.dom4j.org/ license.html.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://dojotoolkit.org/license.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://source.icu-project.org/repos/icu/icu/trunk/license.html.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at http:// www.gnu.org/software/ kawa/Software-License.html.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at http://www.opensource.org/licenses/mit-license.php.

This product includes software developed by Boost (http://www.boost.org/) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at http:/ /www.boost.org/LICENSE_1_0.txt.

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at http:// www.pcre.org/license.txt.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http:// www.eclipse.org/org/documents/epl-v10.php and at http://www.eclipse.org/org/documents/edl-v10.php.

This product includes software licensed under the terms at http://www.tcl.tk/software/tcltk/license.html, http://www.bosrup.com/web/overlib/?License, http://www.stlport.org/doc/ license.html, http://asm.ow2.org/license.html, http://www.cryptix.org/LICENSE.TXT, http://hsqldb.org/web/hsqlLicense.html, http://httpunit.sourceforge.net/doc/ license.html, http://jung.sourceforge.net/license.txt , http://www.gzip.org/zlib/zlib_license.html, http://www.openldap.org/software/release/license.html, http://www.libssh2.org, http://slf4j.org/license.html, http://www.sente.ch/software/OpenSourceLicense.html, http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3- license-agreement; http://antlr.org/license.html; http://aopalliance.sourceforge.net/; http://www.bouncycastle.org/licence.html; http://www.jgraph.com/jgraphdownload.html; http://www.jcraft.com/jsch/LICENSE.txt; http://jotm.objectweb.org/bsd_license.html; . http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231; http://www.slf4j.org/license.html; http://nanoxml.sourceforge.net/orig/copyright.html; http://www.json.org/license.html; http://forge.ow2.org/projects/javaservice/, http://www.postgresql.org/about/licence.html, http://www.sqlite.org/copyright.html, http://www.tcl.tk/software/tcltk/license.html, http://www.jaxen.org/faq.html, http://www.jdom.org/docs/faq.html, http://www.slf4j.org/license.html; http://www.iodbc.org/dataspace/iodbc/wiki/iODBC/License; http://www.keplerproject.org/md5/license.html; http://www.toedter.com/en/jcalendar/license.html; http://www.edankert.com/bounce/index.html; http://www.net-snmp.org/about/license.html; http://www.openmdx.org/#FAQ; http://www.php.net/license/3_01.txt; http://srp.stanford.edu/license.txt; http://www.schneier.com/blowfish.html; http://www.jmock.org/license.html; http://xsom.java.net; http://benalman.com/about/license/; https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js; http://www.h2database.com/html/license.html#summary; http://jsoncpp.sourceforge.net/LICENSE; http://jdbc.postgresql.org/license.html; http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto; https://github.com/rantav/hector/blob/master/LICENSE; http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html; http://jibx.sourceforge.net/jibx-license.html; https://github.com/lyokato/libgeohash/blob/master/LICENSE; https://github.com/hjiang/jsonxx/blob/master/LICENSE; https://code.google.com/p/lz4/; https://github.com/jedisct1/libsodium/blob/master/LICENSE; http://one-jar.sourceforge.net/index.php?page=documents&file=license; https://github.com/EsotericSoftware/kryo/blob/master/license.txt; http://www.scala-lang.org/license.html; https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt; http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html; https://aws.amazon.com/asl/; https://github.com/twbs/bootstrap/blob/master/LICENSE; https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt; https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE, and https://github.com/apache/hbase/blob/master/LICENSE.txt.

This product includes software licensed under the Academic Free License (http://www.opensource.org/licenses/afl-3.0.php), the Common Development and Distribution License (http://www.opensource.org/licenses/cddl1.php) the Common Public License (http://www.opensource.org/licenses/cpl1.0.php), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (http:// www.opensource.org/licenses/bsd-license.php), the new BSD License (http://opensource.org/licenses/BSD-3-Clause), the MIT License (http://www.opensource.org/licenses/mit-license.php), the Artistic License (http://www.opensource.org/licenses/artistic-license-1.0) and the Initial Developer's Public License Version 1.0 (http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://xstream.codehaus.org/license.html. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit http://www.extreme.indiana.edu/.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

Publication Date: 2025-08-31

Table of Contents

Preface 5

Chapter 1: Introduction to Patient Consent Management recipe 6

Prerequisites 6

Chapter 2: Patient Consent Management contents 7

Patient Consent Management recipe assets 7

Chapter 3: Using the Patient Consent Management recipe 9

Step 1. Copy and access the recipe 9

Step 2. Publish the Docusign service connector 10

Step 3. Publish the FHIR service connector 10

Step 4. Configure and publish the FHIR app connection 10

Step 5. Configure and publish the Docusign app connection 10

Step 6. Configure and publish the email app connection 11

Step 7. Configure and publish the processes 11

Step 8. Create webhooks in Docusign 11

Step 9. Invoke the Initiate Patient Consent Workflow process 12

Step 10. Verify the response code from the FHIR server 13

Preface

Use *Patient Consent Management* to learn how to use Docusign and FHIR to send patient consent forms through email. This guide assumes that you have an understanding of the Docusign and FHIR connectors and FHIR concepts.

CHAPTER 1

Introduction to Patient Consent Management recipe

The Patient Consent Management recipe is based on REST and SOAP APIs.

Use the recipe to request consent from patients for access to their medical information and history. You can send requests for multiple records and control how long a patient has to grant permission.

Prerequisites

To use the Patient Consent Management recipe, complete the following prerequisites:


- Create a Docusign developer account for creating documents. Use your user ID, account API ID, and App Integration Key to create a JWT Access Token. For more information on JWS Access Tokens, refer to the Docusign documentation about JWT tokens.
- Get access to a FHIR server containing resources including patient records, claims, organizations, and practitioners.

CHAPTER 2

Patient Consent Management contents

The Patient Consent Management recipe contains app connections, service connectors, and processes.

The following image shows the assets that the Patient Consent Management recipe package contains:



Patient Consent Management recipe assets

The Patient Consent Management recipe contains FHIR, Docusign, and email app connections; Docusign and FHIR service connectors; and processes to intiate the patient consent workflow and post the consent to FHIR.

The following table describes the assets that the Patient Consent Management recipe package contains:

Asset Name	Asset Type	Description
AppConnectionforFHIR	App connection	App connection for the FHIR server.
DocusignConnection	App connection	App connection that calls the Docusign REST API.
Docusign Connector	Service connector	Connector that exposes various actions of Docusign.
EmailAppConnection	App connection	Email connection to send an email.
FHIR_Connector	Service connector	Bidirectional service connector that can be used to retrieve or send data to the FHIR server.

Asset Name	Asset Type	Description
Initiate Patient Consent Workflow	Process	Process to initiate the Patient Consent Management process.
Patient Consent Management	Process	Process to post the consent to the FHIR server and send the consent document to the Docusign for patient's signature. It waits until the document is signed and updates FHIR based on the document status.
Post Consent to FHIR Server	Process	Process to send Consent resource to the FHIR server.
Send Patient Consent for eSignature	Process	Process to send the consent document template to Docusign for eSignature.

CHAPTER 3

Using the Patient Consent Management recipe

To use the Patient Consent Management recipe, perform the following steps manually:

1. Copy and access the recipe.
2. Publish the **DocusignConnector** service connector.
3. Publish the **FHIR_Connector** service connector.
4. Configure anfd publish the **AppConnectionforFHIR** app connection.
5. Configure and publish the **DocusignConnection** app connection.
6. Configure and publish the **EmailAppConnection** connection.
7. Configure and publish the following processes: **Initiate Patient Consent Workflow**, **Patient Consent Management**, **Post Consent to FHIR Serve**r, **Send Patient Consent for eSignature**.
8. Invoke the **Initiate Patient Consent Workflow** process.
9. Verify the response code from the FHIR server.

Step 1. Copy and access the recipe


Copy the preconfigured assets in the recipe to a separate project or folder.

1. Open the **Patient Consent Management** recipe and click **Use**.
2. Select the location where you want to copy the recipe, and then click **Continue**.
3. In the **Copying the recipe** dialog box, click **OK**.

   It might take some time for the recipe to get copied. You will receive a notification when the recipe is ready for use.
4. After the recipe is copied, click **Explore** to access the recipe content.

5. Navigate to the project or folder where you copied the recipe or enter the recipe name in the **Find** box.

   The following image shows the assets in the recipe:



Step 2. Publish the Docusign service connector

To publish the **Docusign Connector** service connector, open the **Docusign Connector** service connector and click **Publish**.

Step 3. Publish the FHIR service connector

To publish the **FHIR_Connector** service connector, open the **FHIR_Connector** service connector and click **Publish**.

Step 4. Configure and publish the FHIR app connection

Configure the FHIR app connection type and connection properties, and then publish the asset.

1. Open the **AppConnectionforFHIR** connection.
2. From the **Type** list, select **AppConnectionforFHIR**.
3. From the **Runtime Environment** list, select **Cloud Server or any Secure Agent**.
4. Save and publish the connection.

Step 5. Configure and publish the Docusign app connection

Configure the Docusign app connection type and connection properties, and then publish the asset.

1. Open the **DocusignConnection** connection.

2. From the **Type** list, select **DocusignConnection**.
3. From the **Runtime Environment** list, select **Cloud Server or any Secure Agent**.
4. Enter your Docusign:
   - User ID
   - Account API ID
   - App Integration Key

   For more information on how to find these, refer to the Docusign documentation.
5. Save and publish the connection.

Step 6. Configure and publish the email app connection

Configure the email app connection type and connection properties, and then publish the asset.

1. Open the **EmailAppConnection** connection.
2. From the **Type** list, select **EmailAppConnection**.
3. From the **Runtime Environment** list, select **Cloud Server or any Secure Agent**.
4. Save and publish the connection.

Step 7. Configure and publish the processes

Publish the patient consent, FHIR, and eSignature processes.

To publish each process, click **Actions** on the row that contain the process and select **Pubish**. Publish the following processes:

- Initiate Patient Consent Workflow
- Patient Consent Management
- Post Consent to FHIR Server
- Send Patient Consent for eSignature

Step 8. Create webhooks in Docusign

Configure webhooks to communicate between systems when an event occurs.

1. Log in to your Docusign eSignature developer account and select **Admin**.
2. In the **Integrations** tab, select **Connect**.
3. To open the **Add Custom Configuration** page, select **Add Configuration**, then **Custom**.

4. Add a new configuration with the following custom settings:

Field	Configuration
Name	Choose a custom name for your configuration
Status	Active Connection
URL to Publish	<REST Service URL>/event/DocusignWebhook **Note:** Copy the REST Service URL from the Properties Details after you publish the Patient Consent Management process.
Trigger Events	• Envelope Signed/Completed • Envelope Declined • Envelope Voided

5. To save your configurations, select **Add Configuration**.

For more information on Docusign webhooks, refer to the Docusign documentation on Webhooks.

Step 9. Invoke the Initiate Patient Consent Workflow process

Invoke the Initiate Patient Consent Workflow process to send and check the status of patient consent forms.

1. Open the **Initiate Patient Consent Workflow** process.
2. In the **Actions** menu, click **Run Using**.
3. In the **Process Input** section, edit the payload to specify the:
   - PatientResourceID
   - PractitionerResourceID
   - OrganizationResourceID
   - ProcedureResourceID
   - PatientEmailID
   - PatientName
   - StartDate
   - EndDate
   - ClaimResourceID


   For example, the following payload includes placeholder values:

```
{
     "PatientResourceID": "<PatientFHIRResournceID>",
     "PractitionerResourceID": "<PractitionerFHIRResournceID>",
     "OrganizationResourceID": "41b14bd7-64b5-4a86-a294-720928252a38",
     "ProcedureResourceID": "552007a5-8d4e-4d9a-a30f-c9d1b25277d4",
     "PatientEmailID": "<PatientEmailID>",
     "PatientName": "<PatientName>",
```

```
            "StartDate": "2025-01-01T00:00:00Z",
            "EndDate": "2025-03-01T00:00:00Z",
            "ClaimResourceID": "12653da0-cdc4-4dad-9ae5-c89567002bd8"
        }
```

4. In the **Timer Events** property, choose how much time the patient has to complete and submit the Docusign.

The following image shows a process that ran successfully:



Step 10. Verify the response code from the FHIR server

Open the **Patient Consent Management** process in Application Integration and verify the response code that Application Integration receives from the FHIR server.

1. In the Application Integration Console, open the **Processes** page.
2. Select the **Patient Consent Management** process.
3. Select **Assignment to FHIR_Response** in the log list.
4. Verify that the FHIR server received one of the following responses from the consent form:
   - Active
   - Rejected
   - Enter-in-Error