Informatica® Cloud Application Integration
April 2026

Getting Started with Recipes

Informatica Cloud Application Integration Getting Started with Recipes
April 2026

© Copyright Informatica LLC 2024, 2026

This software and documentation contain proprietary information of Informatica LLC and are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright law. Reverse engineering of the software is prohibited. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. This Software may be protected by U.S. and/or international Patents and other Patents Pending.

Use, duplication, or disclosure of the Software by the U.S. Government is subject to the restrictions set forth in the applicable software license agreement and as provided in DFARS 227.7202-1(a) and 227.7702-3(a) (1995), DFARS 252.227-7013©(1)(ii) (OCT 1988), FAR 12.212(a) (1995), FAR 52.227-19, or FAR 52.227-14 (ALT III), as applicable.

The information in this product or documentation is subject to change without notice. If you find any problems in this product or documentation, please report them to us in writing.

Informatica, Informatica Platform, Informatica Data Services, PowerCenter, PowerCenterRT, PowerCenter Connect, PowerCenter Data Analyzer, PowerExchange, PowerMart, Metadata Manager, Informatica Data Quality, Informatica Data Explorer, Informatica B2B Data Transformation, Informatica B2B Data Exchange Informatica On Demand, Informatica Identity Resolution, Informatica Application Information Lifecycle Management, Informatica Complex Event Processing, Ultra Messaging, Informatica Master Data Management, and Live Data Map are trademarks or registered trademarks of Informatica LLC in the United States and in jurisdictions throughout the world. All other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright © University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jQWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright© MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (http://www.apache.org/), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at http://www.apache.org/licenses/. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (http://www.mozilla.org/), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at http:// www.gnu.org/licenses/lgpl.html. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at http://www.openssl.org and http://www.openssl.org/source/license.html.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://curl.haxx.se/docs/copyright.html. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://www.dom4j.org/ license.html.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://dojotoolkit.org/license.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://source.icu-project.org/repos/icu/icu/trunk/license.html.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at http:// www.gnu.org/software/ kawa/Software-License.html.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at http://www.opensource.org/licenses/mit-license.php.

This product includes software developed by Boost (http://www.boost.org/) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at http:/ /www.boost.org/LICENSE_1_0.txt.

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at http:// www.pcre.org/license.txt.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http:// www.eclipse.org/org/documents/epl-v10.php and at http://www.eclipse.org/org/documents/edl-v10.php.

This product includes software licensed under the terms at http://www.tcl.tk/software/tcltk/license.html, http://www.bosrup.com/web/overlib/?License, http://www.stlport.org/doc/ license.html, http://asm.ow2.org/license.html, http://www.cryptix.org/LICENSE.TXT, http://hsqldb.org/web/hsqlLicense.html, http://httpunit.sourceforge.net/doc/ license.html, http://jung.sourceforge.net/license.txt , http://www.gzip.org/zlib/zlib_license.html, http://www.openldap.org/software/release/license.html, http://www.libssh2.org, http://slf4j.org/license.html, http://www.sente.ch/software/OpenSourceLicense.html, http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3- license-agreement; http://antlr.org/license.html; http://aopalliance.sourceforge.net/; http://www.bouncycastle.org/licence.html; http://www.jgraph.com/jgraphdownload.html; http://www.jcraft.com/jsch/LICENSE.txt; http://jotm.objectweb.org/bsd_license.html; . http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231; http://www.slf4j.org/license.html; http://nanoxml.sourceforge.net/orig/copyright.html; http://www.json.org/license.html; http://forge.ow2.org/projects/javaservice/, http://www.postgresql.org/about/licence.html, http://www.sqlite.org/copyright.html, http://www.tcl.tk/software/tcltk/license.html, http://www.jaxen.org/faq.html, http://www.jdom.org/docs/faq.html, http://www.slf4j.org/license.html; http://www.iodbc.org/dataspace/iodbc/wiki/iODBC/License; http://www.keplerproject.org/md5/license.html; http://www.toedter.com/en/jcalendar/license.html; http://www.edankert.com/bounce/index.html; http://www.net-snmp.org/about/license.html; http://www.openmdx.org/#FAQ; http://www.php.net/license/3_01.txt; http://srp.stanford.edu/license.txt; http://www.schneier.com/blowfish.html; http://www.jmock.org/license.html; http://xsom.java.net; http://benalman.com/about/license/; https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js; http://www.h2database.com/html/license.html#summary; http://jsoncpp.sourceforge.net/LICENSE; http://jdbc.postgresql.org/license.html; http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto; https://github.com/rantav/hector/blob/master/LICENSE; http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html; http://jibx.sourceforge.net/jibx-license.html; https://github.com/lyokato/libgeohash/blob/master/LICENSE; https://github.com/hjiang/jsonxx/blob/master/LICENSE; https://code.google.com/p/lz4/; https://github.com/jedisct1/libsodium/blob/master/LICENSE; http://one-jar.sourceforge.net/index.php?page=documents&file=license; https://github.com/EsotericSoftware/kryo/blob/master/license.txt; http://www.scala-lang.org/license.html; https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt; http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html; https://aws.amazon.com/asl/; https://github.com/twbs/bootstrap/blob/master/LICENSE; https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt; https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE, and https://github.com/apache/hbase/blob/master/LICENSE.txt.

This product includes software licensed under the Academic Free License (http://www.opensource.org/licenses/afl-3.0.php), the Common Development and Distribution License (http://www.opensource.org/licenses/cddl1.php) the Common Public License (http://www.opensource.org/licenses/cpl1.0.php), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (http:// www.opensource.org/licenses/bsd-license.php), the new BSD License (http://opensource.org/licenses/BSD-3-Clause), the MIT License (http://www.opensource.org/licenses/mit-license.php), the Artistic License (http://www.opensource.org/licenses/artistic-license-1.0) and the Initial Developer's Public License Version 1.0 (http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://xstream.codehaus.org/license.html. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit http://www.extreme.indiana.edu/.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

Publication Date: 2026-04-12

Table of Contents

Preface 5

Chapter 1: Introduction to recipes 6

Business example 7

Chapter 2: Working with recipes 8

Accessing recipes 8

Accessing unlisted recipes 9

Searching for a recipe 10

Copying a recipe 13

Configuring and using a recipe 14

Chapter 3: Contributing recipes 15

Creating a recipe 15

- Creating a recipe from the Recipes page 15
- Creating a recipe from the Process Designer 18

Publishing a recipe 19

Editing a recipe 20

Deleting a recipe 21

Preface

Use *Getting Started with Recipes* to understand what recipes are and learn how to create, access, copy, and use them.

CHAPTER 1

Introduction to recipes

A recipe is a set of pre-configured assets that helps you efficiently implement common Application Integration use cases. A recipe contains one or more assets, such as process objects, app connections, and processes, which you can configure based on your specific use case. Application Integration offers recipes for various business use cases, such as, GenAI, industry solutions, business process automation, and data management automation, enabling you to accelerate your workflows and drive real business value.

Copying recipes

You can copy an existing recipe to quickly create a process for an Application Integration use case. This saves time by eliminating the need to manually create each asset from scratch. After you copy a recipe, you need to complete certain configuration tasks to use it. For example, you must configure properties related to user authentication and the runtime environment in app connections and processes, and then publish the assets. You can further modify the assets based on your business use case. Copying recipes provides a fast and reliable way to implement a common use case with minimal effort.

Benefits of copying recipes

If you copy a recipe, it offers the following benefits:

- You save time by eliminating the need to manually create each asset from scratch.
- You leverage community-created recipes to solve similar use cases faster.
- You simplify configurations by focusing on key settings such as environment settings and authentication.

Creating and publishing your own recipes


In addition to using existing recipes, you can contribute to Application Integration Recipes by creating your own to address specific business use cases. When you create a recipe, you must provide basic details such as the recipe name, description, and intended use case. After adding all necessary details and assets, you submit the recipe for review.

The recipe undergoes a review and approval process to ensure quality and accuracy. Once approved, the recipe is published on the **Recipes** page. It then becomes available to other users who can reuse it for similar business use cases.

Example use case

Imagine a scenario where you need to synchronize Dynamics 365 accounts and contacts with Salesforce accounts and contacts. This workflow requires multiple assets such as two process objects, three app connections, and three processes. Instead of manually creating all these assets from scratch, you can use the Synchronize Dynamics 365 Accounts or Contacts with Salesforce Accounts or Contacts recipe to achieve your use case with minimal configuration. You can use the recipe as is or extend and configure it as per your business use case.

The following image shows a sample process workflow that synchronizes Dynamics 365 accounts and contacts with Salesforce accounts and contacts.



Business example

Consider that the customer support team in your organization uses Salesforce to manage and maintain customer service cases. The IT team uses ServiceNow to manage and maintain incidents reported by customers, partners, and employees. Every time the customer support team creates or updates a customer case, they communicate the relevant case details manually to the IT team. The IT team then verifies whether the case exists as an incident in their database. If the incident does not exist, the team creates an incident manually.

To improve the case and incident management and team collaboration, both teams need immediate access to critical customer data about product issues. In this case, you can use the Synchronize Salesforce Cases with ServiceNow Incidents recipe to simplify team collaboration and reduce the turnaround time for case management.

CHAPTER 2

Working with recipes


Application Integration provides a set of recipes that you can access from the **Recipes** page. You can also create your own recipes in the modern view of the **Recipes** page to address specific business use cases. You can search for a recipe, copy it, and complete the required manual configuration tasks to use it successfully. You can further modify the assets based on your business use case.

Accessing recipes


To access recipes, log in to Application Integration and click **Recipes** on the left navigation bar. On the **Start with Recipes** page, the **Available Recipes** tab displays recipes that Informatica provides and the recipes users create across all organizations. You can use these recipes in your projects as required. The **My Recipes** tab displays the recipes you create, and you can open them in edit mode.

You can view the recipes in card or table view. By default, the system displays the recipes in the card view.

The following image shows the recipes in the card view:



The following image shows the recipes in the table view:




To change the view from the card view to the table view, click the **Table** icon. Similarly, to change the view from the table view to the card view, click the **Card** icon.

Accessing unlisted recipes


Unlisted recipes do not appear by default on the **Recipes** page. However, any unlisted recipes you create appear on the **My Recipes** tab. You can access unlisted recipes shared by other users only by using an access code provided by the recipe owner.

To access an unlisted recipe, perform the following steps:

1. Copy the recipe access code provided by the recipe owner.
2. Go to the **Recipes** page and click **I have an access code**.
   The following image shows the access code option:



3. Enter the access code you received.
   The following image shows the dialogue box to enter the access code:



4. Click **OK**.


You'll see the unlisted recipe on the **Available Recipes** tab. For more information about using a recipe, see "Copying a recipe" on page 13.

Searching for a recipe

You can search for a recipe by its name, description or tag. When you click a recipe, you can view basic information about it, the assets available in the recipe, and its version history.

To search for a recipe on the **Recipes** page, enter the name, tag, or description in the **Find** box. Then click the recipe name or the card to access the recipe.

The following image shows a sample **Recipe Details** page:



The recipe details page contains the following sections:

Recipe Details

The **Recipe Details** section displays the following properties:

Property	Description
Name	The name of the recipe.
Description	A description of the recipe.
Access Type	The type of access to the recipe. The type is set to **Public** if the recipe is available to all users across organizations. The type is **Private** if the recipe is available only to a specific organization. The type is **Unlisted** if the recipe is available to all organizations using the access code.
Permissions	The Copy permission available on the recipe.
Details	Click **How to use this recipe** to access the recipe documentation, which provides information about configuring and using the recipe.
Publisher	Publisher details, for example, Informatica if the recipe is published by Informatica.
Published On	The date and time when the recipe was submitted.
Version	The version of the published recipe.

Recipe Content

The **Recipe Content** section displays the following properties:

Property	Description
Asset Name	The name of the asset in the recipe.
Description	A description of the asset.
Type	The type of the asset, such as process object, service connector, app connection, and process.

Version History

The **Version History** section displays the following properties:

Property	Description
Name	The name of the recipe.
Description	A description of the recipe.
Publisher	Publisher details, for example, Informatica if the recipe is published by Informatica.
Version	The version of the published recipe.
Access Type	The type of access to the recipe. The type is set to **Public** if the recipe is available to all users across organizations. The type is **Private** if the recipe is available only to a specific organization. The type is **Unlisted** if the recipe is available to all organizations using the access code.
Published On	The date and time when the recipe was submitted.

Copied History

If the recipe was copied, the **Copied History** section displays the following properties:

Property	Description
Name	The name of the recipe.
Description	A description of the recipe.
Publisher	Publisher details, for example, Informatica if the recipe is published by Informatica.
Version	The version of the published recipe.
Copied By	The list of organizations that copied the recipe.
Copied On	The date and time when the recipe was copied.
Copied To	The folder where you copied the recipe.

Copying a recipe


Copy the pre-configured assets in the recipe to a separate project or folder and complete the manual configuration tasks to use the recipe successfully.

Before you copy a recipe to a project or folder, you must ensure that you have the appropriate permissions on the project or folder. You must also ensure that the recipe content does not override existing assets.

After reviewing the recipe details, you can copy a recipe and view its contents.


1. Open the recipe that you want to copy and click **Use** on the upper right corner of the page.

   The following image shows the **Use** button to copy the recipe:



2. Select the location where you want to copy the recipe, and then click **Continue**.
3. In the **Copying the recipe…** dialog box, click **OK**.


   It might take some time for the recipe to get copied. You will receive a notification when the recipe is ready for use.
   The following image shows a sample notification after the recipe is available for use:



4. To access the recipe content, click **Explore**.

5. Navigate to the project or folder where you copied the recipe.

   All the assets in the recipe are displayed as shown in the following sample image:



   The list of assets includes all dependent assets your recipe uses, even if they don't appear on the **Recipe Details** section on the **Recipes** page.

Note: Community recipes are created and published by Informatica customers and are provided "*as-is*". Informatica does not warrant, test, validate, or guarantee the functionality, purpose, or suitability of any community recipe and is not responsible for providing any code, fixes, or corrections. By using a community recipe, you agree that you are solely responsible for assessing whether the recipe is suitable for your intended purposes. You must test and review the community recipe thoroughly in a secure, non-production environment before deploying it in production and accept all risks and liabilities that may arise from its use.

Watch an interactive demo to know how to copy a recipe to a project or folder.

Configuring and using a recipe

After you copy a recipe, you need to perform some manual steps to use it. For example, you must configure properties related to user authentication and the runtime environment in app connections and processes, and then publish the assets. After completing the manual steps, you can invoke the process. For more information about the manual steps, see the Recipes section on the documentation portal.

If the recipe contains connections, configure those connections and publish them before you open or update the process. Otherwise, the process will have empty connection fields and become invalid.

If the assets in the recipe use a Secure Agent, ensure you use the same Secure Agent when configuring the service connectors, app connections, and processes packaged in the recipe.

If you would like to share feedback or request new recipes, write to us at recipes_feedback@in.com

CHAPTER 3

Contributing recipes

You can create and contribute your own recipes to Application Integration. You provide key details like name, description, and use case. Then submit your recipe for review. After approval, publish it on the **Recipes** page for others to use.

Creating a recipe

You can contribute to Application Integration Recipes by creating your own recipes to address specific business use cases.

You can create a recipe to reuse them in your projects or share them for others to use.

You can create a recipe in the following methods:


- From the **Recipe** page
- From the **Process Designer**

Creating a recipe from the Recipes page

Perform the following steps to create a new recipe from the **Recipes** page:


1. Log in to Application Integration in the modern view and click **Recipes** on the left navigation bar.
2. On the **Start with Recipes** page, click **Create Recipe** on the top right corner of the page.

   The following image shows the **Create Recipe** button to create a recipe:



3. Enter the recipe details on the new recipe page.

   The following image shows the sections in the new recipe page:



   The create new recipe page contains the following sections:

   Recipe Details

   The **Recipe Details** section displays the following properties:

Property	Description
Name	Enter the name of the recipe.
Description	Optional. Enter the description of the recipe.
Version	Enter the version of the recipe. Default is 1.0.

Property	Description
Access Type	Select one of the following access types for the recipe: - **Public**. Available to all users across organizations - **Private**. Available only to your organization and its sub-organizations - **Unlisted**. Available only through an access code provided by the recipe owner
Contributor Logo	Add your company logo. It appears in card view on the **Recipe** page after publishing the recipe.
Allow Type	Available permissions on the recipe. This field is currently disabled. Default is **Copy**.
Application Logos	Add logos of the applications integrated with the recipe assets, such as Salesforce or ServiceNow. Consider the following guidelines when you add application logos: - Upload valid SVG files to avoid security validation errors. - Ensure that each logo size is less than 1MB. - Use different file names for each logo you upload. - To upload a logo, delete the existing one first, and then add the new logo.
Recipe Documentation	Upload recipe documentation in PDF or DOC format. Click **Download Template** to access the recipe template and fill in the required details. Uploading documentation helps users configure the recipe, understand how it works, and learn its benefits. The file size must be less than 10 MB.
Tags	Enter the keywords that highlight the recipe's purpose.
Applications	Optional. Select the related applications for the recipe.
Functions	Optional. Select the related functions for the recipe.
Industries	Optional. Select the relevant industries for the recipe.

Recipe Contents

You can add multiple assets to a recipe depending on your requirements.
When you create a recipe, passwords and encrypted data are removed automatically. However, you must manually remove any personally identifiable information (PII) from plain text fields before adding assets. This ensures sensitive information isn't exposed when the recipe is published. You can include only valid assets.

To remove PII, browse to the asset's location from the Explore page. Open the asset and edit as needed. If removing a value makes the asset invalid, you can substitute it with a dummy value.

To add a recipe asset, perform the following steps:

1. Click the **Add** icon.
2. Select the required asset from the list.
3. Click **Select**.

When you add an asset, its dependencies are automatically included in the recipe package, even if they don't appear on the new recipe page. To view the asset dependencies, perform the following steps:

1. Click **Explore** on the left navigation bar and navigate to the project location. All assets in the recipe are listed.
2. For the specific asset, click the **Action** menu and click **Show Dependencies**.
3. Click the **Uses** tab to view the list of direct dependencies.

   Note: The recipe includes the complete tree of dependencies and not just the direct ones.

When you copy a recipe, all the assets and their dependencies are available in the folder you select.

Note: You must delete a recipe before you can delete any asset used in it.

4. Click **Save**.
5. For **Public** assets type recipes, click **Submit for Review** .

   The **Start with Recipes** page shows recipes in the following two tabs:

   - **Available Recipes**: Displays the recipes provided by Informatica and the recipes shared by users in your organization or other organizations.
   - **My Recipes**. Displays the recipes you've created. It displays the recipes in card view by default.

   Note: In classic view, you can only view recipes in the **My Recipes** tab. You can't modify them or create new recipes.

Creating a recipe from the Process Designer

You can create a recipe from an existing published process.

Perform the following steps to create a recipe from the Process Designer:

1. Click **Explore** and browse to the published process you want to use.
2. Open the process and click **Share**.
3. The new recipe page appears with an auto-populated recipe name. The **Recipe Contents** section contains the selected process. Enter the required details and submit the recipe.

Public published recipes appear in the **Available Recipes** tab across all organizations. **Private** published recipes appear only in **My Recipes** tab for your organization and its sub organizations. **Unlisted** recipes appear in **My Recipes** tab only when accessed using an access code provided by the recipe owner. These recipes are available for all organizations.
The system periodically synchronizes published recipes across all PODs in a region.

Note: You can't create or edit a recipe with a name that exists or was previously used.

Publishing a recipe

After you create a recipe, it undergoes a review process before publishing to ensure quality and accuracy.

After you save a recipe, it appears on the **My Recipes** tab on the **Recipes** page. All recipes you created are listed on the **My Recipes** tab, regardless of their status.

Click the **Refresh** icon on the **My Recipes** tab to check the latest recipe status.

The following table describes the recipe statuses:


Status	Description
Unpublished	You saved the recipe, but did not submit it for review.
Pending review	You submitted the recipe for review.
Published	The recipe is approved. **Note:** Only **Public** recipes go through a review process before publishing. **Private** and **Unlisted** recipes are automatically published. You can include a maximum of 50 assets in a **Public** recipe.
Withdrawn	You withdrew the submitted recipe from the review process.
Deprecated	You requested to remove a published recipe from the list of published recipes.
Rejected	The approver rejected your recipe.

After you submit a **Public** recipe for review, you can check its approval status on the **My Recipes** tab.

If your recipe is approved, it appears as published on the **My Recipes** tab and is automatically listed on the **Available Recipes** tab for all users.

If your recipe is rejected you'll see the **Rejected** status on the **My Recipes** tab.

You'll also receive a notification with the rejection details on the **Recipes** page.
The following image shows the notification for a rejected recipe with the rejection reason:



Note: By publishing a public recipe (community recipe), you warrant that you are authorized to contribute it on behalf of your company. You confirm that your submission contains no malicious code, harmful content, or confidential information; that publication does not infringe on any intellectual property or third-party rights; and that the community recipe functions only as described in its own description, containing no workflows beyond its stated purpose. Informatica may, at its sole discretion, reject, remove, or restrict access to or use of any community recipe.

Editing a recipe

To edit recipes, log in to Application Integration and click **Recipes** on the left navigation bar. The **My Recipes** tab displays your recipes and their status.

To edit a recipe, click the recipe name on the **My Recipes** tab and perform the following steps based on the recipe's status:

- **Deprecated**
  1. You can only deprecate a published recipe. Click **Deprecate** to withdraw it from use. The recipe is then removed from the list of available recipes.
  2. Make the required edits. Ensure the new recipe version is greater than the current version.
  3. Click **Submit for Review**.
- **Pending Review**
  1. Click **Withdraw from Review**. This applies only for recipes set to **Public** access type.
  2. A warning message to withdraw the recipe from the review process appears. Click **Continue**.
  3. Click the **Refresh** icon to view the latest recipe status.
  4. After withdrawal, the recipe status appears as **Withdrawn** on the **My Recipes** tab. Click the recipe name.
  5. Make the required edits. Ensure the new recipe version is greater than the current version.
  6. Click **Save** and **Submit for Review**.
- **Published**
  1. Make the required edits. Ensure the new recipe version is greater than the current version.
  2. Click **Save** and then click **Publish to Sub-organization** for a **Private** access type recipe.
     Click **Save** and then click **Publish** for an **Unlisted** access type recipe.

     Click **Save** and then click **Submit for Review** for a **Public** access type recipe.

  Note: If you edit a published recipe, the changes won't take effect until you republish it.
- **Rejected**
  1. Make the required edits.
  2. Click **Save**.
  3. Click **Submit for Review**, for **Public** recipes or click Publish for Private and Unlisted recipes.
- **Unpublished**
  1. Make the required edits. Fix the approvers comments.
  2. Ensure the new recipe version is greater than the current version.
  3. Click **Submit for Review**.

- **Withdrawn**
  1. Make the required edits. Ensure the new recipe version is greater than the current version.
  2. Click **Submit for Review**.

Note: Only **Deprecated**, **Unpublished**, and **Withdrawn** recipes that were never published can be deleted.


Deleting a recipe

When you delete a recipe during publishing, the recipe is deleted after completing the publishing process. You cannot retrieve a recipe after you delete it. You can delete a recipe at any time.

You can delete a recipe with statuses **Deprecated**, **Unpublished** and **Withdrawn** that were never published previously.

Perform the following steps to delete a recipe:

1. On the **Recipes** page, click the **My Recipes** tab.
2. Ensure that you view the recipes in the table view.



3. To delete a recipe, click the delete icon at the end of the row.
4. A confirmation message appears. Confirm to delete.

Once you delete a recipe, you can't reuse the same recipe name to create or edit another recipe across organizations within the same region PODs.