Informatica® Cloud Application Integration
March 2025

Synchronize Dynamics 365 Accounts with Zendesk Organizations

Informatica Cloud Application Integration Synchronize Dynamics 365 Accounts with Zendesk Organizations
March 2025

© Copyright Informatica LLC 2025

This software and documentation contain proprietary information of Informatica LLC and are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright law. Reverse engineering of the software is prohibited. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. This Software may be protected by U.S. and/or international Patents and other Patents Pending.

Use, duplication, or disclosure of the Software by the U.S. Government is subject to the restrictions set forth in the applicable software license agreement and as provided in DFARS 227.7202-1(a) and 227.7702-3(a) (1995), DFARS 252.227-7013©(1)(ii) (OCT 1988), FAR 12.212(a) (1995), FAR 52.227-19, or FAR 52.227-14 (ALT III), as applicable.

The information in this product or documentation is subject to change without notice. If you find any problems in this product or documentation, please report them to us in writing.

Informatica, Informatica Platform, Informatica Data Services, PowerCenter, PowerCenterRT, PowerCenter Connect, PowerCenter Data Analyzer, PowerExchange, PowerMart, Metadata Manager, Informatica Data Quality, Informatica Data Explorer, Informatica B2B Data Transformation, Informatica B2B Data Exchange Informatica On Demand, Informatica Identity Resolution, Informatica Application Information Lifecycle Management, Informatica Complex Event Processing, Ultra Messaging, Informatica Master Data Management, and Live Data Map are trademarks or registered trademarks of Informatica LLC in the United States and in jurisdictions throughout the world. All other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright © University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jQWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright© MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (http://www.apache.org/), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at http://www.apache.org/licenses/. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (http://www.mozilla.org/), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at http:// www.gnu.org/licenses/lgpl.html. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at http://www.openssl.org and http://www.openssl.org/source/license.html.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://curl.haxx.se/docs/copyright.html. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://www.dom4j.org/ license.html.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://dojotoolkit.org/license.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://source.icu-project.org/repos/icu/icu/trunk/license.html.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at http:// www.gnu.org/software/ kawa/Software-License.html.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at http://www.opensource.org/licenses/mit-license.php.

This product includes software developed by Boost (http://www.boost.org/) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at http:/ /www.boost.org/LICENSE_1_0.txt.

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at http:// www.pcre.org/license.txt.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http:// www.eclipse.org/org/documents/epl-v10.php and at http://www.eclipse.org/org/documents/edl-v10.php.

This product includes software licensed under the terms at http://www.tcl.tk/software/tcltk/license.html, http://www.bosrup.com/web/overlib/?License, http://www.stlport.org/doc/ license.html, http://asm.ow2.org/license.html, http://www.cryptix.org/LICENSE.TXT, http://hsqldb.org/web/hsqlLicense.html, http://httpunit.sourceforge.net/doc/ license.html, http://jung.sourceforge.net/license.txt , http://www.gzip.org/zlib/zlib_license.html, http://www.openldap.org/software/release/license.html, http://www.libssh2.org, http://slf4j.org/license.html, http://www.sente.ch/software/OpenSourceLicense.html, http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3- license-agreement; http://antlr.org/license.html; http://aopalliance.sourceforge.net/; http://www.bouncycastle.org/licence.html; http://www.jgraph.com/jgraphdownload.html; http://www.jcraft.com/jsch/LICENSE.txt; http://jotm.objectweb.org/bsd_license.html; . http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231; http://www.slf4j.org/license.html; http://nanoxml.sourceforge.net/orig/copyright.html; http://www.json.org/license.html; http://forge.ow2.org/projects/javaservice/, http://www.postgresql.org/about/licence.html, http://www.sqlite.org/copyright.html, http://www.tcl.tk/software/tcltk/license.html, http://www.jaxen.org/faq.html, http://www.jdom.org/docs/faq.html, http://www.slf4j.org/license.html; http://www.iodbc.org/dataspace/iodbc/wiki/iODBC/License; http://www.keplerproject.org/md5/license.html; http://www.toedter.com/en/jcalendar/license.html; http://www.edankert.com/bounce/index.html; http://www.net-snmp.org/about/license.html; http://www.openmdx.org/#FAQ; http://www.php.net/license/3_01.txt; http://srp.stanford.edu/license.txt; http://www.schneier.com/blowfish.html; http://www.jmock.org/license.html; http://xsom.java.net; http://benalman.com/about/license/; https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js; http://www.h2database.com/html/license.html#summary; http://jsoncpp.sourceforge.net/LICENSE; http://jdbc.postgresql.org/license.html; http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto; https://github.com/rantav/hector/blob/master/LICENSE; http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html; http://jibx.sourceforge.net/jibx-license.html; https://github.com/lyokato/libgeohash/blob/master/LICENSE; https://github.com/hjiang/jsonxx/blob/master/LICENSE; https://code.google.com/p/lz4/; https://github.com/jedisct1/libsodium/blob/master/LICENSE; http://one-jar.sourceforge.net/index.php?page=documents&file=license; https://github.com/EsotericSoftware/kryo/blob/master/license.txt; http://www.scala-lang.org/license.html; https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt; http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html; https://aws.amazon.com/asl/; https://github.com/twbs/bootstrap/blob/master/LICENSE; https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt; https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE, and https://github.com/apache/hbase/blob/master/LICENSE.txt.

This product includes software licensed under the Academic Free License (http://www.opensource.org/licenses/afl-3.0.php), the Common Development and Distribution License (http://www.opensource.org/licenses/cddl1.php) the Common Public License (http://www.opensource.org/licenses/cpl1.0.php), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (http:// www.opensource.org/licenses/bsd-license.php), the new BSD License (http://opensource.org/licenses/BSD-3-Clause), the MIT License (http://www.opensource.org/licenses/mit-license.php), the Artistic License (http://www.opensource.org/licenses/artistic-license-1.0) and the Initial Developer's Public License Version 1.0 (http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://xstream.codehaus.org/license.html. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit http://www.extreme.indiana.edu/.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

Publication Date: 2025-08-31

Table of Contents

Preface 5

Chapter 1: Introduction to Synchronize Dynamics 365 Accounts with Zendesk Organizations recipe 6

Prerequisites for creating custom fields in Zendesk 6

Chapter 2: Synchronize Dynamics 365 Accounts with Zendesk Organizations recipe contents 10

Synchronize Dynamics 365 Accounts with Zendesk Organizations recipe assets 11

Chapter 3: Using the Synchronize Dynamics 365 Accounts with Zendesk Organizations recipe 12

Step 1. Copy and access the recipe 12

Step 2. Configure and publish the Dynamics 365 connection 13

Step 3. Configure and publish the Zendesk connection 14

Step 4. Publish the process 14

Step 5. Create webhooks in Dynamics 365 14

Invoke the process 19

Data synchronization from Dynamics 365 accounts to Zendesk organizations 20

Preface

Use *Synchronize Dynamics 365 Accounts with Zendesk Organizations* to learn how to synchronize Dynamics 365 products with Zendesk organizations based on a webhook request from Dynamics 365. This guide assumes that you have an understanding of the Dynamics 365 Connector and Zendesk Connector concepts.

CHAPTER 1

Introduction to Synchronize Dynamics 365 Accounts with Zendesk Organizations recipe

The Synchronize Dynamics 365 Accounts with Zendesk Organizations recipe is based on REST and SOAP APIs. Use the recipe to synchronize a Dynamics 365 account with a Zendesk organization based on a webhook request from Dynamics 365 without manual intervention.

When an account is created or updated in Dynamics 365, the configured webhook for Dynamics 365 triggers the process. The process uses the external_id field value to search for an organization in the Zendesk database. If the account exists, the process updates the data for the Zendesk organization. Otherwise, the process creates a new account.

If a primary contact is set in the Dynamics 365 account, the process uses the external_id field value to search for a user account in Zendesk. If the user account exists, the process updates the data for the Zendesk user account. Otherwise, the process creates a new user.

The process requires webhook configuration in Dynamics 365.

Prerequisites for creating custom fields in Zendesk


Before using the Synchronize Dynamics 365 Accounts with Zendesk Organizations recipe, you must ensure that Zendesk contains the necessary fields for synchronization. In Zendesk, you must manually add custom fields to organizations such that the Zendesk fields match the fields in Dynamics 365. For example, if the Dynamics 365 account contains a Credit Limit field, you must create a corresponding field in Zendesk to store this information.

In Dynamics 365, an account is a comprehensive business entity that stores key company information, such as the company name, contact details, financial information, interactions, and order history.


In Zendesk, an organization is a group of users and does not contain some important fields, such as financial data or transaction history. To achieve complete synchronization, you must create additional fields in Zendesk.

Zendesk organizations have a limited set of standard fields, such as name, domain, and notes, by default. If your business process requires additional fields, such as Customer Type or Region, you must add these fields to Zendesk before synchronizing the data.


1. Log in to the Zendesk Admin Center.
   The following image shows an option to go to the Admin Center in Zendesk:




2. Go to **Organizations** > **Custom Organization Fields**.
3. Click **Add Field**.
   The following image shows the **Add field** button on the **Organization fields** page:



4. Select the data type.
   The following image shows the field types on the **Add field** page:



5. Enter the field name. For example, Customer Type, Street.
   The following image shows the field name page:


People > Configuration > Organization fields > Add field > text
Text field
This field enables people to add a few words.
Required fields are marked by an asterisk (*).
Display name*
Name shown to agents
Street
Field key*
Make it easier to find this field in placeholders and the API. This can't be changed later.
street
Description
Store street address
Preview
Agent view
This is what agents will see when they interact with this field in Agent Workspace.
Street
Cancel
Save


6. Click **Save**.

CHAPTER 2

Synchronize Dynamics 365 Accounts with Zendesk Organizations recipe contents

The recipe contains multiple assets, such as app connections and a process.

The following image shows the assets that the Synchronize Dynamics 365 Accounts with Zendesk Organizations recipe package contains:



Synchronize Dynamics 365 Accounts with Zendesk Organizations recipe assets

The following table lists the assets that the Synchronize Dynamics 365 Accounts with Zendesk Organizations recipe package contains:

Asset Name	Asset Type	Description
Dynamics365ConnectionOrganization	App connection	Dynamics 365 connection.
ZendeskConnectionOrganization	App connection	Zendesk connection.
Synchronize Dynamics 365 Accounts with Zendesk Organizations	Process	When an account is created or updated in Dynamics 365, Dynamics 365 sends a webhook and triggers the process. The process searches for an organization by external ID in Zendesk and creates or updates an organization based on the search results. The process then searches for the user account by external ID. If the primary contact is present, the process creates or updates the user account based on the search results. The process requires webhook configuration in Dynamics 365.

CHAPTER 3

Using the Synchronize Dynamics 365 Accounts with Zendesk Organizations recipe

To use the Synchronize Dynamics 365 Accounts with Zendesk Organizations recipe, you must perform the following steps manually:

1. Copy and access the recipe.
2. Configure and publish the Dynamics 365 connection.
3. Configure and publish the Zendesk connection.
4. Publish the process.
5. Create webhooks in Dynamics 365.

Step 1. Copy and access the recipe


Copy the pre-configured assets in the recipe to a separate project or folder.

1. Open the **Synchronize Dynamics 365 Accounts with Zendesk Organizations** recipe and click **Use**.
2. Select the location where you want to copy the recipe, and then click **Continue**.
3. In the **Copying the recipe** dialog box, click **OK**.

   It might take some time for the recipe to get copied. You will receive a notification when the recipe is ready for use.
4. After the recipe is copied, click **Explore** to access the recipe content.

5. Navigate to the project or folder where you copied the recipe or enter the recipe name in the **Find** box.

   All the assets in the recipe are displayed as shown in the following image:



Step 2. Configure and publish the Dynamics 365 connection

Configure the tenant and client details in the Dynamics365ConnectionOrganization connection, and then publish the connection.

1. Open the **Dynamics365ConnectionOrganization** connection.
2. From the **Type** list, select **Dynamics365**.
3. From the **Runtime Environment** list, select **Cloud Server or any Secure Agent**.
4. In the **Connection Properties** section, enter values for the following properties:

Property	Description
Tenant_ID	Dynamics 365 tenant ID to get the access token. Enter the tenant ID that you generated under **Microsoft Entra ID** > **App registrations** in Dynamics 365 after creating the client credentials.
Client_ID	Dynamics 365 client ID to generate a valid access token. Enter the client ID that you generated under **Microsoft Entra ID** > **App registrations** in Dynamics 365.
Client_Secret	Dynamics 365 client secret that you generated under **Microsoft Entra ID** > **App registrations** in Dynamics 365.
Grant_Type	Grant type that the Dynamics 365 instance uses to get an access token for third-party client authorization. Enter the value as **client_credentials**.
Resource_URL	URL to access the Dynamics 365 instance.

5. Save and publish the connection.

Step 3. Configure and publish the Zendesk connection

Configure the email address, API token, and instance domain in the ZendeskConnectionOrganization connection, and then publish the connection.

1. Open the **ZendeskConnectionOrganization** connection.
2. From the **Type** list, select **Zendesk**.
3. From the **Runtime Environment** list, select **Cloud Server or any Secure Agent**.
4. In the **Connection Properties** section, enter values for the following properties:

Property	Description
Email	Zendesk user's email address to authenticate requests.
Api_Token	Zendesk API token to authenticate requests. You can generate this value on the Zendesk Admin page.
Instance_Domain	The instance domain of Zendesk. Enter the instance domain in the following format: `https://{domain}.zendesk.com`

5. Save and publish the connection.

Step 4. Publish the process

To publish the **Synchronize Dynamics 365 Accounts with Zendesk Organizations** process, click **Actions** in the row that contains the process and select **Publish**.
You must copy the service URL to the webhook configuration in Dynamics 365. For more information, see "Step 5. Create webhooks in Dynamics 365" on page 14. The process will be triggered automatically when an account is created or updated in Dynamics 365.

Step 5. Create webhooks in Dynamics 365


You can configure webhooks to communicate between systems when an event occurs.

You can create webhooks in various ways. In this recipe, we have used the Plug-in Registration Tool.


Use the Plug-in Registration Tool to register a webhook. To get the Plug-in Registration Tool, see Dataverse development tools.

To create a webhook in Dynamics 365, perform the following steps:


1. Open the Plug-in Registration Tool and log in to your organization.
2. Click **CREATE NEW CONNECTION** on the **Plugin Registration Tool** page.
   The following image shows the **CREATE NEW CONNECTION** button on the **Plugin Registration Tool** page:




3. Go to **Register** and select **Register New Web Hook**.
   The following image shows the **Register New Web Hook** option on the **Register** menu:




4. Enter the webhook name, the service URL that you get after publishing the process, and the authentication method, and click **Save**.
   The following image shows the **WebHook Registration** dialog box:



5. Go to **WebHook** and select **Register New Step**.
   The following image shows the **Register New Step** option:



6. In the **Register New Step** page, enter the value as **Create** in the **Message** field, **account** in the **Primary Entity** field, select **Asynchronous** in the **Execution Mode** field, and then click **Register New Step**. The following image shows the **Register New Step** page:



7. Similarly, follow steps 3 through 5 to register a new step for the update account.
8. In the **Register New Step** page, enter the value as **Update** in the **Message** field, **account** in the **Primary Entity** field, select **Asynchronous** in the **Execution Mode** field, and then click **Register New Step**.

The webhook request is triggered automatically account is created or updated in Dynamics 365.

Invoke the process

You can also invoke the Synchronize Dynamics 365 Accounts with Zendesk Organizations process for testing purpose.

1. Open the **Synchronize Dynamics 365 Accounts with Zendesk Organizations** process and click **Actions** > **Properties Details** > **Copy Service URL**.
2. Open a text editor and add the input fields and values to the service URL as shown in the following format:
   ```
   <Cloud Application Integration POD URL>/active-bpel/public/rt/<API_name>?
   webhookRequest=<Webhook request name from Dynamics 365>
   ```
3. Open a browser and paste the service URL.

You can also invoke the process using the Run Using option, REST or SOAP API endpoints in any API client, such as cURL, Postman, SOAP UI, or through any programming language.

Data synchronization from Dynamics 365 accounts to Zendesk organizations

After you publish the process, whenever a Dynamics 365 account is created or updated, Dynamics 365 sends a webhook and triggers the process, and the account details are synchronized with the Zendesk organization without manual intervention.

The following table shows the fields that are synchronized between the Dynamics 365 account and the Zendesk organization:

Dynamics 365 Account	Zendesk Organization
Name	Name
ID	External ID. This field is not displayed in the UI.
Description	Details
Other fields	Custom fields