Informatica® Cloud Application Integration
March 2025

Synchronize Salesforce Accounts with Veeva Organizations

Informatica Cloud Application Integration Synchronize Salesforce Accounts with Veeva Organizations
March 2025

© Copyright Informatica LLC 2025

This software and documentation contain proprietary information of Informatica LLC and are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright law. Reverse engineering of the software is prohibited. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. This Software may be protected by U.S. and/or international Patents and other Patents Pending.

Use, duplication, or disclosure of the Software by the U.S. Government is subject to the restrictions set forth in the applicable software license agreement and as provided in DFARS 227.7202-1(a) and 227.7702-3(a) (1995), DFARS 252.227-7013©(1)(ii) (OCT 1988), FAR 12.212(a) (1995), FAR 52.227-19, or FAR 52.227-14 (ALT III), as applicable.

The information in this product or documentation is subject to change without notice. If you find any problems in this product or documentation, please report them to us in writing.

Informatica, Informatica Platform, Informatica Data Services, PowerCenter, PowerCenterRT, PowerCenter Connect, PowerCenter Data Analyzer, PowerExchange, PowerMart, Metadata Manager, Informatica Data Quality, Informatica Data Explorer, Informatica B2B Data Transformation, Informatica B2B Data Exchange Informatica On Demand, Informatica Identity Resolution, Informatica Application Information Lifecycle Management, Informatica Complex Event Processing, Ultra Messaging, Informatica Master Data Management, and Live Data Map are trademarks or registered trademarks of Informatica LLC in the United States and in jurisdictions throughout the world. All other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright © University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jQWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright© MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (http://www.apache.org/), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at http://www.apache.org/licenses/. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (http://www.mozilla.org/), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at http:// www.gnu.org/licenses/lgpl.html. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at http://www.openssl.org and http://www.openssl.org/source/license.html.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://curl.haxx.se/docs/copyright.html. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://www.dom4j.org/ license.html.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://dojotoolkit.org/license.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://source.icu-project.org/repos/icu/icu/trunk/license.html.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at http:// www.gnu.org/software/ kawa/Software-License.html.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at http://www.opensource.org/licenses/mit-license.php.

This product includes software developed by Boost (http://www.boost.org/) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at http:/ /www.boost.org/LICENSE_1_0.txt.

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at http:// www.pcre.org/license.txt.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http:// www.eclipse.org/org/documents/epl-v10.php and at http://www.eclipse.org/org/documents/edl-v10.php.

This product includes software licensed under the terms at http://www.tcl.tk/software/tcltk/license.html, http://www.bosrup.com/web/overlib/?License, http://www.stlport.org/doc/ license.html, http://asm.ow2.org/license.html, http://www.cryptix.org/LICENSE.TXT, http://hsqldb.org/web/hsqlLicense.html, http://httpunit.sourceforge.net/doc/ license.html, http://jung.sourceforge.net/license.txt , http://www.gzip.org/zlib/zlib_license.html, http://www.openldap.org/software/release/license.html, http://www.libssh2.org, http://slf4j.org/license.html, http://www.sente.ch/software/OpenSourceLicense.html, http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3- license-agreement; http://antlr.org/license.html; http://aopalliance.sourceforge.net/; http://www.bouncycastle.org/licence.html; http://www.jgraph.com/jgraphdownload.html; http://www.jcraft.com/jsch/LICENSE.txt; http://jotm.objectweb.org/bsd_license.html; . http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231; http://www.slf4j.org/license.html; http://nanoxml.sourceforge.net/orig/copyright.html; http://www.json.org/license.html; http://forge.ow2.org/projects/javaservice/, http://www.postgresql.org/about/licence.html, http://www.sqlite.org/copyright.html, http://www.tcl.tk/software/tcltk/license.html, http://www.jaxen.org/faq.html, http://www.jdom.org/docs/faq.html, http://www.slf4j.org/license.html; http://www.iodbc.org/dataspace/iodbc/wiki/iODBC/License; http://www.keplerproject.org/md5/license.html; http://www.toedter.com/en/jcalendar/license.html; http://www.edankert.com/bounce/index.html; http://www.net-snmp.org/about/license.html; http://www.openmdx.org/#FAQ; http://www.php.net/license/3_01.txt; http://srp.stanford.edu/license.txt; http://www.schneier.com/blowfish.html; http://www.jmock.org/license.html; http://xsom.java.net; http://benalman.com/about/license/; https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js; http://www.h2database.com/html/license.html#summary; http://jsoncpp.sourceforge.net/LICENSE; http://jdbc.postgresql.org/license.html; http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto; https://github.com/rantav/hector/blob/master/LICENSE; http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html; http://jibx.sourceforge.net/jibx-license.html; https://github.com/lyokato/libgeohash/blob/master/LICENSE; https://github.com/hjiang/jsonxx/blob/master/LICENSE; https://code.google.com/p/lz4/; https://github.com/jedisct1/libsodium/blob/master/LICENSE; http://one-jar.sourceforge.net/index.php?page=documents&file=license; https://github.com/EsotericSoftware/kryo/blob/master/license.txt; http://www.scala-lang.org/license.html; https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt; http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html; https://aws.amazon.com/asl/; https://github.com/twbs/bootstrap/blob/master/LICENSE; https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt; https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE, and https://github.com/apache/hbase/blob/master/LICENSE.txt.

This product includes software licensed under the Academic Free License (http://www.opensource.org/licenses/afl-3.0.php), the Common Development and Distribution License (http://www.opensource.org/licenses/cddl1.php) the Common Public License (http://www.opensource.org/licenses/cpl1.0.php), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (http:// www.opensource.org/licenses/bsd-license.php), the new BSD License (http://opensource.org/licenses/BSD-3-Clause), the MIT License (http://www.opensource.org/licenses/mit-license.php), the Artistic License (http://www.opensource.org/licenses/artistic-license-1.0) and the Initial Developer's Public License Version 1.0 (http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://xstream.codehaus.org/license.html. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit http://www.extreme.indiana.edu/.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

Publication Date: 2025-08-31

Table of Contents

Preface 5

Chapter 1: Introduction to Synchronize Salesforce Accounts with Veeva Organizations recipe 6

Prerequisite for configuring Salesforce Change Data Capture 6

Chapter 2: Synchronize Salesforce Accounts with Veeva Organizations recipe contents 8

Synchronize Salesforce Accounts with Veeva Organizations recipe assets 8

Chapter 3: Using the Synchronize Salesforce Accounts with Veeva Organizations recipe 10

Step 1. Copy and access the recipe 10

Step 2. Configure and publish the Salesforce connection 11

Step 3. Configure and publish the Veeva connection 11

Step 4. Configure and publish the processes 12

Data synchronization from Salesforce accounts to Veeva organizations 12

Preface

Use *Synchronize Salesforce Accounts with Veeva Organizations* to learn how to synchronize Salesforce accounts with Veeva organizations. This guide assumes that you have an understanding of the Salesforce Connector and Veeva Connector concepts.

CHAPTER 1

Introduction to Synchronize Salesforce Accounts with Veeva Organizations recipe

The Synchronize Salesforce Accounts with Veeva Organizations recipe is a platform event-based recipe.

When an account is created or updated in Salesforce, a Salesforce Change Data Capture (CDC) event triggers the process. The process uses the Salesforce ID to search for an account in Veeva and retrieves all the information based on the Salesforce ID. The process then checks whether the record contains a name. If the name doesn't exist, the process displays an error. If the name exists, the process searches for the organization by the external ID in Veeva and creates or updates the organization based on the search results.


After that, the process creates an address record and maps it to the organization or updates the address if it exists.

The process requires Secure Agent and Salesforce Change Data Capture configuration.

Prerequisite for configuring Salesforce Change Data Capture

Configure Salesforce Change Data Capture (CDC) to send a message when the account object changes.

1. Log in to the Salesforce account.
2. Go to **Setup** and search for Change Data Capture in the **Find** box.
3. Select the **Account (Account)** object from the **Available Entities** list and add it to the **Selected Entities** list.
   The following image shows the **Change Data Capture** page:


SETUP
Change Data Capture
Select the entities that generate change event notifications on the default standard channel. Change Data Capture sends notifications for created, updated, deleted, and undeleted records. All custom objects and a subset of standard objects are supported. Learn more.
Available Entities
Type to filter list...
Account Clean Info (AccountCleanInfo)
Account Contact Role (AccountContactRole)
Asset (Asset)
Asset Relationship (AssetRelationship)
Assigned Resource (AssignedResource)
Associated Location (AssociatedLocation)
Authorization Form (AuthorizationForm)
Authorization Form Consent (AuthorizationFormConsent)
Authorization Form Data Use (AuthorizationFormDataUse)
Authorization Form Text (AuthorizationFormText)
Selected Entities
Account (Account)
Cancel
Save


4. Click **Save**.

CHAPTER 2

Synchronize Salesforce Accounts with Veeva Organizations recipe contents

The Synchronize Salesforce Accounts with Veeva Organizations recipe contains app connections and processes.

The following image shows the assets that the Synchronize Salesforce Accounts with Veeva Organizations recipe package contains:



Synchronize Salesforce Accounts with Veeva Organizations recipe assets

The following table lists the assets that the Synchronize Salesforce Accounts with Veeva Organizations recipe package contains:

Asset Name	Asset Type	Description
VeevaConnectionOrganization	App connection	Veeva connection.
SalesforceToVeeva	App connection	Salesforce connection with the account filter.

Asset Name	Asset Type	Description
Create Veeva Address	Process	Subprocess that creates or updates the Veeva address.
Synchronize Salesforce Accounts with Veeva Organizations	Process	When an account is created or updated in Salesforce, a Salesforce Change Data Capture (CDC) event triggers the process. The process uses the Salesforce ID to search for an account in Veeva and creates or updates an account based on the search results. The process requires Secure Agent and Salesforce Change Data Capture configuration.

CHAPTER 3

Using the Synchronize Salesforce Accounts with Veeva Organizations recipe

To use the Synchronize Salesforce Accounts with Veeva Organizations recipe, you must perform the following steps manually:

1. Copy and access the recipe.
2. Configure and publish the Salesforce connection.
3. Configure and publish the Veeva connection.
4. Configure and publish the processes.


Step 1. Copy and access the recipe

Copy the pre-configured assets in the recipe to a separate project or folder.

1. Open the **Synchronize Salesforce Accounts with Veeva Organizations** recipe and click **Use**.
2. Select the location where you want to copy the recipe, and then click **Continue**.
3. In the **Copying the recipe** dialog box, click **OK**.

   It might take some time for the recipe to get copied. You will receive a notification when the recipe is ready for use.
4. After the recipe is copied, click **Explore** to access the recipe content.
5. Navigate to the project or folder where you copied the recipe or enter the recipe name in the **Find** box.

   All the assets in the recipe are displayed as shown in the following image:



Step 2. Configure and publish the Salesforce connection

Configure the user credentials, object filter, and event consumer details to connect to Salesforce, and then publish the SalesforceToVeeva connection.

1. Open the **SalesforceToVeeva** connection.
2. From the **Runtime Environment** list, select a Secure Agent.
3. From the **Authentication Type** list, select **OAuth** and enter values for the following properties:
   - **Authentication URL**. Endpoint used to make OAuth authorization requests to Salesforce.
   - **Token Request URL**. Endpoint used to make OAuth token requests to Salesforce.
   - **Session Duration**. Number of minutes after which the OAuth token expires.
   - **Authorize Access**. Click **Authorize** > enter the Salesforce developer account credentials > click **Allow**.

   The OAuth authentication process starts. You can check the current authorization status in the **Authorization Status** property.
4. In the **Connection Properties** section, enter the **Object Filter** field value as `Account`.
5. Add an event source on the **Event Sources** tab, and in the **Event Consumer** field, enter `/data/AccountChangeEvent`. With this, the CDC event sends a message when the account object changes.
6. Save and publish the connection.

Step 3. Configure and publish the Veeva connection

To use Veeva, you need the instance domain, Vault user credentials, and Vault REST API version to access the Veeva instance.

1. Open the **VeevaConnectionOrganization** connection.
2. From the **Runtime Environment** list, select **Cloud Server or any Secure Agent**.
3. In the **Connection Properties** section, enter values for the following properties:

Property	Description
InstanceDomain	The instance domain address that is assigned to your Veeva Vault account.
Version	The Vault REST API version.
Username	The Vault user name assigned by your administrator.
Password	The Vault password associated with your assigned Vault user name.

4. Save and publish the connection.

Step 4. Configure and publish the processes

Configure the system instructions and publish the processes.

1. Open the **Create Veeva Address** process.
2. On the **Start** tab of the Start step, select the same secure agent as salesforce connection from the **Run On** list.
3. Save and publish the process.
4. Open the **Synchronize Salesforce Accounts with Veeva Organization** process.
5. On the **Start** tab of the Start step, enter the following values:
   - From the **Binding** field, select **Event**.
   - In the **Event Source Name** field, select the event source that you added to the **SalesforceToVeeva** connection.
   - From the **Run On** list, select the Secure Agent same as selected in step 2.
6. On the **Temp Fields** tab of the Start step, in the **Object_Type** field, enter the Veeva account object type ID for the organization value.
7. Save and publish the process.

When an account is created or updated in Salesforce, a Salesforce Change Data Capture (CDC) event triggers the process. The process uses the Salesforce ID to search for an account in Veeva and retrieves all the information based on the Salesforce ID. The process then checks whether the record contains a name. If the name doesn't exist, the process displays an error. If the name exists, the process searches for the organization by the External ID field value in Veeva and creates or updates the organization based on the search results.

Data synchronization from Salesforce accounts to Veeva organizations

After you publish the processes, whenever a Salesforce account is created or updated, the Salesforce Change Data Capture (CDC) event triggers the process, and the account details are synchronized with the Veeva oranization without manual intervention.

The following table shows the fields that are synchronized between the Salesforce account and the Veeva organization:

Salesforce Account	Veeva Organization
Account ID	External ID Set the Object Type as Organization.
Account Name	Name
Industry	Business Description
Phone	Office Phone
Email(Custom field, can be skipped)	Primary Email

Salesforce Account	Veeva Organization
Website	Website
Rating	Account Rating
Billing Street	Address line 1
Billing City	City
Billing State/Province	State
Billing Zip/Postal Code	Postal Code
Billing Country	Country

The Country and State values in Veeva are fetched from a defined picklist. For fully specified names and abbreviations, such as Poland and PL, countries are synchronized by mapping. If the country value is set to US, the process also synchronizes states.