Informatica® Cloud Application Integration
May 2025

Auto Classification for MDM 360 Applications

Informatica Cloud Application Integration Auto Classification for MDM 360 Applications
May 2025

© Copyright Informatica LLC 2025

This software and documentation contain proprietary information of Informatica LLC and are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright law. Reverse engineering of the software is prohibited. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. This Software may be protected by U.S. and/or international Patents and other Patents Pending.

Use, duplication, or disclosure of the Software by the U.S. Government is subject to the restrictions set forth in the applicable software license agreement and as provided in DFARS 227.7202-1(a) and 227.7702-3(a) (1995), DFARS 252.227-7013©(1)(ii) (OCT 1988), FAR 12.212(a) (1995), FAR 52.227-19, or FAR 52.227-14 (ALT III), as applicable.

The information in this product or documentation is subject to change without notice. If you find any problems in this product or documentation, please report them to us in writing.

Informatica, Informatica Platform, Informatica Data Services, PowerCenter, PowerCenterRT, PowerCenter Connect, PowerCenter Data Analyzer, PowerExchange, PowerMart, Metadata Manager, Informatica Data Quality, Informatica Data Explorer, Informatica B2B Data Transformation, Informatica B2B Data Exchange Informatica On Demand, Informatica Identity Resolution, Informatica Application Information Lifecycle Management, Informatica Complex Event Processing, Ultra Messaging, Informatica Master Data Management, and Live Data Map are trademarks or registered trademarks of Informatica LLC in the United States and in jurisdictions throughout the world. All other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright © University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jQWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright© MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (http://www.apache.org/), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at http://www.apache.org/licenses/. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (http://www.mozilla.org/), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at http:// www.gnu.org/licenses/lgpl.html. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at http://www.openssl.org and http://www.openssl.org/source/license.html.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://curl.haxx.se/docs/copyright.html. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://www.dom4j.org/ license.html.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://dojotoolkit.org/license.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://source.icu-project.org/repos/icu/icu/trunk/license.html.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at http:// www.gnu.org/software/ kawa/Software-License.html.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at http://www.opensource.org/licenses/mit-license.php.

This product includes software developed by Boost (http://www.boost.org/) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at http:/ /www.boost.org/LICENSE_1_0.txt.

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at http:// www.pcre.org/license.txt.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http:// www.eclipse.org/org/documents/epl-v10.php and at http://www.eclipse.org/org/documents/edl-v10.php.

This product includes software licensed under the terms at http://www.tcl.tk/software/tcltk/license.html, http://www.bosrup.com/web/overlib/?License, http://www.stlport.org/doc/ license.html, http://asm.ow2.org/license.html, http://www.cryptix.org/LICENSE.TXT, http://hsqldb.org/web/hsqlLicense.html, http://httpunit.sourceforge.net/doc/ license.html, http://jung.sourceforge.net/license.txt , http://www.gzip.org/zlib/zlib_license.html, http://www.openldap.org/software/release/license.html, http://www.libssh2.org, http://slf4j.org/license.html, http://www.sente.ch/software/OpenSourceLicense.html, http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3- license-agreement; http://antlr.org/license.html; http://aopalliance.sourceforge.net/; http://www.bouncycastle.org/licence.html; http://www.jgraph.com/jgraphdownload.html; http://www.jcraft.com/jsch/LICENSE.txt; http://jotm.objectweb.org/bsd_license.html; . http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231; http://www.slf4j.org/license.html; http://nanoxml.sourceforge.net/orig/copyright.html; http://www.json.org/license.html; http://forge.ow2.org/projects/javaservice/, http://www.postgresql.org/about/licence.html, http://www.sqlite.org/copyright.html, http://www.tcl.tk/software/tcltk/license.html, http://www.jaxen.org/faq.html, http://www.jdom.org/docs/faq.html, http://www.slf4j.org/license.html; http://www.iodbc.org/dataspace/iodbc/wiki/iODBC/License; http://www.keplerproject.org/md5/license.html; http://www.toedter.com/en/jcalendar/license.html; http://www.edankert.com/bounce/index.html; http://www.net-snmp.org/about/license.html; http://www.openmdx.org/#FAQ; http://www.php.net/license/3_01.txt; http://srp.stanford.edu/license.txt; http://www.schneier.com/blowfish.html; http://www.jmock.org/license.html; http://xsom.java.net; http://benalman.com/about/license/; https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js; http://www.h2database.com/html/license.html#summary; http://jsoncpp.sourceforge.net/LICENSE; http://jdbc.postgresql.org/license.html; http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto; https://github.com/rantav/hector/blob/master/LICENSE; http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html; http://jibx.sourceforge.net/jibx-license.html; https://github.com/lyokato/libgeohash/blob/master/LICENSE; https://github.com/hjiang/jsonxx/blob/master/LICENSE; https://code.google.com/p/lz4/; https://github.com/jedisct1/libsodium/blob/master/LICENSE; http://one-jar.sourceforge.net/index.php?page=documents&file=license; https://github.com/EsotericSoftware/kryo/blob/master/license.txt; http://www.scala-lang.org/license.html; https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt; http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html; https://aws.amazon.com/asl/; https://github.com/twbs/bootstrap/blob/master/LICENSE; https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt; https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE, and https://github.com/apache/hbase/blob/master/LICENSE.txt.

This product includes software licensed under the Academic Free License (http://www.opensource.org/licenses/afl-3.0.php), the Common Development and Distribution License (http://www.opensource.org/licenses/cddl1.php) the Common Public License (http://www.opensource.org/licenses/cpl1.0.php), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (http:// www.opensource.org/licenses/bsd-license.php), the new BSD License (http://opensource.org/licenses/BSD-3-Clause), the MIT License (http://www.opensource.org/licenses/mit-license.php), the Artistic License (http://www.opensource.org/licenses/artistic-license-1.0) and the Initial Developer's Public License Version 1.0 (http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://xstream.codehaus.org/license.html. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit http://www.extreme.indiana.edu/.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

Publication Date: 2025-09-09

Table of Contents

Preface 5

Chapter 1: Introduction to Auto Classification for MDM 360 Applications recipe 6

Prerequisites 7

Chapter 2: Auto Classification for MDM 360 Applications recipe contents 8

Auto Classification for MDM 360 Applications recipe assets 8

Chapter 3: Using the Auto Classification for MDM 360 Applications recipe 10

Step 1. Copy and access the recipe 10

Step 2. Configure and publish the OpenAI connection 11

Step 3. Configure and publish the Pinecone connection 11

Step 4. Configure and publish the processes 12

Step 5. Create an objective group in Business 360 Console 12

Preface

Use *Auto Classification for MDM 360 Applications* to learn how to automatically classify records from Informatica Master Data Management (MDM) applications using a Large Language Model (LLM). This guide assumes that you have an understanding of the OpenAI Connector and Pinecone Connector concepts.

CHAPTER 1

Introduction to Auto Classification for MDM 360 Applications recipe

The Auto Classification for MDM 360 Applications recipe is based on REST and SOAP APIs. Use the recipe to automatically classify records from Informatica Master Data Management (MDM) applications using a Large Language Model (LLM).

The recipe uses Pinecone VectorDB and OpenAI to identify classifications and categories that are semantically similar to your records. It is designed for use with the MDM validation and enrichment framework, employing Objective Groups created in Business 360 Console.


The recipe functions effectively for both standard relationships and hierarchies, offering capabilities to either auto-suggest relationships or auto-assign the most similar ones.

For example, the recipe automatically identifies and assigns categories to items in Product 360. In this context, you can utilize standard taxonomies, such as UNSPSC, eClass, Google, or Amazon, as well as custom taxonomies, with the category business entity serving as the source.

The recipe adopts a two-step approach as follows:

1. Indexing: Feeds a Pinecone vector database with the classifications.
2. Searching: Matches business entity records with classifications by first searching the Vector database for candidates, retrieving semantically similar records from VectorDB, and then using OpenAI to refine the candidate list for precise similarity scoring.

The following image illustrates the architecture diagram of Auto Classification:



Prerequisites

To use the Auto Classification for MDM 360 Applications recipe, the following prerequisites must be met:


- Get a Pinecone API key and an OpenAI API key.
- Create a Pinecone index. The recipe uses 1536 dimensions, cosine metric, and the text-embedding-3-small model, but you can experiment with other parameters, changing the processes accordingly.
- Update the variables in the processes if you use different values. The parameters must be consistent in the embedding storage and embedding search steps.
- Egress the category business entity through Cloud Data Integration into a CSV file. The file must contain headers and the following fields in a comma-separated format, in the same order:
  - businessId: The MDM identifier of the category Business ID.
  - categoryIdentifier: The code of the category. If there is no identifier, replicate the Business ID in this field.
  - categoryText: The description of the category. If multiple fields describe the category in the business entity, you can concatenate them for better context. If available in multiple languages, select one.

CHAPTER 2

Auto Classification for MDM 360 Applications recipe contents

The Auto Classification for MDM 360 Applications recipe contains process objects, app connections, and processes.

The following image shows the assets that the Auto Classification for MDM 360 Applications recipe package contains:



Auto Classification for MDM 360 Applications recipe assets

The following table lists the assets that the Auto Classification for MDM 360 Applications recipe package contains:

Asset Name	Asset Type	Description
AutoclassificationOutputPayload	Process object	Defines the output payload for auto-classification.
AutoclassificationOutputPerRecord	Process object	Defines the output per record for auto-classification.

Asset Name	Asset Type	Description
AutoclassificationSystem	Process object	Defines the system record for auto-classification.
AutoclassificationInputPerRecord	Process object	Defines the input per record for auto-classification.
AutoclassificationInputPayload	Process object	Defines the input payload for auto-classification.
AutoclassificationInputDescription	Process object	Defines the input description fields for auto-classification.
classificationResultsPO	Process object	Defines the results output.
Pinecone-Connection	App connection	Pinecone connection.
OpenAI-Connection	App connection	OpenAI connection.
OpenAI_Embedding	Process	Subprocess that generates the embeddings for the search.
Mass_Index_Category_Chunk	Process	Subprocess that creates the embeddings from the chunks and store them in the Pinecone vector database.
Mass_Index_Category	Process	Process that reads categories from a flat file, splits it into chunks, and sends them to the Mass_Index_Category_Chunk subprocess.
Search_Category	Process	Subprocess that searches the embeddings in the vector database.
B360_Enrich_Autoclassification	Process	Process that matches the business entity to be classified in the vector database.

CHAPTER 3

Using the Auto Classification for MDM 360 Applications recipe

To use the Auto Classification for MDM 360 Applications recipe, you must perform the following steps manually:

1. Copy and access the recipe.
2. Configure and publish the OpenAI connection.
3. Configure and publish the Pinecone connection.
4. Configure and publish the processes.
5. Create an objective group in Business 360 Console.

Step 1. Copy and access the recipe


Copy the pre-configured assets in the recipe to a separate project or folder.

1. Open the **Auto Classification for MDM 360 Applications** recipe and click **Use**.
2. Select the location where you want to copy the recipe, and then click **Continue**.
3. In the **Copying the recipe** dialog box, click **OK**.

   It might take some time for the recipe to get copied. You will receive a notification when the recipe is ready for use.
4. After the recipe is copied, click **Explore** to access the recipe content.

5. Navigate to the project or folder where you copied the recipe or enter the recipe name in the **Find** box.

   All the assets in the recipe are displayed as shown in the following image:



Step 2. Configure and publish the OpenAI connection

Configure the API key in the OpenAI-Connection connection, and then publish the connection.

1. Open the **OpenAI-Connection** connection.
2. From the **Type** list, select **OpenAI**.
3. In the **Connection Properties** section, enter the API key in the **API_Key** property. The **API_Key** property authenticates OpenAI connection requests.
4. Save and publish the connection.

Step 3. Configure and publish the Pinecone connection

Configure the API key in the Pinecone-Connection connection, and then publish the connection.

1. Open the **Pinecone-Connection** connection.
2. From the **Type** list, select **Pinecone**.
3. In the **Connection Properties** section, enter the API key in the **API_Key** property. The **API_Key** property authenticates Pinecone connection requests.
4. Save and publish the connection.

Step 4. Configure and publish the processes

Configure the index host, input file, maximum candidates, maximum results, and the default language, and publish the processes.

1. To publish the **Search_Category** process, click **Actions** in the row that contains the process and select **Publish**.
2. To publish the **OpenAI_Embedding** process, click **Actions** in the row that contains the process and select **Publish**.
3. Open the **Mass_Index_Category_Chunk** process.
4. On the **Start** tab of the Start step, select the Secure Agent from the **Run On** list.

   The Secure Agent must contain the file described in the prerequisites.
5. Save and publish the process.
6. Open the **Mass_Index_Category** process.
7. On the **Start** tab of the Start step, select the same Secure Agent as the previous process from the **Run On** list.
8. Publish and click **Run Using** to run the process with inputs.
9. Edit the **index_host** and **input_file** input parameters.


   Here, `index_host` is the name of the host in the Pinecone index without `https://` and `input_file` is the complete path and name of the file containing the categories. For example, `//home/user/data/egressed_categories.csv`.
   Run the process and monitor it until it finishes. You will get the embeddings into the Pinecone index through the Pinecone console.
10. Open the **B360_Enrich_Autoclassification** process.
11. On the **Temp Fields** tab of the Start step, enter values for the following fields:
    - **index_host**: The name of the host from the Pinecone index without `https://`.
    - **max_candidates**: The number of candidates to be retrieved from the Vector DB. If you set a high value, the results might be more accurate, but you'll consume more OpenAI tokens. Set a value between 25 and 50. Default is 25. Experiment until you get the best results.
    - **max_results**: The maximum number of results to show to the user as suggestions. Default is 5. If you want to auto-assign the most similar category, use 1.
    - **Default_lang**: The default input language of the Business Entity to be classified. If this language is not available, the first value available in the Field Group is used.
12. Save and publish the process.

Step 5. Create an objective group in Business 360 Console

To link the process with the Business Entity, you must create an objective group in Business 360 Console.

1. Go to Business 360 Console.
2. Open the business entity where you want to use auto-classification, and click **Data Quality** > > **Objective Groups**, and then click **Add Objective Group**.

3. In the **Objective Group** dialog box, enter a name and internal ID for the objective group asset, select a folder, and save the objective group object.
4. To create an objective, click **Add Objective**.
5. In the **Properties** panel, enter the name and set the status to active.
6. Click **Create Rule Association**.
7. In the **Create Rule Association** dialog box, enter the name and select the location for the rule association, and click **OK**.
8. On the rule association page, click **Add Data Enhancement Rule**.
9. Enter the name and location of the rule, and click **OK**.
10. On the **Data Enhancement Rule Settings** page, select **Application Integration - Recommendation-based Enrichment**.
11. On the CAI Process Identifier, select the B360_Enrich_Autoclassification process.
12. In the **Accept Threshold** field, set `100` to suggest classifications to the user, or `0` to automatically assign a classification. Enter **confidence** in the **Confidence Score Field** field.
13. Save and close the tab to go back to the **Rule Association** page.
14. Click on the asset selection icon, and select the data enhancement rule you created in the previous step, and click **Next**.
15. On the **Map Fields** page, click the **Input Mapping** tab.
16. Map the input fields. For example, if you're auto-classifying on the Item business entity, open the **Description** field group and map `Title` with `text1`, `Short Description` with `text2`, `Long Description` with `text3`, and `Language` with `language`:
17. Click the **Output Mapping** tab, and select the relationship where you want to classify the entity and map the Category Business ID field with the Business ID field of your relationship that represents the classification business entity as shown in the following image:



18. Select a source system and save.
19. Go to the objective group, select **Add a rule association** and select the rule association you created earlier, and save the rule association.

To test the auto-classification, open the Business 360 application, for example Product 360 SaaS, create a new business entity record or edit a new one, and check the suggestions or relationships that are being created.