Informatica® Cloud Application Integration
May 2025

Synchronize Dynamics 365 Products with NetSuite Inventory Items

Informatica Cloud Application Integration **Synchronize Dynamics 365 Products with NetSuite Inventory Items**
May 2025

© Copyright Informatica LLC 2025

This software and documentation contain proprietary information of Informatica LLC and are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright law. Reverse engineering of the software is prohibited. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. This Software may be protected by U.S. and/or international Patents and other Patents Pending.

Use, duplication, or disclosure of the Software by the U.S. Government is subject to the restrictions set forth in the applicable software license agreement and as provided in DFARS 227.7202-1(a) and 227.7702-3(a) (1995), DFARS 252.227-7013©(1)(ii) (OCT 1988), FAR 12.212(a) (1995), FAR 52.227-19, or FAR 52.227-14 (ALT III), as applicable.

The information in this product or documentation is subject to change without notice. If you find any problems in this product or documentation, please report them to us in writing.

Informatica, Informatica Platform, Informatica Data Services, PowerCenter, PowerCenterRT, PowerCenter Connect, PowerCenter Data Analyzer, PowerExchange, PowerMart, Metadata Manager, Informatica Data Quality, Informatica Data Explorer, Informatica B2B Data Transformation, Informatica B2B Data Exchange Informatica On Demand, Informatica Identity Resolution, Informatica Application Information Lifecycle Management, Informatica Complex Event Processing, Ultra Messaging, Informatica Master Data Management, and Live Data Map are trademarks or registered trademarks of Informatica LLC in the United States and in jurisdictions throughout the world. All other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright © University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jQWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright© MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (http://www.apache.org/), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at http://www.apache.org/licenses/. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (http://www.mozilla.org/), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at http:// www.gnu.org/licenses/lgpl.html. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at http://www.openssl.org and http://www.openssl.org/source/license.html.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://curl.haxx.se/docs/copyright.html. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://www.dom4j.org/ license.html.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://dojotoolkit.org/license.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://source.icu-project.org/repos/icu/icu/trunk/license.html.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at http:// www.gnu.org/software/ kawa/Software-License.html.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at http://www.opensource.org/licenses/mit-license.php.

This product includes software developed by Boost (http://www.boost.org/) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at http:/ /www.boost.org/LICENSE_1_0.txt.

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at http:// www.pcre.org/license.txt.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http:// www.eclipse.org/org/documents/epl-v10.php and at http://www.eclipse.org/org/documents/edl-v10.php.

This product includes software licensed under the terms at http://www.tcl.tk/software/tcltk/license.html, http://www.bosrup.com/web/overlib/?License, http://www.stlport.org/doc/ license.html, http://asm.ow2.org/license.html, http://www.cryptix.org/LICENSE.TXT, http://hsqldb.org/web/hsqlLicense.html, http://httpunit.sourceforge.net/doc/ license.html, http://jung.sourceforge.net/license.txt , http://www.gzip.org/zlib/zlib_license.html, http://www.openldap.org/software/release/license.html, http://www.libssh2.org, http://slf4j.org/license.html, http://www.sente.ch/software/OpenSourceLicense.html, http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3- license-agreement; http://antlr.org/license.html; http://aopalliance.sourceforge.net/; http://www.bouncycastle.org/licence.html; http://www.jgraph.com/jgraphdownload.html; http://www.jcraft.com/jsch/LICENSE.txt; http://jotm.objectweb.org/bsd_license.html; . http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231; http://www.slf4j.org/license.html; http://nanoxml.sourceforge.net/orig/copyright.html; http://www.json.org/license.html; http://forge.ow2.org/projects/javaservice/, http://www.postgresql.org/about/licence.html, http://www.sqlite.org/copyright.html, http://www.tcl.tk/software/tcltk/license.html, http://www.jaxen.org/faq.html, http://www.jdom.org/docs/faq.html, http://www.slf4j.org/license.html; http://www.iodbc.org/dataspace/iodbc/wiki/iODBC/License; http://www.keplerproject.org/md5/license.html; http://www.toedter.com/en/jcalendar/license.html; http://www.edankert.com/bounce/index.html; http://www.net-snmp.org/about/license.html; http://www.openmdx.org/#FAQ; http://www.php.net/license/3_01.txt; http://srp.stanford.edu/license.txt; http://www.schneier.com/blowfish.html; http://www.jmock.org/license.html; http://xsom.java.net; http://benalman.com/about/license/; https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js; http://www.h2database.com/html/license.html#summary; http://jsoncpp.sourceforge.net/LICENSE; http://jdbc.postgresql.org/license.html; http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto; https://github.com/rantav/hector/blob/master/LICENSE; http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html; http://jibx.sourceforge.net/jibx-license.html; https://github.com/lyokato/libgeohash/blob/master/LICENSE; https://github.com/hjiang/jsonxx/blob/master/LICENSE; https://code.google.com/p/lz4/; https://github.com/jedisct1/libsodium/blob/master/LICENSE; http://one-jar.sourceforge.net/index.php?page=documents&file=license; https://github.com/EsotericSoftware/kryo/blob/master/license.txt; http://www.scala-lang.org/license.html; https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt; http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html; https://aws.amazon.com/asl/; https://github.com/twbs/bootstrap/blob/master/LICENSE; https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt; https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE, and https://github.com/apache/hbase/blob/master/LICENSE.txt.

This product includes software licensed under the Academic Free License (http://www.opensource.org/licenses/afl-3.0.php), the Common Development and Distribution License (http://www.opensource.org/licenses/cddl1.php) the Common Public License (http://www.opensource.org/licenses/cpl1.0.php), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (http:// www.opensource.org/licenses/bsd-license.php), the new BSD License (http://opensource.org/licenses/BSD-3-Clause), the MIT License (http://www.opensource.org/licenses/mit-license.php), the Artistic License (http://www.opensource.org/licenses/artistic-license-1.0) and the Initial Developer's Public License Version 1.0 (http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://xstream.codehaus.org/license.html. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit http://www.extreme.indiana.edu/.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

Publication Date: 2025-08-31

Table of Contents

Preface 5

Chapter 1: Introduction to Synchronize Dynamics 365 Products with NetSuite Inventory Items recipe 6

Synchronize Dynamics 365 Products with NetSuite Inventory Items recipe contents 6

Synchronize Dynamics 365 Products with NetSuite Inventory Items recipe assets 7

Chapter 2: Using the Synchronize Dynamics 365 Products with NetSuite Inventory Items recipe 8

Step 1. Copy and access the recipe 8

Step 2. Configure and publish the Dynamics 365 connection 9

Step 3. Configure and publish the NetSuite connection 9

Step 4. Publish the process 10

Step 5. Create webhooks in Dynamics 365 10

Invoke the process 14

Dynamics 365 Products to NetSuite Inventory Items field mappings 15

Preface

Use *Synchronize Dynamics 365 Products with NetSuite Inventory Items* to learn how to synchronize Dynamics 365 products with NetSuite inventory items based on a webhook request from Dynamics 365. This guide assumes that you have an understanding of the Dynamics 365 Connector and NetSuite Connector concepts.

CHAPTER 1

Introduction to Synchronize Dynamics 365 Products with NetSuite Inventory Items recipe


The Synchronize Dynamics 365 Products with NetSuite Inventory Items recipe is based on REST and SOAP APIs. Use the recipe to synchronize a Dynamics 365 product with a NetSuite inventory item based on a webhook request from Dynamics 365 without manual intervention.

When a product is created or updated in Dynamics 365, Dynamics 365 sends a webhook and triggers the process. The process uses the product ID to search for items in the NetSuite database and creates or updates existing inventory items based on the search results. The process requires webhook configuration in Dynamics 365.

Synchronize Dynamics 365 Products with NetSuite Inventory Items recipe contents

The recipe contains multiple assets, such as app connections and a process.

The following image shows the assets that the Synchronize Dynamics 365 Products with NetSuite Inventory Items recipe package contains:



Synchronize Dynamics 365 Products with NetSuite Inventory Items recipe assets

The following table lists the assets that the Synchronize Dynamics 365 Products with NetSuite Inventory Items recipe package contains:

Asset Name	Asset Type	Description
Dynamics365ConnectionProduct	App connection	Dynamics 365 connection based on the Table API.
NetSuiteConnectionItem	App connection	NetSuite connection.
Synchronize Dynamics 365 Products with NetSuite Inventory Items	Process	When a product is created or updated in Dynamics 365, the process is triggered, and the product details are synchronized with a NetSuite inventory item.

CHAPTER 2

Using the Synchronize Dynamics 365 Products with NetSuite Inventory Items recipe

To use the Synchronize Dynamics 365 Products with NetSuite Inventory Items recipe, you must perform the following steps manually:

1. Copy and access the recipe.
2. Configure and publish the Dynamics 365 connection.
3. Configure and publish the NetSuite connection.
4. Publish the process.
5. Create webhooks in Dynamics 365.


Step 1. Copy and access the recipe

Copy the pre-configured assets in the recipe to a separate project or folder.

1. Open the **Synchronize Dynamics 365 Products with NetSuite Inventory Items** recipe and click **Use**.
2. Select the location where you want to copy the recipe, and then click **Continue**.
3. In the **Copying the recipe** dialog box, click **OK**.

   It might take some time for the recipe to get copied. You will receive a notification when the recipe is ready for use.
4. After the recipe is copied, click **Explore** to access the recipe content.
5. Navigate to the project or folder where you copied the recipe or enter the recipe name in the **Find** box.

   All the assets in the recipe are displayed as shown in the following image:



Step 2. Configure and publish the Dynamics 365 connection

Configure the tenant and client details in the Dynamics365ConnectionProduct connection, and then publish the connection.

1. Open the **Dynamics365ConnectionProduct** connection.
2. From the **Type** list, select **Dynamics365**.
3. From the **Run On** list, select **Cloud Server or any Secure Agent**.
4. In the **Connection Properties** section, enter values for the following properties:

Property	Description
Tenant_ID	Dynamics 365 tenant ID to get the access token. Enter the tenant ID that you generated under **Microsoft Entra ID** > **App registrations** in Dynamics 365 after creating the client credentials.
Client_ID	Dynamics 365 client ID to generate a valid access token. Enter the client ID that you generated under **Microsoft Entra ID** > **App registrations** in Dynamics 365.
Client_Secret	Dynamics 365 client secret that you generated under **Microsoft Entra ID** > **App registrations** in Dynamics 365.
Grant_Type	Grant type that the Dynamics 365 instance uses to get an access token for third-party client authorization. Enter the value as **client_credentials**.
Resource_URL	URL to access the Dynamics 365 instance.

5. Save and publish the connection.

Step 3. Configure and publish the NetSuite connection

Configure the client ID, instance URL, certificate ID, and private key in the NetSuiteConnectionItem connection, and then publish the connection.

1. Open the **NetSuiteConnectionItem** connection.
2. From the **Type** list, select **NetSuite**.
3. From the **Run On** list, select **Cloud Server or any Secure Agent**.

4. In the **Connection Properties** section, enter values for the following properties:

Property	Description
Client ID	NetSuite OAuth 2.0 client ID to generate a valid access token. Enter the client ID that you generated from the **Integration** page in NetSuite.
Certificate ID	NetSuite certificate ID that you generated using **OAuth 2.0 Client Credentials**. NetSuite certificate ID that you generated under **Setup** > **Integration** > **Manage Authentication** > **OAuth 2.0 Client Credentials** (M2M) Setup in NetSuite.
Instance URL	NetSuite applications suite instance URL. Enter the instance URL in the following format: `https://[accountid].suitetalk.api.netsuite.com`
Certificate Private Key	NetSuite certificate private key. Enter the PKCS8 certificate as a Base64-encoded string in the following format: `-----BEGIN PRIVATE KEY----- ..... -----END PRIVATE KEY-----`

5. Save and publish the connection.

Step 4. Publish the process

Configure the authorization details and publish the processes.

1. Open the **Synchronize Dynamics 365 Products with NetSuite Inventory Items** process.
2. On the **Start** tab of the **Start** step, configure the authorization details as required. It is set to anonymous by default.
3. Save and publish the process.

You must copy the service URL to the webhook configuration in Dynamics 365. For more information, see "Step 5. Create webhooks in Dynamics 365" on page 10 tool. The process will be triggered automatically when a product is created or updated in Dynamics 365.

Step 5. Create webhooks in Dynamics 365

You can configure webhooks to communicate between systems when an event occurs.


You can create webhooks in various ways. In this recipe, we have used the Plug-in Registration Tool.

Use the Plug-in Registration Tool to register a webhook. To get the Plug-in Registration Tool, see Dataverse development tools.


To create a webhook in Dynamics 365, perform the following steps:

1. Open the Plug-in Registration Tool and log in to your organization.
2. Click **CREATE NEW CONNECTION** on the **Plugin Registration Tool** page.


The following image shows the **CREATE NEW CONNECTION** button on the **Plugin Registration Tool** page:




3. Go to **Register** and select **Register New Web Hook**.
   The following image shows the **Register New Web Hook** option on the **Register** menu:




4. Enter the webhook name, the service URL that you get after publishing the process, and the authentication method, and click **Save**.
   The following image shows the **WebHook Registration** dialog box:



5. Go to **WebHook** and select **Register New Step**.
   The following image shows the **Register New Step** option:



6. In the **Register New Step** page, enter the value as **Create** in the **Message** field, **product** in the **Primary Entity** field, select **Asynchronous** in the **Execution Mode** field, and then click **Register New Step**. The following image shows the **Register New Step** page:



7. Similarly, follow steps 3 through 5 to register a new step for the update product.
8. In the **Register New Step** page, enter the value as **Update** in the **Message** field, **product** in the **Primary Entity** field, select **Asynchronous** in the **Execution Mode** field, and then click **Register New Step**.

The webhook request is triggered automatically when a product is created or updated in Dynamics 365.

Invoke the process

You can also invoke the Synchronize Dynamics 365 Products with NetSuite Inventory Items process manually for testing purpose.

1. Open the **Synchronize Dynamics 365 Products with NetSuite Inventory Items** process and click **Actions** > **Properties Details** > **Copy Service URL**.
2. Open a text editor and add the input fields and values to the service URL as shown in the following format:
   ```
   <Cloud Application Integration POD URL>/active-bpel/public/rt/<API_name>?
   webhookRequest=<Webhook request name from Dynamics 365>
   ```
3. Open a browser and paste the service URL.

You can also invoke the process using the Run Using option, REST or SOAP API endpoints in any API client, such as cURL, Postman, SOAP UI, or through any programming language.

Dynamics 365 Products to NetSuite Inventory Items field mappings

The Dynamics 365 products and the NetSuite inventory items are mapped based on the fields given in the following table:

Dynamics 365 Product	NetSuite Inventory Item
Product ID	Item Name/Number
Name	Display Name/Code
Current Cost	Purchase Price
UPC Code	UPC Code
Description	Sales Description
Default Vendor name	Vendor name