Informatica® Cloud Application Integration
May 2025

Synchronize NetSuite Items with Shopify Products

Informatica Cloud Application Integration Synchronize NetSuite Items with Shopify Products
May 2025

© Copyright Informatica LLC 2025

This software and documentation contain proprietary information of Informatica LLC and are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright law. Reverse engineering of the software is prohibited. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. This Software may be protected by U.S. and/or international Patents and other Patents Pending.

Use, duplication, or disclosure of the Software by the U.S. Government is subject to the restrictions set forth in the applicable software license agreement and as provided in DFARS 227.7202-1(a) and 227.7702-3(a) (1995), DFARS 252.227-7013©(1)(ii) (OCT 1988), FAR 12.212(a) (1995), FAR 52.227-19, or FAR 52.227-14 (ALT III), as applicable.

The information in this product or documentation is subject to change without notice. If you find any problems in this product or documentation, please report them to us in writing.

Informatica, Informatica Platform, Informatica Data Services, PowerCenter, PowerCenterRT, PowerCenter Connect, PowerCenter Data Analyzer, PowerExchange, PowerMart, Metadata Manager, Informatica Data Quality, Informatica Data Explorer, Informatica B2B Data Transformation, Informatica B2B Data Exchange Informatica On Demand, Informatica Identity Resolution, Informatica Application Information Lifecycle Management, Informatica Complex Event Processing, Ultra Messaging, Informatica Master Data Management, and Live Data Map are trademarks or registered trademarks of Informatica LLC in the United States and in jurisdictions throughout the world. All other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright © University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jQWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright© MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (http://www.apache.org/), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at http://www.apache.org/licenses/. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (http://www.mozilla.org/), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at http:// www.gnu.org/licenses/lgpl.html. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at http://www.openssl.org and http://www.openssl.org/source/license.html.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://curl.haxx.se/docs/copyright.html. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://www.dom4j.org/ license.html.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://dojotoolkit.org/license.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://source.icu-project.org/repos/icu/icu/trunk/license.html.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at http:// www.gnu.org/software/ kawa/Software-License.html.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at http://www.opensource.org/licenses/mit-license.php.

This product includes software developed by Boost (http://www.boost.org/) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at http:/ /www.boost.org/LICENSE_1_0.txt.

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at http:// www.pcre.org/license.txt.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http:// www.eclipse.org/org/documents/epl-v10.php and at http://www.eclipse.org/org/documents/edl-v10.php.

This product includes software licensed under the terms at http://www.tcl.tk/software/tcltk/license.html, http://www.bosrup.com/web/overlib/?License, http://www.stlport.org/doc/ license.html, http://asm.ow2.org/license.html, http://www.cryptix.org/LICENSE.TXT, http://hsqldb.org/web/hsqlLicense.html, http://httpunit.sourceforge.net/doc/ license.html, http://jung.sourceforge.net/license.txt , http://www.gzip.org/zlib/zlib_license.html, http://www.openldap.org/software/release/license.html, http://www.libssh2.org, http://slf4j.org/license.html, http://www.sente.ch/software/OpenSourceLicense.html, http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3- license-agreement; http://antlr.org/license.html; http://aopalliance.sourceforge.net/; http://www.bouncycastle.org/licence.html; http://www.jgraph.com/jgraphdownload.html; http://www.jcraft.com/jsch/LICENSE.txt; http://jotm.objectweb.org/bsd_license.html; . http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231; http://www.slf4j.org/license.html; http://nanoxml.sourceforge.net/orig/copyright.html; http://www.json.org/license.html; http://forge.ow2.org/projects/javaservice/, http://www.postgresql.org/about/licence.html, http://www.sqlite.org/copyright.html, http://www.tcl.tk/software/tcltk/license.html, http://www.jaxen.org/faq.html, http://www.jdom.org/docs/faq.html, http://www.slf4j.org/license.html; http://www.iodbc.org/dataspace/iodbc/wiki/iODBC/License; http://www.keplerproject.org/md5/license.html; http://www.toedter.com/en/jcalendar/license.html; http://www.edankert.com/bounce/index.html; http://www.net-snmp.org/about/license.html; http://www.openmdx.org/#FAQ; http://www.php.net/license/3_01.txt; http://srp.stanford.edu/license.txt; http://www.schneier.com/blowfish.html; http://www.jmock.org/license.html; http://xsom.java.net; http://benalman.com/about/license/; https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js; http://www.h2database.com/html/license.html#summary; http://jsoncpp.sourceforge.net/LICENSE; http://jdbc.postgresql.org/license.html; http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto; https://github.com/rantav/hector/blob/master/LICENSE; http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html; http://jibx.sourceforge.net/jibx-license.html; https://github.com/lyokato/libgeohash/blob/master/LICENSE; https://github.com/hjiang/jsonxx/blob/master/LICENSE; https://code.google.com/p/lz4/; https://github.com/jedisct1/libsodium/blob/master/LICENSE; http://one-jar.sourceforge.net/index.php?page=documents&file=license; https://github.com/EsotericSoftware/kryo/blob/master/license.txt; http://www.scala-lang.org/license.html; https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt; http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html; https://aws.amazon.com/asl/; https://github.com/twbs/bootstrap/blob/master/LICENSE; https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt; https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE, and https://github.com/apache/hbase/blob/master/LICENSE.txt.

This product includes software licensed under the Academic Free License (http://www.opensource.org/licenses/afl-3.0.php), the Common Development and Distribution License (http://www.opensource.org/licenses/cddl1.php) the Common Public License (http://www.opensource.org/licenses/cpl1.0.php), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (http:// www.opensource.org/licenses/bsd-license.php), the new BSD License (http://opensource.org/licenses/BSD-3-Clause), the MIT License (http://www.opensource.org/licenses/mit-license.php), the Artistic License (http://www.opensource.org/licenses/artistic-license-1.0) and the Initial Developer's Public License Version 1.0 (http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://xstream.codehaus.org/license.html. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit http://www.extreme.indiana.edu/.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

Publication Date: 2025-08-31

Table of Contents

Preface 5

Chapter 1: Introduction to Synchronize NetSuite Items with Shopify Products recipe 6

Prerequisite for creating a custom field in Shopify product entity 6

Chapter 2: Synchronize NetSuite Items with Shopify Products recipe contents 9

Synchronize NetSuite Items with Shopify Products recipe assets 9

Chapter 3: Using the Synchronize NetSuite Items with Shopify Products recipe 11

Step 1. Copy and access the recipe 11

Step 2. Configure and publish the NetSuite connection 12

Step 3. Configure and publish the Shopify connection 13

Step 4. Configure and publish the processes 13

Step 5. Configure script in NetSuite 13

NetSuite Items to Shopify Products field mappings 17

Rules and guidelines 17

Preface

Use *Synchronize NetSuite Items with Shopify Products* to learn how to synchronize items that were created or updated in NetSuite with Shopify products. This guide assumes that you have an understanding of the NetSuite Connector and Shopify Connector concepts.

CHAPTER 1

Introduction to Synchronize NetSuite Items with Shopify Products recipe

The Synchronize NetSuite Items with Shopify Products recipe is based on REST and SOAP APIs. Use the recipe to synchronize a NetSuite item with a Shopify product based on a webhook request from NetSuite without manual intervention.

The process is called by a webhook request from the NetSuite script when an entity item is created or updated. The process takes the item ID from the request and calls NetSuite to get all the data from the item entity.


The process attempts to find all the locations in Shopify by name based on the value of the name field. If a location does not exist, it creates a new location in Shopify.

The process then attempts to find a product in Shopify by title and external ID based on the value of the item ID field. If a matching product exists, it updates the data for Shopify. If a product does not exist, it creates a new product in Shopify.


Prerequisite for creating a custom field in Shopify product entity

Create an `External ID` custom field in the Shopify product entity.

1. Log in to the Shopify organization.
2. Go to **Setup** > **Custom Data** > **Products**.
   The following image shows the **Custom data** page:



3. Click **Add definition**.
4. Enter the name and description, select the type as **Single line text**, and select the **Unique values only** check box in the **Validations** section as shown in the following image:


External ID
Product metafield definition
Definition pinned
Name
External ID
Namespace and key
custom.external_id
The system uses this to identify the definition.
Description
Store NetSuite ID
17/100
Single line text
One value
List of values
Category assignments
Select categories
Validations
Values can contain letters, numbers, and special characters.
Unique values only
Limit to preset choices
Minimum character count


5. Click **Save**.

CHAPTER 2

Synchronize NetSuite Items with Shopify Products recipe contents

The Synchronize NetSuite Items with Shopify Products recipe contains process objects, app connections, and processes.

The following image shows the assets that the Synchronize NetSuite Items with Shopify Products recipe package contains:



Synchronize NetSuite Items with Shopify Products recipe assets

The following table lists the assets that the Synchronize NetSuite Items with Shopify Products recipe package contains:

Asset Name	Asset Type	Description
LocationPO	Process object	NetSuite location object.
ShopifyProduct	Process object	Shopify product entity.
ShopifyConnectionProduct	App connection	Shopify connection.
NetSuiteConnectionItem	App connection	NetSuite connection.

Asset Name	Asset Type	Description
Synchronize Locations	Process	Subprocess that creates locations in Shopify from NetSuite.
Synchronize NetSuite Items with Shopify Products	Process	When an item is created or updated in NetSuite, a script triggers the process. The process checks whether the item location exists in Shopify. If the item's location does not exist, the process creates it. The process then searches for a matching product in Shopify by name and external ID and creates or updates it based on the search results.

CHAPTER 3

Using the Synchronize NetSuite Items with Shopify Products recipe

To use the Synchronize NetSuite Items with Shopify Products recipe, you must perform the following steps manually:

1. Copy and access the recipe.
2. Configure and publish the NetSuite connection.
3. Configure and publish the Shopify connection.
4. Configure and publish the processes.
5. Configure script in NetSuite.

Step 1. Copy and access the recipe


Copy the pre-configured assets in the recipe to a separate project or folder.

1. Open the **Synchronize NetSuite Items with Shopify Products** recipe and click **Use**.
2. Select the location where you want to copy the recipe, and then click **Continue**.
3. In the **Copying the recipe** dialog box, click **OK**.

   It might take some time for the recipe to get copied. You will receive a notification when the recipe is ready for use.
4. After the recipe is copied, click **Explore** to access the recipe content.

5. Navigate to the project or folder where you copied the recipe or enter the recipe name in the **Find** box.

   All the assets in the recipe are displayed as shown in the following image:



Step 2. Configure and publish the NetSuite connection

Configure the client ID, instance URL, certificate ID, and private key in the NetSuiteConnectionItem connection, and then publish the connection.

1. Open the **NetSuiteConnectionItem** connection.
2. From the **Type** list, select **NetSuite**.
3. From the **Run On** list, select **Cloud Server or any Secure Agent**.
4. In the **Connection Properties** section, enter values for the following properties:

Property	Description
Client ID	NetSuite OAuth 2.0 client ID to generate a valid access token. Enter the client ID that you generated from the **Integration** page in NetSuite.
Certificate ID	NetSuite certificate ID that you generated using **OAuth 2.0 Client Credentials**. NetSuite certificate ID that you generated under **Setup** > **Integration** > **Manage Authentication** > **OAuth 2.0 Client Credentials** (M2M) Setup in NetSuite.
Instance URL	NetSuite applications suite instance URL. Enter the instance URL in the following format: `https://[accountid].suitetalk.api.netsuite.com`
Certificate Private Key	NetSuite certificate private key. Enter the PKCS8 certificate as a Base64-encoded string in the following format: `-----BEGIN PRIVATE KEY----- ..... -----END PRIVATE KEY-----`

5. Save and publish the connection.

Step 3. Configure and publish the Shopify connection

Configure the store name, API version, and access token in the ShopifyConnectionProduct connection, and then publish the connection.

1. Open the **ShopifyConnectionProduct** connection.
2. From the **Type** list, select **Shopify**.
3. From the **Run On** list, select **Cloud Server or any Secure Agent**.
4. In the **Connection Properties** section, enter values for the following properties:

Property	Description
store_name	The unique identifier for a Shopify store. It is a subdomain of the store's `.myshopify.com` domain. For example, if the store's domain is `example-store.myshopify.com`, `example-store` is the store name.
version	The Shopify GraphQL Admin API version. For example, 2025-01.
access_token	The secure credential that is used to authenticate API requests to a Shopify store. You can obtain the access token during the OAuth authentication process when installing an app on a Shopify store.

5. Save and publish the connection.

Step 4. Configure and publish the processes


Configure the authorization access and publish the processes.

1. To publish the **Synchronize Locations** process, click **Actions** in the row that contains the process, and select **Publish**.
2. Open the **Synchronize NetSuite Items with Shopify Products** process.
3. On the **Start** tab of the Start step, select **Allow anonymous access**.
4. Save and publish the process.


Step 5. Configure script in NetSuite

Configure a script in NetSuite for an item entity. When an entity item is created or updated in NetSuite, the process is called by a webhook request from the NetSuite script and the item details get synchronized with a Shopify product.

1. Log in to the NetSuite organization.
2. Go to **Customization** > **Scripting** > **Scripts**, and then click **New**.
   The following image shows the **Script** page:




3. In the **Upload Script File** section, click the **+** icon to add a script file. Enter the file name and select the script file as shown in the following image:




Note: Use the `.js` extension for the script file name.

For more information about the script format, see "Sample script for NetSuite" on page 16.


4. Click **Save**.
5. After adding the script file to the **Upload Script File** section, click **Create Script Record**.
6. In the **Script** section, enter the NetSuite event name, ID, and description as shown in the following image:



7. Click **Save**.
8. In the **Script** section, click **Deploy Script**.
   The following image shows the **Deploy Script** button on the **Script** page:



9. Select **Inventory Part** entity, enter the ID and select the status.
   The following image shows the **Script Deployment** page:



10. Click **Save**.
    The script is successfully deployed.

    Important: The deployed script can be used for any entity in NetSuite, not just the item entity.

    You can create and add multiple scripts and reuse them.

Sample script for NetSuite

You can create a script in NetSuite to automate business processes.

The following snippet is a sample script for NetSuite:

```
/**
 * @NApiVersion 2.x
 * @NScriptType UserEventScript
 */
define(['N/https', 'N/log'], function(https, log) {

    function afterSubmit(context) {
        if (context.type === context.UserEventType.CREATE || context.type ===
context.UserEventType.EDIT) {
            var newRecord = context.newRecord;
            var Id = newRecord.id;

            var url = '<Service_URL_of_the_Application_Integration_Process>';

            // JSON Payload for the POST request
            var event = {
                id: Id
            };

            try {
                // Sending POST request
                var response = https.post({
                    url: url,
                    body: JSON.stringify(event),
                    headers: {
                        'Content-Type': 'application/json'
                    }
```

```
                });

                log.debug({
                    title: 'POST Request Response',
                    details: 'Response: ' + response.body
                });
            } catch (e) {
                log.error({
                    title: 'Error Sending POST Request',
                    details: e.message
                });
            }
        }
    }

    return {
        afterSubmit: afterSubmit
    };
});
```

Note: You must include the Service URL of the Application Integration process in the script as shown in the sample. Save the file with a `.js` extension.

NetSuite Items to Shopify Products field mappings

The NetSuite items and the Shopify products are mapped based on the fields given in the following table:

NetSuite item	Shopify product
Item Name or Number	Title
UPC Code	Barcode
Cost (Price)	Price
Sales Description	Description
Quantity (for each location)	Available (for each location)
Location	Location

Rules and guidelines

Consider the following rules and guidelines when working with the Synchronize NetSuite Items with Shopify Products recipe:

- You might observe that the process creates locations only for US locations. If the state is not specified as a letter abbreviation, an error occurs. For example, AZ and TX.
- The process creates and links locations to the product only during product creation. After that, the process cannot add new locations to the product or adjust quantities for the product.