Informatica® Cloud Application Integration
October 2024

# Amazon Bedrock Prompt Chaining

Informatica Cloud Application Integration Amazon Bedrock Prompt Chaining
October 2024

© Copyright Informatica LLC 2024, 2025

This software and documentation contain proprietary information of Informatica LLC and are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright law. Reverse engineering of the software is prohibited. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. This Software may be protected by U.S. and/or international Patents and other Patents Pending.

Use, duplication, or disclosure of the Software by the U.S. Government is subject to the restrictions set forth in the applicable software license agreement and as provided in DFARS 227.7202-1(a) and 227.7702-3(a) (1995), DFARS 252.227-7013©(1)(ii) (OCT 1988), FAR 12.212(a) (1995), FAR 52.227-19, or FAR 52.227-14 (ALT III), as applicable.

The information in this product or documentation is subject to change without notice. If you find any problems in this product or documentation, please report them to us in writing.

Informatica, Informatica Platform, Informatica Data Services, PowerCenter, PowerCenterRT, PowerCenter Connect, PowerCenter Data Analyzer, PowerExchange, PowerMart, Metadata Manager, Informatica Data Quality, Informatica Data Explorer, Informatica B2B Data Transformation, Informatica B2B Data Exchange Informatica On Demand, Informatica Identity Resolution, Informatica Application Information Lifecycle Management, Informatica Complex Event Processing, Ultra Messaging, Informatica Master Data Management, and Live Data Map are trademarks or registered trademarks of Informatica LLC in the United States and in jurisdictions throughout the world. All other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright © University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jQWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright© MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (http://www.apache.org/), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at http://www.apache.org/licenses/. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (http://www.mozilla.org/), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at http:// www.gnu.org/licenses/lgpl.html. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at http://www.openssl.org and http://www.openssl.org/source/license.html.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://curl.haxx.se/docs/copyright.html. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://www.dom4j.org/ license.html.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://dojotoolkit.org/license.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://source.icu-project.org/repos/icu/icu/trunk/license.html.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at http:// www.gnu.org/software/ kawa/Software-License.html.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at http://www.opensource.org/licenses/mit-license.php.

This product includes software developed by Boost (http://www.boost.org/) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at http:/ /www.boost.org/LICENSE_1_0.txt.

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at http:// www.pcre.org/license.txt.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http:// www.eclipse.org/org/documents/epl-v10.php and at http://www.eclipse.org/org/documents/edl-v10.php.

This product includes software licensed under the terms at http://www.tcl.tk/software/tcltk/license.html, http://www.bosrup.com/web/overlib/?License, http://www.stlport.org/doc/ license.html, http://asm.ow2.org/license.html, http://www.cryptix.org/LICENSE.TXT, http://hsqldb.org/web/hsqlLicense.html, http://httpunit.sourceforge.net/doc/ license.html, http://jung.sourceforge.net/license.txt , http://www.gzip.org/zlib/zlib_license.html, http://www.openldap.org/software/release/license.html, http://www.libssh2.org, http://slf4j.org/license.html, http://www.sente.ch/software/OpenSourceLicense.html, http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3- license-agreement; http://antlr.org/license.html; http://aopalliance.sourceforge.net/; http://www.bouncycastle.org/licence.html; http://www.jgraph.com/jgraphdownload.html; http://www.jcraft.com/jsch/LICENSE.txt; http://jotm.objectweb.org/bsd_license.html; . http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231; http://www.slf4j.org/license.html; http://nanoxml.sourceforge.net/orig/copyright.html; http://www.json.org/license.html; http://forge.ow2.org/projects/javaservice/, http://www.postgresql.org/about/licence.html, http://www.sqlite.org/copyright.html, http://www.tcl.tk/software/tcltk/license.html, http://www.jaxen.org/faq.html, http://www.jdom.org/docs/faq.html, http://www.slf4j.org/license.html; http://www.iodbc.org/dataspace/iodbc/wiki/iODBC/License; http://www.keplerproject.org/md5/license.html; http://www.toedter.com/en/jcalendar/license.html; http://www.edankert.com/bounce/index.html; http://www.net-snmp.org/about/license.html; http://www.openmdx.org/#FAQ; http://www.php.net/license/3_01.txt; http://srp.stanford.edu/license.txt; http://www.schneier.com/blowfish.html; http://www.jmock.org/license.html; http://xsom.java.net; http://benalman.com/about/license/; https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js; http://www.h2database.com/html/license.html#summary; http://jsoncpp.sourceforge.net/LICENSE; http://jdbc.postgresql.org/license.html; http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto; https://github.com/rantav/hector/blob/master/LICENSE; http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html; http://jibx.sourceforge.net/jibx-license.html; https://github.com/lyokato/libgeohash/blob/master/LICENSE; https://github.com/hjiang/jsonxx/blob/master/LICENSE; https://code.google.com/p/lz4/; https://github.com/jedisct1/libsodium/blob/master/LICENSE; http://one-jar.sourceforge.net/index.php?page=documents&file=license; https://github.com/EsotericSoftware/kryo/blob/master/license.txt; http://www.scala-lang.org/license.html; https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt; http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html; https://aws.amazon.com/asl/; https://github.com/twbs/bootstrap/blob/master/LICENSE; https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt; https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE, and https://github.com/apache/hbase/blob/master/LICENSE.txt.

This product includes software licensed under the Academic Free License (http://www.opensource.org/licenses/afl-3.0.php), the Common Development and Distribution License (http://www.opensource.org/licenses/cddl1.php) the Common Public License (http://www.opensource.org/licenses/cpl1.0.php), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (http:// www.opensource.org/licenses/bsd-license.php), the new BSD License (http://opensource.org/licenses/BSD-3-Clause), the MIT License (http://www.opensource.org/licenses/mit-license.php), the Artistic License (http://www.opensource.org/licenses/artistic-license-1.0) and the Initial Developer's Public License Version 1.0 (http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://xstream.codehaus.org/license.html. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit http://www.extreme.indiana.edu/.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

Publication Date: 2025-08-30

# Table of Contents


**Preface** . . . . . 5

**Chapter 1: Introduction to Amazon Bedrock Prompt Chaining recipe** . . . . . 6

Amazon Bedrock Prompt Chaining recipe contents . . . . . 6

Amazon Bedrock Prompt Chaining recipe assets . . . . . 7

**Chapter 2: Using the Amazon Bedrock Prompt Chaining recipe** . . . . . 8

Step 1. Copy and access the recipe . . . . . 8

Step 2. Configure and publish the Amazon Bedrock connection . . . . . 9

Step 3. Configure and publish the processes . . . . . 9

Step 4. Publish and run the guide . . . . . 11

# Preface

Use *Amazon Bedrock Prompt Chaining* to learn how to design prompt chains and provide the desired responses from a Large Language Model (LLM). This guide assumes that you have an understanding of the Amazon Bedrock Connector concepts.

CHAPTER 1

# Introduction to Amazon Bedrock Prompt Chaining recipe


The Amazon Bedrock Prompt Chaining recipe is initiated using a guide or an HTTP request.

The process chains the prompts together and resolves them in the sequence in which they're provided. Chaining of these prompts augments the ability of the language model being used to deliver a highly curated response. When you send a query, the process first sets the behavior and topic, and then provides the additional instructions to answer the query. After receiving the response, you can ask a new question without changing the topic.

## Amazon Bedrock Prompt Chaining recipe contents

The Amazon Bedrock Prompt Chaining recipe contains multiple assets, such as a process object, an app connection, a guide, and a process.

The following image shows the assets that the Amazon Bedrock Prompt Chaining recipe package contains:



# Amazon Bedrock Prompt Chaining recipe assets

The following table lists the assets that the Amazon Bedrock Prompt Chaining recipe package contains:

| Asset Name | Asset Type | Description |
|---|---|---|
| GenerationConfig_AmazonBedrock | Process object | Settings for the prompt request. |
| AmazonBedrockConnection | App connection | Amazon Bedrock connection. |
| Guide to use Amazon Bedrock with two requests | Guide | When you send a query, the process first sets the behavior and topic, and then provides the additional instructions to answer the query. After receiving the response, you can ask a new question without changing the topic. |
| Prompt Chaining Amazon Bedrock | Process | The process chains the prompts together and resolves them in the sequence in which they're provided. Chaining of these prompts augments the ability of the language model being used to deliver a highly curated response. |

CHAPTER 2

# Using the Amazon Bedrock Prompt Chaining recipe

To use the Amazon Bedrock Prompt Chaining recipe, you must perform the following steps manually:

1. Copy and access the recipe
2. Configure and publish the Amazon Bedrock connection
3. Configure and publish the process
4. Publish and run the guide


## Step 1. Copy and access the recipe

Copy the pre-configured assets in the recipe to a separate project or folder.

1. Open the **Amazon Bedrock Prompt Chaining** recipe and click **Use**.
2. Select the location where you want to copy the recipe, and then click **Continue**.
3. In the **Copying the recipe** dialog box, click **OK**.

   It might take some time for the recipe to get copied. You will receive a notification when the recipe is ready for use.
4. After the recipe is copied, click **Explore** to access the recipe content.
5. Navigate to the project or folder where you copied the recipe or enter the recipe name in the **Find** box.

   All the assets in the recipe are displayed as shown in the following image:



# Step 2. Configure and publish the Amazon Bedrock connection

Configure the access key, secret key, and region to connect to Amazon Bedrock, and then publish the AmazonBedrockConnection connection.

1. Open the **AmazonBedrockConnection** connection.
2. In the **Connection Properties** section, enter values for the following properties:

| Property | Description |
|---|---|
| AccessKey | The access key to access Amazon Bedrock. |
| SecretKey | The secret key to access Amazon Bedrock. |
| Region | The region that hosts Amazon Bedrock. |

3. Save and publish the connection.

# Step 3. Configure and publish the processes

Configure the deployment details of the LLM model and publish the process.

1. Open the **Prompt Chaining Amazon Bedrock** process.
2. On the **Temp Fields** tab of the **Start** step, in the **Model_id** field, enter the deployment ID of the LLM model that was deployed.

   The default model id is **anthropic.claude-3-sonnet-20240229-v1:0**. You can optionally edit the model id.
3. Optionally, in the **Configure Request Parameters** step, configure the prompt instructions in the **Assignments** field by updating the **Prompt_Configuration** field using the Expression Editor, as shown in the following sample code:

```
<GenerationConfig_AwsBedrock_PO>
  <Temperature>0.5</Temperature>
  <TopP>0.6</TopP>
  <MaxTokens>500</MaxTokens>
</GenerationConfig_AwsBedrock_PO>
```

For the **Prompt_Configuration** field, enter values for the following properties:

| Property | Description |
|---|---|
| max_tokens | Defines the maximum number of tokens that the model can generate in its response. Setting a limit ensures that the response is concise and fits within the desired length constraints. |
| temperature | Controls the randomness of the model's output. A lower value makes the output more deterministic, while a higher value increases randomness and creativity. For example, a temperature of 0.5 balances between deterministic and creative outputs. |
| topP | Determines the cumulative probability threshold for token selection. The model considers the smallest set of tokens whose cumulative probability meets or exceeds topP. For example, if topP is set to 0.1, the model considers only the top 10% most probable tokens at each step. |

4. In the **Create Prompt** step, enter the prompt instructions in the **Assignments** field by updating the **Prompt_Request** field using the Expression Editor as shown in the following sample code:

```
  <root xmlns:m="urn:informatica:ae:xquery:json2xml:meta-data">
  <system m:isArray="true">
  <type>text</type>
  <text>You are an {$input.System_Behaviour } assistant and your goal is to provide
responses to queries while avoiding potential harm.</text>
  </system>
  <messages m:isArray="true">
  <role>user</role>
  <content m:isArray="true">
  <type>text</type>
  <text>{$input.First_User_Prompt }</text>
  </content>
  </messages>
  <interfenceConfig>
  <max_tokens m:type="xs:int">{$temp.Prompt_Configuration[1]/MaxTokens }</max_tokens>
  <temperature m:type="xs:double">{$temp.Prompt_Configuration[1]/Temperature }</
temperature>
  <topP m:type="xs:double">{$temp.Prompt_Configuration[1]/TopP }</topP>
  </interfenceConfig>
  </root>
```

After configuring the prompt instructions, the process sends the details to the LLM to fetch the required response, and then stores the first response.

5. In the **Create Second Prompt** step, in the **Assignments** field, update the **Prompt_Request** field using the Expression Editor as shown in the following sample code:

```
<root xmlns:m="urn:informatica:ae:xquery:json2xml:meta-data">
<system m:isArray="true">
<type>text</type>
<text>You are an {$input.System_Behaviour } assistant and your goal is to provide
responses to queries while avoiding potential harm.</text>
</system>
<messages m:isArray="true">
<role>user</role>
<content m:isArray="true">
<type>text</type>
<text>{$input.First_User_Prompt }</text>
</content>
</messages>
<messages m:isArray="true">
<role>assistant</role>
<content m:isArray="true">
<type>text</type>
<text>{$output.LLM_Answer}</text>
</content>
</messages>
```

```
<messages m:isArray="true">
<role>user</role>
<content m:isArray="true">
<type>text</type>
<text>{$input.Second_User_Prompt }</text>
</content>
</messages>
<interfenceConfig>
<max_tokens m:type="xs:int">{$temp.Prompt_Configuration[1]/MaxTokens }</max_tokens>
<temperature m:type="xs:double">{$temp.Prompt_Configuration[1]/Temperature }</
temperature>
<topP m:type="xs:double">{$temp.Prompt_Configuration[1]/TopP }</topP>
</interfenceConfig>
</root>
```

The LLM uses both the requests as an instruction to prepare the final response.

6. Save and publish the process.

# Step 4. Publish and run the guide

When you send a query to the LLM, the process first sets the behavior and topic, and then provides the additional instructions to answer the query.

1. Open the **Guide to use Amazon Bedrock with two requests** guide.
2. On the **Start** tab of the **Start** step, ensure that the **Run As** field is set to **Current User**.
3. Save and run the guide.
4. On the **Actions** menu, click **Run**. Alternatively, you can copy the execution URL from the **Properties Details** dialog box to run the guide.
5. On the **Instructions** page, enter the requests in the **Set AI Behavior** and **First User Prompt** fields. The LLM uses these requests as instructions to prepare the final response to your query.
6. Click **Continue**.
7. On the next screen, enter any additional instruction for your request and ask your query in the **Second User Prompt** field.

   **Note:** You can't edit the behavior and topic fields on this page.
8. Click **Continue**.
   The final response appears.
9. Click **Ask another question** to ask another query, or click **End** to finish.

You can also use the embed code to embed the guide into an HTML document of a third-party application.