Informatica

Informatica® Cloud Application Integration
October 2025

Salesforce Opportunity Attachment Insights using AI Agent

Informatica Cloud Application Integration Salesforce Opportunity Attachment Insights using AI Agent
October 2025

© Copyright Informatica LLC 2025

This software and documentation contain proprietary information of Informatica LLC and are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright law. Reverse engineering of the software is prohibited. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. This Software may be protected by U.S. and/or international Patents and other Patents Pending.

Use, duplication, or disclosure of the Software by the U.S. Government is subject to the restrictions set forth in the applicable software license agreement and as provided in DFARS 227.7202-1(a) and 227.7702-3(a) (1995), DFARS 252.227-7013©(1)(ii) (OCT 1988), FAR 12.212(a) (1995), FAR 52.227-19, or FAR 52.227-14 (ALT III), as applicable.

The information in this product or documentation is subject to change without notice. If you find any problems in this product or documentation, please report them to us in writing.

Informatica, Informatica Platform, Informatica Data Services, PowerCenter, PowerCenterRT, PowerCenter Connect, PowerCenter Data Analyzer, PowerExchange, PowerMart, Metadata Manager, Informatica Data Quality, Informatica Data Explorer, Informatica B2B Data Transformation, Informatica B2B Data Exchange Informatica On Demand, Informatica Identity Resolution, Informatica Application Information Lifecycle Management, Informatica Complex Event Processing, Ultra Messaging, Informatica Master Data Management, and Live Data Map are trademarks or registered trademarks of Informatica LLC in the United States and in jurisdictions throughout the world. All other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright © University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jQWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright© MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (http://www.apache.org/), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at http://www.apache.org/licenses/. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (http://www.mozilla.org/), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at http:// www.gnu.org/licenses/lgpl.html. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at http://www.openssl.org and http://www.openssl.org/source/license.html.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://curl.haxx.se/docs/copyright.html. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://www.dom4j.org/ license.html.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http://dojotoolkit.org/license.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://source.icu-project.org/repos/icu/icu/trunk/license.html.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at http:// www.gnu.org/software/ kawa/Software-License.html.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at http://www.opensource.org/licenses/mit-license.php.

This product includes software developed by Boost (http://www.boost.org/) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at http:/ /www.boost.org/LICENSE_1_0.txt.

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at http:// www.pcre.org/license.txt.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at http:// www.eclipse.org/org/documents/epl-v10.php and at http://www.eclipse.org/org/documents/edl-v10.php.

This product includes software licensed under the terms at http://www.tcl.tk/software/tcltk/license.html, http://www.bosrup.com/web/overlib/?License, http://www.stlport.org/doc/ license.html, http://asm.ow2.org/license.html, http://www.cryptix.org/LICENSE.TXT, http://hsqldb.org/web/hsqlLicense.html, http://httpunit.sourceforge.net/doc/ license.html, http://jung.sourceforge.net/license.txt , http://www.gzip.org/zlib/zlib_license.html, http://www.openldap.org/software/release/license.html, http://www.libssh2.org, http://slf4j.org/license.html, http://www.sente.ch/software/OpenSourceLicense.html, http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3- license-agreement; http://antlr.org/license.html; http://aopalliance.sourceforge.net/; http://www.bouncycastle.org/licence.html; http://www.jgraph.com/jgraphdownload.html; http://www.jcraft.com/jsch/LICENSE.txt; http://jotm.objectweb.org/bsd_license.html; . http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231; http://www.slf4j.org/license.html; http://nanoxml.sourceforge.net/orig/copyright.html; http://www.json.org/license.html; http://forge.ow2.org/projects/javaservice/, http://www.postgresql.org/about/licence.html, http://www.sqlite.org/copyright.html, http://www.tcl.tk/software/tcltk/license.html, http://www.jaxen.org/faq.html, http://www.jdom.org/docs/faq.html, http://www.slf4j.org/license.html; http://www.iodbc.org/dataspace/iodbc/wiki/iODBC/License; http://www.keplerproject.org/md5/license.html; http://www.toedter.com/en/jcalendar/license.html; http://www.edankert.com/bounce/index.html; http://www.net-snmp.org/about/license.html; http://www.openmdx.org/#FAQ; http://www.php.net/license/3_01.txt; http://srp.stanford.edu/license.txt; http://www.schneier.com/blowfish.html; http://www.jmock.org/license.html; http://xsom.java.net; http://benalman.com/about/license/; https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js; http://www.h2database.com/html/license.html#summary; http://jsoncpp.sourceforge.net/LICENSE; http://jdbc.postgresql.org/license.html; http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto; https://github.com/rantav/hector/blob/master/LICENSE; http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html; http://jibx.sourceforge.net/jibx-license.html; https://github.com/lyokato/libgeohash/blob/master/LICENSE; https://github.com/hjiang/jsonxx/blob/master/LICENSE; https://code.google.com/p/lz4/; https://github.com/jedisct1/libsodium/blob/master/LICENSE; http://one-jar.sourceforge.net/index.php?page=documents&file=license; https://github.com/EsotericSoftware/kryo/blob/master/license.txt; http://www.scala-lang.org/license.html; https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt; http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html; https://aws.amazon.com/asl/; https://github.com/twbs/bootstrap/blob/master/LICENSE; https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt; https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE, and https://github.com/apache/hbase/blob/master/LICENSE.txt.

This product includes software licensed under the Academic Free License (http://www.opensource.org/licenses/afl-3.0.php), the Common Development and Distribution License (http://www.opensource.org/licenses/cddl1.php) the Common Public License (http://www.opensource.org/licenses/cpl1.0.php), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (http:// www.opensource.org/licenses/bsd-license.php), the new BSD License (http://opensource.org/licenses/BSD-3-Clause), the MIT License (http://www.opensource.org/licenses/mit-license.php), the Artistic License (http://www.opensource.org/licenses/artistic-license-1.0) and the Initial Developer's Public License Version 1.0 (http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at http://xstream.codehaus.org/license.html. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit http://www.extreme.indiana.edu/.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

See patents at https://www.informatica.com/legal/patents.html.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

Publication Date: 2025-10-27

Table of Contents

Preface 5

Chapter 1: Introduction to Salesforce Opportunity Attachment Insights using AI Agent recipe 6

Prerequisites 6

Configuring Salesforce Change Data Capture 6

Creating a custom field in the Salesforce Opportunity entity 7

Configuring Salesforce Apex Triggers 8

Chapter 2: Salesforce Opportunity Attachment Insights using AI Agent recipe contents 11

Salesforce Opportunity Attachment Insights using AI Agent recipe assets 11

Chapter 3: Using the Salesforce Opportunity Attachment Insights using AI Agent the recipe 13

Step 1. Copy and access the recipe 13

Step 2. Configure and publish the Salesforce connection 14

Step 3. Configure and publish the Amazon S3 connection 15

Step 4. Configure and publish the Amazon Bedrock connection 15

Step 5. Configure and publish the processes 16

Preface

Use *Salesforce Opportunity Attachment Insights using AI Agent* to learn how to gain insights from attachments in Salesforce Opportunities by uploading them to Amazon S3, analyzing their content for relevant answers, and updating the Opportunity with the extracted insights. This guide assumes that you have an understanding of the Amazon Bedrock Connector, Amazon S3 Connector, and Salesforce Connector concepts.

CHAPTER 1

Introduction to Salesforce Opportunity Attachment Insights using AI Agent recipe

The Salesforce Opportunity Attachment Insights using AI Agent recipe is a platform event-based recipe. Use the recipe to gain insights from attachments in Salesforce Opportunities by uploading them to Amazon S3, analyzing their content for relevant answers, and updating the Opportunity with the extracted insights.

When an attachment is added to an Opportunity, an Apex Trigger is executed. This trigger saves the file ID in a custom Opportunity field named *File ID*. The update of this field triggers a process that initiates further actions based on the data changes in the Opportunity.

The process retrieves the attachment file from the Opportunity, uploads it to an Amazon S3 bucket, and sends the file to a Large Language Model (LLM) for analysis, along with a system instruction or user query.

The LLM processes the content and returns relevant insights, which are saved as a Note and attached back to the same Opportunity.

Note: Files stored in the Amazon S3 bucket can be reused for further LLM processing by using another recipe called Update Amazon Bedrock Knowledge Base.

Prerequisites

To create a Salesforce Opportunity Attachment Insights using AI Agent, the following prerequisites must be met:


- Configure Salesforce Change Data Capture.
- Create a custom field in the Salesforce Opportunity entity.
- Configure Salesforce Apex Triggers.

Configuring Salesforce Change Data Capture

Configure Salesforce Change Data Capture (CDC) to send a message when the Opportunity object changes.

1. Log in to the Salesforce account.
2. Go to **Setup** > **Build** > **Develop** > **Change Data Capture**.

3. From the **Available Entities** list, select the **Opportunity (Opportunity)** object and add it to the **Selected Entities** list.
   The following image shows the **Change Data Capture** page:




4. Click **Save**.

Creating a custom field in the Salesforce Opportunity entity


To create a custom field in the Salesforce Opportunity entity, perform the following steps:

1. Log in to the Salesforce organization.
2. Go to **Setup** > **Build** > **Customize** > **Opportunities** > **Fields**, and then click **New**.
   The following image shows the **New** button on the **Opportunities Fields** page:



3. In the **Field Label** field, enter **File ID**, and in the **Field Name** field, enter **File_ID**. Click **Next** and save the custom field.
   You must create a custom field with the **Text** data type.


   The following image shows the **New Custom Field** page:




Configuring Salesforce Apex Triggers

Configure Salesforce Apex Triggers to update the Opportunity when an attachment is uploaded.

1. Log in to the Salesforce organization.
2. Go to **Setup** > **Build** > **Develop** > **Apex Triggers** > **Developer Console**.
   The following image shows the **Apex Triggers** page:



3. In the Developer Console, go to **File** > **New** > **Apex Trigger** as shown in the following image:



4. Enter the trigger name, select **Opportunity** from the **sObject** list, and then click **Submit**.
5. Enter the following code snippet and save the trigger.

```
trigger {trigger name} on Attachment (after insert) {
 Map<Id, String> oppUpdates = new Map<Id, String>();

    for (Attachment att : Trigger.new) {
        if (String.valueOf(att.ParentId).startsWith('006')) {
            oppUpdates.put(att.ParentId, att.Id);
        }
    }

    if (!oppUpdates.isEmpty()) {
        List<Opportunity> oppToUpdate = [SELECT Id, Name FROM Opportunity WHERE Id
```


```
IN :oppUpdates.keySet()];
        for (Opportunity c : oppToUpdate) {
            c.File_ID__c= oppUpdates.get(c.Id);
        }
        update oppToUpdate;
    }
}
```

CHAPTER 2

Salesforce Opportunity Attachment Insights using AI Agent recipe contents

The Salesforce Opportunity Attachment Insights using AI Agent recipe contains app connections and processes.

The following image shows the assets that the Salesforce Opportunity Attachment Insights using AI Agent recipe package contains:



Salesforce Opportunity Attachment Insights using AI Agent recipe assets

The following table lists the assets that the Salesforce Opportunity Attachment Insights using AI Agent recipe package contains:

Asset Name	Asset Type	Description
AmazonS3Connection	App connection	Amazon S3 connection.
SalesforceCDC	App connection	Salesforce connection.
AmazonBedrockConnection	App connection	Amazon Bedrock connection.

Asset Name	Asset Type	Description
Write File to Amazon S3	Process	Subprocess that uploads the selected file(s) to Amazon S3 and returns a list of uploaded files.
Processing Opportunities with Amazon Bedrock	Process	Process that starts when an attachment is added to an Opportunity in Salesforce. The document is processed using an LLM to extract and analyze relevant information. The process then creates a new Note linked to the same Opportunity, containing the LLM output.

CHAPTER 3

Using the Salesforce Opportunity Attachment Insights using AI Agent the recipe

To use the Salesforce Opportunity Attachment Insights using AI Agent recipe, you must perform the following steps manually:

1. Copy and access the recipe.
2. Configure and publish the Salesforce connection.
3. Configure and publish the Amazon S3 connection.
4. Configure and publish the Amazon Bedrock connection.
5. Configure and publish the processes.

Step 1. Copy and access the recipe


Copy the pre-configured assets in the recipe to a separate project or folder.

1. Open the **Salesforce Opportunity Attachment Insights using AI Agent** recipe, and then click **Use**.
2. Select the location where you want to copy the recipe, and then click **Continue**.
3. In the **Copying the recipe** dialog box, click **OK**.

   It might take some time for the recipe to get copied. You will receive a notification when the recipe is ready for use.
4. After the recipe is copied, click **Explore** to access the recipe content.

5. Navigate to the project or folder where you copied the recipe or enter the recipe name in the **Find** box.

   All the assets in the recipe are displayed as shown in the following image:



Step 2. Configure and publish the Salesforce connection

Configure the object names and event consumer to connect to Salesforce, and then publish the SalesforceCDC connection.

1. Open the **SalesforceCDC** connection.
2. From the **Type** list, select **Salesforce**.
3. From the **Runtime Environment** list, select the Secure Agent.
4. From the **Authentication Type** list, select **Password** or **OAuth** as required.

   Based on the authentication type selected, perform one of the following steps:

   - For **Password** authentication, enter values for the following properties:
     - User Name: Salesforce developer account user name.
     - Password: Salesforce developer account password.
     - Security Token: Salesforce security token.
   - For **OAuth** authentication, enter values for the following properties:
     - Authentication URL: Endpoint used to make OAuth authorization requests to Salesforce.
     - Token Request URL: Endpoint used to make OAuth token requests to Salesforce.
     - Session Duration: Number of minutes after which the OAuth token expires.
     - Authorize access: Click **Authorize** > enter Salesforce developer account credentials > click **Allow**. The OAuth authentication process starts. You can check the current authorization status in the **Authorization Status** property.
5. In the **Connection Properties** section, enter the object names **Opportunity,Attachment,Note** in the **Object Filter** field.
6. On the **Event Sources** tab, add a new event source, enter the name, and in the **Event Consumer** field, enter **/data/OpportunityChangeEvent**.
7. Save and publish the connection.

Step 3. Configure and publish the Amazon S3 connection

Configure the Secure Agent, access key details, region, and Amazon S3 bucket name to connect to Amazon S3, and then publish the AmazonS3Connection connection.

1. Open the **AmazonS3Connection** connection.
2. From the **Runtime Environment** list, select the Secure Agent.
3. In the **Connection Properties** section, enter values for the following properties:

Property	Description
Access Key ID	The AWS access key ID of the requester.
Secret Access Key	The AWS secret key of the requester.
Region	The region where a new bucket must be located. For example: `us-east1`

4. On the **Event Targets** tab, add a new event target, enter the name, and in the **Amazon S3 Settings** section, enter the S3 bucket name.
5. Save and publish the connection.

Step 4. Configure and publish the Amazon Bedrock connection

Configure the access key, secret key, and region to connect to Amazon Bedrock, and then publish the AmazonBedrockConnection connection.

1. Open the **AmazonBedrockConnection** connection.
2. In the **Connection Properties** section, enter values for the following properties:

Property	Description
AccessKey	The access key to access Amazon Bedrock.
SecretKey	The secret key to access Amazon Bedrock.
Region	The region that hosts Amazon Bedrock.

3. Save and publish the connection.

Step 5. Configure and publish the processes

Configure the event source and Secure Agent, and then publish the processes.

1. Open the **Processing Opportunities with Amazon Bedrock** process.
2. On the **Start** tab of the **Start** step, configure the following fields:
   - From the **Binding** list, select **Event**.
   - From the **Event Source Name** list, select the event source you created in the **SalesforceCDC** connection.
   - From the **Run On** list, select the Secure Agent.
3. Optionally, on the **Assignment** tab of the **Set Flow Configuration** step, enter values in the **Bucket_Name**, **LLM_Instruction**, and **LLM_Model** fields.
4. Save and publish the process.
5. Open the **Write File to Amazon S3** process.
6. On the **Start** tab of the **Start** step, select the Secure Agent from the **Run On** list.
7. Save and publish the process.