Informatica® CLAIRE GPT
October 2025

Data Integration Agent

Informatica CLAIRE GPT Data Integration Agent
October 2025

© Copyright Informatica LLC 2025, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, Informatica Cloud, Informatica Intelligent Cloud Services, PowerCenter, PowerExchange, and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-06-05

Table of Contents

Preface 4

Chapter 1: Data integration agent 5

Data integration agent skills 5

Chapter 2: Data transformation 6

Chapter 3: Create ELT pipelines to transform data 7

Prerequisites 7

Sample conversation 7

Preface

Read *Data Integration Agent* to learn how to use natural language prompts to transform data across Intelligent Data Management Cloud services.

CHAPTER 1

Data integration agent

The data integration agent helps you create ELT pipelines to transform data. You can open, modify, and operationalize the ELT pipeline as a mapping in Data Integration.

The data integration agent performs tasks autonomously, makes decisions, and interacts with large language models through specific skills to achieve a specific goal. This agent can create an ELT pipeline that you can open, modify, and operationalize as a mapping in Data Integration.

You can access these capabilities through CLAIRE GPT or CLAIRE Copilot, where the data integration agent interprets your query, runs data transformation tasks, and completes your request.

Data integration agent skills

The data integration agent has specific skills that can achieve data management goals with intelligent autonomy.

The data integration agent has the data transformation skill that helps you create an ELT pipeline to transform data. For example, you can load aggregated or filtered data to a target. For more information, see Chapter 2, “Data transformation” on page 6.

Note: The agent can't perform create, move, store, or delete operations on existing data. For example, the agent can't address the prompt `Can you store the results in a new target table?`.

CHAPTER 2

Data transformation

You can use the data integration agent to create an ELT pipeline that transforms data. The pipeline can perform operations on the data. For example, it can aggregate or filter data, or it can join multiple data sets. You can also view the SQL code that the ELT pipeline uses to generate the transformed table.

CLAIRE GPT integrates with Data Governance and Catalog to create ELT pipelines that transform the data that you store in the catalog. To edit, save, and run the pipeline, open it as a mapping in Data Integration. The mapping represents the data flow logic in the pipeline as a series of transformations.

Note: You can't use CLAIRE GPT to edit existing mappings in Data Integration.

You can save sample data in a CSV file for future reference. Due to privacy guidelines, CLAIRE GPT doesn't save the sample data. If you refresh the browser or log out of CLAIRE GPT, the sample data will no longer be visible in the conversation, and you will be unable to download it.

CHAPTER 3

Create ELT pipelines to transform data

You can use the data integration agent to create ELT pipelines that transform data with CLAIRE GPT.

Prerequisites

Before you perform data transformation tasks in CLAIRE GPT, ensure that the following prerequisites are met:

- Enable the Data Governance and Catalog service for the runtime environment that your organization uses. For more information, see *Runtime Environments* in Administrator.
- Enable the **Data Integration** service for the runtime environment that your organization uses so that the runtime environment can run mappings.
- Verify that you extracted metadata from the required source systems into the catalog. For more information, see *Asset Discovery* in Data Governance and Catalog.
- Ensure that you have the **Designer** role. The **Designer** role allows you to open, save, and run a mapping in Data Integration.

Sample conversation

Let's take a look at a sample conversation to help you get started on your Data Governance and Catalog data transformation journey in CLAIRE GPT. The sample conversation show you how you can use CLAIRE GPT to create an ELT pipeline that transforms data.

When CLAIRE GPT creates an ELT pipeline, it appears in the form of a mapping in Data Integration. The mapping reads a source and writes the transformed data to a target.

CLAIRE GPT can create a mapping in the following ways:

- Based on a data exploration prompt followed by a data transformation prompt

  Note: A data exploration prompt might use a complex SQL query to return data. Data Integration might not be able to convert some complex SQL queries into a mapping.
- Based on a single data transformation prompt


To edit, save, and run the mapping, select **Open in Data Integration**. You can run the mapping as-is or using SQL ELT optimization. For more information, see the Data Integration help.

To achieve the goal, perform the following steps:


1. Log in to CLAIRE GPT.
2. Start a conversation by entering the following data exploration prompt:

   ```
   Show me customers who have a high frequency of engagement using multiple channels
   based on the data available on customer interactions
   ```

   The following image shows the response:




3. To view the customers with a high frequency of engagement, select the card.
   The following image shows the customer engagement data:




4. To create a mapping to load the customers, enter the following data transformation prompt:

   ```
   Create a mapping to load these customers
   ```

   The following image shows the response:




5. To view the mapping, select the card.
   The following image shows the mapping for customers with a high frequency of engagement:




6. To open the mapping in Data Integration, select **Open in Data Integration**.
7. To create a mapping to load customers with a low frequency of engagement in a single prompt, enter the following data transformation prompt:

   ```
   Create a mapping that tells me the total number of customers with a below-average
   frequency of engagement per month
   ```

The following image shows the response:



8. To view the mapping, select the card.
The following image shows the mapping for customers with a low frequency of engagement:



9. To open the mapping in Data Integration, select **Open in Data Integration**.