Informatica Cloud Data Governance and Catalog 2026 April Release Notes

© Copyright Informatica LLC 2021, 2026

Contents

Abstract. 1
Fixed issues. 1
Known issues. 11
Informatica Global Customer Support. 13

Abstract

Read the *Release Notes* to learn about fixes and known issues for Data Governance and Catalog.

For information about new features and enhancements, see *What's New*.

Fixed issues

The tables in this section describe recent fixed issues in Data Governance and Catalog.

July 2026 fixed issues

Issue	Description
CDGC-95394	Non-administrator users cannot view or use the **Generate with CLAIRE** option for generating a business name for assets even if users have the required Read and Update permissions on the asset.
SCAN-36132	In Metadata Command Center, if a pipeline specifies the same output filename in both the dataset's **fileName** property and the data flow sink's **partitionFileNames** property, the target asset appears in the lineage view as both a folder and a file.
SCAN-35447	In Metadata Command Center, metadata extraction jobs for Microsoft Azure Data Factory Script Activity assets cannot parse SQL scripts that contain dynamic expressions. As a result, lineage between Microsoft Azure Data Factory and Snowflake is not captured in Data Governance and Catalog.
SCAN-35365	In Metadata Command Center, metadata extraction jobs for Microsoft Azure Data Factory Copy Activity assets can't parse SQL scripts that contain dynamic expressions. As a result, lineage between Microsoft Azure Data Factory and Snowflake is not captured in Data Governance and Catalog.
SCAN-35039	When you scan a pipeline with underscore separators in its date and time expressions in Metadata Command Center, the scan doesn't capture activity lineage for the pipeline.

Issue	Description
SCAN-34857	Metadata Command Center doesn't assign an asset group to some assets in a Databricks catalog source if the assets share the same name. The issue applies to the following asset types: is a workflow job definition, work job instance, notebook task, data source, task parameter, and data element.
SCAN-34105	In Metadata Command Center, asset groups configured with the Assign Asset Group option do not propagate to all assets when you run a metadata extraction job for an SAP BusinessObjects Data Services catalog source. This issue occurs when Cell and DimensionResult assets have the same name, which generates the same core.location identifier. As a result, the assets remain untagged even though asset groups are configured at the catalog source level.
SCAN-33338	Metadata Command Center doesn't extract calculations stored on the Marks card of a Tableau worksheet. As a result, the **Lineage** tab in Data Governance and Catalog doesn't display the calculation data.
SCAN-31939	In Metadata Command Center, a metadata extraction job for a Tableau catalog source makes redundant API calls in the following scenario: The Tableau catalog source has a nested project structure and multiple filters that target the same site. The job scans folders and projects repeatedly for each filter, leading to a longer-than-expected extraction time.
SCAN-31465	When an Azure Data Factory pipeline used linked service parameters in script activities in Data Governance and Catalog, the scanner cannot evaluate expressions that include @{linkedService().SnowflakeDatabase}. This results in missing lineage between ADF pipelines and Snowflake targets.

April 2026 fixed issues

Issue	Description
CDAM-5553	If you're using a connection to Databricks to apply data access policies through pushdown or proxy services, you cannot use the Secret Vault configuration option.
CDGC-91544	In Metadata Command Center, the data quality task for a catalog source fails when you enable remediation because the system incorrectly repeats the drive letter in the file path. This creates an invalid naming syntax that prevents the results file from being created. You experience this issue only on a Microsoft Windows machine where the Secure Agent is installed.
CDGC-90152	Column level lineage look incomplete when the lineage tree has more nodes than the default fetch limit.
CDGC-89020	In Metadata Command Center, if you remove the value specified in the **Classification Category** field of a data element classification, the system continues to use the latest value that was selected for the field.
CDGC-88645	If you select a single-hop lineage expansion, it results in additional unintended hops being displayed.
CDGC-88592	You cannot create or view data quality widgets in the chart view. You can view the search results in a list.

Issue	Description
CDGC-88578	Authorization checks for user roles are missing. As a result, a user role such as the data steward has the same access and privileges as the administrator. This includes unauthorized access to services such as Administrator and Metadata Command Center.
CDGC-88557	On a Domain asset's details page, the **Data Quality** tab displays an inaccurate information for the **Validity** parameter because Data Governance and Catalog only processes the first 10,000 business terms that are associated with the Domain asset.
CDGC-88448	The dashboard fails to display search-based widgets where the results are filtered by a custom attribute.
CDGC-88126	When you use the Search for Assets API to view data element details from a catalog source, some text lose their capitalization. As a result, the response body might show the asset name and the associated glossary name in lowercase for names that are uppercase on asset pages.
CDGC-87481	If you add a custom business name to a technical asset in an exported file and then re-import the file, it causes the bulk import job to fail. As a result, the custom business name is not applied.
CDGC-86293	Users authenticated through Single Sign-On (SSO) cannot be assigned a stakeholder role.
CDGC-84926	If you clear the description of a published Glossary Business Term and initiate a workflow, the description is repopulated with the original published content during subsequent workflow steps.
CDGC-82861	Data de-identification policies automatically inherit stakeholders from the associated precedence tiers. Although the user interface does not display these stakeholders, you can still initiate a workflow.
CDGC-80479	For rules built in advanced mode, the **Failed Preview** rows in the Data Quality rule occurrence show all rows instead of only the failed rows.
DQC-40297	In Metadata Command Center, the data observability job fails to run on the SAP ERP catalog source.
MDP-13484 and MDP-9223	In Metadata Command Center, when you run a metadata extraction job for SAP SuccessFactors, the job fails to profile sources with multiple tables. For some tables, the job cannot identify certain fields in the source metadata. While for other tables, the job populates associated workflows with the wrong metadata. As a result, some tables do not show profiling in Data Governance and Catalog.
MDP-11856	Dates displayed with the varchar datatype in data quality preview rows are incorrectly truncated.
MDP-9869	Data Quality jobs fail when agent cache is enabled on tables with many rule occurrences.
SCAN-34586	When you create or update a catalog source and you have not yet run a metadata extraction job, Data Governance and Catalog creates a duplicate instance of the catalog source.
SCAN-32283	For Snowflake metadata extraction, if you enable data observability and metadata extraction, a dynamic table appears twice, as a view and as a table.
SCAN-29399	Metadata Command Center fails to extract description for DbtCalculation assets from a dbt source system.

Issue	Description
SCAN-28602	Lineage expressions are incorrectly extracted with single quotes.
SCAN-28539	For Microsoft Azure Data Factory assets, Data Governance and Catalog cannot parse date formats with a forward slash. For example, the date format 2025/10/03 cannot be parsed. After you run a catalog source job for Microsoft Azure Data Factory, there are unidentified assets in its lineage.
SCAN-28331	Metadata Command Center stops extracting metadata from objects of a SAS source system if the objects contain an ENDSAS conditional clause.
SCAN-27229	For Azure Data Factory metadata extraction, dependent activities without run metadata are not handled correctly, which might cause the scan to fail or show misleading errors during activity conversion in operational metadata context.

November 2025 fixed issues

Issue	Description
CDAM-5360	Attempting to change the enforcement method of a data filter policy through the data filter API with the PATCH or PUT method invalidates that data filter policy.
CDAM-4711	If you define user roles of the same name with a different case, an error occurs when Data Access Management attempts to push a data access policy to your cloud data provider. The policy is not pushed down.
CDGC-86369	When you create a search widget grouped by stakeholders, the widget does not display all the assigned stakeholders.
CDGC-85848	When you use a search query to find assets with CLAIRE-generated data classifications or assets that are associated with CLAIRE-generated classifications, the search query returns no results.
CDGC-85846	If your organization uses the Neo4j graph database, the stakeholder filters do not display all entries.
CDGC-85540	When you search columns with the `propert` or `Property` keywords in the **Contains** tab of a data element, you don't see all columns that have 'property' in their names.
CDGC-84817	When you use the Create Assets API to create a System asset, the request fails if the **System Type** attribute uses a label value instead of the corresponding code value.
CDGC-84787	You can't view the lineages that are discovered by CLAIRE for a catalog source even if your user profile is assigned the Governance Administrator role.
CDGC-84605	When you expand all of the lineage hops to load the lineage graphs, you see that the loading operation takes up to three minutes and fails with an error.
CDGC-84517	When running a bulk import to update an asset, the job fails even if you are a stakeholder of the asset. If you do not have the **Manage Access** privilege, you cannot perform any operation to the asset through a bulk import.
CDGC-84290	You cannot save a workflow event in Metadata Command Center if the workflow that you used to create the event contains a task with a name that includes the double-quote (") character.

Issue	Description
CDGC-84103	When you try to bulk import exported assets, if you do not specify a valid origin value the ingestion fails.
CDGC-84083	When you try to import an asset that you had previously exported, Data Governance and Catalog displays an error if the asset has a custom attribute configured for it in Metadata Command Center. This issue occurs if you use the same file to import that asset together with at least one other type of asset.
CDGC-83993	After you upgrade Data Governance and Catalog, the **Data Elements** grid in the **Contains** tab of an asset displays data elements in a different order than the default sorting. This issue occurs if your administrator has configured a custom layout for the asset in Metadata Command Center and a new predefined column is added to the **Data Elements** grid during the upgrade.
CDGC-83946	When you add a stakeholder to an asset using the same name as a previously deleted stakeholder and then import that asset, the bulk import job fails with the following error message: The entered '[]' stakeholder is invalid.
CDGC-83650	When multiple paths of lineage lead to a single endpoint, you see the same endpoint multiple times instead of single endpoint with multiple lineage paths.
CDGC-83644	When you tag users in comments on any technical assets, they do not receive email notifications as expected.
CDGC-83284	When you use Find to locate an asset in a search-based widget, the operation returns assets that start or end with the keyword of your find. For example, if you use the keyword "work" to locate an asset with the name "Associate Work Email", the operation returns incorrect or no results.
CDGC-82790	When you purge a catalog source, assets that were extracted from that catalog source continue to be visible in the Data Governance and Catalog interface.
CDGC-80873	When you cancel a Marketplace Propagation job, the job does not transition to the **Cancelled** state as expected, instead, it remains in its previous state.
MDP-11322	If you decline a glossary for a technical asset from the Data Governance and Catalog user interface and you later use the bulk import operation to accept that glossary, the user interface continues to display the glossary as declined for the asset.
MDP-10819	When you use a bulk import template to create an asset in the Draft lifecycle and you then modify the asset in the Data Governance and Catalog user interface, the user interface displays your changes inconsistently.
SCAN-25328	When you view the lineage for technical assets in a Databricks catalog source in Data Governance and Catalog, deleted or non-existent assets appear in the lineage.

July 2025 fixed issues

Issue	Description
CDAM-4673	When using the PATCH endpoint with the data de-identification API, an error occurs if you do not include the precedence tier ID of the data de-identification policy in the request payload.
CDAM-4577	In a data filter rule, if a data element classification is mapped to more than one data element, an error occurs when you try to run a mapping in Data Integration with an Access Policy transformation. The data filter rule is unable to determine which column to filter on.
CDAM-4278	When you set the **enableFileBasedAudit** parameter to "true" for writing Data Access Management audit events to disk, the **customFileBasedAuditPath** parameter is ignored. As a result, all audit events are written to the standard output stream (stdout). You can find the audit event logs at the following location: `<infaagent>/apps/Data_Access_Management_Agent/<version>/log/system/log/archived/`. The log messages appear with a message ID of `AUDIT_LOGGER`.
CDAM-4123	Due to timestamp precision, if you create a data filter rule that uses a timestamp in the filter criteria, and you use the "is any of" operator, you are unlikely to match any values, and therefore will not have any records filtered out. Conversely, if you use the "is not any of" operator, you are likely to have all records filtered out.
CDAM-4122	Due to decimal precision, if you create a data filter rule that uses a decimal in the filter criteria, and you use the "is any of," "is not any of," "is greater than," or "is less than" operator, you are likely to either not have any records filtered out or have all records filtered out.
CDAM-2344	When running a mapping that includes an Access Policy transformation in Data Integration, an error occurs if the name of a column in the source has special characters.
CDAM-2307	If you add parameters to any other asset after adding parameters to an Access Policy transformation, Data Integration prevents you from saving the mapping.
CDAM-1578	When creating a mapping that includes an Access Policy transformation in Data Integration, a nondescript error appears if you do not have the Data Marketplace Role and you attempt to select user type.
CDAM-1447	An error occurs when you attempt to query a data source with certain PostgreSQL data types. For a list of data types that you can use, see "Data Types" in the Data Governance and Catalog help.
CDGC-83284	
CDGC-82222	Glossaries are not associated to the nested field object types extracted from a Databricks source system after running the glossary association job on the catalog source.
CDGC-81866	When you import a rule occurrence using bulk import, the date displayed for the rule occurrence in the catalog is the creation date instead of the date on which the rule occurrence was run.
CDGC-81649	If you try to export more than five assets using the export API, the API request fails with an error.
CDGC-81663	While configuring data observability for a catalog source, you can enter values 1 and 2 in the **Minimum Number of Data Points** field even though these values are not allowed.
CDGC-81276	If a saved search contains relative date filters such as "last 7 days" or "created today" and the saved search is used in dashboard widgets, then the search is not dynamically updated in the widgets. The widgets continue to display data from the start date when the saved search was created rather than the updated data based on the current date.

Issue	Description
CDGC-81188	The nested field object types extracted from a Databricks source system are not being tagged with data element classifications after running the data classification job on the catalog source.
CDGC-81129	You see an error during bulk import when you import a column after assigning a business name that exists in multiple glossaries.
CDGC-81095	Users who don't have permissions to view a data profiling project that contains multiple data quality rule occurrences are able to access the **Data Preview** option for failed rows on the data quality rule occurrences in the catalog. Instead of receiving a permission error, the users are redirected to the Informatica® Intelligent Data Management Cloud™ (IDMC) landing page.
CDGC-80870	The custom layouts that you create for specific asset types in Metadata Command Center are not displayed correctly in Data Governance and Catalog. Custom attributes are prepended to the layout even when they are not selected in the layout.
CDGC-80400	Search queries related to data entity classifications still return assets that were previously associated with the data entity classification even though the classification is currently rejected for the asset.
CDGC-79770	When you manually add a business name to an asset, the system sets `core.description` to an empty string. This causes the search query `all without description` to behave incorrectly. The query fails to return assets with empty descriptions.
CDGC-79401	The bulk import job shows an error if you import a data quality rule occurrence with the same values for **Target** and **Threshold** fields.
CDGC-79376	When you import business terms with the same names using bulk import, Data Governance and Catalog creates the same business term with duplicate external IDs.
CDGC-77517	On the **New Tasks Inbox** page, the **Task Details** tab of a selected task doesn't display the **Assigned To** field for the task. **Workaround**: To view the assignee of a task, expand the task. The task page displays the **Assigned To** field for the task.
CDGC-76602	The bulk import template that you download from Data Governance and Catalog displays disabled stakeholder roles.
CDGC-75694	When you run a catalog source with the glossary association **Auto-acceptance** option enabled, the audit history for the assets in the catalog source shows the **Changed By** user as **Deleted**.
SCAN-25328	In Data Governance and Catalog, when you view the lineage for technical assets, deleted or non-existent assets appear in the lineage.
SCAN-20968	The catalog source run for a Databricks source system creates duplicate assets in Data Governance and Catalog.
SCAN-19980	If you run a data observability job for a catalog source and cancel the job before completion, Metadata Command Center deletes the catalog source.
SCAN-19958	You cannot view lineage for the DocumentReport assets from the MicroStrategy source system.
SCAN-18601	You cannot view the lineage for the Microsoft Azure Data Factory Pipeline assets if structured parameters with functions are used in the Dataset assets.

April 2025 fixed issues

Issue	Description
CDAM-4207	In data de-identification rules, if a data element is mapped to more than one data classification, the default data protection applies.
CDAM-2585	When creating a data filter rule, using the “Any of” operator results in NULL values being filtered out as well as the intended value.
CDAM-1242	If a user has changed the columns in a data source, you must re-run catalog extraction of that data source in Metadata Command Center. Otherwise NULL values for all target columns can result when you run a mapping with that data source in Data Integration.
CDGC-78967 CDGC-76996 MDP-6191	Bulk import fails to correctly import custom attributes of assets that have a multiselect drop-down, if a value of the attribute has one or more commas in it. Data Governance and Catalog separates the value with the commas, rather than considering the value as a whole.
CDGC-78854	In Data Governance and Catalog, when you export an asset that contains a custom attribute of the dropdown list data type, the exported file contains incorrect values of the dropdown list. This issue occurs if you create the custom attribute in Metadata Command Center and then modify the dropdown list values. After this error occurs, if you import a file with the values you want for the custom attribute, the import fails.
CDGC-78707	If you run a saved search that includes `@group:<group name>` to specify a user group as a stakeholder, the search fails and does not show results.
CDGC-75987	If you update a data quality rule occurrence using a bulk import template, the import job takes a long time to complete.
CDGC-75922	If you create a data quality rule occurrence that uses a rule specification with multiple input ports, and if you use the Data Quality Rule Occurrence bulk import sheet to update the stakeholder of this rule occurrence, a secondary data element input port shows empty when you open this rule occurrence in Data Governance and Catalog after the bulk import.
CDGC-75689	In Data Profiling, if you run a profiling task with multiple rule specifications on a table, and if you modify the data in the table such that the rule occurrence shows a different threshold result, you do not receive an email notification. For example, consider a table on which two rule specifications are run. When the rules are run in Data Profiling, the first rule results in a 'Good' score while the second rule results in a 'Not Acceptable' score. Now, if you modify the contents of the table such that both the first and second rule results in a 'Good' score, you do not receive an email notification.
CDGC-75674	If you add a special character in the definition of a Business Term glossary asset and export the asset to a `.csv` file using the search API, you might get unexpected results.
CDGC-75622	An error message appears if a user who can access a technical asset in Data Governance and Catalog with the Export privilege in Administrator attempts to export the technical asset from the interface.
CDGC-75607	The export job for a business asset fails for a user even though the user has the asset access permissions granted through access policies but the **Do Not Use - View Business Asset** privilege is disabled in Administrator.
CDGC-75437	If you attempt to delete Business Terms, Data Governance and Catalog fails to delete all assets and shows the **OBJECT_HAS_OUTGOING_PARENT_CHILD_RELATIONSHIP** error message.

Issue	Description
CDGC-74664	You can associate a data profiling run object to a data quality rule occurrence even if your user role does not have update privilege for rule occurrences.
CDGC-67206	If you export dashboard objects from a Google Looker catalog source, the exported file does not include dashboard information.
CDGC-64476	On the **History** tab of the ticket page, the **Changed By** field displays the name of the approver of the change instead of the name of the latest user that performed the action on the asset.

February 2025 fixed issues

Issue	Description
CDGC-75109	When you perform a global search for stakeholder roles using the query `all with stakeholder role @role:`, the search suggests user roles instead of stakeholder roles.
CDGC-75078	When you associate glossaries with data classifications in the exported glossary sheet and reimport the file into the catalog, the relationship between the glossary and data classifications is not displayed even though the bulk import job is successful.
CDGC-75072	The **Adaptive** search for the following query fails with an error: `business terms related to manual data element`
CDGC-74791	If a stakeholder role, which is associated with assets through stakeholder role access policies, is disabled in Metadata Command Center, the disabled stakeholder role still appears in the exported file for the assets.
CDGC-74034	The Export API job runs for a long time and fails if there's no data to export.
CDGC-73156	Date type custom attributes for assets show inconsistent dates for users in different time zones.
CDGC-73176	You can use the image icon in the **Description** field of an asset to upload a PDF. This results in a broken image.
CDGC-73097	When you use the bulk import process to associate a technical asset with a business term that was rejected for another technical asset, the bulk import job fails with an error.
CDGC-71214	If you modify some fields of a glossary asset and re-import the assets in the catalog, the images in the description of the glossary assets are deleted even if you don't make any changes to the description of the asset.
SCAN-15498	Some external tables extracted from the IDMC source system may not display lineage.
SCAN-13539	The ForEach activity in the Azure Data Factory catalog source reuses the Copy activity instance for every iteration and causes all source tables to link with all target tables. As a result, the final data lineage appears incorrect because each source table is not linked to its target table.
SCAN-13233	Some Microsoft Power BI Reports may not display the source objects in the lineage.
SCAN-13223	If you extract metadata from a Microsoft Excel file where some columns are merged, the values in the merged columns appear as separate columns in Data Governance and Catalog.

November 2024 fixed issues

Issue	Description
CDGC-72924	In the **Notifications Settings** page, the changes you make to the **Notification Category** section are not saved.
CDGC-71989	When you enter `*` as a search query and click **Catalog Source Name** in the **Filters** pane, the catalog sources appear as blank entries.
CDGC-71112	If you export a technical asset and modify the Glossary assets that were associated automatically to the technical asset, the import job for the asset fails or the import job succeeds but your changes are not reflected in the technical asset.
CDGC-70246	When you search for an asset and click **Catalog Source Name** in the **Filters** pane, the catalog sources appear as blank entries.
CDGC-69064	If you extract metadata from a Microsoft Excel file that contains very long texts in the cells, and if you search for a data element from the file in Data Governance and Catalog, the search result shows the long texts as overlapping and garbled characters.
CDGC-67222	If an exported file contains a date column and you enter a value in the column so that you can import it back to Data Governance and Catalog, the date column permits you to enter dates only within a supported range.
CDGC-67061	If you configure custom branding for your organization, the service interface does not reflect the brand settings you have made.
CDGC-67058	If you search for an asset in Informatica QuickLook using the CTRL+Q keyboard shortcut, the search fails or displays a service error.
CDGC-66652	If a Project asset has another project as a parent, you cannot remove the parent asset using the bulk import template.
CDGC-56912	If the administrator modifies a value for a custom attribute in Metadata Command Center and publishes the change, and if you make an API call to see the details of an asset that includes this custom attribute, the response body does not show the updated value of the attribute.
MDP-5228	In a Data Quality Rule Template file, if you specify a measuring method other than `Informatica Cloud Data Quality` and leave the **Technical Rule Reference** field blank, the import job fails.
MDP-4188	When you use the **<baseApiUrl>/data360/search/v1/assets/<assetID>** API, the response displays all details of an asset even if you do not have the required permissions.
SCAN-10893	If you create a Power Query report in Microsoft Power BI, the reports do not appear in the lineage for the data set.

Known issues

The tables in this section describe known issues for Data Governance and Catalog.

July 2026 known issues

Table 1.

Issue	Description
MDP-14726	When you enable the CLAIRE generative AI services in Administrator, the **AI Search** option might not appear in Data Governance and Catalog immediately. You must wait up to 60 minutes for the **AI Search** option to appear.

April 2026 known issues

Issue	Description
CDGC-92298	When you resize your browser window significantly or change your browser's display scale, the dashboard layout for usage analytics dashboards might shift for different screen sizes. The layout change can cause errors when editing dashboards or widgets. You must set your browser's display scale at 100% or the default scale.
CDGC-91657	No data appears in the data preview section when the profile pattern filter is set to **Others** and filters are applied.
MDP-13919	On an Oracle Cloud Infrastructure IDMC POD, when you use CLAIRE to generate a description for a glossary asset, Data Governance and Catalog displays an error.

November 2025 known issues

Issue	Description
CDAM-6175	When you change the details of a connection in Administrator, the Data Access Management Agent service does not use the changed connection parameters. To work around this, you must restart the Data Access Management Agent service when you change the details of a connection. For example, if you update the password, you must restart the Data Access Management Agent service.
CDAM-5816	When applying data protections to an Oracle data source, Data Marketplace treats number data type values as an integer. Data Integration treats number data type values as a decimal.
CDGC-87483	When you run a data profile on CDS views from an SAP ERP source system, the profiling job fails with the following error message: Unsupported metadata builder for com.infa.odin.models.application.saps4hana.CDSViews
CDGC-87451	When you run a data profile with the **Less Than or Equals** or the **Greater Than or Equals** operator in the filter conditions, the profiling job fails with the following error message: No enum constant com.informatica.ccgf.components.profiling.api.scope.config.Operator.LESS_THAN_OR_EQUALS
CDGC-86787	When you run a data profile, the value frequency results for columns with null values appear as empty values.

Issue	Description
CDGC-86697	When you run a data profile, the column statistics do not display the minimum and maximum values for data elements from the following source systems: - Databricks - IBM Db2 for LUW - Amazon Redshift - SAP HANA Database
CDGC-81354	When you create a workflow ticket to track asset creation, the ticket does not go into the **Resolved** status. Even after the asset is created and you resolve the ticket, the ticket is goes back to the **Open** status and the associated asset stays in the **In review** status.
SCAN-28874	There is a possible issue that when Metadata Command Center scans IDMC metadata that contains multiple Data Integration mapping tasks, it misidentifies the data protection attributes. Set filters to ensure that Metadata Command Center only scans a single mapping task.
SCAN-28779	If you make changes to a data access policy after running a Data Integration mapping task and scanning the IDMC metadata, the changes to the data access policies are only reflected when running a mapping task through a taskflow.

July 2025 known issues

Issue	Description
CDGC-82928	The **Save** button for the catalog source is disabled if you apply the data observability exclude metric filter for **Data Type** and **Data Freshness**.
CDGC-82823	When you open a data observability anomaly event page for the first time, the bar chart for the selected metric might not appear. As a workaround, refresh or reopen the data observability event page to load the bar chart.

April 2025 known issues

Issue	Description
CDGC-78895	On the **History** tab of a ticket page, the **Task Assignee Users** and **Task Assignee Groups** attributes display the values, `Deleted User` and `Deleted Group` even when the asset has no stakeholders that were deleted.
CDGC-77401	On the **New Tasks Inbox** > **Unassigned Tasks** tab, the system displays tasks that are assigned only to you until you click the **Claim** button. The **Claim** button appears even for tasks without multiple stakeholders.

February 2025 known issues

Issue	Description
MDP-6191	When you import assets that have custom attributes values with commas, the bulk import job reports an error.
SCAN-16942	The Amazon S3 file type `ORC` appears as 'Undefined' in Data Governance and Catalog.

November 2024 known issues

Issue	Description
MDP-5743	If there are duplicates in the reference source system or in the endpoints, after you perform case-insensitive connection assignment, the unmatched assets might still appear as reference objects in the endpoint hierarchy.
SCAN-14621	Reference resource names for SAP Business Warehouse and SAP BW/4HANA catalog sources appear as 'XXXX' in the lineage.

September 2024 known issues

Issue	Description
MDP-2133	The job for previewing failed rows for SAP Business Warehouse (BW) and SAP S/4HANA catalog sources fails with an error. To work around this issue, perform the following steps: 1. In Metadata Command Center, open the catalog source. 2. On the **Data Profiling and Quality** tab, select the **Agent Cache** option in the **Cache Result** field. 3. Run the catalog source.

Informatica Global Customer Support

You can contact a Global Support Center by telephone or through the Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:
https://www.informatica.com/services-and-training/customer-success-services/contact-us.html.

To find online support resources on the Informatica Network, visit https://network.informatica.com and select the Support option.