Informatica® Cloud Data Governance and Catalog

2026 July

# Understanding Business Assets

Informatica Cloud Data Governance and Catalog Understanding Business Assets
2026 July

© Copyright Informatica LLC 2021, 2026

Publication Date: 2026-07-29

# Table of Contents

**Preface** . . . . . 4

**Chapter 1: Business assets** . . . . . 5

**Chapter 2: Business asset types** . . . . . 6

AI Model . . . . . 6
AI System . . . . . 12
Business Area . . . . . 16
Data Quality Rule Template . . . . . 21
Data Quality Rule Occurrence . . . . . 25
Data Set . . . . . 30
Geography . . . . . 36
Glossary Domain . . . . . 41
Glossary Subdomain . . . . . 47
Glossary Business Term . . . . . 53
Glossary Metric . . . . . 59
Legal Entity . . . . . 65
Manual Data Element . . . . . 70
Policy . . . . . 74
Process . . . . . 80
Project . . . . . 87
Regulation . . . . . 91
System . . . . . 96
Types of direct relationships . . . . . 101

# Preface

Read *Understanding Business Assets* to familiarize yourself with the properties of business assets in Data Governance and Catalog.

CHAPTER 1


# Business assets

Business assets help you describe why, where, and how you use your data to make business decisions. Business assets provide context to your data using relationships with other business assets and through simpler representations of technical data.

In Data Governance and Catalog, you can create or import business assets of different types such as AI model, business term, process, domain, or metric. A business asset can represent an actual asset in your organization or represent a business concept like finance or human resources.

When you create a business asset, you can populate multiple predefined attributes to define the asset. You can also add custom attributes to include additional details about an asset that are unique to your business requirement. You can rate or comment on business assets to collaborate with the users in your organization. When users collaborate on an asset, they might gain insight into the quality of data and expose details of the asset's usage in your business. You can also define relationships between assets, assign asset stakeholders, and keep an audit of changes performed on an asset.

The following image shows a Policy business asset:



CHAPTER 2

# Business asset types

Data Governance and Catalog offers business asset types that you can create to represent the data in your organization.

## AI Model

An AI model asset represents the essential parameters of an AI model. These parameters also include the environment where the model is run, the input parameters and the output data, and the business purpose and rules for the model. AI models provide insights for many activities so that you can make decisions faster and easier or provide prediction modeling.

For example, you can create a business representation for a regular expression that analyzes clickstream data. The AI Model asset might contain details for how the expression uses clickstream data to predict user navigation on your organization website.

You can rate AI Model asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

If you implement a workflow, you can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the AI Model. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the AI Model asset to identify its current stage in the asset workflow.

### Overview tab

On the **Overview** tab, you can view the system and custom attributes of the AI model along with other basic information about the AI model.

System attributes are predefined properties of an asset. Custom attributes are properties that you can configure to specify and store specific information about your assets.

The following table describes the system attributes and other information about the AI model that are displayed on the **Overview** tab:

| Field | Description |
|---|---|
| Description | Functional definition of the AI model. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |

| Field | Description |
|---|---|
| Reference ID | Unique reference identifier for the AI model. |
| AI Model Purpose | Purpose of the AI model. |
| Input | Data elements that represent the input parameters the AI model. |
| Output | Data elements that represent the output after the AI model is run. |
| Environment | Indicates whether the AI model belongs to the training, validation or production environment. |
| Model Rules | Rules that govern the use of the AI model. |
| Architecture Type | The architecture and algorithms that are used in the AI model. |
| Libraries | The software libraries that are used by the AI model. |
| Model format | The format in which the AI model is maintained. |
| Source Model Repository | The repository in which the source of the AI model is maintained. |
| Contains | Displays all the AI models that have a direct relationship with the source AI model. |
| Is Part Of | Displays all the AI models that are part of the source AI model. |
| Data | Displays the data sets that are associated with the AI model. |
| Evaluation Metrics | Record additional data that pertain to an AI Model asset. You can use evaluation metrics to compare various models, identify potential biases, and monitor model behavior over time.<br>An AI Model asset has the following predefined evaluation metrics:<br>- **Drift Score**. Measure of degradation of the model. A higher value indicates greater degradation. Use the drift score to determine if the model can provide results within an acceptable range of accuracy. Drift score is measured in percentage.<br>Enter a value between `0` and `100`. Ensure that the value you specify has a maximum precision of `5` digits and a scale of `2` decimal places.<br>- **Bias Score**. Measure of bias in the model. A higher value indicates a greater difference between the predicted result and the actual result. Use the bias score to determine if the assumptions in the model are correct. Bias score is measured in percentage.<br>Enter a value between `0` and `100`. Ensure that the value you specify has a maximum precision of `5` digits and a scale of `2` decimal places.<br>In Metadata Command Center, your administrator can define additional metrics. For more information, see the *Administration* help in Metadata Command Center. |
| Associated AI Model Versions | Displays the AI Model Core Version technical asset that was used to create the AI Model asset. |
| Stakeholders | Users responsible for the AI model or interested in the AI model. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |

| Field | Description |
|---|---|
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>You can click **Create Data Collection** to create a data collection with the asset in Data Marketplace.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |
| Created By | User that created the AI model and the date on which the AI model was created. |
| Updated By | User that last updated the AI model and the date on which it was updated. |

## Model Lineage

On this tab, you can view a visual representation of the data sets and other AI models that are associated with the AI model.

For more information about model lineage, see the *Asset Discovery* help.

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the AI model has with other assets. Create relationships with other assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear when you switch to the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |

You can perform the following activities on the **Relationships** tab:


- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. A relationship created from the AI model to the related asset is called an outbound relationship. A relationship created from the related asset to the AI model is called an inbound relationship.

- Search for a related asset using the search box.
- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:




In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Data tab

View data sets that are used in the AI model.

On this tab, you can search for a specific data set and use filters to narrow the list of data sets. To add a new data set to the AI model, click the Add icon. To remove a data set, select the data set and click the **Delete** option from the Action menu. You can also update the association value for a data set. To update the association, select the data set and select the applicable association value in the **Action** > **Update Association** menu.

The following table describes the properties of the **Data** tab:

| Field | Description |
|---|---|
| Name | Name of the data set. |
| Type | Type of the data set. |

| Field | Description |
|---|---|
| Association | The type of association between the AI model and the data set.<br>This field can have one of the following values:<br>- **Unknown**. The nature of association between the AI model and the data set has not been determined.<br>- **used to Train model**. The data set is used to train the model.<br>- **used to Validate model**. The data set is used to validate the model.<br>- **used to Train and Validate model**. The data set is used to train and validate the model. |
| Glossaries | Glossary assets that are associated with the data set. |
| Classifications | Data classifications associated with the data set.<br>For information about configuring data classification, see *Administration* in the Metadata Command Center help.<br>**Note:** To see this information, the organization administrator must grant the **View Data Classifications** feature privilege to your user role in Intelligent Data Management Cloud™ (IDMC) Administrator. For more information about roles and users, see the *Asset Management* help. |
| Sensitivity | Data sensitivity levels for the data elements that belong to the data set. |
| Hierarchy | Hierarchy of the data set. |
| Description | Description of the data set. |
| Reference ID | Unique identifier for the data set. |
| Asset Groups | One or more asset groups assigned to the Data Set asset. Asset groups allow users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Business Name | Business name of the data set. |
| Inferred Data Type | Inferred data type of the data set. |

## Stakeholders tab

View users that have been designated as stakeholders for the AI model. Stakeholders are authorized users who are responsible for the model, and can approve or reject change requests for the model. If your role has the required permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

You can also use filters to narrow your search for stakeholders.

## Tickets tab

View change request tickets that users have created for the AI model.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the AI model. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |

| Field | Description |
|---|---|
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# AI System

The AI System asset is a machine learning-based system that uses multiple AI models to perform tasks such as generating predictions, content, recommendations, decisions, and actions. The asset records information about the technologies, AI models, and data that is used to perform these tasks.

For example, an e-commerce website analyzes user data such as browsing history, purchase patterns, and demographics to suggest relevant products to its users. In Data Governance and Catalog, you can create an AI system asset to represent the AI system that your organization uses to personalize the shopping experience for its users.

You can rate an AI System asset to indicate your assessment of its quality, and add comments to share input on the data. Other users can also collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

If you implement a workflow, you can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the AI system. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the system asset to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

On the **Overview** tab, you can view basic information about the AI System asset.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Description | Functional definition of the AI system. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique identifier for the AI system. |
| AI System Type | Type of the AI system that you can choose from a predefined list. |
| Development Stage | The phase in the AI system lifecycle that you can choose from a predefined list. During this stage, data preparation, model design, training and validation might be carried out to build and improve the AI system's performance. |
| AI Models | AI models that are associated with the AI system. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Stakeholders | Users responsible for the AI system or interested in the AI system. |
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |
| Created By | User that created the AI system and the date on which it was created. |
| Updated By | User that last updated the AI system and the date on which it was updated. |

## Hierarchy tab

See all the assets in the hierarchy of the AI System asset. This includes the parent and child assets of the AI System asset, along with the siblings of the child assets.

On the **Hierarchy** tab, the open asset is highlighted.

The tab also displays the count of downstream assets for the currently open asset.

Click the expand icon to view the upstream and downstream assets of the AI System asset. Click an asset to open the asset on a new page.

The following table describes the properties of the assets on the **Hierarchy** tab:

| Field | Description |
|---|---|
| Name | Name of the parent asset or the child asset. |
| Type | Type of the parent asset or the child asset |
| Description | Description of the parent asset or the child asset. |

## Lineage tab

View the data lineage of the AI system. A lineage graphically displays the inflow of data from other assets into the AI System asset and the outflow of data from the AI System asset to other assets.

For more information about how to view data lineage on this tab, see the *Asset Discovery* help.

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the AI System asset has with other assets. Create relationships with other assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear when you switch to the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |

You can perform the following activities on the **Relationships** tab:

- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. A relationship created from the AI System asset to the related asset is called an outbound relationship. A relationship created from the related asset to the AI System asset is called an inbound relationship.
- Search for a related asset using the search box.
- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets. To view the child assets of the AI System asset, go to the **Contains** tab.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Stakeholders tab

View users that have been designated as stakeholders for the AI System asset. Stakeholders are authorized users who are responsible for the AI system, and can approve or reject change requests for the asset. If your role has the required permissions, you can add or remove stakeholders on this tab

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

You can also use filters to narrow your search for stakeholders.

## Tickets tab

View change request tickets that users have created for the AI System asset.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the AI system. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Business Area

A Business Area asset represents a department or business function with certain assigned responsibilities in the wider organization.

For example, you can create the 'Marketing', 'HR' and 'Finance' assets to represent different areas of your business.

The employees of different communities in an organization can use various systems. If you assign the system relationships to different business function areas under the Business Area asset, you can easily identify the systems that contain a specific kind of data.

You can rate a Business Area asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the Business Area asset. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the business area asset to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

On the **Overview** tab, you can view the system and custom attributes of the Business Area along with other basic information about the Business Area.

System attributes are predefined properties of an asset. Custom attributes are properties that you can configure to specify and store specific information about your assets.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Name | Unique name of the asset. |
| Parent | Another Business Area asset under which the open Business Area asset hierarchically fits. |
| Description | Definition of the asset. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique reference identifier for the Business Area asset. |
| Stakeholders | Users responsible for this asset or interested in the asset. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Data Quality | Data quality scores for the Business Area asset that is generated from a data quality tool. |
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |
| Created By | User that created the business area and the date on which it was created. |
| Updated By | User that last updated the business area and the date on which it was updated. |

If the organization administrator has configured custom fields for the business area asset type, you can see the fields on the **Overview** tab of the asset.

## Hierarchy tab

See all the assets in the hierarchy of the business area. This includes the parent and child assets of the business area, along with the siblings of the child assets.

On the **Hierarchy** tab, the open asset is highlighted.

The tab also displays the count of downstream assets for the currently open asset.

Click the expand icon to view the upstream and downstream assets of the business area. Click an asset to open the asset on a new page.

The following table describes the properties of the assets on the **Hierarchy** tab:

| Field | Description |
|---|---|
| Name | Name of the parent asset or the child asset. |
| Type | Type of the parent asset or the child asset |
| Description | Description of the parent asset or the child asset. |

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the business area has with other assets. Create relationships with other assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear when you switch to the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |


You can perform the following activities on the **Relationships** tab:

- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. The relationship created from the business area to the related asset is called an outbound relationship. The relationship created from the related asset to the business area is called an inbound relationship.
- Search for a related asset using the Search box.
- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets. To view the child assets of the business area, go to the **Contains** tab.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:




In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Data Quality tab

View individual data quality scores of the technical assets that are linked to the business area.

The **Dimensions Latest Scores** section shows the data quality score of the business area for each data quality dimension. The **Rules Against Target** section shows the data quality score of the business area against the defined target, which is the minimum acceptable data quality value for the asset to be considered "Good".

## Stakeholders tab

View users that have been designated as stakeholders for the business area. Stakeholders are authorized users who are responsible for the business area, and can approve or reject change requests for the business area. If your role has the required permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |

| Field | Description |
|---|---|
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

You can also use filters to narrow your search for stakeholders.

## Tickets tab

View change request tickets that users have created for the business area.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the business area. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |

| Field | Description |
|---|---|
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Data Quality Rule Template

A Data Quality Rule Template asset is the business representation of a data quality rule specification. You can use a data quality rule template to create a data quality rule. The actual data quality score of data elements are expressed as Data Quality Rule Occurrences in Data Governance and Catalog. As data quality rules set business expectations, they are often associated with glossary assets such as Business Terms and Metrics.

For example, if your organization processes automobile insurance claims, you would have some predetermined criteria to determine whether the insurance claim of a particular customer qualifies or not. In your data quality tool, the rule might be called 'ins_claim_check'. To represent this rule in Data Governance and Catalog, you can create a Data Quality Rule Template asset called 'Eligibility for Insurance Claim'.

When the data quality rule as defined in the rule template is run on data elements, data quality rule occurrences are created. For more information about automatically creating rule occurrences from a rule template, see "Data Quality Rule Occurrence" on page 25.

You can rate a Data Quality Rule Template asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information on collaborating about an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the data quality rule template. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the asset to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

On the **Overview** tab, you can view basic information about the data quality rule template.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Description | Description of the rule template. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique identifier for the rule template. |
| Dimension | The data quality dimension that applies to the data quality rule that is defined by this rule template.<br>Default is `Accuracy`.<br>**Note:** If the default value of the **Dimension** field that is specified here differs from what is displayed on the Data Governance and Catalog interface, the administrator might define a different list of dimensions. For more information about how your administrator can customize the data quality dimensions, see the *Administration* help in Metadata Command Center. |
| Measuring Method | Method by which the data quality rule for the rule template is evaluated. The default value is `Informatica Cloud Data Quality`. You can choose one of the following values:<br>- `Business Extract`. The rule is measured on data that is exported for a particular business case.<br>- `System Function`. The rule is measured by a data quality system.<br>- `Technical Script`. The rule is measured by a script that is manually run by an analyst.<br>- `Informatica Cloud Data Quality`. The rule is measured by Informatica Cloud Data Quality. |
| Primary Glossary | Glossary asset that represents the data element on which single port data quality rules in the rule template apply. |
| Secondary Glossary | Glossary asset that represents the data element on which multi-port data quality rules in the rule template might apply.<br>**Note:** You can't add, update, or delete a secondary glossary that's mapped to multiple input ports in a rule template that you have not executed. |
| Technical Rule Reference | Rule specification in the data quality application that runs on the data elements represented by the Glossary asset in the **Primary Glossary** field. |
| Occurrences | Number of occurrences of data quality rules that are run on the data elements represented by the Glossary asset in the **Primary Glossary** field.<br>For example, if the Glossary asset in the **Primary Glossary** field is linked to a technical asset that contains five data elements, the tab displays five rule occurrences.<br>If you have enabled automation for the rule template, Data Governance and Catalog automatically runs the rule on the linked data elements and generates the corresponding rule occurrences. |
| Criticality | Criticality of the rule template. The value can be `High`, `Medium`, or `Low`. The default value is `Medium`. |
| Automation | Whether automation for the data quality rule is enabled. When enabled, this creates rule occurrences for the data elements that are associated with the primary glossary. After you save the rule template, you can't disable the automation option later. |
| Target | Minimum acceptable data quality value for the asset to be considered good. The default value is 90. |
| Threshold | Minimum acceptable data quality value for the asset to be considered acceptable. The default value is 70. |

| Field | Description |
|---|---|
| Frequency | Frequency of running the data quality rules in the rule template. The default value is Weekly. You can choose one of the following values:<br>- Daily<br>- Weekly<br>- Monthly |
| Stakeholders | Users responsible for the rule template or interested in the rule template. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Data Quality | Data quality scores for the rule template that is generated from a data quality tool. |
| Created By | User that created the rule template and the date on which it was created. |
| Updated By | User that last updated the rule template and the date on which it was updated. |

For more information about running automated rules on assets, see the *Data Quality for Assets* help.

## Rule Occurrences tab

View all instances of data quality rule runs for the rule template that have been run on data elements.

The **Dimensions Latest Scores** section shows the data quality score of the rule occurrences for each data quality dimension within the rule. The **Rules Against Target** section shows the data quality score of the rule occurrences against the defined target.

The following table describes the fields in the **Rule Occurrences** table:

| Field | Description |
|---|---|
| Name | Name of the rule occurrence.<br>If the rule occurrence is created from an automated rule template, the term `Auto-` is prefixed to the name of the rule occurrence. |
| Dimension | Data quality dimension that applies to the rule occurrence. |
| Latest Score | Data quality score from the latest rule run. |
| Date | Data of the rule occurrence. |
| Total Rows | Total number of rows on which the data quality rule is run. |
| Failed Rows | Number of failed rows as determined by the data quality rule run. |
| Primary Data Element | Data element on which the data quality rule is run.<br>This data element is the input port for the rule in the integrated data quality system. The data quality score is always generated for the primary data element. |

| Field | Description |
|---|---|
| Secondary Data Element | Secondary input port for the data quality rule that is run on the **Primary Data Element**. |
| Description | Description of the rule occurrence. |

On this tab, you can search for a specific rule occurrence by using the **Search** box.

## Stakeholders tab

View users that have been designated as stakeholders for the data quality rule template. Stakeholders are authorized users who are responsible for the rule template, and can approve or reject change requests for the template. If your role has the required permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

You can also use filters to narrow your search for stakeholders.

## Tickets tab

View change request tickets that users have created for the data quality rule template.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the data quality rule template. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Data Quality Rule Occurrence

A data quality rule occurrence is the business representation of a data quality rule that is run on data elements in a data set.

The rule occurrence provides a preview of valid and failed rows along with the overall quality score, based on the rule defined in the selected rule specification asset.

For example, you work in a retail organization, and you want to send promotional emails to your customers. The business rule in your organization might require that all customer email addresses follow a valid format. Each email ID requires the @ symbol and a domain name to ensure proper delivery and compliance with standard email formatting. When a rule occurrence is generated, you see the list of email IDs with @ and domain names, list of email IDs without @ and domain names, and the overall quality score of the data elements.

You can rate a Data Quality Rule Occurrence asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the data quality rule occurrence. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the asset to know the particular stage of the lifecycle in the asset workflow.

## Association of data elements with rule occurrences

You can associate data elements with rule occurrences through the following ways:

- Data quality automation. Automatically associate rule occurrences with their corresponding data elements when data quality checks are run automatically according to the schedule defined by the administrator in Metadata Command Center.
- Bulk import. Manually associate rule occurrences with their corresponding data elements by uploading the data quality scores using a bulk upload template.
- Profiling. Manually associate rule occurrences with data elements when the rule occurrences in Data Governance and Catalog are generated from Data Quality scorecards.

## Overview tab

On the **Overview** tab, you can view basic information about the rule occurrence. If the rule occurrence is created from an automated rule template, the term `Auto-` is prefixed to the name of the rule occurrence.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Rule Template | Data quality rule template that defines the parameters of the rule for which the rule occurrence is generated. |
| Sync with Rule Template | Indicates whether the rule occurrence is synced with the rule template that you have specified.<br>If the rule occurrence is synced, the parameters defined in the rule template are applied for the data quality rule. The rule occurrence score inherits the technical rule reference, target and threshold values that you have specified in the rule template. The rule occurrence scores are updated according to the rule automation schedule that you have specified in the rule template.<br>If the rule occurrence is not synced, the rule occurrence is an independent asset that is not affected by the rule template parameters. |
| Description | Description of the rule occurrence. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique identifier for the rule occurrence. |
| Dimension | One of the six data quality dimension that applies to the data quality rule occurrence.<br>Default value is `Accuracy`.<br>**Note:** If the default value of the **Dimension** field that is specified here differs from what is displayed on the Data Governance and Catalog interface, the administrator might define different list of dimensions. For more information about how your administrator can customize the data quality dimensions, see the *Administration* help in Metadata Command Center. |

| Field | Description |
|---|---|
| Measuring Method | Method by which the data quality rules for the rule occurrence are evaluated. The default value is `Informatica Cloud Data Quality`. You can choose one of the following values:<br>- `Business Extract`. The rule is measured on data that is exported for a particular business case.<br>- `System Function`. The rule is measured by a data quality system.<br>- `Technical Script`. The rule is measured by a script that is manually run by an analyst.<br>- `Informatica Cloud Data Quality`. The rule is measured by Informatica Cloud Data Quality. |
| Primary Data Element | Data element on which the data quality rule is run.<br>This data element is the input port for the rule in the integrated data quality system. The data quality score is always generated for the primary data element. |
| Secondary Data Element | Secondary input port for the data quality rule that is run on the **Primary Data Element**.<br>**Note:** You can't add, update, or delete a secondary data element that's mapped to multiple input ports in a rule occurrence that you have not executed. |
| Technical Rule Reference | Rule specification in the data quality application that runs on the data element. |
| Criticality | Criticality of the rule occurrence. The value can be `High`, `Medium`, or `Low`. The default value is `Medium`. |
| Target | Minimum acceptable data quality value for the asset to be considered good. The default value is `90`. |
| Threshold | Minimum acceptable data quality value for the asset to be considered acceptable. The default value is `70`. |
| Frequency | Frequency of running the data quality rule that is defined in the rule template. The default value is Weekly. You can choose one of the following values:<br>- `Daily`<br>- `Weekly`<br>- `Monthly`<br>**Note:** If the administrator has configured data quality automation in Metadata Command Center to run according to a schedule defined for the catalog source, you can't specify a frequency value for individual rule occurrences. In this case, the **Frequency** field is disabled. |
| Latest Data Quality Score | Data quality scores of the last rule run. The panel displays the composite score and score trend for the data element that is represented by the rule occurrence.<br>The panel displays the score trend in color according to the target and threshold values that are defined for the rule occurrence. For example, if the threshold value is 40 and the target value is 80, the scores appear in the following color:<br>- A score below 40 appears in red and is considered not acceptable.<br>- A score between 40 and 79 appears in amber and is considered acceptable.<br>- A score above 80 appears in green and is considered good. |
| Profile Reference | The data quality rule that runs on the data element. Click the reference link to access the rule in the integrated data quality application. |
| Stakeholders | Users or user groups responsible for the rule occurrence or interested in the rule occurrence. |

| Field | Description |
|---|---|
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Created By | User that created the rule occurrence and the date on which it was created. |
| Updated By | User that last updated the rule occurrence and the date on which it was updated. |

For more information about running automated rules on assets, see the *Data Quality for Assets* help.

## Score tab

View details of the data quality scores that comprise the rule occurrence.

The **Latest Data Quality Score** panel displays the composite score, the total rows and failed rows from the rule occurrence, and the score trend.

The **Total Runs** table shows all the data quality rules that have been run so that the composite score is calculated. The following table describes the properties of the **Total Runs** table:

| Field | Description |
|---|---|
| Date | Date on which the data quality rule is run. |
| Latest Score | Data quality score from the rule run. |
| Total Rows | Total number of rows on which the data quality rule is run. |
| Failed Rows | Number of failed rows as determined by the data quality rule run. |

## Stakeholders tab

View users that have been designated as stakeholders for the data quality rule occurrences. Stakeholders are authorized users who are responsible for the rule occurrences, and can approve or reject change requests for the occurrence. If your role has the required permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

## Tickets tab

View change request tickets that users have created for the data quality rule occurrence.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the data quality rule occurrence. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |

| Field | Description |
|---|---|
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Data Set

A Data Set asset represents identifiable groupings of data for a particular purpose. Data Sets are business-friendly representations of technical assets such as tables, files, and more. A Data Set asset focuses less on the technical aspects of how the data is delivered and more on the information provided by the data set.

For example, if you have a table that contains the 'cust_name' and 'customer columns', you can associate both the columns to a single data set called 'Customer Name' to provide business context.

You can rate a Data Set asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the data set. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the data set asset to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

On the **Overview** tab, you can view basic information about the data set.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| System | The parent system to which the data set belongs. |
| Description | Description of the data set. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique identifier for the data set. |
| Data Elements | List of data elements that are added to this data set. |
| Stakeholders | Users responsible for the data set or interested in the data set. |

| Field | Description |
|---|---|
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Data Quality | Data quality scores for the data set that is generated from a data quality tool. |
| Reference Data | Code values and attributes from Reference 360 linked to the data set. You can view the **Reference Data** tab only if you have the **View Reference Data** permission. |
| Associated Technical Data Sets | List of data elements, such as tables and columns, associated with this data set.<br>You can associate data elements to a data set either while creating a data set or after you have created the data set. You can associate only those data elements that belong to the catalog source associated with the parent system that you have selected. |
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |
| Created By | User that created the data set and the date on which it was created. |
| Updated By | User that last updated the data set and the date on which it was updated. |

If the organization administrator has configured custom fields for the data set asset type, you can see the fields on the **Overview** tab of the asset.

## Contains tab

View the data elements that constitute the data set.

The following table describes the properties of the **Contains** tab:

| Field | Description |
|---|---|
| Name | Name of the constituent data element. |
| Business Name | Business name of the data element. |
| Type | Type of the constituent data element. |
| Glossaries | Glossary assets that are associated with the constituent data element. |

| Field | Description |
|---|---|
| Classifications | Data classifications associated with the constituent data elements and technical data sets.<br>For information about configuring data classification, see *Administration* in the Metadata Command Center help.<br>**Note:** To see this information, the organization administrator must grant the **View Data Classifications** feature privilege to your user role in IDMC Administrator. For more information about roles and users, see the *Asset Management* help. |
| Profiling statistics | Profiled statistics of the constituent data element. The table displays one of the following statistics:<br>- Null percentage<br>- Distinct percentage<br>- Non-distinct percentage<br>**Note:** To see this information, the organization administrator must grant the **View Profiled Stats** feature privilege to your user role in IDMC Administrator. For more information about roles and users, see the *Asset Management* help. |
| Source Data Type | Data type of the constituent data element. |
| Inferred Data Type | Inferred data type of the constituent data element. |
| Description | Description of the constituent data element as it appears in the source system. |
| Hierarchy | Hierarchy or the path of the data element. |

On the **Contains** tab, you can search for a specific data element, add a new data element to the data set, or remove data elements from the data set. You can also apply filters to the list of data elements.

## Lineage tab

View the data lineage of the data set. A lineage graphically displays the inflow of data from other systems into the asset and the outflow of data from the asset to other systems.

For more information about lineage, see the *Asset Discovery* help.

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the data set has with other assets. Create relationships with other assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear when you switch to the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |

| Field | Description |
|---|---|
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |


You can perform the following activities on the **Relationships** tab:

- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. A relationship created from the data set to the related asset is called an outbound relationship. A relationship created from the related asset to the data set is called an inbound relationship.
- Search for a related asset using the search box.
- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets. To view the child assets of the data set, go to the **Contains** tab.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:




In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Data Quality tab

View individual data quality scores of the technical assets that are linked to the data set.

The **Dimensions Latest Scores** section shows the data quality score of the data set for each data quality dimension. The **Rules Against Target** section shows the data quality score of the data set against the defined target, which is the minimum acceptable data quality value for the asset to be considered "Good".

The **Rule Occurrences** panel lists all instances of data quality rules that are associated with the asset. The following table describes the properties of the **Rule Occurrences** panel:

| Field | Description |
|---|---|
| Name | Name of the rule occurrence.<br>If the rule occurrence is created from an automated rule template, the term `Auto-` is prefixed to the name of the rule occurrence. |
| Dimension | Data quality dimension for which the data quality rule is run. |
| Latest Score | Data quality score from the latest rule run. |
| Date | Date of the latest rule run. |
| Total Rows | Total number of rows on which the data quality rule is run. |
| Failed Rows | Number of failed rows as determined by the data quality rule run. |
| Primary Data Element | Data element on which the data quality rule is run.<br>This data element is the input port for the rule in the integrated data quality system. The data quality score is always generated for the primary data element. |
| Primary Data Element Hierarchy | The hierarchy of the data element on which the data quality rule is run. |
| Secondary Data Element | Secondary input port for the data quality rule that is run on the **Primary Data Element**. |
| Description | Description of the rule occurrence. |
| Related Rule Template | Data quality rule template that defines the rule that is run on the data element. |

On this tab, you can search for a specific rule occurrence by using the **Search** box.

## Reference Data tab

You can view the data elements of the data set that are associated with the reference data from Reference 360 if you have the **View Reference Data** privilege for the Data Governance and Catalog service in Administrator. You can't associate new reference data with a data set, but you can view data elements that are already associated with the reference data.

Under the **Code Values** column on the **Details** table, you can view the first 50 code values of the code list retrieved from Reference 360.You can also navigate to Reference 360 to view the complete reference data.

## Stakeholders tab

View users that have been designated as stakeholders for the data set. Stakeholders are authorized users who are responsible for the data set, and can approve or reject change requests for the data set. If your role has the required permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

You can also use filters to narrow your search for stakeholders.

## Tickets tab

View change request tickets that users have created for the data set.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the data set. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Geography

A Geography asset captures areas, regions, or countries relevant to where your organization operates. You can use a geography asset to show how different business assets are relevant to different locations.

You can link different legal entities to a Geography asset to see where the entity operates, or to find out how many legal entities within a group operate within the same territory. If you link a legal entity to Systems and Data Sets, the entity can locate the Geography assets.

For example, you can create the 'Poland', 'Brazil', and 'India' Geography assets if your organization has offices in these countries.

You can rate a Geography asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the Geography asset. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the Geography asset to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

On the **Overview** tab, you can view the system and custom attributes of the Geography along with other basic information about the Geography.

System attributes are predefined properties of an asset. Custom attributes are properties that you can configure to specify and store specific information about your assets.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Name | Unique name of the asset. |
| Parent | Another Geography asset under which the open Geography asset hierarchically fits. |
| Description | Definition of the asset. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique reference identifier for the Geography asset. |
| Stakeholders | Users responsible for this asset or interested in the asset. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |
| Created By | User that created the Geography asset and the date on which it was created. |
| Updated By | User that last updated the Geography asset and the date on which it was updated. |

If the organization administrator has configured custom fields for the Geography asset type, you can see the fields on the **Overview** tab of the asset.

## Hierarchy tab

See all the assets in the hierarchy of the Geography asset. This includes the parent and child assets of the Geography asset, along with the siblings of the child assets.

On the **Hierarchy** tab, the open asset is highlighted.

The tab also displays the count of downstream assets for the currently open asset.

Click the expand icon to view the upstream and downstream assets of the Geography asset. Click an asset to open the asset on a new tab.

The following table describes the properties of the assets on the **Hierarchy** tab:

| Field | Description |
|---|---|
| Name | Name of the parent asset or the child asset. |
| Type | Type of the parent asset or the child asset |
| Description | Description of the parent asset or the child asset. |

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the Geography asset has with other assets. Create relationships with other assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear when you switch to the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |


You can perform the following activities on the **Relationships** tab:

- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. The relationship created from the Geography asset to the related asset is called an outbound relationship. The relationship created from the related asset to the Geography asset is called an inbound relationship.
- Search for a related asset using the Search box.
- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets. To view the child assets of the Geography asset, go to the **Contains** tab.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:




In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Data Quality tab

View individual data quality scores of the technical assets that are linked to the Geography asset.

The **Dimensions Latest Scores** section shows the data quality score of the asset for each data quality dimension. The **Rules Against Target** section shows the data quality score of the asset against the defined target, which is the minimum acceptable data quality value for the asset to be considered "Good".

## Stakeholders tab

View users that have been designated as stakeholders for the Geography asset. Stakeholders are authorized users who are responsible for the Geography asset, and can approve or reject change requests for the Geography asset. If your role has the required permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |

| Field | Description |
|---|---|
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

## Tickets tab

View change request tickets that users have created for the Geography asset.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the Geography asset. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |

| Field | Description |
|---|---|
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Glossary Domain

A glossary asset of the Domain type refers to a collection of business concepts and activities that can be grouped together for a specific function or requirement. A domain is a subject matter area under which many terms can be organized. You can use a glossary domain to assign semantic and business context to an actual business concept.

For example, 'finance' is a domain containing the 'retail finance', 'corporate finance', and 'investment banking' assets in its hierarchy.

You can rate a domain asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the domain. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the domain asset to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

On the **Overview** tab, you can view basic information about the domain.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Description | Description of the domain. The size of the field should not exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |

| Field | Description |
|---|---|
| Reference ID | Unique identifier for the domain. |
| Alias Names | Alternative names for the domain that applies in your business context.<br>Enter synonyms and alias names to help people find the domain easily or make the domain accessible for people from various departments. |
| Stakeholders | Users or user groups responsible for the domain or interested in the domain. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Data Quality | Data quality scores for the domain that is generated from a data quality tool. |
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |
| Created By | User that created the domain and the date on which the asset was created. |
| Updated By | User that last updated the domain and the date on which the asset was updated. |

If the organization administrator has configured custom fields for the Glossary Domain asset type, you can see the fields on the **Overview** tab of the asset.

## Hierarchy tab

See all the assets in the hierarchy of the domain. This includes the parent and child assets of the domain, along with the siblings of the child assets.

On the **Hierarchy** tab, the open asset is highlighted.

The tab also displays the count of downstream assets for the currently open asset.

Click the expand icon to view the upstream and downstream assets of the Glossary Domain asset. Click an asset to open the asset on a new tab.

You can sort assets based on asset name and when it was last updated. You can also find top-level assets by their name, description, and alias name.

The following table describes the properties of the assets on the **Hierarchy** tab:

| Field | Description |
|---|---|
| Name | Name of the parent asset or the child asset. |
| Type | Type of the parent asset or the child asset. |

| Field | Description |
|---|---|
| Description | Description of the parent asset or the child asset. |
| Alias Names | Alternate names used to refer to the parent asset or the child asset. |
| Last Updated | Date of the last update to the parent asset or the child asset. |
| Lifecycle | Lifecycle status of the parent asset or the child asset. |
| Critical Data Element | Specifies whether any child asset is marked as a Critical Data Element. |
| Stakeholders | User or user group that you want to assign as stakeholders of the parent asset or the child asset. |
| Custom Attributes | Custom attributes of the parent asset or the child asset. |

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the domain has with other business assets. Create relationships with other business assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear in the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |


You can perform the following activities on the **Relationships** tab:

- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. The relationship created from the domain to the related asset is called an outbound relationship. The relationship created from the related asset to the domain is called an inbound relationship.
- Search for a related asset using the Search box.
- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:




In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Data Quality tab

View individual data quality scores of the technical assets that are linked to the domain.

The **Dimensions Latest Scores** section shows the data quality score of the domain for each data quality dimension. The **Rules Against Target** section shows the data quality score of the domain against the defined target, which is the minimum acceptable data quality value for the asset to be considered "Good".

The **Rule Occurrences** panel lists all instances of data quality rules that are associated with the asset. The following table describes the properties of the **Rule Occurrences** panel:

| Field | Description |
|---|---|
| Name | Name of the rule occurrence.<br>If the rule occurrence is created from an automated rule template, the term `Auto-` is prefixed to the name of the rule occurrence. |
| Dimension | Data quality dimension for which the data quality rule is run. |
| Latest Score | Data quality score from the latest rule run. |
| Date | Date of the latest rule run. |

| Field | Description |
|---|---|
| Total Rows | Total number of rows on which the data quality rule is run. |
| Failed Rows | Number of failed rows as determined by the data quality rule run. |
| Primary Data Element | Data element on which the data quality rule is run.<br>This data element is the input port for the rule in the integrated data quality system. The data quality score is always generated for the primary data element. |
| Primary Data Element Hierarchy | The hierarchy of the data element on which the data quality rule is run. |
| Secondary Data Element | Secondary input port for the data quality rule that is run on the **Primary Data Element**. |
| Description | Description of the rule occurrence. |
| Related Rule Template | Data quality rule template that defines the rule that is run on the data element. |

On this tab, you can search for a specific rule occurrence by using the **Search** box.

## Stakeholders tab

View users that have been designated as stakeholders for the domain. Stakeholders are authorized users who are responsible for the domain, and can approve or reject change requests for the domain. If your role has permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

## Tickets tab

View change request tickets that users have created for the domain.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |

| Field | Description |
|---|---|
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the domain. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Glossary Subdomain

A glossary asset of the Subdomain type refers to a concept or activity that constitutes a specific business function or requirement. A domain is divided into subdomains to help organize business terms and metrics. You can use a glossary subdomain to assign semantic and business context to an actual business concept.

For example, you can create subdomains such as 'retail finance', 'corporate finance', and 'investment banking' for the 'finance' domain asset.
You can rate a subdomain asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the subdomain. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the subdomain asset to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

On the **Overview** tab, you can view basic information about the subdomain.

The following table describes the properties of subdomain that are displayed on the **Overview** tab:

| Field | Description |
|---|---|
| Description | Description of the subdomain. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Parent | The subdomain can have any one of the following assets as the parent asset:<br>- Business Term<br>- Subdomain<br>- Domain<br>- Metric |
| Alias Names | Alternative names for the subdomain that applies to your business context.<br>Enter synonyms and alias names to help people find the subdomain easily or to make the subdomain accessible for people from various departments. |
| Examples | Examples of the subdomain. |
| Reference ID | Unique identifier for the subdomain. |
| Security Level | Security level of the asset with respect to the sensitivity of the information. This is manually specified while creating the subdomain and is suitable only as a governance record. |
| Business Logic | Business logic or calculation that applies if the subdomain is a number. The size of the field can't exceed 1 MB. |
| Stakeholders | Users or user groups responsible for the subdomain or interested in the subdomain. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |

| Field | Description |
|---|---|
| Data Quality | Data quality scores for the subdomain that is generated from a data quality tool. |
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |
| Created By | User that created the subdomain and the date on which the subdomain was created. |
| Updated By | User that last updated the subdomain and the date on which it was updated. |

If the organization administrator has configured custom fields for the Glossary Subdomain asset type, you can see the fields on the **Overview** tab of the asset.

## Hierarchy tab

See all the assets in the hierarchy of the Glossary Subdomain asset. This includes the parent and child assets of the Glossary Subdomain asset, along with the siblings of the child assets.

On the **Hierarchy** tab, the open asset is highlighted.

The tab also displays the count of downstream assets for the currently open asset.

Click the expand icon to view the upstream and downstream assets of the Glossary Subdomain asset. Click an asset to open the asset on a new page.

You can sort assets based on asset name and when it was last updated. You can also find top-level assets by their name, description, and alias name.

The following table describes the properties of the **Hierarchy** tab:

| Field | Description |
|---|---|
| Name | Name of the parent asset or the child asset. |
| Type | Type of the parent asset or the child asset. |
| Description | Description of the parent asset or the child asset. |
| Alias Names | Alternate names used to refer to the parent asset or the child asset. |
| Last Updated | Date of the last update to the parent asset or the child asset. |
| Lifecycle | Lifecycle status of the parent asset or the child asset. |
| Critical Data Element | Specifies whether any child asset is marked as a Critical Data Element. |

| Field | Description |
|---|---|
| Stakeholders | User or user group that you want to assign as stakeholders of the parent asset or the child asset. |
| Custom Attributes | Custom attributes of the parent asset or the child asset. |

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the subdomain has with other business assets. Create relationships with other business assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear in the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |


You can perform the following activities on the **Relationships** tab:

- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. The relationship created from the subdomain to the related asset is called an outbound relationship. The relationship created from the related asset to the subdomain is called an inbound relationship.
- Search for a related asset using the Search box.
- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:




In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Data Quality tab

View individual data quality scores of the technical assets that are linked to the subdomain.

The **Dimensions Latest Scores** section shows the data quality score of the subdomain for each data quality dimension. The **Rules Against Target** section shows the data quality score of the subdomain against the defined target, which is the minimum acceptable data quality value for the asset to be considered "Good".

The **Rule Occurrences** panel lists all instances of data quality rules that are associated with the asset. The following table describes the properties of the **Rule Occurrences** panel:

| Field | Description |
|---|---|
| Name | Name of the rule occurrence.<br>If the rule occurrence is created from an automated rule template, the term `Auto-` is prefixed to the name of the rule occurrence. |
| Dimension | Data quality dimension for which the data quality rule is run. |
| Latest Score | Data quality score from the latest rule run. |
| Date | Date of the latest rule run. |

| Field | Description |
|---|---|
| Total Rows | Total number of rows on which the data quality rule is run. |
| Failed Rows | Number of failed rows as determined by the data quality rule run. |
| Primary Data Element | Data element on which the data quality rule is run.<br>This data element is the input port for the rule in the integrated data quality system. The data quality score is always generated for the primary data element. |
| Primary Data Element Hierarchy | The hierarchy of the data element on which the data quality rule is run. |
| Secondary Data Element | Secondary input port for the data quality rule that is run on the **Primary Data Element**. |
| Description | Description of the rule occurrence. |
| Related Rule Template | Data quality rule template that defines the rule that is run on the data element. |

On this tab, you can search for a specific rule occurrence by using the **Search** box.

## Stakeholders tab

View users that have been designated as stakeholders for the subdomain. Stakeholders are authorized users who are responsible for the subdomain, and can approve or reject change requests for the subdomain. If your role has permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

## Tickets tab

View change request tickets that users have created for the subdomain.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |

| Field | Description |
|---|---|
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the subdomain. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Glossary Business Term

A glossary asset of the Business Term type can be used to capture a business definition that is used in your organization. Most business terms tend to be realized as data elements and can be used to indicate that different data elements represent the same concept, whatever the name they have in each table.

For example, 'payroll' is a glossary asset of the Business Term type.

You can rate a business term asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the business term. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the business term asset to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

View basic information for the business term.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Parent | The business term can have any one of the following assets as the parent asset under which this business term hierarchically fits:<br>- Business Term<br>- Subdomain<br>- Domain<br>- Metric |
| Description | Description of the business term. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique identifier for the business term. |
| Alias Names | Alternative names for the business term that applies to your business context.<br>Enter synonyms and alias names to help people find the business term easily or make the term accessible for people from various departments. |
| Reference Data | Code values and attributes from Reference 360 linked to the business term. You can view the **Reference Data** tab only if you have the **View Reference Data** permission. |
| Security Level | Security level of the asset with respect to the sensitivity of the information. This is manually specified while creating the business term and is suitable only as a governance record. |
| Business Logic | Business logic or calculation that applies if the term value is a number. The size of the field can't exceed 1 MB. |
| Examples | Examples of the business term. |

| Field | Description |
|---|---|
| Format Type | Format of the business term.<br>You can select from one of the following formats:<br>- Text<br>- Number<br>- Decimal<br>- Percentage<br>- Fraction<br>- Date<br>- Time<br>- Date and time<br>Default value is `Text`. |
| Format Description | Description of the format that you have selected. |
| Critical Data Element | Indicates whether the business term is critical to the success of the business. |
| Stakeholders | Users responsible for the business term or interested in the business term. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Data Quality | Data quality scores for the asset from a data quality tool. |
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |
| Created By | User that created the business term and the date on which it was created. |
| Updated By | User that last updated the business term and the date on which it was updated. |

If the organization administrator has configured custom fields for the Glossary Business Term asset type, you can see the fields on the **Overview** tab of the asset.

## Hierarchy tab

See all the assets in the hierarchy of the Glossary Business Term asset. This includes the parent and child assets of the Glossary Business Term asset, along with the siblings of the child assets.

On the **Hierarchy** tab, the open asset is highlighted.

The tab also displays the count of downstream assets for the currently open asset.

Click the expand icon to view the upstream and downstream assets of the Glossary Business Term asset. Click an asset to open the asset on a new page.

You can sort assets based on asset name and when it was last updated. You can also find top-level assets by their name, description, and alias name.

The following table describes the properties of the assets on the **Hierarchy** tab:

| Field | Description |
|---|---|
| Name | Name of the parent asset or the child asset. |
| Type | Type of the parent asset or the child asset. |
| Description | Description of the parent asset or the child asset. |
| Alias Names | Alternate names used to refer to the parent asset or the child asset. |
| Last Updated | Date of the last update to the parent asset or the child asset. |
| Lifecycle | Lifecycle status of the parent asset or the child asset. |
| Critical Data Element | Specifies whether any child asset is marked as a Critical Data Element. |
| Stakeholders | User or user group that you want to assign as stakeholders of the parent asset or the child asset. |
| Custom Attributes | Custom attributes of the parent asset or the child asset. |

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the business term has with other business assets. Create relationships with other business assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear in the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |

You can perform the following activities on the **Relationships** tab:


- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. The relationship created from the business term to the related asset is called an outbound relationship. The relationship created from the related asset to the business term is called an inbound relationship.
- Search for a related asset using the Search box.

- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:




In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Data Quality tab

View aggregate and individual data quality scores for the data elements that comprise the business asset.

The **Dimensions Latest Scores** section shows the data quality score of the business term for each data quality dimension within the rule. The **Rules Against Target** section shows the data quality score of the business term against the defined target.

The **Rule Occurrences** panel lists all instances of data quality rules that are associated with the asset. The following table describes the properties of the **Rule Occurrences** panel:

| Field | Description |
|---|---|
| Name | Name of the rule occurrence.<br>If the rule occurrence is created from an automated rule template, the term `Auto-` is prefixed to the name of the rule occurrence. |
| Dimension | Data quality dimension for which the data quality rule is run. |

| Field | Description |
|---|---|
| Latest Score | Data quality score from the latest rule run. |
| Date | Date of the latest rule run. |
| Total Rows | Total number of rows on which the data quality rule is run. |
| Failed Rows | Number of failed rows as determined by the data quality rule run. |
| Primary Data Element | Data element on which the data quality rule is run.<br>This data element is the input port for the rule in the integrated data quality system. The data quality score is always generated for the primary data element. |
| Primary Data Element Hierarchy | The hierarchy of the data element on which the data quality rule is run. |
| Secondary Data Element | Secondary input port for the data quality rule that is run on the **Primary Data Element**. |
| Description | Description of the rule occurrence. |
| Related Rule Template | Data quality rule template that defines the rule that is run on the data element. |

On this tab, you can search for a specific rule occurrence by using the **Search** box.

## Reference Data tab

You can view and associate reference data from Reference 360 with Business Term assets if you have the **View Reference Data** privilege for the Data Governance and Catalog service in Administrator. You can use the curated reference data from Reference 360 to enhance your business assets and improve data accuracy.

You can view the first 50 code values. To see the complete list of code values, navigate to Reference 360.

After you associated the reference data, you can view the code values and the attributes of the code values. To select a different reference data that is more suitable for the business term, click **Switch Reference Dataset**. To remove an already associated reference data, click the **Remove associated reference data** icon.

You can also view the general properties of the reference data, such as associated reference data set, code list, and version. For more information about associating a reference data with Business Term assets, see the *Asset Management* help.

## Stakeholders tab

View users that have been designated as stakeholders for the business term. Stakeholders are authorized users who are responsible for the business term, and can approve or reject change requests for the term. If your role has permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |

| Field | Description |
|---|---|
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

## Tickets tab

View change request tickets that users have created for the business term.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the business term. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |

| Field | Description |
|---|---|
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Glossary Metric

A glossary asset of the Metric type refers to the definition of the measurement of a business result. The asset assigns semantic and business context to an actual business measurement. You can use a metric asset if you use a numerical indicator to measure business success.

For example, you can create a 'Net Profit' and an 'Average Revenue Per User (ARPU)' Metrc assets if your business has numerical indicators for them.

You can rate a metric asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the metric. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the metric asset to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

On the **Overview** tab, you can view basic information about the metric.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Parent | The metric can have any one of the following assets as the parent asset under which this metric asset hierarchically fits:<br>- Business Term<br>- Subdomain<br>- Domain<br>- Metric |
| Description | Description of the metric. The size of the field can't exceed 1 MB. |

| Field | Description |
|---|---|
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique identifier for the metric. |
| Alias Names | Alternative names for the metric that applies to your business context.<br>Enter synonyms and alias names to help people find the metric easily or to make the metric accessible for people from various departments. |
| Reference Data | Code values and attributes from Reference 360 linked to the metric. You can view the **Reference Data** tab only if you have the **View Reference Data** permission. |
| Security Level | Security level of the asset with respect to the sensitivity of the information. This is manually specified while creating the metric and is suitable only as a governance record. |
| Business Logic | Business logic or calculation of the metric. The size of the field can't exceed 1 MB. |
| Examples | Examples of the metric. |
| Format Type | Format of the metric.<br>You can select from one of the following formats:<br>- Text<br>- Number<br>- Decimal<br>- Percentage<br>- Fraction<br>- Date<br>- Time<br>- Date and time<br>Default value is `Text`. |
| Format Description | Description of the metric format that you have selected. |
| Critical Data Element | Indicates whether the metric is critical to the success of the business. |
| Stakeholders | Users responsible for the metric or interested in the metric. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Data Quality | Data quality scores for the metric that is generated from a data quality tool. |
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |

| Field | Description |
|---|---|
| Created By | User that created the metric and the date on which it was created. |
| Updated By | User that last updated the metric and the date on which it was updated. |

If the organization administrator has configured custom fields for the Glossary Metric asset type, you can see the fields on the **Overview** tab of the asset.

## Hierarchy tab

See all the assets in the hierarchy of the Glossary Metric asset. This includes the parent and child assets of the Glossary Metric asset, along with the siblings of the child assets.

On the **Hierarchy** tab, the open asset is highlighted.

The tab also displays the count of downstream assets for the currently open asset.

Click the expand icon to view the upstream and downstream assets of the Glossary Metric asset. Click an asset to open the asset on a new page.

You can sort assets based on asset name and when it was last updated. You can also find top-level assets by their name, description, and alias name.

The following table describes the properties of the assets on the **Hierarchy** tab:

| Field | Description |
|---|---|
| Name | Name of the parent asset or the child asset. |
| Type | Type of the parent asset or the child asset. |
| Description | Description of the parent asset or the child asset. |
| Alias Names | Alternate names used to refer to the parent asset or the child asset. |
| Last Updated | Date of the last update to the parent asset or the child asset. |
| Lifecycle | Lifecycle status of the parent asset or the child asset. |
| Critical Data Element | Specifies whether any child asset is marked as a Critical Data Element. |
| Stakeholders | User or user group that you want to assign as stakeholders of the parent asset or the child asset. |
| Custom Attributes | Custom attributes of the parent asset or the child asset. |

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the metric has with other business assets. Create relationships with other business assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear in the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |


You can perform the following activities on the **Relationships** tab:

- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. The relationship created from the metric to the related asset is called an outbound relationship. The relationship created from the related asset to the metric is called an inbound relationship.
- Search for a related asset using the Search box.
- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:




In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.

2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Data Quality tab

View aggregate and individual data quality scores for the data elements that comprise the metric.

The **Dimensions Latest Scores** section shows the data quality score of the metric for each data quality dimension. The **Rules Against Target** section shows the data quality score of the metric against the defined target, which is the minimum acceptable data quality value for the asset to be considered "Good".

The **Rule Occurrences** panel lists all instances of data quality rules that are associated with the asset. The following table describes the properties of the **Rule Occurrences** panel:

| Field | Description |
|---|---|
| Name | Name of the rule occurrence.<br>If the rule occurrence is created from an automated rule template, the term `Auto-` is prefixed to the name of the rule occurrence. |
| Dimension | Data quality dimension for which the data quality rule is run. |
| Latest Score | Data quality score from the latest rule run. |
| Date | Date of the latest rule run. |
| Total Rows | Total number of rows on which the data quality rule is run. |
| Failed Rows | Number of failed rows as determined by the data quality rule run. |
| Primary Data Element | Data element on which the data quality rule is run.<br>This data element is the input port for the rule in the integrated data quality system. The data quality score is always generated for the primary data element. |
| Primary Data Element Hierarchy | The hierarchy of the data element on which the data quality rule is run. |
| Secondary Data Element | Secondary input port for the data quality rule that is run on the **Primary Data Element**. |
| Description | Description of the rule occurrence. |
| Related Rule Template | Data quality rule template that defines the rule that is run on the data element. |

On this tab, you can search for a specific rule occurrence by using the **Search** box.

## Reference Data tab

You can view and associate reference data from Reference 360 with Metric assets if you have the **View Reference Data** privilege for the Data Governance and Catalog service in Administrator. You can use the curated reference data set from Reference 360 to enhance your business assets and improve data accuracy. You can view the first 50 code values. To see the complete list of code values navigate to Reference 360.

To select a different reference data that is more suitable for the metric, click **Switch Reference Dataset**. To remove an already associated reference data, click the **Remove associated reference data** icon.

You can also view the general properties of the reference data. For more information about associating a reference data with Metric assets, see the *Asset Management* help.

## Stakeholders tab

View users that have been designated as stakeholders for the metric. Stakeholders are authorized users who are responsible for the metric, and can approve or reject change requests for the metric. If your role has permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

## Tickets tab

View change request tickets that users have created for the metric.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the metric. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Legal Entity

A Legal Entity asset captures corporate entities, whether these are part of the customer's own group of companies or trusted partners and vendors. You can use Legal Entity assets to make relationships to other business assets and to provide context.

For example, if your organization Acme Fitness has a subsidiary called Acme Digital for creating digital wellbeing products, you can create a Legal Entity asset called 'Acme Digital'.

You can rate a Legal Entity asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the Legal Entity asset. Overdue tickets indicate the tickets beyond due date that

require your action. You can also view the lifecycle of the Legal Entity asset to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

On the **Overview** tab, you can view the system and custom attributes of the Legal Entity along with other basic information about the Legal Entity.

System attributes are predefined properties of an asset. Custom attributes are properties that you can configure to specify and store specific information about your assets.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Name | Unique name of the asset. |
| Parent | Another Legal Entity asset under which the open Legal Entity asset hierarchically fits. |
| Description | Definition of the asset. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique reference identifier for the Legal Entity asset. |
| Long Name | Long form name for the Legal Entity to make it easily identifiable. |
| Stakeholders | Users responsible for this asset or interested in the asset. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Data Quality | Data quality scores for the Legal Entity asset that is generated from a data quality tool. |
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |
| Created By | User that created the Legal Entity asset and the date on which it was created. |
| Updated By | User that last updated the Legal Entity asset and the date on which it was updated. |

If the organization administrator has configured custom fields for the Legal Entity asset type, you can see the fields on the **Overview** tab of the asset.

## Hierarchy tab

See all the assets in the hierarchy of the Legal Entity asset. This includes the parent and child assets of the Legal Entity asset, along with the siblings of the child assets.

On the **Hierarchy** tab, the open asset is highlighted.

The tab also displays the count of downstream assets for the currently open asset.

Click the expand icon to view the upstream and downstream assets of the Legal Entity asset. Click an asset to open the asset on a new page.

The following table describes the properties of the assets on the **Hierarchy** tab:

| Field | Description |
|---|---|
| Name | Name of the parent asset or the child asset. |
| Type | Type of the parent asset or the child asset |
| Description | Description of the parent asset or the child asset. |

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the Legal Entity has with other assets. Create relationships with other assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear when you switch to the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |


You can perform the following activities on the **Relationships** tab:

- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. The relationship created from the Legal Entity asset to the related asset is called an outbound relationship. The relationship created from the related asset to the Legal Entity asset is called an inbound relationship.
- Search for a related asset using the Search box.
- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets. To view the child assets of the Legal Entity asset, go to the **Contains** tab.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:




In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Data Quality tab

View individual data quality scores of the technical assets that are linked to the legal entity.

The **Dimensions Latest Scores** section shows the data quality score of the legal entity for each data quality dimension. The **Rules Against Target** section shows the data quality score of the legal entity against the defined target, which is the minimum acceptable data quality value for the asset to be considered "Good".

## Stakeholders tab

View users that have been designated as stakeholders for the Legal Entity asset. Stakeholders are authorized users who are responsible for the Legal Entity asset, and can approve or reject change requests for the Legal Entity asset. If your role has permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |

| Field | Description |
|---|---|
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

## Tickets tab

View change request tickets that users have created for the Legal Entity asset.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the Legal Entity asset. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |

| Field | Description |
|---|---|
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Manual Data Element

A manual data element is the business representation of data that might not be available in the catalog but is essential to capture for governance purposes in your organization.

If you are a business user, you can manually create a data element within a data set. A data set can either have technical data elements or manual data elements or a combination of both. Although a manual data element is a type of business asset, it exists in a business data set and not as a standalone business asset. You can associate a manual data element with one business data set only.

## Overview tab

On the **Overview** tab, you can view basic information about the manual data element.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Name | Name of the manual data element. |
| Data Set | Parent data set to which the manual data element belongs. |
| Description | Description of the manual data element. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique identifier for the manual data element. |
| Glossaries | Glossary assets that are related to the manual data element. |

| Field | Description |
|---|---|
| Data Element Classifications | Data element classifications that you want to associate with the manual data element. |
| Stakeholders | Users or user groups responsible for the manual data element or interested in the manual data element. |
| Reference Data | Code values and attributes from Reference 360 linked to the manual data element. You can view the **Reference Data** tab only if you have the **View Reference Data** permission. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |

When you open the parent data set, you can search for a specific manual data element, click **Add** to add a new manual data element to the data set, or click the Delete icon to remove a specific manual data element from the data set. You can also use filters to narrow the list of manual data elements.

## Lineage tab

View the data lineage of the manual data element. A lineage graphically displays the inflow of data from other systems into the manual data element and the outflow of data from the manual data element to other systems. The lineage tab displays data flow that is automatically generated and lineages that you have manually created. For more information about lineage, see the *Asset Discovery* help.

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the manual data element has with other assets. Create relationships with other assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear when you switch to the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |

| Field | Description |
|---|---|
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |


You can perform the following activities on the **Relationships** tab:

- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. The relationship created from the manual data element to the related asset is called an outbound relationship. The relationship created from the related asset to the manual data element is called an inbound relationship.
- Search for a related asset using the Search box.
- Click **Add** to add a new related asset, or **Delete** to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:




In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Reference Data tab

You can view and associate reference data from Reference 360 with manual data element if you have the **View Reference Data** privilege for the Data Governance and Catalog service in Administrator. You can use the curated reference data from Reference 360 to enhance your business assets and improve data accuracy.

You can view a sample list of the first 50 code values. To see the complete list of code values, navigate to Reference 360.

**Note:** You can see the **Reference Data** tab and its values only if you have the **View Reference Data** privilege in Administrator.

To select a different reference data that is more suitable for the manual data element, click **Switch Reference Dataset**. To remove an already associated reference data, click the **Remove associated reference data** icon. Additionally, you can also view the general properties of the reference data.

For more information about associating a reference data with manual data elements, see the *Asset Management* help.

## Stakeholders tab

View users that have been designated as stakeholders for the manual data element. Stakeholders are authorized users who are responsible for the manual data element, and can approve or reject change requests for the manual data element. Stakeholders are automatically inherited from the parent data set. You can't add stakeholders for a manual data element.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

## History tab

View changes that users have made to the manual data element. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Policy

A Policy asset represents an internal collection of rules and guidance on how to conduct business and manage data. They might be inspired by company goals, external regulations, or commercials agreements.

For example, you can create a Policy asset called ;Document Security' to provide business context for a file that outlines policies for document security.

You can rate a policy asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the policy. Overdue tickets indicate the tickets beyond due date that require

your action. You can also view the lifecycle of the policy asset to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

On the **Overview** tab, you can view basic information about the policy.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Parent | Another policy under which the open policy hierarchically fits. |
| Description | Description of the policy. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique identifier for the policy. |
| Policy Type | Type of the policy. Select from one of the following types:<br>- Conduct Standards. A policy that guides conduct in various scenarios.<br>- Data Standards. A policy that applies to data management.<br>- Technical Standards. A policy that applies to technical management.<br>- Business Rule. A policy that defines rules for business functions.<br>Default value is `Business Rule`. |
| Stakeholders | Users responsible for the policy or interested in the policy. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Data Quality | Data quality scores for the policy that is generated from a data quality tool. |
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |
| Created By | User that created the policy and the date on which it was created. |
| Updated By | User that last updated the policy and the date on which it was updated. |

If the organization administrator has configured custom fields for the Policy asset type, you can see the fields on the **Overview** tab of the asset.

## Hierarchy tab

See all the assets in the hierarchy of the Policy asset. This includes the parent and child assets of the Policy asset, along with the siblings of the child assets. Click the expand icon to view the upstream and downstream assets of the Policy asset.

Click a parent asset or a child asset to open the asset on a new page.

The following table describes the properties of the assets on the **Hierarchy** tab:

| Field | Description |
|---|---|
| Name | Name of the parent asset or the child asset. |
| Type | Type of the parent asset or the child asset |
| Description | Description of the parent asset or the child asset. |

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the policy has with other business assets. Create relationships with other business assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear in the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |


You can perform the following activities on the **Relationships** tab:

- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. The relationship created from the policy to the related asset is called an outbound relationship. The relationship created from the related asset to the policy is called an inbound relationship.
- Search for a related asset using the Search box.
- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:




In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Data Quality tab

View aggregate and individual data quality scores for the data elements that are related to the policy.

The **Dimensions Latest Scores** section shows the data quality score of the policy for each data quality dimension. The **Rules Against Target** section shows the data quality score of the policy against the defined target, which is the minimum acceptable data quality value for the asset to be considered "Good".

The **Rule Occurrences** panel lists all instances of data quality rules that are associated with the asset. The following table describes the properties of the **Rule Occurrences** panel:

| Field | Description |
|---|---|
| Name | Name of the rule occurrence.<br>If the rule occurrence is created from an automated rule template, the term `Auto-` is prefixed to the name of the rule occurrence. |
| Dimension | Data quality dimension for which the data quality rule is run. |
| Latest Score | Data quality score from the latest rule run. |
| Date | Date of the latest rule run. |

| Field | Description |
|---|---|
| Total Rows | Total number of rows on which the data quality rule is run. |
| Failed Rows | Number of failed rows as determined by the data quality rule run. |
| Primary Data Element | Data element on which the data quality rule is run.<br>This data element is the input port for the rule in the integrated data quality system. The data quality score is always generated for the primary data element. |
| Primary Data Element Hierarchy | The hierarchy of the data element on which the data quality rule is run. |
| Secondary Data Element | Secondary input port for the data quality rule that is run on the **Primary Data Element**. |
| Description | Description of the rule occurrence. |
| Related Rule Template | Data quality rule template that defines the rule that is run on the data element. |

On this tab, you can search for a specific rule occurrence by using the **Search** box.

## Stakeholders tab

View users that have been designated as stakeholders for the policy. Stakeholders are authorized users who are responsible for the policy, and can approve or reject change requests for the policy. If your role has permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

## Tickets tab

View change request tickets that users have created for the policy.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |

| Field | Description |
|---|---|
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the policy. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Process

You can use a Process asset to document important business activities so that the activity can be contextualized through relationships. These activities allow business users to record the key reasons on why they consume data. Processes might include the name of a parent process, with a series of child processes that explain the key stages involved in executing that activity. Each individual process object can have its own set of relationships to explain key metadata associations.

For example, you can create a Process asset called 'New Employee Orientation' to provide business context to a file that contains activities for employee orientations.

You can rate a process asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the process. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the process asset to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

On the **Overview** tab, you can view basic information about the process.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Parent | Another process under which the open process hierarchically fits. |
| Description | Description of the process. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique identifier for the process. |
| Duration | Duration required for the process, expressed in date and time. |
| Process Type | Type of the process.<br>You can choose from one of the following process types:<br>- Process. An entire process.<br>- Step. A particular step in a process.<br>- Control. An intermediate option within a process that determines the direction of the subsequent steps. |
| Step Type | Choose whether you are creating the starting step of a process, the ending step of a process, or a common step across the process. |
| Stakeholders | Users responsible for the process or interested in the process. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |

| Field | Description |
|---|---|
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |
| Created By | User that created the process and the date on which it was created. |
| Updated By | User that last updated the process and the date on which it was updated. |

If the organization administrator has configured custom fields for the Process asset type, you can see the fields on the **Overview** tab of the asset.

## Hierarchy tab

See all the assets in the hierarchy of the Process asset. This includes the parent and child assets of the Process asset, along with the siblings of the child assets.

On the **Hierarchy** tab, the open asset is highlighted.

The tab also displays the count of downstream assets for the currently open asset.

Click the expand icon to view the upstream and downstream assets of the Process asset. Click an asset to open the asset on a new page.

The following table describes the properties of the assets on the **Hierarchy** tab:

| Field | Description |
|---|---|
| Name | Name of the parent asset or the child asset. |
| Type | Type of the parent asset or the child asset |
| Description | Description of the parent asset or the child asset. |

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the process has with other business assets. Create relationships with other business assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear in the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |

| Field | Description |
|---|---|
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |


You can perform the following activities on the **Relationships** tab:

- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. The relationship created from the process to the related asset is called an outbound relationship. The relationship created from the related asset to the process is called an inbound relationship.
- Search for a related asset using the Search box.
- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:




In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.


1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Process Map tab


View a visual representation of a process flow. The system generates a process map only if a process asset has a parent-child relationship with another process asset. The direction of the process flow is determined by the **is Predecessor to** relationship between the process assets.

The following image shows the process map for a process asset:





### Process map navigation options

The following image shows the process map options available on the **Process Map** tab:




1. **Find**. Find assets within the process map by name or reference ID.
2. **Overlays**. Adds business context for the assets in the process map. The **Overlays** menu appears. By default, a process map displays only the related parent processes or the related child processes. To view the processes that have only an **is Predecessor to** relationship with the selected process but don't have a parent-child relationship with the process, you can select the **Adjacent Process** overlay from the **Overlays** menu.
3. **Full Screen**. Displays the process map in such a manner that it occupies your entire display screen.
4. **Export**. Exports the process map.
5. **Show Preview**. Displays a preview of the selected process asset.

The following image shows the navigation options available on the **Process Map** tab:




1. **Zoom Out**. Adjusts the process map to provide a wider view of the process flow.
2. **Zoom In**. Adjusts the process map to focus on a particular aspect of the process flow.
3. **Fit To Screen**. Resizes the process map according to the resolution of your browser window.
4. **Reset View**. Resets the process map to its default state.
5. **Overview**. Provides an overview of the process map.
6. **Legend**. Provides the different components of a process map including the direction of the process flow.

## Data Quality tab

View aggregate and individual data quality scores for the data elements that are related to the process.

The **Dimensions Latest Scores** section shows the data quality score of the process for each data quality dimension. The **Rules Against Target** section shows the data quality score of the process against the defined target, which is the minimum acceptable data quality value for the asset to be considered good.

The **Rule Occurrences** panel lists all instances of data quality rules that are associated with the asset. The following table describes the properties of the **Rule Occurrences** panel:

| Field | Description |
|---|---|
| Name | Name of the rule occurrence.<br>If the rule occurrence is created from an automated rule template, the term `Auto-` is prefixed to the name of the rule occurrence. |
| Dimension | Data quality dimension for which the data quality rule is run. |
| Latest Score | Data quality score from the latest rule run. |
| Date | Date of the latest rule run. |
| Total Rows | Total number of rows on which the data quality rule is run. |
| Failed Rows | Number of failed rows as determined by the data quality rule run. |

| Field | Description |
|---|---|
| Primary Data Element | Data element on which the data quality rule is run.<br>This data element is the input port for the rule in the integrated data quality system. The data quality score is always generated for the primary data element. |
| Primary Data Element Hierarchy | The hierarchy of the data element on which the data quality rule is run. |
| Secondary Data Element | Secondary input port for the data quality rule that is run on the **Primary Data Element**. |
| Description | Description of the rule occurrence. |
| Related Rule Template | Data quality rule template that defines the rule that is run on the data element. |

On this tab, you can search for a specific rule occurrence by using the **Search** box.

## Stakeholders tab

View users that have been designated as stakeholders for the process. Stakeholders are authorized users who are responsible for the process, and can approve or reject change requests for the process. If your role has permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

## Tickets tab

View change request tickets that users have created for the process.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |
| Type | Type of ticket. |

| Field | Description |
|---|---|
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the process. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Project

A Project asset represents a collection of activities that are planned and organized to achieve a particular set of objectives.

Use the Project asset for activities that are less regular and more specific.

For example, you can create a Project asset called 'Annual Sales Meet' to govern the activities of the annual meeting of the sales team in your organization.

You can rate a Project asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the Project asset. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the project to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

On the **Overview** tab, you can view the system and custom attributes of the Project along with other basic information about the Project.

System attributes are predefined properties of an asset. Custom attributes are properties that you can configure to specify and store specific information about your assets.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Name | Unique name of the asset. |
| Parent | Another project under which the open project hierarchically fits. |
| Description | Definition of the asset. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique reference identifier for the project. |
| Start Date | Date on which the planned activities in a project commence. |
| End Date | Date on which the planned activities in a project are completed. |
| Stakeholders | Users responsible for this asset or interested in the asset. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |

| Field | Description |
|---|---|
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |
| Created By | User that created the Project asset and the date on which it was created. |
| Updated By | User that last updated the Project asset and the date on which it was updated. |

If the organization administrator has configured custom fields for the Project asset type, you can see the fields on the **Overview** tab of the asset.

## Hierarchy tab

See all the assets in the hierarchy of the Project asset. This includes the parent and child assets of the Project asset, along with the siblings of the child assets.

On the **Hierarchy** tab, the open asset is highlighted.

The tab also displays the count of downstream assets for the currently open asset.

Click the expand icon to view the upstream and downstream assets of the Project asset. Click an asset to open the asset on a new page.

The following table describes the properties of the assets on the **Hierarchy** tab:

| Field | Description |
|---|---|
| Name | Name of the parent asset or the child asset. |
| Type | Type of the parent asset or the child asset |
| Description | Description of the parent asset or the child asset. |

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the project has with other assets. Create relationships with other assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear when you switch to the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |

| Field | Description |
|---|---|
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |


You can perform the following activities on the **Relationships** tab:

- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. The relationship created from the Project asset to the related asset is called an outbound relationship. The relationship created from the related asset to the Project asset is called an inbound relationship.
- Search for a related asset using the Search box.
- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets. To view the child assets of the Project asset, go to the **Contains** tab.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:




In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Data Quality tab

View individual data quality scores of the technical assets that are linked to the Project asset.

The **Dimensions Latest Scores** section shows the data quality score of the asset for each data quality dimension. The **Rules Against Target** section shows the data quality score of the asset against the defined target, which is the minimum acceptable data quality value for the asset to be considered "Good".

## Stakeholders tab

View users that have been designated as stakeholders for the Project asset. Stakeholders are authorized users who are responsible for the Project asset, and can approve or reject change requests for the Project asset. If your role has permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

## Tickets tab

View change request tickets that users have created for the Project asset.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the Project asset. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Regulation

You can use a Regulation asset type to document the important clauses of a major legislation. A regulation is a key driver of internal policies that direct how an organization conducts its business.

Use the Regulation asset to connect to the Policy and the Geography assets and explain the effects on the organization operations.

For example, if your organization is in the healthcare industry, you can create assets that represent the various healthcare regulations in the operating countries.

You can rate a Regulation asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the Regulation asset. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the regulation to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

On the **Overview** tab, you can view the system and custom attributes of the Regulation along with other basic information about the Regulation.

System attributes are predefined properties of an asset. Custom attributes are properties that you can configure to specify and store specific information about your assets.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Name | Unique name of the asset. |
| Parent | Another regulation under which the open regulation hierarchically fits. |
| Description | Definition of the asset. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique reference identifier for the regulation. |
| Long Name | Long form name for the regulation to make it easily identifiable. |
| Stakeholders | Users responsible for this asset or interested in the asset. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |
| Created By | User that created the Regulation asset and the date on which it was created. |
| Updated By | User that last updated the Regulation asset and the date on which it was updated. |

If the organization administrator has configured custom fields for the Regulation asset type, you can see the fields on the **Overview** tab of the asset.

## Hierarchy tab

See all the assets in the hierarchy of the Regulation asset. This includes the parent and child assets of the Regulation asset, along with the siblings of the child assets.

On the **Hierarchy** tab, the open asset is highlighted.

The tab also displays the count of downstream assets for the currently open asset.

Click the expand icon to view the upstream and downstream assets of the Regulation asset. Click an asset to open the asset on a new page.

The following table describes the properties of the assets on the **Hierarchy** tab:

| Field | Description |
|---|---|
| Name | Name of the parent asset or the child asset. |
| Type | Type of the parent asset or the child asset |
| Description | Description of the parent asset or the child asset. |

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the regulation has with other assets. Create relationships with other assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear when you switch to the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |


You can perform the following activities on the **Relationships** tab:

- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. The relationship created from the Regulation asset to the related asset is called an outbound relationship. The relationship created from the related asset to the Regulation asset is called an inbound relationship.
- Search for a related asset using the Search box.
- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets. To view the child assets of the Regulation asset, go to the **Contains** tab.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:




In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Stakeholders tab

View users that have been designated as stakeholders for the Regulation asset. Stakeholders are authorized users who are responsible for the Regulation asset, and can approve or reject change requests for the Regulation asset. If your role has permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

## Tickets tab

View change request tickets that users have created for the Regulation asset.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the Regulation asset. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |

| Field | Description |
|---|---|
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# System

A System asset represents a recognizable location or application that might contain multiple data sets. In a System asset, the system name is often more business-friendly than the technical names used for technical assets. Business users who create and manage the data can use the system name to identify the asset.

For example, you can create an 'HR' System asset in Data Governance and Catalog to provide business context to a database that stores data created by the human resource team in your organization.

You can rate a system asset to indicate your assessment of its quality, and add comments to share input on the data. This enables different users to collaborate on assets and make collective decisions on using the data. For more information about collaborating on an asset, see the *Asset Management* help.

You can view the number of open tickets and overdue tickets. Open tickets indicate the tickets pending in progress to track changes to the system. Overdue tickets indicate the tickets beyond due date that require your action. You can also view the lifecycle of the system asset to know the particular stage of the lifecycle in the asset workflow.

## Overview tab

On the **Overview** tab, you can view basic information about the system.

The following table describes the properties of the **Overview** tab:

| Field | Description |
|---|---|
| Parent | Another system under which the open system hierarchically fits. |
| Description | Description of the system. The size of the field can't exceed 1 MB. |
| Attributes | System and custom attributes of the asset. |
| Reference ID | Unique identifier for the system. |
| System Type | Type of the system that you can choose from a predefined list. |
| System Purpose | Indicates the purpose of the system that best describes its function. Choose from a list of predefined values. |
| Long Name | Name of the system that makes it identifiable in a business context. |
| Asset ID | Reference ID of the asset. |

| Field | Description |
|---|---|
| Stakeholders | Users responsible for the system or interested in the system. |
| Asset Groups | One or more asset groups assigned to this asset. Use asset groups to give users access to a set of assets in the organization.<br>You can assign asset groups to an asset if you are the stakeholder of the asset or if your organization administrator has granted you the **Manage Access** permission on the asset through access policies in Metadata Command Center. |
| Data Quality | Data quality scores for the system that is generated from a data quality tool. |
| Data Marketplace | Details of an asset's presence in Data Marketplace.<br>If an asset is added to a data collection in Data Marketplace, you can view the details of the data collection.<br>For more information, see the following topics:<br>- To connect Data Governance and Catalog to Data Marketplace, see the *Set Up Data Marketplace* help in Data Marketplace.<br>- To add an asset to a data collection, see the *Working With Data Collections* help in Data Marketplace. |
| Created By | User that created the system and the date on which it was created. |
| Updated By | User that last updated the system and the date on which it was updated. |
| Catalog Sources | The catalog sources that you associate with the open system. |

If the organization administrator has configured custom fields for the System asset type, you can see the fields on the **Overview** tab of the asset.

## Hierarchy tab

See all the assets in the hierarchy of the System asset. This includes the parent and child assets of the System asset, along with the siblings of the child assets.

On the **Hierarchy** tab, the open asset is highlighted.

The tab also displays the count of downstream assets for the currently open asset.

Click the expand icon to view the upstream and downstream assets of the System asset. Click an asset to open the asset on a new page.

The following table describes the properties of the assets on the**Hierarchy** tab:

| Field | Description |
|---|---|
| Name | Name of the parent asset or the child asset. |
| Type | Type of the parent asset or the child asset |
| Description | Description of the parent asset or the child asset. |

## Lineage tab

View the data lineage of the system. A lineage graphically displays the inflow of data from other systems into the asset and the outflow of data from the asset to other systems.

For more information about how to view data lineage on this tab, see the *Asset Discovery* help.

## Relationships tab

On this tab, you can switch between grid view or graph view to view all the relationships that the system asset has with other business assets. Create relationships with other business assets if they can be used together to make business or governance decisions.

The following table describes the fields that appear in the grid view on the **Relationships** tab:

| Field | Description |
|---|---|
| Name | Name of the related asset. |
| Type | Type of the related asset. |
| How It Is Related | Relationship between the other assets and the asset that you have opened.<br>Hover the pointer over the arrows to see if the relationship is direct, indirect, inbound, or outbound. The term **this asset** refers to the asset that is open. |
| Hierarchy | Hierarchical path of the asset.<br>**Note:** This column is hidden by default. To display the column, right-click the column header and select **Hierarchy**. |


You can perform the following activities on the **Relationships** tab:

- Click the **Filters** icon on the top of the tab to apply filters to narrow the list of relationships. You can apply filters to view related assets of a praticular type, origin, or lifecycle stage. You can also view assets that are directly or indirectly connected to the asset or view by relationship label.
  The direction of the asset can be inbound or outbound. The relationship created from the system to the related asset is called an outbound relationship. The relationship created from the related asset to the system is called an inbound relationship.
- Search for a related asset using the Search box.
- Click the **Add** icon to add a new related asset, or the **Delete** icon to delete an existing related asset.

  **Note:** You can delete only outbound direct related assets.

## Relationship example

The following image shows a sample asset and the different types of relationships with other assets:



In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

For more information about asset relationships, see the *Relationships* topic in the *Asset Discovery* help.

## Data Quality tab

View individual data quality scores of the technical assets that are linked to the system.

The **Dimensions Latest Scores** section shows the data quality score of the system for each data quality dimension. The **Rules Against Target** section shows the data quality score of the system against the defined target, which is the minimum acceptable data quality value for the asset to be considered "Good".

The **Rule Occurrences** panel lists all instances of data quality rules that are associated with the asset. The following table describes the properties of the **Rule Occurrences** panel:

| Field | Description |
|---|---|
| Name | Name of the rule occurrence.<br>If the rule occurrence is created from an automated rule template, the term `Auto-` is prefixed to the name of the rule occurrence. |
| Dimension | Data quality dimension for which the data quality rule is run. |
| Latest Score | Data quality score from the latest rule run. |
| Date | Date of the latest rule run. |
| Total Rows | Total number of rows on which the data quality rule is run. |
| Failed Rows | Number of failed rows as determined by the data quality rule run. |
| Primary Data Element | Data element on which the data quality rule is run.<br>This data element is the input port for the rule in the integrated data quality system. The data quality score is always generated for the primary data element. |
| Primary Data Element Hierarchy | The hierarchy of the data element on which the data quality rule is run. |
| Secondary Data Element | Secondary input port for the data quality rule that is run on the **Primary Data Element**. |
| Description | Description of the rule occurrence. |
| Related Rule Template | Data quality rule template that defines the rule that is run on the data element. |

On this tab, you can search for a specific rule occurrence by using the **Search** box.

## Stakeholders tab

View users that have been designated as stakeholders for the system. Stakeholders are authorized users who are responsible for the system, and can approve or reject change requests for the system. If your role has permissions, you can add or remove stakeholders on this tab.

The following table describes the properties of the **Stakeholders** tab:

| Field | Description |
|---|---|
| Name | Name of the user or user group. |
| Role | Role of the user or user group in the organization. |
| Email | Email address of the user.<br>**Note:** This field does not appear for user groups. |
| User Origin | The origin of the users. For example, when a user logs in using SSO, the value for this field is displayed as SAML. |

## Tickets tab

View change request tickets that users have created for the system.

The following table describes the properties of the **Tickets** tab:

| Field | Description |
|---|---|
| Name | Name of the ticket. |
| Description | Description of the ticket. |
| Type | Type of ticket. |
| Status | Status of the change ticket. |
| Current Task Owner | The stakeholders who are assigned to the tasks in the ticket. |

You can filter the list of tickets by selecting available filters options. For more information about tickets, see the *Workflows and tickets* topic in the *Asset Management* help.

## History tab

View changes that users have made to the system. The **History** tab provides an audit log that you can use for compliance requirements.

The following table describes the properties of the **History** tab:

| Field | Description |
|---|---|
| Date | Created and last updated dates of the asset. |
| Event Type | Type of event that is performed on the asset. Event Types include the following:<br>- Asset. Displays changes in the name, description, certification, or the reference ID of the asset.<br>- Relationship. Displays additions, deletions, and the updates of the relationships between the assets.<br>- Stakeholder. Displays additions and deletions of stakeholders to the asset. |
| Action | Actions performed on the asset: Actions on assets include the following:<br>- Create. Displayed if the asset is created.<br>- Updated. Displayed if the asset is updated.<br>- Deleted. Displayed if the asset is deleted. |
| Current Attributes | Recently changed attributes of the asset. |
| Previous Attributes | Earlier attributes of the asset. |
| Changed By | User who performed any action on the asset. |
| Asset Name | Name of the asset. |
| Asset Path | Origin path of the asset. |
| Asset Type | Type of the asset. |
| From Asset Type | Source asset type for which the change is applicable. This is applicable when the event type is Relationship. |
| To Asset Type | Target asset type for which the change is applicable. This is applicable when the event type is Relationship. |

# Types of direct relationships

You can establish different types of direct relationships between two assets.

**Note:** Apart from the predefined relationships that are listed in this help, the Data Governance and Catalog interface can also list other relationship types that are defined exclusively for your organization. For more information about such relationship types, contact your administrator. For more information about how your administrator can customize relationship types, see the *Administration* help in Metadata Command Center.

### AI Model

The following table lists the predefined relationships between AI Model assets and other assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| AI Model | AI Model | is the Base for | An AI Model asset is the base for another AI Model asset. |
| AI Model | AI Model | is Quantized into | An AI Model asset is quantized into another AI Model asset. |
| AI Model | AI Model | is Derived from | An AI Model asset is derived from another AI Model asset. |
| AI Model | AI Model | is a Quantization of | An AI Model asset is the quantization of another AI Model asset. |
| AI Model | Business Term | is Related to | An AI Model asset is related to a Business Term asset. |
| AI Model | Data Process | is Used in | An AI Model asset's data is used in a Data Process asset. |
| AI Model | Technical Data Set | is Generating (Target) | An AI Model asset generates a Technical Data Set asset. |
| AI Model | Technical Data Set | is Using (Source) | An AI Model asset uses a Technical Data Set asset's data as source. |
| AI Model | Domain | is Related to | An AI Model asset is related to a Domain asset. |
| AI Model | Metric | is Related to | An AI Model asset is related to a Metric asset. |
| AI Model | Notebooks or Scripts | is Used in | An AI Model asset's data is used in a Notebooks or Scripts asset. |
| AI Model | Subdomain | is Related to | An AI Model asset is related to a Subdomain asset. |

### AI System

The following table lists the predefined relationships between AI System assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| AI System | AI Model | is Related to | An AI System asset is related to an AI Model asset. |
| AI System | AI System | is Related to | An AI System asset is related to another AI System asset. |
| AI System | Business Area | is Related to | An AI System asset is related to a Business Area asset. |
| AI System | Geography | is Related to | An AI System asset is related to a Geography asset. |
| AI System | Legal Entity | is Related to | An AI System asset is related to a Legal Entity asset. |

### Business Area

The following table lists the predefined relationships between Business Area assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Business Area | Business Area | is the Parent of | A Business Area asset is the parent of another Business Area asset. |
| Business Area | Geography | is Related to | A Business Area asset is related to a Geography asset. |
| Business Area | Legal Entity | is Related to | A Business Area asset is related to a Legal Entity asset. |

### Business Term

The following table lists the predefined relationships between Business Term assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Business Term | Business Area | is Related to | A Business Term asset is related to a Business Area asset. |
| Business Term | Business Term | is Classified by | A Business Term asset is classified by another Business Term asset. |
| Business Term | Business Term | is Described by | A Business Term asset is described by another Business Term asset. |
| Business Term | Business Term | is Identified by | A Business Term asset is identified by another Business Term asset. |

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Business Term | Business Term | is Related to | A Business Term asset is related to another Business Term asset. |
| Business Term | Business Term | is Variant of | A Business Term asset is similar to but still different from another Business Term asset. |
| Business Term | Business Term | is the Parent of | A Business Term asset is the parent of another Business Term asset. |
| Business Term | Metric | is Classified by | A Business Term asset is classified by a Metric asset. |
| Business Term | Metric | is Described by | A Business Term asset is described by a Metric asset. |
| Business Term | Metric | is Identified by | A Business Term asset is identified by a Metric asset. |
| Business Term | Metric | is Related to | A Business Term asset is related to a Metric asset. |
| Business Term | Metric | is Variant of | A Business Term asset is similar to but still different from a Metric asset. |
| Business Term | Metric | is the Parent of | A Business Term asset is the parent of a Metric asset. |
| Business Term | System | is a Strategic source for | A System asset is an approved source of data that a Business Term asset represents. |

**Data Quality Rule Occurrence**

The following table lists the predefined relationships between Data Quality Rule Occurrence assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Data Quality Rule Occurrence | Data Element | applies to | A data quality rule occurrence applies to a Data Element for generating data quality scores. |

#### Data Quality Rule Template

The following table lists the predefined relationships between Data Quality Rule Template assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Data Quality Rule Template | Business Term | applies to | A data quality rule template applies to a business term for generating data quality scores. |
| Data Quality Rule Template | Metric | applies to | A data quality rule template applies to a Metric for generating data quality scores. |

#### Data Set

The following table lists the predefined relationships between Data Set assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Data Set | Business Area | is Related to | A Data Set asset is related to a Business Area asset. |
| Data Set | Business Term | is Defined by | A Business Term asset subject area best describes the overall content of a Data Set asset. |
| Data Set | Data Set | is in Lineage with | A Data Set asset is in lineage with another Data Set asset. |
| Data Set | Data Set | is a Source for | A Data Set asset is a source for another Data Set asset. |
| Data Set | Domain | is Defined by | A Domain asset subject area best describes the overall content of a Data Set asset. |
| Data Set | Legal Entity | is Related to | A Data Set asset is related to a Legal Entity asset. |
| Data Set | Manual Data Element | is the Parent of | A Manual Data Element asset is the business representation of data that is not available in the catalog but which is essential to capture for governance purposes in your organization. |
| Data Set | Metric | is Defined by | A Metric asset subject area best describes the overall content of a Data Set asset. |
| Data Set | Subdomain | is Defined by | A Subdomain asset subject area best describes the overall content of a Data Set asset. |
| Data Set | Report | is Derived from | A Data Set asset is derived from a Report asset. |

### Domain

The following table lists the predefined relationships between Domain assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Domain | Business Area | is Related to | A Domain asset is related to a Business Area asset. |
| Domain | Business Term | is Related to | A Domain asset is related to a Business Term asset. |
| Domain | Business Term | is the Parent of | A Domain asset is the parent of a Business Term asset. |
| Domain | Data Set | is Defined by | A Data Set asset subject area best describes the overall content of a Domain asset. |
| Domain | Data Set | is Related to | A Domain asset is related to a Data Set asset. |
| Domain | Domain | is Related to | A Domain asset is related to another Domain asset. |
| Domain | Metric | is the Parent of | A Domain asset is the parent of a Metric asset. |
| Domain | Subdomain | is Related to | A Domain asset is related to a Subdomain asset. |
| Domain | Subdomain | is the Parent of | A Domain asset is the parent of a Subdomain asset. |

### Geography

The following table lists the predefined relationships between Geography assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Geography | Geography | is the Parent of | A Geography asset is the parent of another Geography asset. |

### Legal Entity

The following table lists the predefined relationships between Legal Entity assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Legal Entity | Geography | is Related to | A Legal Entity asset is related to a Geography asset. |
| Legal Entity | Legal Entity | is the Parent of | A Legal Entity asset is the parent of another Legal Entity asset. |

**Manual Data Element**

The following table lists the predefined relationships between Manual Data Element assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Manual Data Element | Manual Data Element | is in Manual Lineage with | A Manual Data Element asset is in lineage with another Manual Data Element. |
| Manual Data Element | Technical Data Element | is in Manual Lineage with | A Manual Data Element asset is in lineage with a Technical Data Element. |

**Note:** The *is in Manual Lineage with* relationship type is created by Data Governance and Catalog when you create a manual lineage in the **Lineage** tab of an asset.

**Metric**

The following table lists the predefined relationships between Metric assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Metric | Business Area | is Related to | A Metric asset is related to a Business Area asset. |
| Metric | Business Term | is Classified by | A Metric asset is classified by a Business Term asset. |
| Metric | Business Term | is Described by | A Metric asset is described by a Business Term asset. |
| Metric | Business Term | is Identified by | A Metric asset is identified by a Business Term asset. |
| Metric | Business Term | is Related to | A Metric asset is related to a Business Term asset. |
| Metric | Business Term | is Variant of | A Metric asset is similar to but still different from a Business Term asset. |
| Metric | Business Term | is the Parent of | A Metric asset is the parent of a Business Term asset. |
| Metric | Data Set | is Related to | A Metric asset is related to a Data Set asset. |
| Metric | Metric | Is Classified by | A Metric asset is classified by another a Metric asset. |
| Metric | Metric | is Described by | A Metric asset is described by another Metric asset. |
| Metric | Metric | is Identified by | A Metric asset is identified by another Metric asset. |
| Metric | Metric | is Related to | A Metric asset is related to another Metric asset. |
| Metric | Metric | is Variant of | A Metric asset is similar to but still different from another Metric asset. |

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Metric | Metric | is the Parent of | A Metric asset is the parent of another Metric asset. |
| Metric | Metric | Semantic Relationship | A Metric asset has semantic relationship with another Metric asset. |
| Metric | System | is a Strategic source for | A System asset is an approved source of the data that a Metric asset represents. |

**Policy**

The following table lists the predefined relationships between Policy assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Policy | AI Model | is Regulating | A Policy asset influences some aspects of an AI Model asset. |
| Policy | AI System | is Related to | A Policy asset is related to an AI System asset. |
| Policy | Business Area | is Related to | A Policy asset is related to a Business Area asset. |
| Policy | Business Term | is Regulating | A Policy asset exerts a regulatory influence over a Business Term asset. |
| Policy | Data element | is Regulating | A Policy asset exerts a regulatory influence over a data element. |
| Policy | Data Set | Policy defined by Business | A Policy asset defines some aspects of a Data Set asset. |
| Policy | Data Set | is Regulating | A Policy asset influences some aspects of a Data Set asset. |
| Policy | Domain | is Regulating | A Policy asset influences some aspects of a Glossary asset. |
| Policy | Geography | is Related to | A Policy asset is related to a Geography asset. |
| Policy | Legal Entity | is Related to | A Policy asset is related to a Legal Entity asset. |
| Policy | Manual Data Element | is Related to | A Policy asset is related to a Manual Data Element asset. |
| Policy | Metric | is Regulating | A Policy asset influences some aspects of a Glossary asset. |
| Policy | Policy | is the Parent of | A Policy asset is the parent of another Policy asset. |

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Policy | Process | is Related to | A Policy asset influences some aspects of a Process asset. |
| Policy | Process | is Compliant with | A Process asset adheres to a Policy asset in whole or in part. |
| Policy | Subdomain | is Regulating | A Policy asset influences some aspects of a Glossary asset. |
| Policy | System | is Regulating | A Policy asset influences some aspects of a System asset. |
| Policy | Policy | support Implementation of | A Policy asset supports some aspect of implementation to another Policy asset. |
| Policy | Report | is Regulating | A Policy asset influences some aspects of a Report asset. |
| Policy | Report Element | is Regulating | A Policy asset influences some aspects of a Report Element asset. |
| Policy | Classification | is Regulating | A Policy asset influences some aspects of a Classification asset. |

**Process**

The following table lists the predefined relationships between Process assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Process | AI Model | is Related to | A Process asset is related to an AI Model asset. |
| Process | AI System | is Related to | A Process asset is related to an AI System asset. |
| Process | BI Report | is Related to | A Process asset is related to a BI Report asset. |
| Process | Business Area | is Related to | A Process asset is related to a Business Area asset. |
| Process | Business Term | is using CDE | A Process asset uses a Critical Data Element of a Business Term asset. |
| Process | Business Term | is Related to | A Business Term asset is relevant to the execution of a Process asset. |
| Process | Data Element | is Related to | A Process is relevant to the execution of a Data Element asset. |
| Process | Data Element | is Using | A Process asset uses a Data Element asset's data. |

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Process | Data Set | is Related to | A Data Set asset is relevant to the execution of a Process asset. |
| Process | Data Set | is Using Data from | A Data Set asset is dependent on the Process asset data. |
| Process | Domain | is used for Process | A Process asset's data is used in a Domain asset. |
| Process | Geography | is Related to | A Process asset is related to a Geography asset. |
| Process | Legal Entity | is Related to | A Process asset is related to a Legal Entity asset. |
| Process | Manual Data Element | is Related to | A Process asset is related to a Manual Data Element asset. |
| Process | Metric | is Related to | A Metric asset is relevant to the execution of a Process asset. |
| Process | Metric | is Using CDE | A Process asset uses a Critical Data Element of a Metric asset. |
| Process | Policy | is Related to | A Process asset evidences execution of, or adherence to, a Policy asset. |
| Process | Process | is Predecessor To | A source Process asset precedes a target Process asset. |
| Process | Process | is Related to | Different processes or process steps are complimentary or otherwise related to other business activities. |
| Process | Process | is the Parent of | A Process asset is the parent of another Process asset. |
| Process | Report Element | is Related to | A Project asset is related to a Report Element asset. |
| Process | Subdomain | is using CDE | A Process asset uses a Critical Data Element of a Subdomain asset. |
| Process | Subdomain | is Related to | A Subdomain asset is relevant to the execution of a Process asset. |
| Process | System | is Related to | A Process asset is related to a System asset. |
| Process | System | is Using Data from | A Process asset is dependent on a System asset's data. |

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Process | System | Process Applicable System | A Process asset creates or consumes data relevant to a System asset. |
| Process | Technical Data Set | is Related to | A Process asset is related to a Technical Data Set asset. |

**Project**

The following table lists the predefined relationships between Project assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Project | AI Model | is Related to | A Project asset is related to an AI Model asset. |
| Project | AI System | is Related to | A Project asset is related to an AI System asset. |
| Project | BI Report | is Related to | A Project asset is related to a BI Report asset. |
| Project | Business Area | is Related to | A Project asset is related to a Business Area asset. |
| Project | Business Term | is Related to | A Project asset is related to a Business Term asset. |
| Project | Data Set | is Related to | A Project asset is related to a Data Set asset. |
| Project | Data Element | is Related to | A Data Element is related to a Project asset. |
| Project | Domain | is Related to | A Project asset is related to a Domain asset. |
| Project | Geography | is Related to | A Project asset is related to a Geography asset. |
| Project | Legal Entity | is Related to | A Project asset is related to a Legal Entity asset. |
| Project | Manual Data Element | is Related to | A Project asset is related to a Manual Data Element asset. |
| Project | Metric | is Related to | A Project asset is related to a Metric asset. |
| Project | Policy | is Related to | A Project asset is related to a Policy asset. |
| Project | Project | is the Parent of | A Project asset is the parent of another Project asset. |
| Project | Process | is Related to | A Project asset is related to a Process asset. |
| Project | Regulation | is Related to | A Project asset is related to a Regulation asset. |
| Project | Report Element | is Related to | A Project asset is related to a Report Element asset. |
| Project | Subdomain | is Related to | A Project asset is related to a Subdomain asset. |

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Project | System | is Related to | A Project asset is related to a System asset. |
| Project | Technical Data Set | is Related to | A Project asset is related to a Technical Data Set asset. |

**Regulation**

The following table lists the predefined relationships between Regulation assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Regulation | Business Area | is Related to | A Regulation asset is related to a Business Area asset. |
| Regulation | Geography | is Related to | A Regulation asset is related to a Geography asset. |
| Regulation | Legal Entity | is Related to | A Regulation asset is related to a Legal Entity asset. |
| Regulation | Policy | is Related to | A Regulation asset is related to a Policy asset. |
| Regulation | Regulation | is the Parent of | A Regulation asset is the parent of another Regulation asset. |

**Subdomain**

The following table lists the predefined relationships between Subdomain assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Subdomain | Business Area | is Related to | A Subdomain asset is related to a Business Area asset. |
| Subdomain | Business Term | is Classified by | A Subdomain asset is classified by a Business Term asset. |
| Subdomain | Business Term | is Described by | A Subdomain asset is described by a Business Term asset type. |
| Subdomain | Business Term | is Identified by | A Subdomain asset is identified by a Business Term asset. |
| Subdomain | Business Term | is Related to | A Subdomain asset is related to a Business Term asset. |
| Subdomain | Business Term | is Variant of | A Subdomain asset is similar to but still different from a Business Term asset. |

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Subdomain | Business Term | is the Parent of | A Subdomain asset is the parent of a Business Term asset. |
| Subdomain | Data Set | is Related to | A Subdomain asset is related to a Data Set asset. |
| Subdomain | Data Set | Subdomain defined by Data | A Subdomain asset might indicate the contents or primary purpose of a Data Set asset. |
| Subdomain | Metric | is Classified by | A Subdomain asset is classified by a Metric asset. |
| Subdomain | Metric | is Described by | A Subdomain asset is described by a Metric asset. |
| Subdomain | Metric | is Identified by | A Subdomain asset is identified by a Metric asset. |
| Subdomain | Metric | is Related to | A Subdomain asset is related to a metric asset. |
| Subdomain | Metric | is Variant of | A Subdomain asset is similar to but still different from a Metric asset. |
| Subdomain | Metric | is the Parent of | A Subdomain asset is the parent of a Metric asset. |
| Subdomain | Subdomain | is Related to | A Subdomain asset is related to another Subdomain asset. |
| Subdomain | Subdomain | is the Parent of | A Subdomain asset is the parent of another Subdomain asset. |

**System**

The following table lists the predefined relationships between System assets and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| System | Business Area | is Related to | A System asset is related to a Business Area asset. |
| System | Data Set | is a Strategic Source for | A System asset is a strategic source for a Data Set asset. |
| System | DataSource | is Derived from | A System asset is derived from a DataSource asset. |
| System | Geography | is Related to | A System asset is related to a Geography asset. |
| System | Legal Entity | is Related to | A System asset is related to a Legal Entity asset. |

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| System | System | is the Parent of | A System asset is the parent of another System asset. |
| System | System | is a Source for | A System asset is a source for another System asset. |

**Technical Data Element**

The following table lists the predefined relationships between technical data elements and target assets:

| Source Asset Type | Target Asset Type | Relationship Type | Meaning of Relationship Type |
|---|---|---|---|
| Technical Data Element | Manual Data Element | is in Manual Lineage with | A technical data element is in lineage with a Manual Data Element asset. |
| Technical Data Element | Technical Data Element | is in Manual Lineage with | A technical data element is in lineage with a technical data element. |