Informatica® Cloud Data Governance and Catalog

July 2026

Asset Discovery

Informatica Cloud Data Governance and Catalog Asset Discovery
July 2026

© Copyright Informatica LLC 2021, 2026

Publication Date: 2026-08-12

Table of Contents

Preface 6

Chapter 1: Search and browse assets 7

Asset types 7

Search for assets 8

- Filter search results 12
- View search results 13
- Construction of search queries 15
- Synonyms used in search queries 16
- Reserved words 18

Search query examples 19

- Business asset search query examples 20
- Technical asset search query examples 23
- Data access asset search query examples 27
- Asset groups search query examples 30
- Relationship search query examples 31
- Stakeholder search query examples 33
- Lifecycle search query examples 36
- Date and time search query examples 37
- Collaboration search query examples 37
- Classifications search query examples 39
- Custom attributes search query examples 40
- Data quality rule occurrences search query examples 41
- Glossary assets associations with data classifications search query examples 43

Save search queries 43

- Saving a search 44
- Creating a dashboard widget for a saved search 45
- Viewing your saved searches 46
- Sharing your saved searches 48
- Deleting your saved searches 52

Browse for assets 53

Export assets 56

- Prerequisites 56
- Exporting assets from search results 56
- Exporting assets from catalog source 58

Chapter 2: Dashboards and widgets 63

General dashboards 63

Usage analytics dashboards 64

- Asset dashboard 65

User Adoption dashboard. . . . 67
Working with dashboards. . . . 68
Browse your dashboards. . . . 68
Set a default dashboard 70
Building dashboards. . . . 71
Modifying dashboards. . . . 72
Sharing dashboards. . . . 73
Transferring dashboards. . . . 75
Deleting dashboards. . . . 76
Working with widgets. . . . 77
Adding widgets on a dashboard. . . . 78
Modifying widgets on a dashboard. . . . 80
Arranging widgets on a dashboard. . . . 81
Viewing widget information. . . . 82
Cloning or deleting widgets. . . . 84
Exporting assets from widgets. . . . 85
Summary of CLAIRE activities. . . . 87
Widget properties. . . . 88
CLAIRE Activity widget. . . . 88
Asset widget. . . . 92
User adoption widget. . . . 94
Data Observability widget. . . . 95
Data Quality widget. . . . 96
Job monitoring widget. . . . 98
Notice board widget. . . . 99
Search-based widget. . . . 100
Tickets widget. . . . 101

Chapter 3: Relationships. . . . 103

View relationships in assets. . . . 103
Additional navigation options for relationships. . . . 106
Relationship types in assets. . . . 108
Contextual relationships. . . . 108
Directional relationships. . . . 109
Types of direct relationships. . . . 111
Parent-child relationships. . . . 123
Creating relationships between assets. . . . 124
Adding relationships between data classifications and policy assets 126
Adding relationships between data classifications with glossary assets. . . . 127
Deleting a relationship between assets. . . . 129

Chapter 4: Data lineage. . . . 130

Lineage types. . . . 130

Lineage interface. . . . 132
Lineage configuration. . . . 134
Lineage views. . . . 137
Creating and sharing lineage views. . . . 138
Manage lineage views. . . . 140
Linked Lineage. . . . 142
Curate catalog source links. . . . 144
View linked lineage. . . . 145

Chapter 5: Audit history of assets. . . . 146

Viewing audit history of assets. . . . 146
View hierarchy of assets. . . . 149
Exporting the audit history of an asset. . . . 151
Exporting the audit history of multiple assets. . . . 152

Chapter 6: Monitor jobs. . . . 154

Viewing import job status 154
Viewing export job status. . . . 155

Index. . . . 156

Preface

Read *Asset Discovery* to learn how to find assets, understand the shape of the data in your organization, and derive insights.

CHAPTER 1

Search and browse assets

After the metadata from your source system is ingested into Data Governance and Catalog, you can search and browse for business and technical assets, view relationships and links between assets, and view the stakeholders that are responsible for the assets.

After you get the required search results, you can export the search results to your local folder and perform any governance related activities within your organization. For more information about exporting search results assets, see "Export assets" on page 56.

Note: The assets that you can search for and view in Data Governance and Catalog depend on the permissions and privileges that your organization administrator assigns to you through access policies in Metadata Command Center. For information about how administrators manage access to assets, see the *Asset Management* help.

Asset types

In Data Governance and Catalog you can create an asset repository, add business or technical metadata to enrich the data in your source systems, and display the data assets.

You can view the following types of assets in Data Governance and Catalog:

Technical assets

Data Governance and Catalog shows the metadata you extract from source systems in Metadata Command Center as technical assets. You can use technical assets to perform various catalog functions. For example, searching for data using technical parameters, understanding the lineage of the data, and identifying relationships between the assets. Technical assets include catalog sources, data classifications, databases, columns, views, and more.

Business assets

When you document a new asset or add business metadata to your data, you create an asset in Data Governance and Catalog called a business asset. Use business assets to perform governance functions such as collaborating with stakeholders, viewing the audit history of data, and complying with regulatory requirements. Business assets include glossary, policy, domain, data sets, and more.

Data access assets

When you develop actionable policies and rules that grant access to, filter, or de-identify data in your source systems, you create an asset in Data Governance and Catalog called a data access asset. Data access assets consist of data access policies based on defined rules. The rules include data access control policies, data filter policies, and data de-identification policies which leverage metadata context, precedence tiers, and data de-identification techniques. You use data access assets to apply and enforce these access controls that protect data through multiple methods, including Data Integration

mappings when moving data, self-service access to data provided through Data Marketplace, and pushdown of data access control policies into cloud data platforms.

Search for assets

With millions of business and technical assets in the catalog, it can be time-consuming to discover the data that you're looking for. You can search for assets by accessing the search bar on the top of any page in Data Governance and Catalog.


To view technical assets, review that the following prerequisites are met:

- The organization administrator grants you the **Read** permission on technical assets through access policies in Metadata Command Center.
- The organization administrator has marked the custom attributes as searchable and filterable in Metadata Command Center so that you can search for assets in Data Governance and Catalog.
- To use AI Search, your organization administrator must enable CLAIRE generative AI services in Administrator. For more information on enabling CLAIRE generative AI services, see the *Organization Administration* help in Administrator.
- AI Search is not available for organizations deployed on Oracle Cloud Infrastructure.

Select a search method

You can search for assets using natural language or by entering a keyword or a query in the search box at the top of each page. You can also let Data Governance and Catalog select the search method appropriate for your input.

The following image shows the search bar in Data Governance and Catalog:



Natural language search

Natural language search is an AI-enabled search method that lets you search for assets using plain language.

Note: Before you use AI Search, review the following prerequisites:


- Your organization administrator must enable CLAIRE generative AI services in Administrator. For more information, see *CLAIRE generative AI services* in the Administration help.
- AI Search is not available for organizations deployed on Oracle Cloud Infrastructure.

For the search box, enable the **AI Search** toggle and enter phrases in plain language.

The following table lists examples of natural language prompts that you can enter in AI Search:

Search goal	Example prompt
Explore lineage	`show me assets that have outgoing lineage`
Find assets by attribute or quality	`show me tables in the finance domain`, `find datasets with bad DQ scores`
Find assets associated with a glossary	`show me columns that have an associated glossary`
Find assets by creation or modification date	`which assets were created between April and May 2025`

The following image shows the **AI Search** toggle:



When you search, Data Governance and Catalog uses AI to interpret your query and displays results. As Data Governance and Catalog interprets intent, you can enter phrases with minor spelling mistakes and still get relevant results. Each search shows the AI reasoning that explains how Data Governance and Catalog interpreted your query. Data Governance and Catalog also generates an internal search query from your prompt and runs it to retrieve the results.

Note: Your organization's metadata stays within Data Governance and Catalog. Natural language search uses AI to translate your plain language prompt into a search query, which Data Governance and Catalog runs against your catalog to retrieve results.

The following list describes the details available when you click the **More info** icon for AI reasoning:


- Your original prompt
- Detailed AI reasoning on how Data Governance and Catalog interpreted your prompt

- The generated search query that Data Governance and Catalog used to retrieve the results

For example, if your prompt is **find sensitive assets**, the AI reasoning is: `Find all assets related to data classification entries with any non-zero sensitivity level.`

When you click the **More info** icon, you see the following details:

- Your prompt: `find sensitive assets`
- AI reasoning: `Find all assets that have any sensitivity value set, by checking for the presence of the Sensitivity attribute across all its host classes`
- Generated search query: `any related to ((Data Classification Metric, Data Classification, Data Element Classification) with Sensitivity *)`




You can save your natural language search in the same way as other searches. The **Saved Searches** page displays your original prompt and the generated search query.

Keyword search

Select **Keyword** to search for assets using a keyword or phrase that might be used in the name, alias name, business name, description, or ref ID of the asset. As you start typing inside the search bar, you can see search suggestions to start discovering your data. Click one of the matching entries or search for all assets of a particular type from the suggestions. To view all results, press **Enter**. Data Governance and Catalog displays the assets that are an exact match of the keyword or phrase that you entered. If your asset names or descriptions contain non-English language content, then you can enter search keywords or phrases in those languages.

The following image shows the results for the keyword `soft`:




To find matches even when you misspell, interchange, or miss a keyword, select the **Flexible** option.

Query search

Select **Query** to search for assets by progressively building a complex search query. A search query is a phrase or a combination of search terms that you can use to find assets in your catalog. Using a search query provides you with a more precise set of results. When you click inside the search box, you can see the recently searched queries followed by search query suggestions. As you start typing your search terms, the search box intelligently adjusts the search query suggestions.

To learn how to use search queries, see "Search query examples" on page 19.

The following image shows the results of query used to search for all the process assets in the catalog:



Adaptive search

Select **Adaptive** to let Data Governance and Catalog determine the appropriate search method between Keyword and Query based on your input. The search engine dynamically suggests the most relevant assets that appear at the top of the search suggestions. When you search using a keyword, the top search results return assets that contain the exact match for the asset name, alias name, business name, description, ref ID, and technical description. Along with the exact matches, the search also returns assets that contain fuzzy match for the keyword.

Ranking of search results

Data Governance and Catalog ranks the results of your search term according to the following conditions:

- Search term match with one or more asset names.
- Search term match with properties within assets.
- Frequency with which the search term appears across assets.
- Similarity with other terms across Data Governance and Catalog.
- Relevant results based on other matching criteria.

Filter search results


If the search results don't include the assets you're looking for, you can use search filters. Filters such as asset type, asset lifecycle, created and updated date help you narrow your search results and find the asset that you are looking for.

The **Filters** pane on the left displays the total number of matched asset types for the specified keyword. If you expand the asset type, you can see the number of matched assets for each type. If your search result has at least one asset type, the **Filters** pane dynamically displays relevant additional filters. You can apply one or more filters to enable basic and advanced searches that return the necessary search results.

The value of additional filters vary depending on the asset and catalog source type of your search result. For example, if your search result contains 'Business Terms' as **Asset Type**, the **Additional Filters** section might display **Critical Data Element** and **Joining Date** as the additional filter options. **Joining Date** and **Critical Data Element** are attributes of the business term for which you can select a value to narrow your search. Depending on the values chosen for these dynamic filters, the search displays the intended results.

If the Data Marketplace Administrator has connected Data Marketplace to Data Governance and Catalog, the **Filters** pane displays the **Data Marketplace** filter. When you use the **Data Marketplace** filter, the page displays the assets that are added to one or more data collections in Data Marketplace, including the assets that are added to unpublished data collections. For more information about how a Data Marketplace Administrator connects Data Marketplace to Data Governance and Catalog, see the *Set Up Data Marketplace* help in Data Marketplace. For more information about data collections, see the *Working With Data Collections* help in Data Marketplace.

The following image shows the **Filters** pane and the additional filters:




The **Catalog Sources** filter allows you to retrieve search results based on the type of catalog source that you select. For example, if you select Oracle, only the Oracle catalog source type appears in the search result. The **Catalog Sources Instances** filter retrieves all the objects based on the name of the selected catalog source. For example, if you select the name of the catalog source instance as ORACLE_DataElement1, all the assets with the catalog source name as ORACLE_DataElement1 appear in the search result.

View search results

View search results in various layouts, preview asset details, or open the asset details page to view complete details of any asset.


To change the layout of the **Search Results** page, click the **Action** menu on the top of the page, and select the **Table** layout. The default layout is **Card**. Depending on the asset type, you can select to view details of the asset.

The following image shows the export, layouts, and view you can select on the **Search Results** page:



To view the detail summary of the selected asset, select **Details** from the Action menu. This opens a preview pane which displays the **Overview** tab with basic details of the asset, and the **Related Assets** tab which displays the relationships of the asset.

From the search results page, click the name of an asset to open the asset in a new page and view complete details of the technical or business asset such as lineage information, relationships, and associated glossary, and classifications. The following image shows an example of the 'customers' data set details page:



Construction of search queries

A search query is a phrase or a combination of search terms that you can enter in the search box to find asset types, asset names, assets with comments, assets with ratings, and so on.

The following table lists some of the common search terms that you can use in your search query to find accurate search results:

Search Term	Description	Search Term Examples
`' '` or `" "`	Use quotes if you want to search for the exact form of a term. If you want to search for an entry that contains multiple words, a special character, or a whitespace character, enclose the words in single quotes or double quotes.	`Metric 'Net Profit'`, `"GDPR-Violations"`
`*`	Use wildcard entry `*` to search for all the assets in the catalog that you can view or to enter partial terms so that you can find results for full terms.	`business terms with 'phone num*'` `catalog source Amazon*` `*phone` `*cust*`
`( )`	Use parentheses if you want to search for connected assets and if the search query contains a predicate for an asset type.	`(column with name Customer) related to table` shows all columns that have the name 'Customer' and are also related to a table.
`,`	Use commas to separate multiple search queries.	`domain 'Party Data', subdomain Measures`
Synonyms	You can use alternative names in the search box that provide the same results.	`policies` or `policy`
`with` reserved word	Use the `with` reserved word with an asset type to search for specific terms within an asset.	`processes with description 'medical reimbursement'`
`which are` reserved word	Use the `which are` reserved word to search for assets based on their attributes.	`Business terms which are Critical Data Element`
`containing` reserved word	Use the `containing` reserved word followed by an asset type to search for assets with a parent-child relationship.	`domain containing business term`
`T`	Use a captial `T` between a date and a timestamp as a separator.	`2025-05-28T18:45:00Z`
`Z`	Use a captial `Z` at the end of a timestamp to denote local time.	`2025-05-28T12:30:00Z`

Synonyms used in search queries

Synonyms are alternative keywords you can enter in the search bar that provide the same results. For example, keywords like `bt`, `business term`, `terms`, `term` will fetch you results for the business term asset type. You can use synonyms in the search bar to search asset types or search by asset attributes.

Asset type synonyms

The following table lists synonymous search keywords to search asset types:

Asset Type	Synonymous Search Terms
AI model	`aimodels`, `aimodel`, `ai model`, or `ai models`
Business term	`business term`, `business terms`, `terms`, `bt`, or `term`
Business term, domain, metric, or subdomain	`glossary` or `glossaries`
Data access assets	`data access asset` or `data access assets`
Data set	`datasets`, `data sets`, `data set`, or `dataset`
Domain	`domains` or `domain`
Manual data element	`manual data element` or `manual data elements`
Metric	`metrics` or `metric`
Policy	`policies` or `policy`
Process	`processes` or `process`
Data quality rule occurrence	`dq occurrence` or `dq rule`
Data quality rule template	`dq template` or `data quality template`
Subdomain	`subdomains`, `subdomain`, or `sub domains`
System	`systems` or `system`
Azure data factory folder, Databricks folder, IICS folder, SSIS folder, folder, IICS v2 folder, or IPC folder	`folders` or `folder`
File	`files` or `file`
File system container	`file systems`, `filesystems`, or `filesystem`
Power BI cloud report, SSRS report, Tableau worksheet, Tableau dashboard, or BI report	`reports`, `bi report`, `bi reports`, or `report`
Table	`tables` or `table`
View	`views` or `view`

Asset Type	Synonymous Search Terms
Column	`columns` or `column`
Classification	`data classifications`, `classifications`, or `data classification`
Data element	`data elements` or `data element`
Data element classification	`data element classifications` or `data element classification`
Data entity classification	`data entity classifications` or `data entity classification`
Technical data set	`technical datasets`, `technical dataset`, `technical data set`, or `technical data sets`
Data source	`data sources` or `data source`
All assets	`objects`, `assets`, `all items`, `all objects`, `object`, `everything`, or `all assets`
Business assets	`business assets` or `business asset`
Technical assets	`technical assets` or `technical asset`
Resource	`source`, `catalog sources`, `resource`, `sources`, or `resources`
Ratings of assets	`ratings` or `rating`
Comments of assets	`comments` or `comment`
Business intelligence report	`Report`, `Reports`, `BI Report`, or `BI Reports`

Attribute synonyms

The following table lists synonymous search keywords to search by asset attributes:

Attributes	Synonymous Search Terms
Critical Data Element (CDE)	`cde` or `CDE`
Type	`filetype` or `filetypes`
Created On	`created` or `createdon`
Description	`description` or `descriptions`
External ID	`ref id`, `external id`, or `refid`
Modified By	`updated by` or `updated`
Modified On	`modified` or `updated`

Attributes	Synonymous Search Terms
Resource Name	`resource name` or `resource names`
Stakeholder Identity	`stakeholders` or `stakeholder`
Average Rating	`rating` or `ratings`
Certification	`certified` or `certification`
Rating	`rated` or `rating`
Comments	`commented` or `comments` or `comment`

Reserved words

Reserved words are words that are reserved for specific functions in Data Governance and Catalog.

If you want to use a reserved word in a query filter, enter the reserved word string in quotes.

The reserved words include the following words:

- `ALL`
- `ARE`
- `TYPE`
- `AND`
- `ANY`
- `AS`
- `CONTAINING`
- `DAY`
- `DAYS`
- `EQUALS`
- `GREATER`
- `HOUR`
- `HOURS`
- `HAS`
- `IN`
- `INBOUND`
- `IS`
- `LAST`
- `LESS`
- `BETWEEN`
- `MATCHING`
- `NOT`
- `NULL`

- `OR`
- `OUTBOUND`
- `RELATED`
- `TRAVERSE`
- `REPEAT`
- `UNTIL`
- `HOPS`
- `UNBOUNDED`
- `RELATIONSHIPS`
- `ROLE`
- `THAN`
- `THROUGH`
- `TO`
- `WHERE`
- `WHICH`
- `WITH`
- `WITHIN`
- `WITHOUT`
- `HAVING`
- `STAKEHOLDER`

Search query examples

From the search bar, you can progressively build complex queries to find assets, relationships, data classifications, and more. As you type your search query, the search provides intelligent suggestions.

Search queries are based on different asset types, associations, or operations in Data Governance and Catalog. You can refer to the examples in each area to construct search queries suitable to your requirements.

Search query examples are categorized into the following areas:

- Business assets
- Technical assets
- Data access assets
- Asset groups
- Relationships
- Stakeholders
- Lifecycle
- Date and time
- Collaboration

- Classifications
- Custom attributes
- Data quality rule occurrences
- Glossary assets associations with data classifications

Business asset search query examples

You can use search queries to search for business assets like Business Terms, Domain assets, Policy assets, and more.

The following table lists some sample business asset search query that you can try in the search box:

Search query	What it does
`all in domain HIPAA*`	Shows all assets that are child assets or belong to Domain assets that start with the text `HIPAA`. The search returns results on the name, alias name, or business name fields of the asset.
`all in 'domain Human Resources'`	Shows all assets that are children or belong to Domain assets that start with the name `Human Resources`.
`all related to AI System "CLAIRE"`	Shows all assets that are related to AI System assets with the name `CLAIRE`.
`data sets related to AI System "Gemini"`	Shows all Data Set assets that are related to AI System assets with the name `Gemini`.
`AI model related to AI System "Grok"`	Shows all AI Model assets that are related to AI System assets with the name `Grok`.
`project related to AI System "CLAIRE"`	Shows all Project assets that are related to AI System assets with the name `CLAIRE`.
`business term 'phone number'`	Shows all Business Term assets with the text `Phone Number`. The search returns results on the name, alias name, or business name fields of the asset.
`business term phone*`	Shows all Business Term assets that start with text `Phone`. The search returns results on the name, alias name, or business name fields of the asset.
`business terms which are critical data element`	Shows all Business Term assets that are marked as **Critical Data Element**.
`business terms in domain Finance*`	Shows all Business Term assets that are children of Domain assets that start with the name `Finance`.
`business terms in subdomain *Payroll`	Shows all Business Term assets that are children of Subdomain assets that end with the text `Payroll`.
`business terms where format type is Text`	Shows all Business Term assets with Text in the **Format Type** field.
`business terms without description`	Shows all Business Term assets with the **Description** field empty.

Search query	What it does
`business terms related to policy "CCPA Policy"`	Shows all Business Term assets related to Policy assets with the name `CCPA Policy`.
`business terms which are not critical data element`	Shows all Business Term assets that are not marked as **Critical Data Element**.
`business terms 'phone number', Metric 'EBITDA'`	Shows all Business Term assets that have the name `phone number` and all Metric assets that have the name `EBITDA`. The search returns results on the name, alias name, or business name fields of the asset.
`dataset Customers*`	Shows all business Data Set assets that start with the text `Customers`. The search returns results on the name, alias name, or business name fields of the asset.
`dataset containing manual data element 'Party Data'`	Shows all data sets containing manual data elements with the text `Party Data`.
`domain 'Party Data'`	Shows all Domain assets with the text `Party Data`. The search returns results on the name, alias name, or business name fields of the asset.
`domains 'Party Data*', subdomains 'Party Data*'`	Shows all Domain assets that start with the text `Party Data` and Subdomain assets that start with the text `Party Data`. The search returns results on the name, alias name, or business name fields of the asset.
`domains containing business term Email`	Shows all Domain assets that have a parent-child relationship to Business Term assets with the name `Email`.
`domains containing subdomain 'Party Data*'`	Shows all Domain assets that have a parent-child relationship to Subdomain assets that start with `Party Data`.
`domains containing metric EBITDA`	Shows all Domain assets that have a parent-child relationship to Metric assets with the name `EBITDA`.
`manual data element Customers*`	Shows all manual data elements starting with the text `Customers*`.
`manual data element matching 'Product Code'`	Shows all manual data elements matching the name `'Product Code'`.
`manual data elements in dataset EMPLOYEE.`	Shows all manual data elements that are in the data set `EMPLOYEE`.
`metric EBITDA`	Shows all Metric assets with the name `EBITDA`.
`metric without description`	Shows all Metric assets with the **Description** field empty.
`policy GDPR*`	Shows all Policy assets that start with the text `GDPR`. The search returns results on the name, alias name, or business name fields of the asset.
`policies, processes`	Shows all Policy and Process assets.
`policies without description`	Shows all Policy assets with the **Description** field empty.

Search query	What it does
`policy P*, process P*`	Shows all Policy assets that start with `P` and Process assets that start with `P`. The search returns results on the name, alias name, or business name fields of the asset.
`policy *University*, domain *University*`	Shows all Policy assets that contains the text `University` and Domain assets that contain the text `University`. The search returns results on the name, alias name, or business name fields of the assets.
`processes without description`	Shows all Process assets with the **Description** field empty.
`process KYC`	Shows all Process assets that contain the text `KYC`. The search returns results on the name, alias name, or business name fields of the asset.
`process 'Know Your Client'`	Shows all Process assets with the exact text `Know Your Client` in its name, alias name, or business name fields.
`subdomain Payroll*`	Shows all Subdomain assets that start with the text `Payroll`. The search returns results on the name, alias name, or business name fields of the asset. lias name, or business name fields of the asset.
`subdomain 'Party Data'`	Shows all Subdomain assets with the exact text `Party Data` in its name, alias name, or business name.
`subdomain Payroll* and containing business term Salary*`	Shows all Subdomain assets that start with `Payroll` that have a parent-child relationship to Business Term assets that start with `Salary`.
`subdomain 'Party Data*' and related to policies`	Shows all Subdomain assets that start with `Party Data` and are related to Policy assets.
`subdomain without description`	Shows all Subdomain assets with the **Description** field empty.
`subdomain 'Party Data*', subdomains 'Party Data*'`	Shows all Subdomain assets that start with `Party Data` and are related to Subdomain assets that start with `Party Data`.
`subdomain containing business term Email`	Shows all Subdomain assets that have a parent-child relationship to Business Term assets with the name `Email`.
`subdomain containing metric EBITDA`	Shows all Subdomain assets that have a parent-child relationship to Metric assets with the name `EBITDA`.
`system DWH*`	Shows all System assets that start with the text `DWH`. The search returns results on the name, alias name, or business name fields of the asset.
`systems without description`	Shows all System assets with the **Description** field empty.
`domain with reference ID '<Reference ID value>'`	Shows the domain that has the specified value in its reference ID field.
`<Reference ID value>` `REL_BT_AUT_Parent_CSV_05`	Shows all assets with `REL_BT_AUT_Parent_CSV_05` in the names, aliases, descriptions, and **Reference ID**.
`business term 'phone_number*'`	Shows all Business Term assets that start with the text `phone_number`. The search returns results on the name, alias name, or business name fields of the asset.

Search query	What it does
`domain 'Party-Data*'`	Shows all Domain assets that start with the text `Party-Data`. The search returns results on the name, alias name, or business name fields of the asset.
`domains containing subdomain 'Party_Data*'`	Shows all Domain assets that have a parent-child relationship to Subdomain assets that start with `Party Data`, `Party_Data`, and `Party-Data`.
`business terms 'phone-number*', Metric 'EBITDA'`	Shows all Business Term assets that start with the text `phone-number`, and all Metric assets with the name `EBITDA`. The search returns results on the name, alias name, or business name fields of the asset.

Technical asset search query examples

You can use search queries to search for technical assets like files, tables, columns, catalog sources, and more.

The following table lists some technical asset search query examples that you can try in the search box:

Search query	What it does
`unstructured files`	Shows all the unstructured files in the catalog. Unstructured files include PDFs, text files, Microsoft Word document files, along with the unrecognized file formats that the system treats as unstructured files.
`document with name 'Customer*'`	Shows all unstructured files that start with the name `Customer`. Unstructured files include PDFs, text files, Microsoft Word document files, along with the unrecognized file formats that the system treats as unstructured files.
`unstructured file with Modified On within last 7 days`	Shows all the unstructured files that were modified in the last seven days. Unstructured files include PDFs, text files, Microsoft Word document files, along with the unrecognized file formats that the system treats as unstructured files.
`all in resource <catalog source name>`	Shows all the assets of the catalog source. The result includes the data quality rule occurrences that have their primary data element belonging to the catalog source.
`all with catalog source name Oracle*`	Shows all assets that belong to catalog sources starting with the name `Oracle*`.
`all with catalog source type 'Amazon S3'`	Shows all assets that belong to the catalog source type `Amazon S3`.
`columns related to business term 'Phone Number'`	Shows all columns that are related to Business Term assets named `Phone Number`.
`columns related to data classification 'Social Security Number'`	Shows all columns that are related to data classifications named `Social Security Number`.

Search query	What it does
`columns related to data classification Email`	Shows all columns that are related to data classifications with the name `Email`.
`columns in (catalog source Oracle*) and related to (business term 'Phone Number')`	Shows all columns that are present in the catalog sources starting with the name `ORACLE` and are related to the Business Term asset `Phone Number`.
`(columns which are profiled and in catalog source Oracle*) related to data classification Email`	Shows all columns that are profiled and in catalog sources that start with the name `ORACLE` and are related to data classification `Email`.
`columns not related to business term`	Shows all columns that are not related to Business Term assets.
`data elements related to business term Email`	Shows all data elements that are related to Business Term assets with the name `Email`.
`data elements related to data classification 'Social Security Number'`	Shows all data elements that are related to data classifications with the name `Social Security Number`.
`data elements not related to data classification`	Shows all data elements that are not related to any data classification.
`data elements related to (data set related to system DWH) and related to Policy GDPR`	Shows all data elements that fulfill both the following criteria: - related to Data Set assets that are in turn related to System assets with the name `DWH`. - related to Policy assets with the name `GDPR`.
`Data Elements related to data set related to System related to Policy GDPR`	Shows all data elements related to Data Set assets and are related to System assets and are related to Policy assets with the name `GDPR`.
`Data Elements related to data set related to System related to Process KYC`	Shows all data elements related to Data Set assets and are related to System assets and are related to Process assets with the name `KYC`.
`Data Elements related to data set related to System related to (Policy GDPR, Process KYC)`	Shows all data elements related to Data Set assets and are related to System assets and are related to Policy assets with the name `GDPR` and Process assets with the name `KYC`.
`data elements not related to business term`	Shows all data elements that are not related to Business Term assets.
`data elements related to data classification 'Social_Security_Number*'`	Shows all data elements that are related to data classifications with the name `Social Security Number`, `Social_Security_Number`, and `Social-Security-Number`.
`glossaries with lifecycle Published and related to policy GDPR*`	Shows all Glossary assets where the **Lifecycle** field is in the **Published** status and are related to Policy assets that start with `GDPR`.
`glossaries with lifecycle Published and related to (policy GDPR*, policy CCPA*)`	Shows all Glossary assets where the **Lifecycle** field is in the **Published** status and are related to Policy assets that start with `GDPR` and are related to Policy assets that start with `CCPA`.

Search query	What it does
`glossaries related to all in policy GDPR`	Shows all Glossary assets related to all Policy assets with the name `GDPR`.
`glossaries related to policy GDPR`	Shows all Glossary assets related to Policy assets with the name `GDPR`.
`glossaries cust* and related to policy GDPR`	Shows all Glossary assets that start with `cust` and are related to Policy assets with the name `GDPR`.
`bi reports related to policy GDPR*`	Shows all BI reports that are related to Policy assets that start with `GDPR`.
`bi reports related to process KYC*`	Shows all BI reports that are related to Process assets that start with `KYC`.
`tables related to column City`	Shows all tables that are related to columns with the name `City`.
`data elements related to (business term Customer ID, Customer Name)`	Shows all data elements related to Business Term assets with the names `Customer ID` and `Customer Name`.
`catalog source ORACLE_HR`	Shows catalog source assets with the name `ORACLE_HR`. The search returns results on the name, alias name, or business name fields of the asset.
`catalog source ORACLE*`	Shows catalog source assets that start with the text `ORACLE`. The search returns results on the name, alias name, or business name fields of the asset.
`catalog sources with resource type Oracle`	Shows all assets of the catalog source type `ORACLE`.
`catalog sources with resource type 'Amazon S3'`	Shows all assets of the catalog source type `Amazon S3`.
`columns Credit*`	Shows all columns that start with the text `Credit`. The search returns results on the name, alias name, or business name fields of the asset.
`columns which are profiled`	Shows all columns that are profiled.
`columns which are not profiled`	Shows all columns that are not profiled.
`columns which are not related to data classification`	Shows all columns that are not related to data classifications.
`columns in catalog source Oracle*`	Show all columns in the catalog source types that start with `ORACLE`.
`flat field`	Shows all the flat field assets contained in flat files.
`data elements Credit*`	Shows all data elements that start with the text `Credit`. The search returns results on the name, alias name, or business name fields of the asset.
`data elements 'CREDIT_CARD'`	Shows all data elements with the name, alias name, or business name as `CREDIT_CARD`.

Search query	What it does
`data elements which are profiled`	Shows all data elements that are profiled.
`file Customer*`	Shows all files that start with the name `Customer`. The search returns results on the name, alias name, or business name fields of the asset.
`folder Customer*`	Shows all folders that start with the name `Customer`. The search returns results on the name, alias name, or business name fields of the asset.
`folder containing hierarchical file Customer*`	Shows all folders that contain files that start with `Customer`.
`folder containing file Customer*`	Shows all folders that contain files that start with `Customer`.
`glossaries`	Shows all Glossary assets.
`glossaries cust*`	Shows all Glossary assets that start with the text `cust`. The search returns results on the name, alias name, or business name fields of the asset.
`glossaries with stakeholder @<username>`	Shows all Glossary assets with a user name or user group in the **Stakeholder** field.
`glossaries without stakeholder`	Shows all Glossary assets with the **Stakeholder** field empty.
`bi report 'Quarterly Sales'`	Shows all BI reports with the name, alias name, or business name as `Quarterly Sales`.
`bi reports with stakeholder @<username>`	Shows all BI reports with a user name or user group in the **Stakeholder** field.
`bi reports without stakeholder`	Shows all BI reports with the **Stakeholder** field empty.
`reports modified by @<username>`	Shows all reports with a user name or user group in the **Modified By** field.
`Tableau Workbook Org*`	Shows all Tableau Workbook assets that start with the text `Org`. The search returns results on the name, alias name, or business name fields of the asset.
`table CUST*`	Shows all tables that start with the text `CUST`. The search returns results on the name, alias name, or business name fields of the asset.
`tables which are profiled`	Shows all columns that are profiled.
`hierarchical file Employees*`	Shows all hierarchical files that start with the text `Employees`. The search returns results on the name, alias name, or business name fields of the asset.
`bi reports created by @<username>`	Shows all BI reports with a user name or user group in the **Created By** field.
`tables in catalog source Oracle*`	Shows all tables in catalog source types that start with `ORACLE`.

Search query	What it does
`tables in schema ORACLE_HR*`	Shows all tables in schemas that start with `ORACLE_HR`.
`((table "ACCOUNTS") in catalog source Oracle*) in schema "GENERAL"`	Shows the table `ACCOUNTS` in catalog sources starting with `Oracle` that is in the schema `General`.
`technical dataset EMPLOYEE*`	Shows all technical data set assets that start with the text `Employee`. The search returns results on the name, alias name, or business name fields of the asset.
`technical datasets which are profiled`	Shows all technical data set assets that are profiled.
`technical datasets in catalog source Oracle*`	Shows all technical data set assets in catalog source types that start with `ORACLE`.
`technical datasets in schema ORACLE_HR*`	Shows all technical data sets in schema source types that start with `ORACLE_HR`.
`Property`	Shows all assets that have `Property` in their names, business names, alias names, descriptions, or technical descriptions.
`Customer`	Shows all assets that have `Customer` in their names, business names, alias names, descriptions, or technical descriptions.
`Phone_number`	Shows assets with the text `Phone number`, `Phone_number`, and `Phone-number` in their names, business names, alias names, descriptions, or technical descriptions.

Data access asset search query examples

You can use search queries to search for data access assets.

The following table lists some sample data access asset search queries that you can try in the search box to query data access control, data de-identification, data filter, data protection, and precedence tier.

Note: There are no plural synonyms for these asset types.

Search query	What it does
`data access assets`	Shows all data access assets.
`data access asset <name>`	Shows all data access assets matching the specified value. The search returns results on the name field of the asset. If the name has a space in it, enclose the name in double quotation marks.
`data access asset P*`	Shows all data access assets that start with `P`. The search returns results on the name field of the asset.
`data access asset without description`	Shows all data access assets with no values in the **Description** field of the asset.
`data access asset related to policy <name>`	Shows all data access assets related to the named policy business asset.

Search query	What it does
`data access asset with stakeholder @<username>`	Shows all data access assets for which the indicated user is a stakeholder.
`data access asset without stakeholder`	Shows all data access assets for which there is no stakeholder.
`data access asset created by @<username>`	Shows all data access assets created by the indicated user. Use `@CurrentUser` to search for data access assets that you created.
`data access asset modified by @<username>`	Shows all data access assets modified by the indicated user. Use `@CurrentUser` to search for data access assets that you modified.
`data access asset with lifecycle <Draft, Published>`	Shows all data access assets in the indicated status.
`data access asset where lifecycle is not <Draft, Published>`	Shows all data access assets not in the indicated status.
`data access asset which are "is enabled"`	Shows all enabled data access assets.
`data access asset which are not "is enabled"`	Shows all data access assets that are not enabled.
`data access asset with Asset Group *`	Shows all data access assets within any Asset Group.
`data access asset without Asset Group`	Shows all data access assets without an Asset Group.
`data access asset having comments`	Shows all data access assets with comments.
`data access asset not having comments`	Shows all data access assets with no comments.
`data access asset commented within last 2 days`	Shows all data access assets with comments created in the last two days.
`data access asset end date within last 2 days`	Shows all data access assets with an end date in the last two days.
`data access asset effective date within last 2 days`	Shows all data access assets with an effective date in the last two days.
`data access asset created on within last 2 days`	Shows all data access assets created in the last two days.
`data access asset modified on within last 2 days`	Shows all data access assets modified in the last two days.
`data access asset matching <value>`	Shows all data access assets that match the specified value. The search returns results on the name and description fields of the asset.
`Precedence tier with rank less than 2`	Shows all precedence tiers with a rank less than the specified value.

Search query	What it does
`Precedence tier with rank greater than 2`	Shows all precedence tiers with a rank greater than the specified value.
`Precedence tier containing data access assets`	Shows all precedence tiers that contain data de-identification policies.
`Precedence tier not containing data access assets`	Shows all precedence tiers that don't contain data de-identification policies.
`data access assets in precedence tier 'Tier A'`	Shows all data de-identification policies in the named precedence tier.
`data access asset that is enabled and where lifecycle is published`	Shows all data access assets that are enabled and published.
`data access asset with with lifecycle in (draft, published)`	Shows all data access assets in either draft or published status.
`data access asset related to policy <name> related to business area H*`	Shows all data access assets that are related to any policy business asset that has a relationship to any business area starting with "H."
`data access asset in precedence tier with rank greater than 10`	Shows all data access assets that are in any precedence tier with rank greater than 10.
`precedence tier containing data access assets and with rank less than 10`	Shows all precedence tiers with rank less than 10 that contain data access assets.
`data access asset matching 'De-id', data access assets in precedence tier with rank greater than 10`	Shows all data access assets that contains the string "De-id" in the **Name** or **Description** fields and is part of a precedence tier with a rank greater than 10.
`data access asset with enforcement method pushdown`	Shows all data access assets with an enforcement method of pushdown.
`data access asset with enforcement method on_query`	Shows all data access assets with an enforcement method of "Data Integration/Data Marketplace." **Note:** The underscore in "on_query" is required.
`data access asset with enforcement method in (pushdown, on_query)`	Shows all data access assets with an enforcement method of either "pushdown" or "Data Integration/Data Marketplace." **Note:** The underscore in "on_query" is required.
`data access asset with enforcement method *`	Shows all data access assets with any enforcement method.

Asset groups search query examples

You can use search queries to search for assets that are assigned different asset groups.

The following table lists some asset group search query examples:

Search query	What it does
`((Domain, Sub Domain) with asset group @assetgroup:Finance) related to any`	Shows domains and subdomains that are assigned the `Finance` asset group and are related to any asset.
`(technical assets with asset group @assetgroup:Finance) in catalog source Oracle`	Shows technical assets that are assigned the `Finance` asset group and are in the catalog source `Oracle`.
`(technical assets with Asset Group in (@assetgroup:Finance,@assetgroup:Legal)) in catalog source Oracle`	Shows technical assets that are assigned the `Finance` and `Legal` asset groups and belong to the catalog source `Oracle`.
`(column with asset group @assetgroup:Finance) in schema Oracle_HR*`	Shows assets that are assigned the `Finance` asset group and belong to the schema source `Oracle_HR*`.
`(technical data set with asset group in (@assetgroup:Finance)) related with curation status ACCEPTED to data classifications`	Shows technical data sets that are assigned the `Finance` asset group and are related to data classifications that are in the accepted state.
`(technical data set with asset group in (@assetgroup:Finance) ) related with curation status REJECTED to data classification Sales*`	Shows technical data sets that are assigned the `Finance` asset group and are related to the `Sales*` data classifications that are in the rejected state.
`all with asset group *`	Shows all assests that are assigned asset groups.
`all with Asset Group @assetgroup:Finance`	Shows assets that are assigned the `Finance` asset group.
`all without asset group`	Shows all assets that are not assigned asset groups.
`asset with Asset Group @assetgroup:Finance`	Shows assets that are assigned the `Finance` asset group.
`assets related to Policy with Asset Group @assetgroup:EU`	Shows assets related to Policy assets that are assigned the `EU` asset group.
`Assets related to sub domain with Asset Group @assetgroup:Legal`	Shows assets related to subdomains that are assigned the `Legal` asset group.
`Asset with asset group @assetgroup:Finance and stakeholder @<username>`	Shows assets that are assigned the `Finance` asset group and the stakeholder `<username>`.
`business terms with asset group @assetgroup:EU`	Shows all business terms that are assigned the `EU` asset group.

Relationship search query examples

You can use search queries to search for specific asset relationships.

Note: When you search for assets with relationships to data classifications or glossary terms, the search shows only data classifications and glossaries that have been accepted during asset curation or creation.

The following table lists some relationship search query examples that you can try in the search box:

Search query	What it does
`all related to business term email`	Shows all assets that are related to Business Term assets with the name `email`.
`all related to domain HIPAA*, all related to process KYC`	Shows all assets that are related to Domain assets that start with the name `HIPAA` or all assets that are related to Process assets that start with the name `KYC`.
`all related to glossary GDPR *`	Shows all assets related to Glossary assets that start with `GDPR`.
`business terms related to data elements`	Shows all Business Term assets that are related to data elements.
`business terms related to tables`	Shows all Business Term assets that are related to tables.
`data classification related to data element`	Shows all data classifications that are related to data elements.
`data element related to data set EMPLOYEE`	Shows data elements that are related to the data set `EMPLOYEE`.
`business terms not related to data elements`	Shows all Business Term assets that are not related to data elements.
`dataset related to business term 'Customer'`	Shows all Data Set assets that are related to Business Term assets with the name `Customer`.
`columns related to data classification`	Shows all columns that are related to any data classification.
`data classifications related to data elements`	Shows all data classifications that are related to data elements.
`data elements related to glossary`	Shows all data elements that are related to Glossary assets.
`datasets not related to business term`	Shows all Data Set assets that are not related to Business Term assets.
`data elements related to classifications and related to policy`	Shows all data elements that have associated classifications that are related to a policy.
`data elements related with curation status ACCEPTED to classification with sensitivity Medium`	Shows all data elements for which the associated data classifications are in the accepted state and are marked with High sensitivity.
`datasets related to System related to Policy GDPR`	Shows all Data Set assets related to System assets that are related to Policy assets with the name `GDPR`.

Search query	What it does
`datasets related to System related to Process KYC`	Shows all Data Set assets related to System assets that are related to Process assets with the name `KYC`.
`datasets related to System related to (Policy GDPR, Process KYC)`	Shows all Data Set assets related to System assets that are related to Policy assets with the name `GDPR` and Process assets with the name `KYC`.
`domains HIPAA* and related to subdomains`	Shows all Domain assets that start with `HIPAA` and are related to Subdomain assets.
`domains 'Party Data *' and related to policies`	Shows all Domain assets with the name `Party Data` and are related to Policy assets.
`domains HIPAA* and related to subdomains`	Shows all Domain assets that start with `HIPAA` and are related to Subdomain assets.
`domains 'Party Data *' and related to policies`	Shows all Domain assets with the name `Party Data` and are related to Policy assets.
`domains related to policy GDPR*`	Shows all Domain assets that are related to Policy assets that start with `GDPR`.
`domains related to policies in policy CCPA*`	Shows all Domain assets related to Policy assets that start with `CCPA`.
`domain related to any`	Shows all Domain assets that are related to any asset.
`manual data element related to data set EMPLOYEE`	Shows all manual data elements that are related to the data set `EMPLOYEE`.
`assets related to data element classification with classification category in ('Name', 'List')`	Shows all assets related to a data element classification that belongs to the classification categories `Name` or `List`.
`assets related to data element classification with classification category *`	Shows all assets related to a data element classification that belongs to any classification category.
`manual data element related to data set ADDRESS, data element related to data set ADDRESS`	Shows all manual data elements and data elements that are related to the data set `ADDRESS`.
`manual data element related to glossary`	Shows all manual data elements that are related to Glossary assets.
`manual data element related to Policy GDPR`	Shows all manual data elements that are related to Policy assets with the name `GDPR`.
`manual data elements related to classifications and related to policy`	Shows all manual data elements that are related to classifications and Policy assets.
`manual data elements related to classification with name 'Social Security Number'`	Shows all manual data elements that are related to classifications with the name `Social Security Number`.

Search query	What it does
`Policy related to (System DWH) and related to (System CMD)`	Shows all Policy assets related to System assets with the name `DWH` and are related to System assets with the name `CMD`.
`processes related to Subdomain Payroll*`	Shows all Process assets related to Subdomain assets that start with `Payroll`.
`subdomain related to policy GDPR*`	Shows all Subdomain assets related to Policy assets that start with `GDPR`.
`subdomain related to policies in policy CCPA*`	Shows all Subdomain assets related to Policy assets that start with `CCPA`.
`subdomain related to any`	Shows all Subdomain assets related to any asset.
`systems related to policy GDPR *`	Shows all System assets that are related to Policy assets that start with `GDPR`.
`systems related to process KYC *`	Shows all System assets that are related to Process assets that start with `KYC`.
`tables related to business terms`	Shows all tables that are related to Business Term assets.
`tables related to metric`	Shows all tables that are related to Metric assets.
`tables related to data entity classifications`	Shows all tables that are related to data entity classifications.

Stakeholder search query examples

You can use search queries to search for assets that are created and modified by existing or deleted stakeholders.

The following table lists some stakeholder or user name search query examples that you can try in the search box:

Search query	What it does
`all related to stakeholder where stakeholder state is 'Deleted'` **Note:** You can enter `stakeholder` or `stakeholders`.	Shows all assets that are assigned to stakeholders who have been deleted.
`all with stakeholder @<deleted username>`	Shows all assets that are assigned to a specific stakeholder who has been deleted.
`all related to stakeholder where stakeholder state is 'Inactive'` **Note:** You can enter `stakeholder` or `stakeholders`.	Shows all assets that are assigned specific to stakeholders who are in the inactive state.
`all with stakeholder @<inactive username>`	Shows all assets that are assigned to a specific stakeholder who is in the inactive state.

Search query	What it does
`business terms with stakeholder @CurrentUser`	Shows all Business Term assets with your user name in the **Stakeholder** field.
`business terms with stakeholder @<username>`	Shows all Business Term assets with a user name in the **Stakeholder** field.
`business terms without stakeholder`	Shows all Business Term assets with the **Stakeholder** field empty.
`business term created by @CurrentUser`	Shows all Business Term assets created by you.
`business term created by @<username>`	Shows all Business Term assets created by the user.
`business term modified by @CurrentUser`	Shows all Business Term assets modified by you.
`business term modified by @<username>`	Shows all Business Term assets modified by the user.
`datasets with stakeholder @CurrentUser`	Shows all Data Set assets with your user name in the **Stakeholder** field.
`datasets with stakeholder @<username>`	Shows all Data Set assets with a user name in the **Stakeholder** field.
`datasets created by @CurrentUser`	Shows all Data Set assets created by you.
`datasets created by @<username>`	Shows all Data Set assets created by the user.
`datasets modified by @CurrentUser`	Shows all Data Set assets modified by you.
`datasets modified by @<username>`	Shows all Data Set assets modified by the user.
`domains with stakeholder @CurrentUser`	Shows all Domain assets with your user name in the **Stakeholder** field.
`domains with stakeholder @<username>`	Shows all Domain assets with a user name in the **Stakeholder** field.
`domains without stakeholder`	Shows all Domain assets with the **Stakeholder** field empty.
`domains created by @CurrentUser`	Shows all Domain assets created by you.
`domains created by @<username>`	Shows all Domain assets created by the user.
`domains modified by @CurrentUser`	Shows all Domain assets modified by you.
`domains modified by @<username>`	Shows all Domain assets modified by the user.
`metric with stakeholder @CurrentUser`	Shows all Metric assets with your user name in the **Stakeholder** field.
`metric with stakeholder @<username>`	Shows all Metric assets with a user name in the **Stakeholder** field.

Search query	What it does
`metric without stakeholder`	Shows all Metric assets with the **Stakeholder** field empty.
`metric created by @CurrentUser`	Shows all Metric assets created by you.
`metric created by @<username>`	Shows all Metric assets created by the user.
`metric modified by @CurrentUser`	Shows all Metric assets modified by you.
`metric modified by @<username>`	Shows all Metric assets modified by the user.
`policies with stakeholder @CurrentUser`	Shows all Policy assets with your user name in the **Stakeholder** field.
`policies with stakeholder @<username>`	Shows all Policy assets with a user name in the **Stakeholder** field.
`policies without stakeholder`	Shows all Policy assets with the **Stakeholder** field empty.
`policies created by @CurrentUser`	Shows all Policy assets created by you.
`policies created by @<username>`	Shows all Policy assets created by the user.
`policies modified by @CurrentUser`	Shows all Policy assets modified by you.
`policies modified by @<username>`	Shows all Policy assets modified by the user.
`processes with stakeholder @CurrentUser`	Shows all Process assets with your user name in the **Stakeholder** field.
`processes with stakeholder @<username>`	Shows all Process assets with a user name in the **Stakeholder** field.
`processes without stakeholder`	Shows all Process assets with the **Stakeholder** field empty.
`processes created by @CurrentUser`	Shows all Process assets created by you.
`processes created by @<username>`	Shows all Process assets created by the user.
`processes modified by @CurrentUser`	Shows all Process assets modified by you.
`processes modified by @<username>`	Shows all Process assets modified by the user.
`subdomain with stakeholder @CurrentUser`	Shows all Subdomain assets with your user name in the **Stakeholder** field.
`subdomain with stakeholder @<username>`	Shows all Subdomain assets with a user name in the **Stakeholder** field.
`subdomain without stakeholder`	Shows all Subdomain assets with the **Stakeholder** field empty.
`subdomain created by @CurrentUser`	Shows all Subdomain assets created by you.
`subdomain created by @<username>`	Shows all Subdomain assets created by the user.

Search query	What it does
`subdomain modified by @CurrentUser`	Shows all Subdomain assets modified by you.
`subdomain modified by @<username>`	Shows all Subdomain assets modified by the user.
`systems with stakeholder @CurrentUser`	Shows all System assets with your user name in the **Stakeholder** field.
`systems with stakeholder @<username>`	Shows all System assets with a user name in the **Stakeholder** field.
`systems without stakeholder`	Shows all System assets with the **Stakeholder** field empty.
`systems created by @CurrentUser`	Shows all System assets created by you.
`systems created by @<username>`	Shows all System assets created by the user.
`systems modified by @CurrentUser`	Shows all System assets modified by you.
`systems modified by @<username>`	Shows all System assets modified by the user.

Lifecycle search query examples

You can use search queries to search for assets based on their lifecycle status.

The following table lists some lifecycle search query examples that you can try in the search box:

Search query	What it does
`all where lifecycle is not Published`	Shows all assets where the **Lifecycle** field is not in the **Published** status.
`all with lifecycle Draft`	Shows all assets where the **Lifecycle** field is in the **Draft** status.
`business terms with lifecycle Draft`	Shows all Business Term assets where the **Lifecycle** field is in the **Draft** status.
`domains with lifecycle Draft`	Shows all Domain assets where the **Lifecycle** field is in **Draft** status.
`metric with lifecycle draft`	Shows all Metric assets where the **Lifecycle** field is in the **Draft** status.
`policies with lifecycle Draft`	Shows all Policy assets where the **Lifecycle** field is in the **Draft** status.
`subdomain with lifecycle Draft`	Shows all Subdomain assets where the **Lifecycle** field is in the **Draft** status.
`systems with lifecycle Draft`	Shows all System assets where the **Lifecycle** field is in the **Draft** status.
`Assets with Lifecycle (Draft, 'In Review')`	Shows all assets where the **Lifecycle** field is in **Draft** or **In Review** status.

Search query	What it does
`all with lifecycle 'Obsolete'`	Shows all assets where the **Lifecycle** field is in **Obsolete** status.
`business terms with lifecycle 'Obsolete'`	Shows all Business Term assets where the **Lifecycle** field is in **Obsolete** status.

Date and time search query examples

You can use search queries to search for assets based on the creation or modification date and time.

The following table lists some sample data and time search query examples that you can try in the search box:

Search query	What it does
`assets with created on before 2025-01-20`	Shows all assets created before the specified date.
`assets with updated after 2025-01-20`	Shows all assets updated after the specified date.
`assets with modified after 2025-01-20`	Shows all assets modified after the specified date.
`assets with created on between 2025-04-20 and 2025-05-28`	Shows all assets created between the specified dates.
`assets with created on after 2023-02-11T14:30:00Z`	Shows all assets created after the specified local date and time.
`assets with created on before 2023-02-11T14:30:00Z`	Shows all assets created before the specified local date and time.
`assets with updated between 2023-02-11T00:00:00Z and 2025-02-14T00:00:00Z`	Shows all assets updated between the specified local date and time.
`assets with modified between 2023-02-11T00:00:00Z and 2025-02-14T00:00:00Z`	Shows all assets modified between the specified local date and time.

Collaboration search query examples

You can use search queries to search for assets that have user engagement such as ratings, comments, certifications, and more.

The following table lists some collaboration search query examples that you can try in the search box:

Search query	What it does
`all with rating between 1 and 5`	Shows all assets with rating between 1 and 5 stars.
`all rated by @<username>`	Shows all assets with a user name or user group in the **Updated By** field.

Search query	What it does
`all rated within last 3 days`	Shows all assets rated within last 3 days.
`all commented by @username`	Shows all assets with comments with a user name or user group in the **Updated By** field.
`all commented within last 2 days`	Shows all assets with comments within last 2 days.
`all certified by @username`	Shows all certified assets with a user name or user group in the **Updated By** field.
`all certified within last 10 days`	Shows all certified assets within the last 10 days.
`technical datasets which are not certified`	Shows all technical Data Set assets that are not certified.
`all having ratings`	Shows all assets with ratings.
`all having comments`	Shows all assets with comments.
`all not having ratings`	Shows all assets without ratings.
`all not having comments`	Shows all assets without comments.
`all which are certified`	Shows all technical Data Set assets that are certified.
`tables which are certified`	Shows all tables that are certified.
`files which are certified`	Shows all files that are certified.
`business assets with rating between 1 and 5`	Shows all assets with rating between 1 and 5 stars.
`Business terms with rating less than 3`	Shows all Business Term assets with rating less than 3 stars.
`manual data elements having comments and commented by @<username>`	Shows all manual data elements with comments and commented by a specific user.
`Policies with rating equals 5`	Shows all Policy assets with 5 star rating.
`Processes with rating greater than 3`	Shows all Process assets with 3 stars and above rating.
`Business terms commented within last 2 days and with stakeholder @username`	Shows all Business Term assets with comments within last 2 days and with a user name or user group in the **Updated By** field.
`Business terms with rating less than 3 and with stakeholder @username`	Shows all Business Term assets with rating less than 3 stars and with a user name or user group in the **Updated By** field.

Classifications search query examples

You can use search queries to search for classifications or assets that have associations with different classifications.

The following table lists some search query examples that you can use for searching classifications:

Search query	What it does
`document classification with name 'claim*'`	Shows all document classifications that start with the name `Claim`.
`data element classification with classification category (Billing)`	Shows all data element classifications belonging to the classification category `Billing`.
`data element classification with classification category 'Name'`	Shows all data elements classifications belonging to the classification category `Name`.
`classification with classification category *`	Shows all data element classifications belonging to any classification category.
`data element classification with classification category in ('Name', 'List')`	Shows all data element classifications belonging to the classification categories `Name` or `List`.
`classification with sensitivity in (High, Medium)`	Shows all data classifications that are marked with High and Medium sensitivity.
`generated classifications`	Shows all automatically generated classifications in your organization.
`generated classifications which are not promoted`	Shows all automatically generated classifications that have not been promoted to data element classifications.
`generated classifications which are promoted`	Shows all automatically generated classifications that have been promoted to data element classifications.
`classifications with sensitivity high`	Shows all data classifications that are marked with High sensitivity.
`classifications with sensitivity medium`	Shows all data classifications that are marked with Medium sensitivity.
`classifications with sensitivity low`	Shows all data classifications that are marked with '-' for Low sensitivity.
`assets related to classifications with sensitivity high`	Shows all assets that are associated with classifications that are marked with High sensitivity.

Custom attributes search query examples

You can use search queries based on an asset's custom attributes.

The following table lists some search query examples that you can use for searching custom attributes:

Search query	What it does
`assets which are 'Restricted Access'`	Shows assets for which the custom attribute '`Restricted Access`' is marked as `Yes`.
`assets which are not 'Restricted Access'`	Shows assets for which the custom attribute '`Restricted Access`' is marked as `No`.
`all with 'Geo location' USA`	Shows all assets for which the custom attribute 'Geo location' value is USA.
`assets with <text custom attribute> 'Hyderabad'`	Shows all assets that have a text data type custom attributes and the value of the custom attributes is Hyderabad.
`assets with <numeric custom attribute> greater than 80`	Shows all assets that have a numeric data type custom attributes and the value of the custom attributes is greater than 80.
`assets with <numeric custom attribute> less than 20`	Shows all assets that have a numeric data type custom attributes and the value of the custom attributes is less than 20.
`assets with <numeric custom attribute> equals 30`	Shows all assets that have a numeric data type custom attributes and the value of the custom attributes is 30.
`assets with <numeric custom attribute> between 50 and 60`	Shows all assets that have a numeric data type custom attributes and the value of the custom attributes is in the range of 50 to 60.
`assets <date type custom attribute> within last 7 hours`	Shows all assets that have a date type custom attributes and the value of the custom attributes is within the last seven hours.
`assets <date type custom time attribute> within last 4 days`	Shows all assets that have a date type custom attributes and the value of the custom attributes is within the last four days.
`assets which are <boolean type custom attribute>`	Shows all assets that have a check box type custom attributes.
`assets which are not <boolean type custom attribute>`	Shows all assets that don't have a check box type custom attributes.
`Policy with 'Effective Date' before 2024-12-04`	Shows all Policy assets for which the custom attribute 'Effective date' is before the specified date.
`Policy with 'Effective Date' after 2024-12-04`	Shows all Policy assets for which the custom attribute 'Effective date' is after the specified date.
`Policy with 'Effective Date' between 2024-10-02 and 2024-12-04`	Shows all Policy assets for which the custom attribute 'Effective date' is between the specified dates.

Data quality rule occurrences search query examples

You can use search queries to search for data rule occurrences and their associations.

The following table lists some data quality rule occurrences search query examples:

Search query	What it does
`dq rule with threshold result in (good, acceptable, 'not acceptable') and related to data element related to dataset '<DATASET_NAME>'`	Shows all data quality rule occurrences with the data quality score status as **Good**, **Acceptable**, and **Not Acceptable** and are related to the data elements in the specified data set.
`dq rule with threshold result 'Good' and related to data element related to dataset '<DATASET_NAME>'`	Shows all data quality rule occurrences with the data quality score status as **Good** and are related to data elements belonging to the specified data set.
`dq rule with threshold result in (good, acceptable, 'not acceptable') and related to data element related to dataset related to system with name <DQ_ORCL_SYSTEM>`	Shows all data quality rule occurrences with the data quality score status as **Good**, **Acceptable**, and **Not Acceptable** and are related to the data set belonging to a system with a specified system name.
`dq rule with threshold result 'Good' and related to data element related to dataset related to system '<SYSTEM_NAME>'`	Shows all data quality rule occurrences with the data quality score status as **Good** and are related to the data set belonging to a system with a specified system name.
`dq rule with threshold result in (good, acceptable, 'not acceptable') and with stakeholder 'test_data_owner'`	Shows all data quality rule occurrences with the data quality score status as **Good**, **Acceptable**, and **Not Acceptable** and with the assigned stakeholder that is specified.
`dq rule with threshold result 'Good' and with stakeholder @{{DO}} role @role:test_data_owner`	Shows all data quality rule occurrences with the data quality score as **Good** and with the specified stakeholder belonging to the specified role.
`dq rule with threshold result in (good, acceptable, 'not acceptable') and without stakeholder`	Shows all data quality rule occurrences with the data quality score status as **Good**, **Acceptable**, and **Not Acceptable** and are without any assigned stakeholder.
`dq rule with threshold result in (good, acceptable, 'not acceptable') and with stakeholder 'test_data_owner' and related to data element related to dataset with name <DATASET_NAME>`	Shows all data quality rule occurrences with the data quality score status as **Good**, **Acceptable**, and **Not Acceptable** and with the assigned stakeholder that is specified. These data quality rule occurrences are related to data elements belonging to the specified data set.
`dq rule related to data element related to technical dataset employees`	Shows all data quality rule occurrences that are related to a specified technical data set.

Search query	What it does
`dq rule with threshold result in (good, acceptable, 'not acceptable') and related to data element related to business term which are cde`	Shows all data quality rule occurrences with the data quality score status as **Good**, **Acceptable**, and **Not Acceptable** and are related to data elements belonging to specific business terms associated with critical data element attributes.
`dq rule with threshold result in (good, acceptable, 'not acceptable') and related to data element related to datasets related to System related to Policy '<POLICY_NAME>'`	Shows all data quality rule occurrences with the data quality score status as **Good**, **Acceptable**, and **Not Acceptable** and are related to the data set belonging to a system with a specified policy name.
`dq rule with threshold result in (good, acceptable, 'not acceptable') and related to data element related to datasets related to System related to Policy`	Shows all data quality rule occurrences with the data quality score status as **Good**, **Acceptable**, and **Not Acceptable** and are related to the data set belonging to a system with any policy name.
`dq rule with threshold result in (good, acceptable, 'not acceptable') and related to data element related to datasets related to System related to Process`	Shows all data quality rule occurrences with the data quality score status as **Good**, **Acceptable**, and **Not Acceptable** and are related to the data set belonging to a system with a process.
`dq rule related to data element related to datasets related to System related to Process 'DQ_PAM_AZRSQL_PROP_PROCESS_001_10'`	Shows all data quality rule occurrences with or without data quality score status and are related to the data set belonging to a system with a specified process.
`dq rule related to data element related to datasets related to System related to Process ('<PROCESS_NAME>' , '<PROCESS_NAME_01>')`	Shows all data quality rule occurrences with or without data quality score status and are related to the data set belonging to a system with two specified processes.
`dq rule related to data element related to dataset related to system with stakeholder 'test_data_owner'`	Shows all data quality rule occurrences with or without data quality score status and are related to a data set belonging to a system with the assigned stakeholder that is specified.

Glossary assets associations with data classifications search query examples

You can use search queries to search for Glossary assets that are associated with data classifications.

The following table lists some search query examples for the associations of the Glossary assets with the data element and data entity classifications:

Search query	What it does
`data classifications related to glossary`	Shows all the data classifications that are related to the glossary assets.
`data classifications related to glossary 'Country'`	Shows all data classifications that are related to the glossary asset named `Country`.
`data elements related to glossary 'Sales' and data element classification 'Email Address'`	Shows all the data elements that are related to the glossary assets with the name `Sales` and the data element classifications with the name `Email Address`.
`technical datasets related to glossary 'Sales' and data entity classification 'PCI'`	Shows the technical data sets that are related to the glossary assets with the name `Sales` and data entity classifications with the name `PCI`.
`data elements related to glossary 'Customer email' and data element classification 'Email Address'`	Shows all the data elements that are related to the glossary assets with the name `Customer email` and data element classifications with the name `Email Address`.
`glossary related to data elements`	Shows all the glossary assets that are related to the data elements.
`glossary related to data classification`	Shows all the glossary assets that are related to the data classifications.
`glossary related to data classifications 'Email Address'`	Shows all the glossary assets that are related to the data classification named `Email Address`.
`glossary not related to any data classifications`	Shows all the glossary assets that are not related to any data classifications.

Save search queries

You can save your search queries. The saved search can be a simple query or a complex query with multiple filters. You can type the search query, run it, and save it, or you can run a search query from the recent search suggestions and save it. Your saved searches are visible on the **My Saved Searches** page. The saved searches are private to the user who created them.

You can use your saved search to create a search-based widget on the **Dashboard** page. You can refresh the widget to see the current data that the widget specifies. You can also share a saved search with multiple users, user groups, and user roles in your organization.


Saving a search

You can save a search from the search page and reuse the search to get fresh results for the same query.

To save a search, perform the following steps:

1. In the search bar, enter the search query you want to save.
2. Select the **Search** icon to view the results on the **Search Results** page.
3. Optionally, choose a sorting order for your search results. Use the **Sort** icon to set the sorting order. Your sorting order will be saved with your search.
4. Optionally, apply one or more filters to your search. Use the **Show Filters** option to select the filters. Your filters will be saved with your search.
5. Save your search.

   The Manage Saved Search panel appears.



6. On the **Save Search** tab, enter a name and optionally enter a description for the search you want to save.
7. Confirm the following search details:
   - The search phrase on which the query runs.
   - The search method.
   - Any filter that you applied to the search.
   - Any sort order that you applied to the search.

   Note: The tab options also allow you to share your saved search and create a dashboard widget from the search results.

   For more information, see "Sharing your saved searches" on page 48 and "Creating a dashboard widget for a saved search" on page 45.
8. Save your search configuration.

   You can see your saved search in the **Saved Searches** list.

   You can update a search that you saved, and you can create a search from your current search.

Creating a dashboard widget for a saved search

You can create a dashboard widget for a search that you save and use the widget to visualize the results of your search. Create the widget from a search that you saved earlier, or create the widget during the process to save your search.


To create a dashboard widget for a saved search, perform the following steps:

1. On the **Saved Searches** page, click the action menu on a saved search query.

   Alternatively, on a search results page click the **Save Search** button and select the **Create Dashboard Widget** option on the dialog box that appears. Then, click **Save & Next**.

2. Select **Create Dashboard Widget**.

   The **Create Widget** dialog box appears.



3. Configure the widget properties.

   The following table describes the properties in the **Create Widget** dialog box:

Field	Description
Add to Dashboard	Identifies the dashboard to which you want to add the widget. Select the dashboard from the list.
Title	Indicates the title of the widget.
Description	Provides a description for the widget. You can optionally add a description.

Field	Description
Visualization Type	Specifies how to display the results on the widget. You can choose one of the following visualization types: - List. Displays the list of assets in a table. - Count. Displays the total count of assets that match the search criteria. - Bar chart. Displays the total count of assets that match the search criteria in a bar chart. - Donut chart. Displays the total count of assets that match the search criteria in a donut chart.
Select Display Columns	Specifies the data attributes to display in a List widget.
Rows to Display	Specifies the number of rows to display in a List widget.
Preview	Displays a preview of the widget. Use the refresh option to update the preview if you change your configuration.

4. Click **Create Widget**.

   You can perform additional tasks on the widget on the dashboard page. If you delete the search that the widget uses, the widget appears empty on the dashboard.

Viewing your saved searches

You can view all the searches you saved on the **My Saved Searches** page.

To view your saved searches, perform the following steps:


1. Go to Home page and click **Saved Searches**.

   My **Saved Searches** page opens.


2. Click the Action menu and select any of the following options:

Field	Description
Edit Saved Search	Select to edit the search you saved.
Manage Sharing	Select to share the search and assign permissions.

Field	Description
Create Dashboard Widget	Select to create a dashboard widget of your saved search.
Delete Saved Search	Select to remove the saved search that is no longer in use.




3. Click the star icon to mark some searches as favorites. These saved searches appear at the top of the page. Searches that you do not favorite appear in order of most recently saved.




4. Click **More info** to view the following details of the saved search:

Field	Description
Search Query	Name of the search query
Name	Name of the saved search
Description	Description of the saved search
Filters Applied	The filters applied to the saved search

Field	Description
Created	The date when the saved search was created
Updated	The date when the saved search was updated



5. If you don't have any saved searches, a message is displayed on the **My Saved Searches** page.




Sharing your saved searches

If you are the owner of a saved search, you can now share the search with different users, user groups, and user roles in your organization. If the organization administrator has enabled the **Manage Access Control**

privilege for your user role in Administrator, you can also transfer ownership of a saved search to a different recipient if the owner is inactive.


To share a saved search, perform the following steps:

1. On the **Saved Searches** page, click the action menu of a saved search and then click **Manage Sharing**.




2. Based on whom you want to share your search with, select the following options:

Field	Description
Private	Select to remove the saved search access for everyone with whom you shared the search.
Share with specific users, user groups and roles	Select to share the saved search with one or more users, user groups, and roles, and assign them permissions to view or edit the saved search.
Share with all users	Select to share the saved search with all users and assign them permissions to view or edit the saved search.




3. Click **Add**.

4. Review the permissions you want to assign to the users, user groups, and roles with whom you share your search. Click the value under the **Permissions** column. After you have reviewed everything, click **Share**.




5. Alternatively, you can share a search when you save a search. Enable the **Share this Saved Search** switcher in the **Save Search** tab and click **Save & Next**.




Assigning owner to a saved search

To assign an owner to a saved search, perform the following steps:

1. On the **Saved Searches** page, click the action menu of a saved search with an inactive owner. Click **Assign Owner**.



2. Select a new user and click **Assign**.




Deleting your saved searches


If a saved search is not relevant, you can delete the saved search only if you are the owner of the search. The recipients with whom you have shared the saved search can't delete the search.

To delete a saved search, perform the following steps:

1. On the **My Saved Searches** page, click the Action menu for a search and then click **Delete Saved Search**.



2. Review the impact of the saved search, and click **Delete** to proceed with the deletion. When you delete a saved search that is shared with one or more recipients, any widget that is created from the search will become empty.




Browse for assets

To look at how your data in the catalog is structured and to explore data by asset type, you can explore assets on the **Browse** page. When you view an asset, you can drill down to see child assets that are associated with the asset.

Browse interface

The following image shows the interface of the **Browse** page:




1. Asset type tabs. Navigate the tabs to browse assets by type on the **Browse** page. On some tabs, you can filter the assets further by selecting a specific asset type. For example, on the **Glossary** tab, you can select from Business Term, Domain, Metric, or Subdomain assets to view on the page.
2. Layouts. View the layouts assigned to you based on your user role. Select a layout from the list and apply it according to your business needs. The sections on the **Browse** page change based on the layout that you apply. You can also set a default layout by clicking the **Set as Default** icon. You can modify the tab settings on the Browse default layout, which will be updated to **My Layout**.
3. Tab Settings. Use the **Tab Settings** option from the **Actions** menu to select the asset type tabs that you want to display on the **Browse** page. You can also specify the order in which you want the tabs to appear. You can apply tab settings only when using the Browse Default Layout.
4. Settings. Use the **Settings** icon within each tab to show or hide asset-specific columns that apply only to that asset type. For example, the **Data Element Classifications** column is available only for technical assets and shows accepted data classifications. You can also save or reset your layout preferences.
5. Preview pane. The preview pane enables you to view key details of a selected asset without opening that asset. This pane consists of the **Overview** tab and the **Related Assets** tab. The **Overview** tab shows basic attributes of the selected asset and the **Related Assets** tab displays the type of relationships that the asset has with other assets. To open an asset in a new page, click the asset.

Filter and sort assets

In each asset type tab, you can apply filters or sort columns. Sort the columns based on their name or when it was last updated.

Tabs also have asset-specific filters that you can apply to narrow down the list of assets. For example, on the **Process** tab, you can add a process type filter to view processes that belong only to the specific process type.


The following image shows the filter for the process asset types:



Top-level and child-level assets

If an asset has child assets associated with it, an arrow appears next to the name of the asset. Click the arrow to expand that asset and see the associated child assets. You can also create child-level assets for business assets depending on the selected asset type. To create child-level assets for a business asset, select the asset row and click the Action menu on the selected row. The options that you see on the Action menu are contextual to the selected asset type. To see the allowed child-level assets that you can create for each business asset type, see "Parent-child relationships" on page 123.

For example, the following image shows the expanded system asset called *Amazon Aurora*, which contains two data sets *Google Cloud Spanner*, and *NVARCHAR*:




The data set *Google Cloud Spanner* can be further expanded to view the data elements within it. The Action menu for the parent system asset shows options for creating a child-level system or a data set. A system asset can have a system or a data set as a child asset.

Find assets while browsing

The **Find** bar in every asset type tab enables you to find assets within that tab. In some asset type tabs, you can apply filters on the **Find** bar to view assets at different levels. To view all the assets in the tab, apply the **All Assets** filter. To view only the top-level assets, apply the **Top-Level Assets** filter.


The following image shows the filters menu for **Find**:



When you use the **Find** bar to search for assets, Data Governance and Catalog displays only the first 25 assets that match your query. To view more assets, click **View More Assets**.

To find the child assets of a specific asset, use the **Find** bar that appears when you hover over the top-level asset. For an asset with child assets, you can view the number of child assets next to the top-level asset name.

The following image shows the **Find** option for the child assets of a top-level asset:



Export assets

You can search for assets and export the results of a search to your local computer.

In Data Governance and Catalog, you can export search results of business and technical assets. The exported file format for asset types is similar to the bulk import template file for those asset types. While exporting assets, you can include the corresponding child assets, asset details, and relationships in the exported file.

You can share the exported file with your team to inform them of the assets available in the organization. Data governance users or data scientists can review the file and provide recommendations and suggest enrichments for the assets. To apply the updates, reimport the file into the catalog.

Note: When exporting assets with images, the images are converted into Base64 format in the exported file. To preserve the image on reimport, don't modify the characters in the description field. If the Base64 characters exceed the cell limit of the exported file, the image is not exported. In this case, the description field is left empty. During re-import, the image is retained in the description field for the asset.

After exporting the search results, you can perform any of the following activities:

- Bulk enrich the technical assets with business context. You can only update technical assets but can't delete them.
- Bulk curate classifications and glossary associations, and then re-import the exported file.

For more information about bulk importing, see the *Bulk Import Assets* help.

Prerequisites

Before you export the results of a search, verify the following prerequisites.

You can export assets from the catalog only if your organization administrator grants you the following privileges and permissions:

- The **Export** privilege for your user role in Administrator.
- The **Read** permission on the assets that you export granted to you through access policies in Metadata Command Center

For more information about the privileges and permissions, see the *Asset Management* help.

Exporting assets from search results


You can search for assets and export the results of a search as a Microsoft Excel file in the .xlsx or .xls file format or as CSV file.

Note: Data Governance and Catalog triggers a faster import if you export up to 10,000 assets and don't include their relationships.

For more information about modifying the exported file and near real-time export, see *Bulk Import Assets*.


1. Enter a search query in the search bar.
2. Optionally, apply one or more filters to your search. You can additionally sort the search results.
3. On the **Search Results** page, click **Action**.

The **Action** menu appears.



4. Click **Export**.

   The **Export Assets** dialog box appears.




5. On the **Export Assets** dialog box, enter a new file name or retain the system-generated file name.
6. Optionally, select the following options:
   - **Include Child Assets**. Export all child assets associated with parent assets.
   - **Include Asset Details**. Export the custom attributes and stakeholder details of all assets and additional details of technical assets.

     Note: If you select the **Include Asset Details** option, the export file for technical assets includes sheets where changes are restricted. To curate assets, use the editable columns in the **Technical Data Set** and **Technical Data Element** sheets.

- **Include Relationships**. Export the relationships between business assets and between business assets and technical assets.
  The **Export Assets** dialog box displays the **Include Relationships** check box if the search results contain business assets.

7. Click **Start Export** to export the results of your search.

   This triggers an export job that you can monitor on the **Job Status** panel.
   The **Job Status** page appears.



   Note: A Microsoft Excel export file can contain a maximum of 50,000 assets. If the export contains over 50,000 assets and you choose the Microsoft Excel file format, the downloaded file is compressed into a ZIP file format. If you choose the CSV file format for over 50,000 assets, the downloaded file contains all the assets in a single file.


8. After the export job is complete, click **Download Export File**.
9. Optionally, check the status of your export job on the **Job Monitoring** page.

Exporting assets from catalog source

You can export the assets that are within a catalog source as a Microsoft Excel file in the .xlsx or .xls file format or as CSV file.


To export assets from catalog source, perform the following steps:

1. Open a catalog source and click the **Export all or specific assets** icon at the top right corner.




   The **Export All Assets** and **Export Specific Assets** options appear.

2. To export all assets in the catalog source, select **Export All Assets**.



3. If you select **Export Specific Assets** option, a dialog box appears with **Select Assets** and **Export** tabs.


4. Select at least one asset type or an asset, or both, and click **Next**.




5. Enter a new file name or retain the system-generated file name.
6. Optionally, select the following filters:
   - **Assets With Pending Recommendation Only**. Export assets only with pending glossary and classification recommendations that need your review.
   - **Stakeholders**. Select one or more stakeholders who are responsible or interested in this asset. If you want to export assets without any stakeholders, select **No Stakeholders**.
   - **Include Hierarchy**. Export all assets in the hierarchy of the catalog source. This option appears when you export specific assets from a catalog source.
   - **Include Asset Details**. Export the custom attributes and stakeholder details of all assets and additional details of technical assets.

     Note: If you select the **Include Asset Details** option, the export file for technical assets include sheets where changes are restricted. To curate assets, use the editable columns in the **Technical Data Set** and **Technical Data Element** sheets.
7. Click **Start Export** to export all assets from the catalog source.

This triggers an export job that you can monitor on the **Job Status** panel.




8. After the export job is complete, click **Download Export File** on the **Job Status** panel to download the exported file.




The **Job Status** panel displays the job summary, details, and download link to export assets from the catalog source. The **Job Summary** section displays the list of asset types, number of sheets, and number of exported assets that are available in the downloaded Microsoft Excel file.

Note: If the export contains over 50,000 assets and you choose the Microsoft Excel file format, the downloaded file is compressed into a ZIP file format. If you choose the CSV file format for over 50,000 assets, the downloaded file contains all the assets in a single file.

9. Alternatively, you can also check the status of your export job on the **Job Monitoring** page.



10. After the export job is complete, click **Action** > **Download Export File** next to the corresponding job on the **Job Monitoring** page to download the exported file. Click **Action** > **Download Log** if you want to download the logs file to know the job activities.



11. You can also click the **Notification** icon on the **Home** page to monitor the job status. Click the URL to open the corresponding job page to know the job status.

    After the export job is complete, you receive notifications with a link to the corresponding job page in Data Governance and Catalog.

CHAPTER 2

Dashboards and widgets

A dashboard is a customizable interface that gives you an overview of the key assets and activities in your organization. You can use a range of different widgets on a dashboard to view and access and analyze assets and activities that are relevant to you.

Depending on the dashboard type, you can create or clone dashboards and add widgets that highlight objects and tasks that are personalized for you. Each widget type serves a different purpose and displays a summary of your assets and tasks.

For example, a widget can contain quick links to information you need, or display a summary of the business and technical assets in your organization, or display the status of the jobs and tickets you have created.

General dashboards

A general dashboard can contain multiple widgets, each of which displays summary information for different type of operations. By default, the general dashboard is available to all users in your organization.


Data Governance and Catalog creates and sets a general dashboard called **My Dashboard** as the organization-default dashboard for the **Home** page.

When you create a new dashboard in Data Governance and Catalog, you create a general dashboard. On newly created dashboards, you can add the same widgets that you see on **My Dashboard**. For more information about creating and modifying dashboards, see “Working with dashboards” on page 68.

On a general dashboard, each widget displays a summary of an operation or a type of asset. To view more information from the widget, you can click the widget to expand it. The widget-types that you can add to a

general dashboard include widgets for data quality, CLAIRE GPT, and search-based widgets. For more information about types of widgets, see "Widget properties" on page 88.

The following image shows **My Dashboard** with the action menu open:



Usage analytics dashboards

Usage analytics dashboards serve as a centralized view of asset and user trends from Data Governance and Catalog and Metadata Command Center. Over a period of time, you can monitor trends and changes of activities in your organization.

To activate the dashboards, an administrator enables usage analytics on the **Configure** page in Metadata Command Center. Administrators can grant dashboard access through privileges to Data Governance and Catalog users and user groups.

Usage analytics dashboards contain widgets that display a range of metrics. The predefined metrics configured for these widgets vary depending on the dashboard type. When you configure a widget, you can select the metric that you want to visualize for a specific usage trend.

After activation, usage analytics collects data and displays the changes in data through different metrics on dashboard widgets. Over time, you can view the change in data by time using the **Time Range** filter. You can use the filters to access metric data up to the last 12 months or view data for a specific date or date range. Depending on the **Time Range** filter you select, the summary widgets indicate the rate of difference in metric data.

Note: For filters such as **Last Week**, **Last Month**, and **Last 12 Months**, no data is displayed if the filters refer to periods before data collection.

You can customize usage analytics dashboards by cloning the dashboards. On the cloned dashboards, you can add and configure widgets to show metric data for specific asset and user operations such as user count, asset curation trends, and login trends.

You can mange and access the following system-generated usage analytics dashboards from the **Manage Dashboards** menu in Data Governance and Catalog:

- Asset Dashboard
- User Adoption Dashboard

In Metadata Command Center, administrators can control the metrics that are visible to users. When you select a metric to restrict from display, the widget configured with that metric is only visible to users who have the **View Restricted Metrics** privilege.

The following table lists the metrics that administrators can restrict from display in Metadata Command Center:

Metric	Metric Type	Description
Assets by Lifecycle	Asset	Number of assets for each lifecycle
Assets within Asset Groups	Asset	Number of assets within asset groups
Assets with Stakeholders	Asset	Number of assets linked to stakeholders
Average Task Resolution Time	Asset	Average time to resolve tasks
Average Ticket Resolution Time	Asset	Average time to resolve tickets
Data Classifications with Sensitivity	Asset	Number of data elements classified for sensitivity
Deleted Users	User Adoption	Number of deleted users
New Users	User Adoption	Number of new users
User Activities	User Adoption	Number of user activities performed

Consider the following rules and guidelines for usage analytics dashboards:

- Users who have dashboard privileges can share dashboards with other users, roles, and groups.
- Metric data is collected from the time of activation. If you disable usage analytics, a job is initiated to purge the collected metric data and deactivate the dashboards.
- A scheduled job to collect metric data runs daily. Dashboard data updates only after the job completes each day.

Asset dashboard

The **Asset** dashboard is a system-generated dashboard that displays data on asset usage across Metadata Command Center and Data Governance and Catalog.

The widgets within this dashboard display metrics that focus on asset discovery, management, and curation for different asset types. You can customize an asset widget to display data for asset metrics such as asset count, data quality, and data classifications.


For more information about asset widgets, see "Asset widget" on page 92.

The following table lists the preconfigured **Asset** widgets:

Widget Name	Description
Total Number of Assets	Shows the total number technical and business assets in Data Governance and Catalog.
Catalog Sources	Shows the number of catalog sources configured in Metadata Command Center.

Widget Name	Description
Data Classifications	Shows the number of classifications created in Metadata Command Center.
Assets with Lineage	Shows the number of assets for which you can view lineage.
Data Quality Rules	Shows the number of rule occurrences present in the system.
Total Number of Tickets	Shows the number of tickets created in Data Governance and Catalog to track changes to assets.
Asset Growth Trend	Shows the count of total, new, and deleted assets.
Asset Lifecycle Trend	Shows a count of assets based on the lifecycle status.
Asset Groups Trend	Shows the number of assets with and without asset groups.
Asset Lineage Trend	Shows the number of assets with or without lineage.
Asset Trend by Curation Type	Shows a count of assets based on curation type.
Asset Recommendations	Shows a count of Glossaries and Classifications based on recommendation status.
Data Element Classifications Sensitivity Trend	Shows a count of assets based on sensitivity level.
Data Observability Trend	Shows a count of assets based on data observability operation status.
Assets with Data Observability	Shows the number of assets with data observability enabled.
Stakeholder Trend	Shows the number of assets with and without stakeholders.
Tickets Trend	Shows a count of tickets based on ticket status.
Average Time for Ticket Resolution	Shows the average time for different ticket operations.
Task Trend	Shows a count of tasks based on task status.
Average Time for Task Resolution	Shows the average time taken to resolve a task.
Job Execution Trend	Shows a count of jobs based on job status.
Scheduled Jobs Trend	Shows the number of manual and scheduled jobs.
Catalog Source Sync	Shows a count of catalog sources based on different syncing operations.

The following image shows a sample **Asset** dashboard with preconfigured widgets:



User Adoption dashboard

The **User Adoption** dashboard is a system-generated dashboard that displays metrics of user interactions with Data Governance and Catalog. The widgets on the dashboard visualize metric data on users' engagement with assets, operations, and user roles.

On the dashboard, you can view different preconfigured widgets that display data on a range of metrics. You can customize the widgets to help you track the impact of governance on different user metrics such as total users, user activities, and roles.


For more information about user adoption widgets, see "User adoption widget" on page 94.

The following table lists the preconfigured **User Adoption** widgets:

Widget Name	Description
Total Users	Shows the total number of users configured in Administrator.
Total User Roles	Shows the total number of distinct user roles present in Administrator and the number of internal roles.
User Login Trend	Shows the number of users who have logged in to Data Governance and Catalog in the past 30 days.
Total Unique Users	Shows the total number of unique users who have logged in to Data Governance and Catalog.

Widget Name	Description
User Growth Trend	Shows the number of new users, deleted users, and current users.
User Activity Trend	Shows the number of various user activities in Data Governance and Catalog.

The following image shows a system-generated **User Adoption** dashboard with various preconfigured widgets:



Working with dashboards

You can create new dashboards, copy dashboards, modify, and delete dashboards. You can also share dashboards with users in your organization and also configure a specific dashboard as your default dashboard.

Browse your dashboards


You can view all the dashboards that you can access from the dashboard menu on the **Home** page or from the **Manage Dashboards** page.

Browse from Home

On the **Home** page, open the dashboard menu to view the dashboards you can access. The dashboard menu shows a list of dashboards along with their descriptions. You can use the **Find** option to enter the dashboard name to find a dashboard.

You can view dashboards that you create or clone, shared dashboards, role- or org-default dashboards, and system-generated dashboards. To switch to another dashboard, click the dashboard menu and select a dashboard from the list.

The following image shows **My Dashboard**:



Browse from Manage dashboards

Each tab of the **Manage Dashboards** page shows you a grid where you can view additional dashboard details such as dashboard permissions, type, sharing status, and ownership. To navigate to the **Manage Dashboards** page, click the action menu on a dashboard and select **Manage Dashboards**.


Dashboards on the **Manage Dashboards** page are categorized under the following tabs:

- **All Dashboards**. Dashboards that you have access to.
- **My Dashboards**. Dashboards that you have created or cloned.
- **Shared with Me**. Dashboards that are shared with you by your organization or by people in your organization. Depending on the level of permissions your administrator grants, you can view or modify a shared dashboard.
- **System Dashboards**. Dashboards that are generated by Data Governance and Catalog, such as **My Dashboard** and dashboards for usage analytics.

  Note: You can't delete system-generated dashboards.

In the grid of each tab, you can find dashboards by their names and sort the dashboards based on name, type, and update date. Additionally, you can hide or show the **Description** column and change, save, or reset to the default layout of the grid. You can also perform additional activities such as control dashboard sharing, delete dashboards, copy a dashboard URL, set a default dashboard, and transfer dashboard ownership.

The following image shows the **Manage Dashboards** page:



Set a default dashboard

The default dashboard is the dashboard that appears on your **Home** page.

You can set any dashboard as your default, including dashboards that are shared with you, or dashboards for usage analytics. When you set a dashboard as your default, it becomes the user-default dashboard.

You can also use a default dashboard assigned by your administrator. Administrators with the **Manage Access Control** privilege can assign a general dashboard as a default dashboard. The dashboards they assign to you become your role- or organization-default dashboard. If you are not the owner of the dashboard, then the dashboard is shared with you.

You can set to a default dashboard from a dashboard's action menu or from the **Manage Dashboards** page. To undo any changes you make to your default dashboard, select **Revert to Default Dashboard** from the action menu. When you revert the default dashboard, Data Governance and Catalog uses the following precedence to select a default dashboard: user-. role-, organization-, or system-specific default dashboard. If there are multiple role-based dashboards, Data Governance and Catalog sorts the dashboards alphabetically and selects the first in the role-default list as the default dashboard.

Types of default dashboards


The following list describes the types of default dashboards and their order of precedence:

1. **User-default dashboard**. If you already have a dashboard set as default, then this default dashboard remains as default for you. If you select a dashboard as your default, this user-defined dashboard takes the highest precedence and appears as the default dashboard on the **Home** page.
2. **Role-based default dashboard**. If you don't set a user-default dashboard, then the dashboard becomes your default dashboard. A role-based dashboard shows information for specific user roles and provides you with quick access to data that is relevant to your corresponding roles and responsibilities. If an Administrator sets a default dashboard for a specific role or for a user group within your organization, then this dashboard appears as the **Role Default** dashboard on your list of available dashboards. You can view an alphabetical list of all your role-based dashboards from the dashboard menu.
3. **Organization-default dashboard**. If an Administrator sets a dashboard as default for all users in your organization, then that dashboard appears in your list of available dashboards as the **Org Default**

dashboard. Rather than being role-specific or user-specific, this general dashboard typically serves the common goals of an organization.
If no role-based dashboards are assigned to you and you do not have a default dashboard set for yourself, then the **Org Default** dashboard becomes your default dashboard.

4. **System-default dashboard**. This dashboard is available by default. You cannot modify or delete this dashboard. However, you can clone this dashboard, edit it, and then set it as the default dashboard.

The following image shows the different types dashboard and order of precedence that determines which dashboard type becomes the default dashboard for a user:




Building dashboards

You can create a dashboard and add widgets to display summaries of different assets and operations. You can also clone a dashboard to create a copy of a dashboard and its widgets.

1. On the **Home** page, click the action menu icon.

   The action menu appears.



2. Select **New Dashboard**.
3. In the **New Dashboard** dialog box, enter a name for the dashboard and review the dashboard properties.

   The following table describes the properties of the **New Dashboard** dialog box:

Property	Description
Name	Required. Title of the dashboard as you want it to appear on the home page. The field can contain a maximum of 50 characters.
Description	Optional. Description of the dashboard. The field can contain a maximum of 500 characters.
Set as Default	Optional. Sets the new dashboard as your default dashboard. When you set a dashboard as default, it takes precedence over other dashboards set as default for your user role or for your organization.

4. Click **Create**.

5. On the edit dashboard page, click **Save** to publish your dashboard.

   You can also click the **Add Widget** button to add widgets and customize the dashboard layout. For more information about adding and modifying widgets, see "Adding widgets on a dashboard" on page 78 and "Arranging widgets on a dashboard" on page 81.

You can create a duplicate of an existing dashboard and copy all its widgets and the layout. Open to the dashboard you want to clone, click the action menu, and select **Clone This Dashboard**.

Note: As the creator of the dashboard, you don't need any additional permission or privilege to modify or delete the dashboard.


Modifying dashboards

After you create a dashboard, you can add widgets and modify the dashboard name and description.

Note: You can't modify a system-generated dashboard. You can clone a dashboard and edit a cloned dashboard.


1. On a dashboard, click the action menu icon.

   The action menu appears.



2. Select **Edit Dashboard**.

The dashboard appears in edit mode.



3. To add a widget to the dashboard, click **New Widget**.

   You can also change the dashboard name and description.


   For more information about adding and resizing widgets, see "Adding widgets on a dashboard" on page 78 and "Arranging widgets on a dashboard" on page 81.

4. Click **Save** to publish your dashboard.

Sharing dashboards

You can share a dashboard that you own with others in your organization. Users can view or edit the dashboard based on the permissions that you assign. You can directly share a dashboard using a URL if the recipients have the permissions to view or edit the dashboard.


1. On the **Home** page, open the dashboard that you want to share.
2. Click the action menu and select **Manage Sharing**.



3. In the **Manage Sharing** dialog box, select one of the following options:

Field	Description
Private	Remove the dashboard access for everyone with whom you shared the dashboard earlier.
Share with specific users, user groups and roles	Share the dashboard with one or more users, user groups, and user roles, and assign them permissions to view or edit the dashboard.
Share with all users	Share the dashboard with all users in the organization and assign them permissions to view or edit the dashboard.

4. Add users, user groups, or user roles from the list to share the dashboard, and click **Add**.




5. In the **Permissions** column, specify the permission that you want to assign to the recipients.
6. Optionally, when you share the dashboard with user roles, you can select the **Set as Default Dashboard** check box to set it as the default dashboard in the Home page of the recipients.

   The **Set as Default Dashboard** check box appears if your organization administrator grants the **Manage Access Control** feature privilege to your user role in Administrator.
7. To share the saved searches for the dashboard with other users in the organization and assign them permissions to view the searches, select the **Share saved searches used in widgets** check box.
8. Click **Share**.

Alternatively, you can share a dashboard from the **Manage Dashboards** page. Click the action menu and select **Manage Dashboards**. On the **Manage Dashboards** page, click the action menu of a dashboard and then click **Manage Sharing**. Click the **Copy Dashboard URL** option to copy the URL of the dashboard and open it directly in the browser.

Note: The unique dashboard URL is available from the browser URL.




Transferring dashboards

Dashboards of deleted or inactive users continue to exist in Data Governance and Catalog. If the user shared the dashboard with you, you can transfer dashboard ownership from the **Manage dashboards** page.

To transfer the ownership of a dashboard, your administrator must assign the **Manage Access Control** privilege for your user role through access policies in Metadata Command Center.


1. On the shared dashboard, click the action menu icon.

   The action menu appears.



2. Select **Manage Dashboards**.
3. On the **Manage Dashboards** page, select the **Shared with Me** tab.
4. On the dashboard row you want to transfer, click the action menu icon.

The action menu appears.




5. Click **Assign Owner** on the action menu.
6. In the **Assign Owner** dialog box, select a user. You can also assign the dashboard to yourself.
7. Click **Assign** to transfer the dashboard.

Deleting dashboards

You can delete dashboards that you create or those that you own.

1. On the dashboard you want to delete, click the action menu icon.


   The action menu appears.



2. Select **Manage Dashboard** from the action menu.


   Alternatively, if you are on the dashboard you want to delete, click **Delete Dashboard** and click **Delete** to delete the dashboard.
3. On the **Manage Dashboard** page, click **My Dashboards**.

The **My Dashboard** grid appears.



4. On the dashboard row you want to delete, click the action menu icon.

   The action menu appears.



5. Click **Delete dashboard**.
6. Click **Delete** to delete the dashboard.

Working with widgets

You can add and arrange widgets to dashboards to view and access key data or features or to prioritize certain information. You can also export data from certain widgets in different formats.


Adding widgets on a dashboard

You can add widgets to a dashboard to view snippets of data that are relevant for your data governance activities.

Note: To add **Asset** widgets, clone the system-generated **Asset** dashboard and modify the widgets on the cloned dashboard.


1. On a dashboard, click the action menu icon.

   The action menu appears.




2. Select **Edit Dashboard**

   The dashboard appears in edit mode.



3. Click **New widget**.
4. From the list, select the widget type you want to create.

The **New Widget** dialog box appears.



5. In the **New Widget** dialog box, enter the properties of the widget. To understand the fields in the dialog box, see "Widget properties" on page 88.
6. Click **Create** and the widget pins to the dashboard.
7. Click **Save** to publish your changes.


Modifying widgets on a dashboard

Widgets provide quick information to important statistics and data in your organization. You can modify the widget name and description, select filters, and change the visualization of widgets.

Note: To modify usage analytics widgets, clone a system-generated **User Adoption** or **Asset** dashboard and modify the widgets on the cloned dashboard.


1. On a dashboard, click the action menu icon.

   The action menu appears.




2. Select **Edit Dashboard**
3. On a widget, click the action menu icon.

   The action menu appears.



4. Click **Edit**.

The **Edit Widget** dialog box appears.




5. In the **Edit Widget** dialog box, modify the properties of the widget. To understand the fields in the dialog box, see "Widget properties" on page 88.
6. Click **OK** to update the widget.
7. Click **Save** to publish your changes.

Arranging widgets on a dashboard

You can change the layout of your dashboard by modifying widget sizes and rearranging the position of widgets. You can enlarge the most important widgets and move them to the top of the dashboard. Move less significant widgets to the bottom of the page.

1. On a dashboard, click the action menu icon.

   The action menu appears.




2. Select **Edit Dashboard**.
3. To resize a widget, click and hold the handles of the widget to drag its edge.
4. To drag widgets, click and hold the widget to drag it.

5. Click **Save** to save the layout of the widgets on your dashboard.

Viewing widget information


Depending on the type of widget that you add to the dashboard, you can view different snippets of data on the widget.

1. Select the widget and expand the **About** section to see the details of the widget.




2. To narrow the information you see in the widget, click the **Filter** icon and add filters and based on the selected asset type. For example, for a search-based widget type, you can filter the list of assets by asset type.
3. For the donut chart type for any widget, you can click the legend or the acceptance score color to view the value or score for the filter you select.

   The following image shows the clickable legends:




4. To switch to another widget, select a widget from the list. The **Find** option appears only if there are more than five dashboards. Enter the widget name to find a widget.



Cloning or deleting widgets

You can copy a widget and modify the properties of the cloned widget. If a widget is no longer required or not relevant, you can remove the widget from the dashboard.

1. To copy a widget, click the **Action** menu icon for the widget, and select **Clone**.



2. In the **Clone Widget** dialog box, modify the properties of the widget. To understand the fields in the dialog box, see "Widget properties" on page 88.
3. Click **OK** to save your changes and pin the widget to the dashboard.
4. To delete a widget, click the Action menu icon for the widget, and select **Delete**.
5. In the **Delete Widget** dialog box, click **Yes** to delete the widget from the dashboard.


You can choose to manually rearrange the remaining widgets or have them rearranged automatically.

Exporting assets from widgets

If you expand a widget, you can export the assets of the corresponding search results. Before you export, you can apply additional filters to curate the selected assets. You can export assets as a Microsoft Excel file or a CSV file.


1. On the dashboard, click the widget title to expand the widget.

   The widget page appears.



2. Click the **Export Assets** icon at the top right corner.

The **Export Dashboard Widget** dialog box appears.



3. Select the type of assets to export from the **Asset Types** menu.

   Note: By default, all assets of the widget are selected for export.

4. Optionally, select the following check boxes to include additional information about the exported assets:

   - **Include Asset Details**. Export the custom attributes and stakeholder details of all assets and additional details of technical assets.

     Note: If you select the **Include Asset Details** option, the export file for technical assets includes sheets where changes are restricted. To curate assets, use the editable columns in the **Technical Data Set** and **Technical Data Element** sheets.

   - **Include Hierarchy**. Export all assets in the hierarchy of the search results.
   - **Include Relationships**. Export the relationships between business assets and between business assets and technical assets.
     The **Export Assets** dialog box displays the **Include Relationships** check box if the search results contain business assets.

5. In the **Choose File Format** field, specify whether to export the assets as a Microsoft Excel file (.xlsx or .xls) or as a CSV file.
6. In the **File Name** field, enter a new file name or retain the system-generated file name.


7. Click **Start Export** to export the selected assets from the search results.

   This triggers an export job that you can monitor on the **Job Status** panel.
   The **Job Status** panel appears.

8. Click **Open Job** on the **Job Status** panel to view the job.

   The **Job Status** page appears.

9. After the export job is complete, click **Download Export File** to download the exported file.




Note: A Microsoft Excel export file can contain a maximum of 50,000 assets. If the search results contain more than 50,000 assets, the export operation creates additional Microsoft Excel files and compresses the files into a .zip file for export.

Summary of CLAIRE activities


You can see a summary of CLAIRE® recommendations across assets in Data Governance and Catalog. The CLAIRE® widget shows the recommendations that CLAIRE® has made to help you better govern your assets.

To see more information about the CLAIRE® widget, click any CLAIRE® widget in the **Home** page.

The following image shows a few CLAIRE® widgets that you can click:



The following image shows more information about the 'CLAIRE Activity' widget:



Use the CLAIRE® widget to understand the intelligent recommendations that Data Governance and Catalog has provided, and take action on pending items. Filter the information by recommendation type, recommendation status, and catalog sources. If there is an asset on which you want to act, click the asset name to open it in a new page.

For more information about configuring CLAIRE® widgets on a dashboard, see "CLAIRE Activity widget" on page 88.

Widget properties

A widget can display a range of fields depending on the widget type. When you expand the details of a widget on the dashboard page, you can view additional information on the preview pane.

For information about how to create a widget, see "Adding widgets on a dashboard" on page 78.

CLAIRE Activity widget


Use the CLAIRE Activity widget to view the association of Glossary assets and Classification assets that are accepted, declined, and pending. The widget displays the total recommendations and the results according to the recommendation type and recommendation status.

Configure the following properties in the **New CLAIRE Activity Widget** dialog box for a CLAIRE Activity widget:

Field	Description
Title	Enter the title of the widget as you want it to appear on the home page dashboard. The field can contain a maximum of 50 characters.
Description	Enter a description for the widget.

Field	Description
Included Recommendation Type	Select an option to display on the widget from following associations: - **Data Classifications**. Identify and organize data into relevant categories based on the functional meaning of the data. - **Glossary Associations**. Provide governance context to technical assets by connecting them to business assets. - **Generated Classifications**. Automatically generate data classification suggestions for the data elements in a catalog source without any human input.
Preview	Click **Show Preview** to see a preview of the widget.
Refresh	Click the refresh icon to preview the latest information about the widget.

The following image shows the New CLAIRE Activity widget:




The following table shows the details of the CLAIRE widget:

Field	Description
About	Displays the created and updated dates of the CLAIRE dashboard page.
Cumulative Summary	Displays the overall summary of the assets and terms with recommendations: - **Assets**. Displays the total number of associations with technical assets, type of recommendation, and the recommendation status of the associated assets. - **Terms**. Displays the total number of terms associated with the technical asset and the type of recommendation.
Recommended Status	Displays the accepted, declined and pending recommendation status of the associated assets. You can filter the view according to the time period, recommendation type, catalog source, and status. For generated classifications recommendation type, you can view the top five catalog sources associated with the pending generated classifications on the preview pane. **Note:** You can only view declined and pending status of the generated classifications.
Top Catalog Sources with pending Recommendations	Displays the top five catalog sources associated with the pending generated classifications and glossary terms.

Field	Description
Assets with Recommendations	For the associated recommended assets, displays the name, asset type, recommendation, recommendation type, and the status. You can filter the view according to the time period, recommendation type, status, and catalog source.
Recommended Terms	Displays the recommended terms, recommendation types, associated catalog sources, and the associated assets for the recommended glossary terms, generated classifications, and data classifications. You can filter the view according to the time period, recommendation type, associated catalog source, and associated assets.

On the CLAIRE widget, you can only view the generated classifications that are still not associated with the data element classifications. On **Top Catalog Sources with pending Recommendations** section, you can view top five catalog sources associated with pending generated classifications. The promoted generated classifications are not displayed on the CLAIRE widget.

The following image shows the details CLAIRE widget page:



Asset widget

The **Asset** widget visualizes data for a range of metrics on asset trends and user engagement with assets.


To configure the assets widget, select a metric. The widget metric determines the properties you can configure and the filters you can apply on the widget.

Note: To create new asset widgets, clone the system-generated **Asset** dashboard and create the widgets on the cloned dashboard.

You can configure the following properties in the **New Asset Widget** dialog box:

Field	Description
Title	The title of the widget as you want it to appear on the home page dashboard. The field can contain a maximum of 50 characters.
Description	A description for the widget.
Select Metric	A metric for the data you want to show on the widget.
Select Filters	A filter to apply on the metric data.
Select Asset Type: - All Assets - Select Asset Types	The asset types to display on the widget.
Select Catalog Source Type	One or more catalog sources for which you want to view and evaluate the identified anomalies.
Set Default View	Select a filter to apply by default when the widget loads.
Preview	A preview of the widget. The preview is based on the properties you have configured and the visualization options you have selected.

The following image shows the **New Asset Widget** dialog box:



The following image shows an asset widget:



User adoption widget


The user adoption widget visualizes data for a range of metrics such as **Total Users**, **Total User Roles**, and **User Login Trend**.

Note: You can edit only the name and description of a user adoption widget, you can't create a user adoption widget. To edit different fields of the widget, clone the system-generated **User Adoption** dashboard and edit the widgets on the cloned dashboard.


You can configure the following properties in the **Edit User Adoption Widget** dialog box:

Field	Description
Title	The title of the widget as you want it to appear on the home page dashboard. The field can contain a maximum of 50 characters.
Description	A description for the widget.
Preview	A preview of the widget. The preview is based on the properties you have configured and the visualization options you have selected.

The following image shows the **Edit 'Total Users' Widget** dialog box:



The following image shows a **User Adoption** widget:




Data Observability widget

Use the Data Observability widget to visualize and evaluate anomalies identified in your source data. The widget displays the open events for the anomalies identified in the assets.

Configure the following properties in the **New Data Observability Widget** dialog box for a Data Observability widget:


Field	Description
Title	Enter the title of the widget as you want it to appear on the home page dashboard. The field can contain a maximum of 50 characters.
Description	Enter a description for the widget.
Catalog Sources	Choose one or more catalog sources for which you want to view and evaluate the identified anomalies.
Type	Specify whether you want the data observability widget to appear as a donut chart or list widget type.
Group By	Select the criteria by which you want to categorize the open events for the asset. You can categorize the open events for the asset based on severity or metric.
Preview	Click **Show Preview** to see a preview of the widget. The preview is based on the properties you have configured and the visualization options you have selected.

The following image shows the Data Observability widget:



When you click a data observability widget on the dashboard to view the generated events for the anomalies identified in your source data, you can sort the events by name. The preview pane displays the details about the selected events in the data observability widget.

The following image shows the data observability widget with the preview options:



Data Quality widget


Use the Data Quality widget to view the latest data quality rule run score. The widget displays the score and the result color according to the threshold and target values that you have specified.

Configure the following properties in the **New Data Quality Widget** dialog box for a Data Quality widget:

Field	Description
Title	Enter the title of the widget as you want it to appear on the home page dashboard. The field can contain a maximum of 50 characters.
Description	Enter a description for the widget.
Select	Select the data for which you want to view the data quality scores. You can choose one of the following options: - **Assets**. View data quality scores for assets that you specify. Use the **Select Assets** dialog box to select a specific asset. - **Saved search**. View the data quality scores for the results of a search criteria that you have saved. - **New search query**. View data quality scores for a new search query. For more information about data quality rule occurrences search queries, see "Data quality rule occurrences search query examples" on page 41.
Type	Specify whether you want the data quality widget to appear as a donut chart, bar chart, or score chart widget type.
Preview	Click **Show Preview** to see a preview of the widget. The preview is based on the properties you have configured and the visualization options you have selected.
Refresh	Click the refresh icon to preview the latest information about the widget.


When you click a data quality widget on the dashboard to view the data quality scores, you can either type the name of the asset in the **Find** box or you can sort the data quality scores by name. The preview pane displays the details about the selected asset in the data quality widget.

The following image shows an overview of the data quality widget:



You can preview the failed rows, preview the latest data quality scores and create data quality failure tickets.

The following image shows the failed rows, preview the latest data quality scores and create data quality failure ticket options:



Search query examples

The following examples are search queries for data quality rule occurrences:

- `dq rule 'Valid Phone Numbers'`
- `dq rule Phone*`
- `dq rule with stakeholder @username`
- `dq rule without stakeholder`
- `dq rule with stakeholder role @role:rolename`
- `dq rule without stakeholder role @role:rolename`
- `dq rule where stakeholder @username has role @role:rolename`
- `dq rule related to data element FIRST_NAME`
- `dq rule created by @username`
- `dq rule modified by @username`
- `dq rule without description`
- `dq rule with Exception equals 0`
- `dq rule with Exception greater than 0`

Job monitoring widget


Use the Job Monitoring widget to view the number of running and completed jobs for governance activities.

Configure the following properties in the **New Job Monitoring Widget** dialog box for a Job Monitoring widget:

Field	Description
Title	Enter the title of the widget as you want it to appear on the home page dashboard. The field can contain a maximum of 50 characters.
Description	Enter a description for the widget.
Job	View information for all jobs that you have triggered. You can't alter the type of jobs.
Period	View jobs information for the entire period. You can't alter the period.

Field	Description
Refresh Interval	The widget lets you run a manual refresh to retrieve the latest jobs data. You can't alter the refresh interval.
Type	Specify whether you want the job monitoring widget to appear as a count or list widget type. You can specify the number of rows you want to display on the **Preview** section and the **Dashboards** page for list widget type. Optionally, click **View All** to view all the displayed rows for the widget on the **Dashboards** page.
Preview	Click **Show Preview** to see a preview of the widget. The preview is based on the properties you have configured and the visualization options you have selected.
Refresh	Click the refresh icon to preview the latest information about the widget.

When you click a job monitoring widget on the dashboard to view the jobs, you can either type the name of the job in the **Find** box or you can sort the job by job name. The following image shows the find and sort options in the job monitoring widget:



Notice board widget

A Notice Board widget is a simple text widget that you can pin to your dashboard. Use this widget to create a note, reminder, or reference.

Configure the following properties in the **New Notice Board Widget** dialog box for a Notice Board widget:

Field	Description
Title	Enter the title of the widget as you want it to appear on the home page dashboard. The field can contain a maximum of 50 characters.
Content	Enter the text that you want to display in the widget. Use the formatting options to add rich text formatting to the text.
Preview	Click **Show Preview** to see a preview of the widget.
Refresh	Click the refresh icon to preview the latest information about the widget.

Search-based widget

Create a widget that displays the results of a search based on the criteria that you define. You can either enter a search query or you can select a query that is saved.

Configure the following properties in the **New Search Based Widget** dialog box for a search widget:

Field	Description
Title	Enter the title of the widget as you want it to appear on the home page dashboard. The field can contain a maximum of 50 characters.
Description	Enter a description for the widget.
Select	Select a saved search or enter a new search criteria. You can choose from the following options: - Select a Saved Search. Create a widget from search criteria that you have saved. - Enter a new search criteria. Enter search phrases or queries to search for assets. For example, to create a widget for all business terms that are in the published state, you can enter the criteria `business terms with lifecycle Published`. For examples of search queries that you can enter, see "Search query examples" on page 19.
Select Asset Types	Select the asset types on which you want to run the search criteria. The search-based widget displays the assets that match the search criteria.
Type	Specify how you want to display the search results on the widget. You can choose one of the following types: - List. The widget displays a table with the list of assets. - Count. The widget displays the total count of assets that match the specified search criteria. - Bar chart. The widget displays the count of the matched assets using rectangular bars. - Donut chart. The widget displays the count of the matched assets using a donut chart.
Rows to Display	Choose the number of asset rows that you want the List widget to display. This field is applicable only for the List widget type.
Select Display Columns	Select the attributes of the searched assets that you want the List widget to display as columns. This field is applicable only for the List widget type.
Group By	Select the criteria by which you want to categorize the searched assets. This field is applicable for the Count, Bar chart, and Donut chart widget types.
Preview	Click **Show Preview** to see a preview of the widget type that you have selected.
Refresh	If you have modified the search settings, click the refresh icon to preview the latest information in the widget.

You can open the search-based widget on the dashboard to view the searched assets.

Tickets widget

Use the Tickets widget to view the tickets that users have created for specific assets. For example, to monitor the use of high priority processes in Data Governance and Catalog, you can create a ticket widget that shows the values of the **Issue Severity** field for all Process assets.


Configure the following properties in the **New Tickets Widget** dialog box for a Ticket widget:

Field	Description
Title	Enter the title of the widget as you want it to appear on the home page dashboard. The field can contain a maximum of 50 characters.
Description	Enter a description for the widget.
Search Criteria	Enter search terms to find assets that have ticket workflows. You can enter * to search for all assets. Data Governance and Catalog displays all assets for the asset type that you specify in the **Select Asset Types** field. If you know the name of a ticket, enter the ticket name in full or part to create a widget for the ticket.
Select Asset Types	Select the asset types for which you want to monitor the tickets. If you entered search terms in the **Search Criteria** field, the **Select Asset Types** field displays the count for matching entries for each asset type.
Type	Specify whether you want the tickets widget to appear as a list, count, or donut chart widget type. You can specify the number of rows you want to display on the **Preview** section and the **Dashboards** page for list widget type. Optionally, click **View All** to view all the displayed rows for the widget on the **Dashboards** page.
Select Display Columns	For a list widget type, select the columns that you want to see in the widget.
Group By	For count and donut chart widget types, select an option which you want to see in the widget.
Tickets Created in	Select the period for which you want to see the tickets.
Tickets status	Select the **Show tickets that are in progress** check box, to display the tickets that are in progress and to exclude the completed tickets in the widget.
Users or User Groups	Click **Add** to select the users or user groups that created the tickets you want to monitor. Select the **Include current user** check box to include yourself among the other stakeholders that have created the tickets.
Stakeholders	Select one of the options to group the widget information based on the stakeholders that have created the tickets or assigned as stakeholders in the tickets.
Preview	Click **Show Preview** to see a preview of the widget. The preview is based on the properties you have configured and the visualization options you have selected.
Refresh	Click the refresh icon to preview the latest information about the widget.

When you click the tickets widget on the dashboard to view the tickets, you can either type the name of the ticket title in the **Find** box or you can sort the ticket by ticket title and ticket status. The preview pane displays the details about the selected ticket in the tickets widget.

Click the header of the tickets widget to open the **Tickets** page. Here, you can resolve or cancel a ticket on the preview pane or on the **Tickets** grid by clicking the **Action** button.

The following image shows the **Tickets** widget with a sample workflow ticket:



CHAPTER 3

Relationships

A relationship between assets depicts how the assets relate to each another. In Data Governance and Catalog, you can use different types of relationships to connect business assets to each other and to relevant technical assets.


View relationships in assets

The **Relationships** tab of an asset page displays the relationships between the selected asset and other business and technical assets in Data Governance and Catalog. For example, you can see how a data set links to other assets such as a system, column, process, or a policy.

On the **Relationships** tab of an asset page, you can view the relationships of the asset either in a grid or graphical format.

Grid view


The grid view displays the asset relationships in a table where you can view how other assets are related to the selected asset. The following image shows the **Relationships** tab of a data set in the grid view.



1. Grid view icon.
2. Count of the types of assets related to this asset.
3. Table containing the names of assets that are related to the open asset. The **How it is Related** column displays the type of relationship that each asset has with the open asset. To learn more about the different types of relationship types, see "Relationship types in assets" on page 108.

Graph view

In the graph view, the source asset appears at the center of the view, and the related asset types appear around the source asset. You can expand each asset type to view the assets that are in a relationship with the source asset. The following image shows the **Relationships** tab of a data set in the Graph view.



1. Source asset to which the other assets are related.
2. Asset types related to the source asset.
3. The expanded asset type node that shows all the assets of that type that are related to the source asset.
4. The tooltip for the asset in the expanded asset type node.

In the above example, the data set 'Customer Contact Details' is the source asset at the center. The related system asset type node is expanded and it shows two system assets related to the source data set. The hover tooltip for the 'Customer Master' system asset shows the details of the asset such as the asset name, type, lifecyle and hierarchy.


Note: The following guidelines apply for the graph view of an asset:

- By default, you can expand 20 assets and can go up to 100 assets with increments of 20 assets.
- If there are more than ten asset types related to the source asset, then the corresponding asset types are grouped under a single related asset type called **Others**.

Group By

In the graph view, when you expand a related asset, click the **Group By** option to group and view the related assets by categorizing them by asset type. For all glossary business assets, the **Group By** option is set to 'None' by default.


The following image displays the **Group By** option for categorizing the relationships.



Filter By

In the graph view, when you expand a related asset, click the **Filter By** option to filter the related assets by relationship type.

The following image displays **Filter By** option for filtering the relationships.




Additional navigation options for relationships

You can use the following controls on the **Relationships** tab to navigate the relationships and explore additional options:

Relationships Options

The following image shows the available controls to view relationship options:




1. Add relationships
2. Filters
3. Find
4. Overlays
5. Action menu
6. Full Screen
7. Show Preview

Add relationships

Click **Add relationships** in the graph view or grid view to add relationships for the asset. For more information about adding relationships to an asset, see "Creating relationships between assets" on page 124.

Filters

Click **Filters** in the graph view or grid view to filter the corresponding search results and to narrow down to an individual asset or categorize a group of assets.



Find

Use the **Find** option in the graph view or grid view to search any related asset by its name.

Overlays

In the graph view, click **Overlays** and select one of the following options to add more information about the relationships to the graph:

- Relationship Labels. Displays information about the type of the relationship between the related assets.
- Stakeholders. Displays the name of the stakeholder of the related assets.
- Data Marketplace. Displays information about the data collections the asset is added to in Data Marketplace.


  Note: The Data Marketplace overlay appears only if the asset is published to Data Marketplace.

Export

In the graph view, click the action menu to export a snapshot image of the related assets to your computer in `.PDF` or `.PNG` file format.

Legend

In the graph view, click the Action menu to use the legend options to identify the assets and the directions of related assets with the seed asset.



Full screen

In the graph view, click **Full Screen** to display the graphical relationships view in full screen on your computer.

Preview

Select an asset and click **Show Preview** in the graph view or grid view to view more details about the related asset.

Relationship types in assets

You can connect assets in Data Governance and Catalog to indicate a relationship between the assets. When you connect assets, you enrich the value of the assets so that they can be used for governance or catalog purposes.

Contextual relationships

You can create the following types of relationships that provide contexts to assets.

Relationships that indicate business dependency

If your governance activities require business assets to be related to each other, you can create relationships between the assets.

For example, if you want users in your organization who read the "Medical Reimbursement" policy document to understand the cost reimbursement process related to it, you can create a relationship that indicates that the "Medical Reimbursement" policy asset 'Is Related to' the "Costs Reimbursement" process asset.

Relationships that add semantic context to technical assets

Add user-friendly contexts to your technical assets so that you can identify the assets in Data Governance and Catalog.

For example, if you have three tables called `CustName`, `cust_name` and `Customers`, you can create a relationship between these tables and the "Customer Name" glossary asset.

Relationships that add governance context to technical assets

When you create a relationship between a data set and a technical asset, the data set becomes a metadata layer that enables you to perform governance activities on the technical asset.

For example, you can relate the "Customer Name" data set with the `CustName`, `cust_name` and `customers` tables. Now you can perform governance activities on the tables such as assigning stakeholders, requiring approvals for modifications, or viewing the lineage of the table data.

For more information about the types of contextual relationships that you can create among assets, see "Types of direct relationships" on page 111.

Directional relationships

You can create the following types of directional relationships.

Outbound and inbound relationships

The relationship that you create from the open asset to another asset is called an outbound relationship. A blue arrow pointing to the right direction represents an outbound direction.

Whereas, the relationship that you create from another asset to the open asset is called an inbound relationship. An orange arrow pointing to the left direction represents an inbound direction.

Direct and indirect relationships


When you connect assets to each other in Data Governance and Catalog, the relationships can be direct or indirect.

When an asset is connected directly to the primary asset, the relationship is called a direct relationship. Data Governance and Catalog represents direct relationships by plain lines.

When an asset is connected to the primary asset through another asset, the relationship is called an indirect relationship. Data Governance and Catalog represents indirect relationships by dotted lines.


The following image shows an example of a direct and an indirect relationship created with the 'Medical Reimbursement' policy asset. The 'Costs Reimbursement' process asset is in a direct relationship with the

primary policy asset. The 'CostsReimb.pdf' technical asset is connected to the primary policy asset through the 'Costs Reimbursement' process asset and is in an indirect relationship with the primary policy asset.



Relationship example

The following image shows a sample asset and the different types of relationships with other assets:



In the image, the business term 'Delivery Cost' is the open asset. The **Relationships** tab shows the grid view of all the assets related to 'Delivery Cost'.

1. The highlighted policy asset 'Gov Policy 01' is related to the open asset through an inbound relationship. The orange arrow that points left indicates that the relationship between the business term 'Delivery Cost' and the policy 'Gov Policy 01' originated in the policy asset 'Gov Policy 01'. The relationship type **is Regulating** indicates that the policy asset is regulating the business term.
2. The highlighted system asset 'Customer Call Analysis Reports' is related to the open asset through an outbound relationship. The blue arrow that points to the right indicates that the relationship between the business term 'Delivery Cost' and the system asset 'Customer Call Analysis Reports' originated in the business term 'Delivery Cost'. The relationship type **is a Strategic Source for** indicates that the business term is the preferred or recommended source of data for the system asset.

Types of direct relationships

You can establish different types of direct relationships between two assets.

Note: Apart from the predefined relationships that are listed in this help, the Data Governance and Catalog interface can also list other relationship types that are defined exclusively for your organization. For more information about such relationship types, contact your administrator. For more information about how your administrator can customize relationship types, see the *Administration* help in Metadata Command Center.

AI Model

The following table lists the predefined relationships between AI Model assets and other assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
AI Model	AI Model	is the Base for	An AI Model asset is the base for another AI Model asset.
AI Model	AI Model	is Quantized into	An AI Model asset is quantized into another AI Model asset.
AI Model	AI Model	is Derived from	An AI Model asset is derived from another AI Model asset.
AI Model	AI Model	is a Quantization of	An AI Model asset is the quantization of another AI Model asset.
AI Model	Business Term	is Related to	An AI Model asset is related to a Business Term asset.
AI Model	Data Process	is Used in	An AI Model asset's data is used in a Data Process asset.
AI Model	Technical Data Set	is Generating (Target)	An AI Model asset generates a Technical Data Set asset.
AI Model	Technical Data Set	is Using (Source)	An AI Model asset uses a Technical Data Set asset's data as source.
AI Model	Domain	is Related to	An AI Model asset is related to a Domain asset.
AI Model	Metric	is Related to	An AI Model asset is related to a Metric asset.

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
AI Model	Notebooks or Scripts	is Used in	An AI Model asset's data is used in a Notebooks or Scripts asset.
AI Model	Subdomain	is Related to	An AI Model asset is related to a Subdomain asset.

AI System

The following table lists the predefined relationships between AI System assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
AI System	AI Model	is Related to	An AI System asset is related to an AI Model asset.
AI System	AI System	is Related to	An AI System asset is related to another AI System asset.
AI System	Business Area	is Related to	An AI System asset is related to a Business Area asset.
AI System	Geography	is Related to	An AI System asset is related to a Geography asset.
AI System	Legal Entity	is Related to	An AI System asset is related to a Legal Entity asset.

Business Area

The following table lists the predefined relationships between Business Area assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Business Area	Business Area	is the Parent of	A Business Area asset is the parent of another Business Area asset.
Business Area	Geography	is Related to	A Business Area asset is related to a Geography asset.
Business Area	Legal Entity	is Related to	A Business Area asset is related to a Legal Entity asset.

Business Term

The following table lists the predefined relationships between Business Term assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Business Term	Business Area	is Related to	A Business Term asset is related to a Business Area asset.
Business Term	Business Term	is Classified by	A Business Term asset is classified by another Business Term asset.
Business Term	Business Term	is Described by	A Business Term asset is described by another Business Term asset.
Business Term	Business Term	is Identified by	A Business Term asset is identified by another Business Term asset.
Business Term	Business Term	is Related to	A Business Term asset is related to another Business Term asset.
Business Term	Business Term	is Variant of	A Business Term asset is similar to but still different from another Business Term asset.
Business Term	Business Term	is the Parent of	A Business Term asset is the parent of another Business Term asset.
Business Term	Metric	is Classified by	A Business Term asset is classified by a Metric asset.
Business Term	Metric	is Described by	A Business Term asset is described by a Metric asset.
Business Term	Metric	is Identified by	A Business Term asset is identified by a Metric asset.
Business Term	Metric	is Related to	A Business Term asset is related to a Metric asset.
Business Term	Metric	is Variant of	A Business Term asset is similar to but still different from a Metric asset.
Business Term	Metric	is the Parent of	A Business Term asset is the parent of a Metric asset.
Business Term	System	is a Strategic source for	A System asset is an approved source of data that a Business Term asset represents.

Data Quality Rule Occurrence

The following table lists the predefined relationships between Data Quality Rule Occurrence assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Data Quality Rule Occurrence	Data Element	applies to	A data quality rule occurrence applies to a Data Element for generating data quality scores.

Data Quality Rule Template

The following table lists the predefined relationships between Data Quality Rule Template assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Data Quality Rule Template	Business Term	applies to	A data quality rule template applies to a business term for generating data quality scores.
Data Quality Rule Template	Metric	applies to	A data quality rule template applies to a Metric for generating data quality scores.

Data Set

The following table lists the predefined relationships between Data Set assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Data Set	Business Area	is Related to	A Data Set asset is related to a Business Area asset.
Data Set	Business Term	is Defined by	A Business Term asset subject area best describes the overall content of a Data Set asset.
Data Set	Data Set	is in Lineage with	A Data Set asset is in lineage with another Data Set asset.
Data Set	Data Set	is a Source for	A Data Set asset is a source for another Data Set asset.
Data Set	Domain	is Defined by	A Domain asset subject area best describes the overall content of a Data Set asset.
Data Set	Legal Entity	is Related to	A Data Set asset is related to a Legal Entity asset.
Data Set	Manual Data Element	is the Parent of	A Manual Data Element asset is the business representation of data that is not available in the catalog but which is essential to capture for governance purposes in your organization.

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Data Set	Metric	is Defined by	A Metric asset subject area best describes the overall content of a Data Set asset.
Data Set	Subdomain	is Defined by	A Subdomain asset subject area best describes the overall content of a Data Set asset.
Data Set	Report	is Derived from	A Data Set asset is derived from a Report asset.

Domain

The following table lists the predefined relationships between Domain assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Domain	Business Area	is Related to	A Domain asset is related to a Business Area asset.
Domain	Business Term	is Related to	A Domain asset is related to a Business Term asset.
Domain	Business Term	is the Parent of	A Domain asset is the parent of a Business Term asset.
Domain	Data Set	is Defined by	A Data Set asset subject area best describes the overall content of a Domain asset.
Domain	Data Set	is Related to	A Domain asset is related to a Data Set asset.
Domain	Domain	is Related to	A Domain asset is related to another Domain asset.
Domain	Metric	is the Parent of	A Domain asset is the parent of a Metric asset.
Domain	Subdomain	is Related to	A Domain asset is related to a Subdomain asset.
Domain	Subdomain	is the Parent of	A Domain asset is the parent of a Subdomain asset.

Geography

The following table lists the predefined relationships between Geography assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Geography	Geography	is the Parent of	A Geography asset is the parent of another Geography asset.

Legal Entity

The following table lists the predefined relationships between Legal Entity assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Legal Entity	Geography	is Related to	A Legal Entity asset is related to a Geography asset.
Legal Entity	Legal Entity	is the Parent of	A Legal Entity asset is the parent of another Legal Entity asset.

Manual Data Element

The following table lists the predefined relationships between Manual Data Element assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Manual Data Element	Manual Data Element	is in Manual Lineage with	A Manual Data Element asset is in lineage with another Manual Data Element.
Manual Data Element	Technical Data Element	is in Manual Lineage with	A Manual Data Element asset is in lineage with a Technical Data Element.

Note: The *is in Manual Lineage with* relationship type is created by Data Governance and Catalog when you create a manual lineage in the **Lineage** tab of an asset.

Metric

The following table lists the predefined relationships between Metric assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Metric	Business Area	is Related to	A Metric asset is related to a Business Area asset.
Metric	Business Term	is Classified by	A Metric asset is classified by a Business Term asset.
Metric	Business Term	is Described by	A Metric asset is described by a Business Term asset.
Metric	Business Term	is Identified by	A Metric asset is identified by a Business Term asset.
Metric	Business Term	is Related to	A Metric asset is related to a Business Term asset.
Metric	Business Term	is Variant of	A Metric asset is similar to but still different from a Business Term asset.
Metric	Business Term	is the Parent of	A Metric asset is the parent of a Business Term asset.

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Metric	Data Set	is Related to	A Metric asset is related to a Data Set asset.
Metric	Metric	Is Classified by	A Metric asset is classified by another a Metric asset.
Metric	Metric	is Described by	A Metric asset is described by another Metric asset.
Metric	Metric	is Identified by	A Metric asset is identified by another Metric asset.
Metric	Metric	is Related to	A Metric asset is related to another Metric asset.
Metric	Metric	is Variant of	A Metric asset is similar to but still different from another Metric asset.
Metric	Metric	is the Parent of	A Metric asset is the parent of another Metric asset.
Metric	Metric	Semantic Relationship	A Metric asset has semantic relationship with another Metric asset.
Metric	System	is a Strategic source for	A System asset is an approved source of the data that a Metric asset represents.

Policy

The following table lists the predefined relationships between Policy assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Policy	AI Model	is Regulating	A Policy asset influences some aspects of an AI Model asset.
Policy	AI System	is Related to	A Policy asset is related to an AI System asset.
Policy	Business Area	is Related to	A Policy asset is related to a Business Area asset.
Policy	Business Term	is Regulating	A Policy asset exerts a regulatory influence over a Business Term asset.
Policy	Data element	is Regulating	A Policy asset exerts a regulatory influence over a data element.
Policy	Data Set	Policy defined by Business	A Policy asset defines some aspects of a Data Set asset.
Policy	Data Set	is Regulating	A Policy asset influences some aspects of a Data Set asset.
Policy	Domain	is Regulating	A Policy asset influences some aspects of a Glossary asset.

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Policy	Geography	is Related to	A Policy asset is related to a Geography asset.
Policy	Legal Entity	is Related to	A Policy asset is related to a Legal Entity asset.
Policy	Manual Data Element	is Related to	A Policy asset is related to a Manual Data Element asset.
Policy	Metric	is Regulating	A Policy asset influences some aspects of a Glossary asset.
Policy	Policy	is the Parent of	A Policy asset is the parent of another Policy asset.
Policy	Process	is Related to	A Policy asset influences some aspects of a Process asset.
Policy	Process	is Compliant with	A Process asset adheres to a Policy asset in whole or in part.
Policy	Subdomain	is Regulating	A Policy asset influences some aspects of a Glossary asset.
Policy	System	is Regulating	A Policy asset influences some aspects of a System asset.
Policy	Policy	support Implementation of	A Policy asset supports some aspect of implementation to another Policy asset.
Policy	Report	is Regulating	A Policy asset influences some aspects of a Report asset.
Policy	Report Element	is Regulating	A Policy asset influences some aspects of a Report Element asset.
Policy	Classification	is Regulating	A Policy asset influences some aspects of a Classification asset.

Process

The following table lists the predefined relationships between Process assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Process	AI Model	is Related to	A Process asset is related to an AI Model asset.
Process	AI System	is Related to	A Process asset is related to an AI System asset.
Process	BI Report	is Related to	A Process asset is related to a BI Report asset.

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Process	Business Area	is Related to	A Process asset is related to a Business Area asset.
Process	Business Term	is using CDE	A Process asset uses a Critical Data Element of a Business Term asset.
Process	Business Term	is Related to	A Business Term asset is relevant to the execution of a Process asset.
Process	Data Element	is Related to	A Process is relevant to the execution of a Data Element asset.
Process	Data Element	is Using	A Process asset uses a Data Element asset's data.
Process	Data Set	is Related to	A Data Set asset is relevant to the execution of a Process asset.
Process	Data Set	is Using Data from	A Data Set asset is dependent on the Process asset data.
Process	Domain	is used for Process	A Process asset's data is used in a Domain asset.
Process	Geography	is Related to	A Process asset is related to a Geography asset.
Process	Legal Entity	is Related to	A Process asset is related to a Legal Entity asset.
Process	Manual Data Element	is Related to	A Process asset is related to a Manual Data Element asset.
Process	Metric	is Related to	A Metric asset is relevant to the execution of a Process asset.
Process	Metric	is Using CDE	A Process asset uses a Critical Data Element of a Metric asset.
Process	Policy	is Related to	A Process asset evidences execution of, or adherence to, a Policy asset.
Process	Process	is Predecessor To	A source Process asset precedes a target Process asset.
Process	Process	is Related to	Different processes or process steps are complimentary or otherwise related to other business activities.
Process	Process	is the Parent of	A Process asset is the parent of another Process asset.
Process	Report Element	is Related to	A Project asset is related to a Report Element asset.
Process	Subdomain	is using CDE	A Process asset uses a Critical Data Element of a Subdomain asset.

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Process	Subdomain	is Related to	A Subdomain asset is relevant to the execution of a Process asset.
Process	System	is Related to	A Process asset is related to a System asset.
Process	System	is Using Data from	A Process asset is dependent on a System asset's data.
Process	System	Process Applicable System	A Process asset creates or consumes data relevant to a System asset.
Process	Technical Data Set	is Related to	A Process asset is related to a Technical Data Set asset.

Project

The following table lists the predefined relationships between Project assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Project	AI Model	is Related to	A Project asset is related to an AI Model asset.
Project	AI System	is Related to	A Project asset is related to an AI System asset.
Project	BI Report	is Related to	A Project asset is related to a BI Report asset.
Project	Business Area	is Related to	A Project asset is related to a Business Area asset.
Project	Business Term	is Related to	A Project asset is related to a Business Term asset.
Project	Data Set	is Related to	A Project asset is related to a Data Set asset.
Project	Data Element	is Related to	A Data Element is related to a Project asset.
Project	Domain	is Related to	A Project asset is related to a Domain asset.
Project	Geography	is Related to	A Project asset is related to a Geography asset.
Project	Legal Entity	is Related to	A Project asset is related to a Legal Entity asset.
Project	Manual Data Element	is Related to	A Project asset is related to a Manual Data Element asset.
Project	Metric	is Related to	A Project asset is related to a Metric asset.
Project	Policy	is Related to	A Project asset is related to a Policy asset.
Project	Project	is the Parent of	A Project asset is the parent of another Project asset.
Project	Process	is Related to	A Project asset is related to a Process asset.

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Project	Regulation	is Related to	A Project asset is related to a Regulation asset.
Project	Report Element	is Related to	A Project asset is related to a Report Element asset.
Project	Subdomain	is Related to	A Project asset is related to a Subdomain asset.
Project	System	is Related to	A Project asset is related to a System asset.
Project	Technical Data Set	is Related to	A Project asset is related to a Technical Data Set asset.

Regulation

The following table lists the predefined relationships between Regulation assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Regulation	Business Area	is Related to	A Regulation asset is related to a Business Area asset.
Regulation	Geography	is Related to	A Regulation asset is related to a Geography asset.
Regulation	Legal Entity	is Related to	A Regulation asset is related to a Legal Entity asset.
Regulation	Policy	is Related to	A Regulation asset is related to a Policy asset.
Regulation	Regulation	is the Parent of	A Regulation asset is the parent of another Regulation asset.

Subdomain

The following table lists the predefined relationships between Subdomain assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Subdomain	Business Area	is Related to	A Subdomain asset is related to a Business Area asset.
Subdomain	Business Term	is Classified by	A Subdomain asset is classified by a Business Term asset.
Subdomain	Business Term	is Described by	A Subdomain asset is described by a Business Term asset type.
Subdomain	Business Term	is Identified by	A Subdomain asset is identified by a Business Term asset.

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Subdomain	Business Term	is Related to	A Subdomain asset is related to a Business Term asset.
Subdomain	Business Term	is Variant of	A Subdomain asset is similar to but still different from a Business Term asset.
Subdomain	Business Term	is the Parent of	A Subdomain asset is the parent of a Business Term asset.
Subdomain	Data Set	is Related to	A Subdomain asset is related to a Data Set asset.
Subdomain	Data Set	Subdomain defined by Data	A Subdomain asset might indicate the contents or primary purpose of a Data Set asset.
Subdomain	Metric	is Classified by	A Subdomain asset is classified by a Metric asset.
Subdomain	Metric	is Described by	A Subdomain asset is described by a Metric asset.
Subdomain	Metric	is Identified by	A Subdomain asset is identified by a Metric asset.
Subdomain	Metric	is Related to	A Subdomain asset is related to a metric asset.
Subdomain	Metric	is Variant of	A Subdomain asset is similar to but still different from a Metric asset.
Subdomain	Metric	is the Parent of	A Subdomain asset is the parent of a Metric asset.
Subdomain	Subdomain	is Related to	A Subdomain asset is related to another Subdomain asset.
Subdomain	Subdomain	is the Parent of	A Subdomain asset is the parent of another Subdomain asset.

System

The following table lists the predefined relationships between System assets and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
System	Business Area	is Related to	A System asset is related to a Business Area asset.
System	Data Set	is a Strategic Source for	A System asset is a strategic source for a Data Set asset.
System	DataSource	is Derived from	A System asset is derived from a DataSource asset.

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
System	Geography	is Related to	A System asset is related to a Geography asset.
System	Legal Entity	is Related to	A System asset is related to a Legal Entity asset.
System	System	is the Parent of	A System asset is the parent of another System asset.
System	System	is a Source for	A System asset is a source for another System asset.

Technical Data Element

The following table lists the predefined relationships between technical data elements and target assets:

Source Asset Type	Target Asset Type	Relationship Type	Meaning of Relationship Type
Technical Data Element	Manual Data Element	is in Manual Lineage with	A technical data element is in lineage with a Manual Data Element asset.
Technical Data Element	Technical Data Element	is in Manual Lineage with	A technical data element is in lineage with a technical data element.

Parent-child relationships

While creating an asset, you can specify the parent asset to create a parent and child relationship between the assets. You can view the parent-child relationships in the **Hierarchy** and **Relationships** tabs of the asset.

The following table lists the asset types that are applicable for the parent-child relationships for the given asset types:

Parent Asset Type	Applicable Child Asset Types
AI Model	-
AI System	Data Set
Business Area	Business Area
Business Term	Business Term Metric Subdomain
Data Quality Rule Occurrence	-
Data Quality Rule Template	-
Data Set	Manual Data Element

Parent Asset Type	Applicable Child Asset Types
Domain	Business Term Domain Metric Subdomain
Geography	Geography
Legal Entity	Legal Entity
Metric	Business Term Metric Subdomain
Policy	Policy
Process	Process
Project	Project
Regulation	Regulation
Subdomain	Business Term Metric Subdomain
System	System Data Set

For more information about creating an asset, see the *Creating assets and assigning stakeholders* topic in the *Asset Management* help.

Creating relationships between assets


You can create relationships between assets to indicate dependency or linkage between assets.

For information about the types of relationships that you can create between different asset types, see Chapter 3, “Relationships” on page 103. To add relationships for assets, perform the following steps:


1. Open the business asset for which you want to create a relationship.
2. Go to the **Relationships** tab, and click the add icon.
3. Select **Add Relationships** from the menu.

   The **Add Relationships** wizard opens.
4. In the **Select Assets** step, select one or more assets that you want to relate to the open asset, depending on the asset type for which you are creating relationships. To narrow the list of assets, you can enter an asset name in the **Search** field, or click **Filters** to select one or more asset types. For information about

how you can search for assets, see "Search for assets" on page 8.



5. Click **Next**.
6. In the **Assign Relationships** step, for each asset that you want to relate, specify the type of direct relationship that you want to create between the open asset and the selected assets.



7. Click **Finish** to save the relationships and the relationships appears in the **Relationships** tab. For information about viewing relationships, see "View relationships in assets" on page 103.

Adding relationships between data classifications and policy assets

You can add relationships between data classifications and policy assets.


You can add a relationship between data classifications and policy assets if your organization administrator grants you the **Read** permission on data classification assets and the **Update** permission on policy assets through access policies in Metadata Command Center.

To add this relationship, perform the following steps:

1. Open the policy asset for which you want to manually associate data element and entity classifications.
2. Go to the **Relationships** tab of the policy page, and click the add icon.

   The **Add Relationships** wizard opens.
3. In the **Select Assets** step, click the filter icon and then click **Add Filter**.
4. Select **Data Element Classification** and **Data Entity Classification** from the **Asset Type** menu.


   The grid displays assets that are of the data element and entity classification asset type. The **Sensitivity** column displays the sensitivity level of each data classification asset.



5. Select the required data element and entity classification assets, and click **Next**.

   The **Assign Relationships** page appears.

6. Select the relationship type of each assets in the **Data Element Classification** and **Data Entity Classification** pane of the **Assign Relationships** step.



7. Click **Finish** to save the relationships.

   The relationships appear on the **Relationships** tab of the policy asset page. For information about viewing relationships, see "View relationships in assets" on page 103.

Users can search for the data element or entity classifications related to policy asset or based on sensitivity by entering the required search terms. See "Search query examples" on page 19.

Adding relationships between data classifications with glossary assets

You can add relationships between data classifications and glossary assets. When you add relationships between glossary assets and data classifications, you can establish the relationships between the glossary and data elements that were discovered and associated with data entity and data element classifications. The relationships between the glossary assets and data classifications can be made only from the glossary asset pages and not vice versa.

You can add a relationship between data classifications and glossary assets if your organization administrator grants you the **Read** permission on data classification assets and the **Update** permission on glossary assets through access policies in Metadata Command Center.


After you have added the relationship, you need to run the Glossary Association job for the catalog sources in Metadata Command Center. The job links the data elements to the glossary.

To associate data element and data entity classifications to a glossary asset, perform the following steps:

1. Open the glossary asset to which you want to associate data element and entity classifications.
2. Go to the **Relationships** tab of the glossary metric or the business term page and click the add icon.


   The **Add Relationships** wizard opens.
3. In the **Select Assets** step, click the filter icon and then click **Add Filter**.
4. Select **Data Element Classification** and **Data Entity Classification** from the **Asset Type** menu.

The grid displays the data element and entity classification asset types.



5. Select one or more required data element and entity classification assets, and click **Next**.

   The **Assign Relationships** page appears.



6. On the **Relationship** field, select the type of relationship you want to establish between each data classification and the glossary asset.
7. Click **Next**.

   On the **Next Step** page, click **Finish** to add the relationship between the glossary asset and the selected data classifications.

You can see the relationship between the glossary asset and the discovered data elements on the **Relationships** tab of the asset page only after the **Glossary Association** job for the catalog sources is run in


Metadata Command Center. The glossary association job can be run manually in Metadata Command Center or is run automatically based on next schedule. Users can search for the data element or entity classifications related to assets. For information about how you can search for assets, see "Search query examples" on page 19.

Deleting a relationship between assets

If a relationship between two assets is no longer relevant, you can delete the relationship. You can delete an outbound relationship between the source and target assets. However, you can't delete an inbound relationship between a related asset and a seed asset.

To delete an outbound relationship between two assets, your organization administrator must grant you the **Update** permission on the source asset in the relationship through access policies in Metadata Command Center.

1. Open the asset for which you want to delete a relationship.
2. On to the **Relationships** tab, click the **Remove Relationship** icon next to the relationship that you want to remove.



3. In the **Remove Relationship** dialog box, click **Remove**.

CHAPTER 4

Data lineage

Data lineage is a visual representation of the flow of data across the systems in your organization. Lineage shows how the data flows from the system of origin to the system of destination, helping you understand dependencies and processes.

You can use lineage to gather different information about your data, including the following information:

- Data flow across data containers, databases, and tables that use data elements
- Where and how data is used in a particular system
- Dependencies of the data
- Processes that the data undergoes

Business Use

You can use lineage in Data Governance and Catalog for cataloging and governance purposes, including the following purposes:

- Understand the systems that access the data and the scale of its use.
- Know the upstream factors that contribute to the data, and the downstream systems that make use of the data. If you create a business report that uses the data, you can know the upstream data sets from where the data is derived. Similarly, if you choose to modify the data, you can know the downstream data sets that can be affected by the change.
- See quality improvements to the data along the way and identify distortions or discrepancies.
- View changes to data, such as standardization of formats.
- Understand the security and privacy processes that apply to the data, such as data sensitivity. You can determine if privacy policies have been applied at the right stage of the data flow according to the governance principles of your organization.

Lineage types


View business and technical lineage for assets that are available in Data Governance and Catalog. You can also view model lineage specifically for AI Model assets and manual lineage for manual data elements in your catalog.

Based on the asset type, you can view the following types of lineage:

Business lineage


Business assets display business lineage. You can view business lineage for data set and system assets. For example, if you are viewing the lineage for a data set, you can see how data flows between data sets and

their associated parent system assets. A business analyst might use business lineage to understand the source of the data and to ensure that the data is coming from a trusted source.
The following image displays the business lineage for a sample business data set:



Technical lineage


When you view data lineage for a technical data element or a technical data set, such as a column, you can choose to view the technical lineage or the business lineage if that data element is associated with a business data set. Technical lineage allows data architects to drill down to the smallest unit of data, navigate through the entire journey of data from the source to destination, and view data transformations.
The following image displays the technical lineage for a sample technical data set:



Model lineage

AI Model assets display model lineage, a visual representation of the data sets and other AI models that are associated with the AI model. You can view model lineage to identify the data used to train or validate an AI model, and understand its dependencies on other AI models.

The following image shows the **Model Lineage** tab of a sample AI model asset:



To establish a connection between an AI model and data sets, use the **Add** button on the **Data** tab of an AI Model asset. To establish a connection between an AI model and another AI model, use the **Add Relationships** button on the **Relationship** tab of an AI Model asset.

Manual lineage


Manual lineage displays connections between a manual data element that you created and other business and technical assets. To establish such connections, use the **Create Manual Lineage** option on the **Relationships** tab of an asset. When you create a manual lineage, Data Governance and Catalog creates a relationship of the *is in Manual Lineage with* type between the manual data element and other assets.

Lineage interface

The lineage interface visualizes the data flow for an asset and provides options to filter and refine the lineage view.

To view data lineage for an asset, browse or search for a technical asset or a business asset for which you want to see the data lineage. Click the asset to open the asset details page, and go to the **Lineage** tab to view the data lineage for the asset.

The following image shows the lineage interface and available controls for data lineage for navigating and refining the data flow:



1. Manage lineage configuration. The **Manage Lineage Configuration** icon opens the configuration hub for your lineage. The hub contains options to specify lineage levels, apply filters and overlays, and define the scope of your lineage. For more information, see "Lineage configuration" on page 134.
2. Lineage views menu. The **Lineage** views menu shows the list of your lineage views and lets you switch between views that you have saved, default views, or the views that are shared with you. See "Lineage views" on page 137.
3. Interface canvas. The central area displays the seed asset and its data flow. By default, the lineage initially loads as many hops as possible. If further hops exist beyond the initial load, you can click **Expand Upstream** or **Expand Downstream** to load additional hops in batches of three hops. If lineage fails to load three hops due to errors, then only one hop is loaded as a fallback mechanism. If you expand further after the error, the lineage continues to load one hop.
   You can also collapse upstream or downstream nodes in a hop or collapse a selected node using the **Collapse Upstream from Here**, **Collapse Downstream from Here**, or **Collapse This Node** options available on the nodes in the lineage graph. However, you can't collapse the seed asset in the lineage.

   If you hover over a node in the lineage, you can click the following icons:

   - Click the **Show Details** icon to view additional details about the asset in the asset tooltip.
   - Click the **Isolate Path** icon to highlight a specific flow in the lineage graph.
   - Click the **Filter Visible Elements** icon to filter available data sets in the lineage graph. This icon is available only at the schema or database level.

   The canvas features additional icons that you can use for precise lineage navigation, such as focusing the lineage on the seed asset, adjusting the zoom level to fit the entire lineage on the screen, and showing the legend to help you interpret the assets participating in the lineage. The **Show Lineage Overview** icon opens a mini map to help you orient yourself within large, complex lineage graphs.
4. View lineage configurations. View the configurations applied on the current lineage view. You can see the overlays, filters, and data lineage levels that are applied on the selected lineage view.


5. Lineage toolbar. The header toolbar provides the following high-level actions for the entire lineage graph:
   - **Find**. Find assets across all pages in all the expanded hops in the lineage. When you search for an asset, the search displays the total number of matches on the current page and highlights the matching nodes along with the page numbers where other matches can be found. You can navigate through the search and click the highlighted page number to see the total number of matches on that page.
     If you have applied overlays on the lineage, you can run a search on overlays. For example, if you have applied the Glossary Business Term or Business Name overlays, you can search for assets in the lineage using a business term or a business name. The search highlights the overlays containing the matching business term or business name. The search result returns the total number of matches on the current page and you can navigate through the search.
   - **Full Screen**. Click the icon to view the lineage in full screen.
   - **Export**. Click the icon to export the current lineage as a `.PNG`, `.PDF`, or `.SVG` file, or in a tabular format as an `.XLSX` or `.CSV` file.
   - **Show Preview**. Click the icon to toggle the preview pane on the right to display more details about the selected asset in the lineage. The preview pane shows the data quality score of the asset, the profiling stats, the stakeholders of the asset, the related assets and other details of the asset.

Lineage configuration

Configure the lineage graph to specify data granularity, control the type of assets that you see, apply business context through overlays, and simplify complex flows using filters. Use the configuration hub to customize the lineage graph for specific governance or technical analysis requirements.

You can access the configuration hub from the **Manage Configuration** icon on the lineage toolbar. The configuration hub lets you select and apply data lineage levels, filters, overlays, and add rules to control the assets you see in the lineage.

The following image highlights the lineage configuration menu on the **Lineage** page of a sample technical asset:



The **Manage Configuration** hub provides the following configuration options for your lineage:


Data lineage levels

Based on the granularity of the data that you want to see in your lineage, you can choose to view data lineage at the following levels:

- **Catalog source**. The highest lineage level that you can see for technical data sets. At this level, the data flows from one catalog source to another, with the lineage aggregating data from the data element or data set level.
- **System**. The highest lineage level that you can see for system assets and business data sets. At this level, the data flows from one source system to another, with the lineage aggregating data from the data set level.
- **Data Set**. A high level lineage that shows how data flows from one technical or business data set to another without drilling down to the constituent data element level in the data flow. For example, an Oracle table, an SQL table, and an Amazon S3 flat file are all considered technical data sets.
- **Data Element**. A granular level lineage that displays how the data elements belonging to a technical data set are involved in the data flow, how data flows from source to destination, and how the data is transformed.

You can switch from one lineage level to another to define the granularity of data that you want to see in the lineage. When you switch from a data set level lineage to a data element level lineage, you can select, from the preview pane, specific data elements to include in the lineage.

The following image shows the preview pane for selecting one or more data elements to include in the lineage when you switch from data set level to data element level lineage:




Filters

Use filters to focus on specific assets within the lineage. You can apply the following quick filters and rules on your lineage:

- **Hide data process**. You can apply this filter only for technical assets while viewing the technical lineage. Use this option to hide all data processes in a lineage to simplify complex lineage visualizations. Data process in a lineage refers to objects that perform transformations or other operations on data. For example, data process objects include mapping tasks, mapping task instances, stored procedures, ELT pipelines, and so on.
  If you apply this filter, you might see fewer nodes in the lineage. Additionally, if you expand the lineage by a single hop and the adjacent hop is a data process node, then the expansion might not display any new hops until you expand subsequent hops in the lineage.
- **Hide reference assets**. You can apply this filter only for technical assets while viewing the technical lineage. Use this option to hide all assets from reference catalog sources.
- **Add Rules For Asset Preferences**. In addition to the quick filters, you can create advanced rules to show or hide assets in the lineage based on criteria such as asset name, asset type, and lifecycle status of the assets. You can combine multiple conditions in a single rule using the AND logic, or combine multiple rules using the OR logic to precisely define the scope of your lineage.

  Note: The rules to hide or show assets apply to the lineage level selected for the view. To filter assets in a lineage, create rules that are specific to each lineage level.

  The following image shows the rule builder where you can define rules for asset preferences:



Flow lines

Select one of the following options:

- **Enable all flow lines for attributes**. View data flow across all data elements in the lineage.
- **Enable loops**. Remove repeated assets and repeated paths in the data flow so that you can see the relationships in loops in the lineage. This option shows cyclic relationships and repeated paths within the data flow.

Overlays

Apply overlays to add business and technical context to the assets in a lineage. Overlays are grouped into different categories, such as Glossary, Business Impact, Data Quality and Tags. The Glossary, Business

Impact and Data Quality overlays are displayed as individual groups on the lineage. The overlays in the Tags category are displayed as inline overlays within each asset node.

When you apply the **Business Term** or **Metric** overlay, you can identify business terms or metrics marked as critical data elements by the **Critical Data Element** (CDE) icon next to them. In the overlay, all glossaries containing CDEs appear first, followed by non-CDE glossaries. Within each category, the glossaries are sorted alphabetically.

If the Data Marketplace Administrator has connected Data Marketplace to Data Governance and Catalog, the **Overlays** menu displays the Data Marketplace overlay. You can use the Data Marketplace overlay to see the assets that are added to one or more data collections in Data Marketplace, including the assets that are added to unpublished data collections.

You can apply the **Sensitivity** overlay to display icons depicting the sensitivity of data elements on the asset node. The color of the sensitivity icon varies based on the sensitivity level.


If a data element is associated with any data element classification and glossary assets, you can view the details of the data element classifications and the associated glossary assets when you hover over the **Sensitivity** and **Calculation Expression** icons.

Lineage views

Lineage views are named configurations that save your specific lineage settings. Lineage views ensure that after you create a lineage configuration you can return to it instantly without reconfiguring the same settings again. The views highlight critical data dependencies and other details that are relevant to your requirements.

From the **Lineage** views list on the **Lineage** page, you can access all views.

The following image highlights the **Lineage** views list and shows its four distinct sections:



The **Lineage** views list organizes all views into the following categories:

- Current View. The view that is applied to the asset.
- Pinned Views. The views that are pinned for quick access.
- Other Views. All other views that are either created by you or shared with you.

- Manage Views. Opens the **Manage Views** page that lets you organize and manage all your saved views, views shared with you, and default system views.

System and custom views

Data Governance and Catalog provides predefined system views, that serve as default business or technical views for the asset. **Default Technical View** focuses on technical data elements, transformations, and detailed system flows. **Default Business View** focuses on high-level data set flows and business context. You can't delete or share these predefined system views, but you can use them as the foundation for creating custom views.

To focus on data insights that are most relevant to you, you can create custom lineage views and share them with others in your organization. You can pin views for quick access, and also edit, clone and delete custom views.

Data Governance and Catalog clearly distinguishes between personal or custom views that you create and the system views that are provided by default.

Note: After you upgrade to the April 2026 release, previously saved lineage preferences are automatically migrated to lineage views known as **Converted Lineage Views**. These views include a description clarifying that they were converted from your original lineage preferences.


Creating and sharing lineage views

You can create custom views to save specific, tailored configurations of the lineage graph that address your unique technical or business needs. You can also share this created view with other users in your organization.


The **Lineage** views list on the **Lineage** page displays the predefined business or technical view for the asset. You can use the predefined view as the foundation for creating custom views. Alternatively, you can create and share an entirely new view from the **Manage Views** page. For more information, see "Manage lineage views" on page 140.

1. From the **Lineage** views list on the **Lineage** page, select any view that you want to modify and save as a new custom view.
2. Open the **Manage Configuration** hub.
3. Configure the data lineage levels, filters, rules, and overlays in the configuration hub, and click **Apply**. For more information about configuring lineage, see "Lineage configuration" on page 134.

   When you apply configuration changes to a view, the name of the view is appended with the term 'modified'. You can click **Reset View** from the action menu to return the lineage configuration to its original state.
4. Click the **Lineage** views list and click the Action menu for the selected view.



5. Select **Save as New View...**.
6. Enter a unique name and description for the view.



7. Toggle the **Share this View** button and click **Save and Next**.
8. On the **Share** dialog box, choose whether to keep the view private, share it with other users, user groups, or roles, or share it with all users in the organization. While sharing the lineage view, specify the view or edit permission that you want to assign to the recipients of the lineage view.
9. Click **Save**.

   The saved view appears in your list of views under the **My Views** tab on the **Manage Views** page. When you create a new view based on a pinned view or the current view, the new view is automatically pinned by default. You can add upto five pinned views.


You can manage and share your lineage views from the **Manage Views** page. You can pin or unpin views for quick access. For more information about managing your lineage views, see "Manage lineage views" on page 140.

Manage lineage views

Organize and manage your lineage views from the **Manage Views** page.


Click the **Manage Views** option from the **Lineage** views list to see all your saved views and views that are shared with you.

The following image shows the **Manage Views** page:



You can perform the following actions for lineage views from the **Manage Views** page:

- **Create View**. Click the **Add** icon on the top of the page to create an entirely new view. Enter the name, description and the properties of the lineage view configuration including the data lineage level, filters, rules, and overlays.
  The following image shows the **Create View** page for entering the configuration properties for a new sample lineage view called 'Transformation Details':



- **Edit View**. Update the name, description, or lineage configuration of a view that you have created or is shared with you with the edit permission. You can't edit system views that Data Governance and Catalog provides by default.
- **Clone View**. Use a custom or system view, including views that are shared with you, as a template to create a new lineage view.
- **Delete View**. Permanently remove custom views that you created. You can't delete system views or views that are shared with you.
- **Manage Sharing**. Manage access to your lineage view, and assign view or edit permissions while sharing the view with others. You can't share system views and views that are shared with you.
- **Pin for Quick Access** or **Unpin from Quick Access**. Pin your most frequently used views to the top of the **Lineage** views list on the **Lineage** page for instant access. Unpin views that are infrequently used. You can pin a maximum of five views at a time. If you exceed this limit, a warning message appears asking you to unpin a view from the list.
- **Assign Owner**. If an owner of a shared view becomes inactive or is deleted from the system, a user with the **Manage Access Control** permission can reassign the view to another user.

Linked Lineage

You can link catalog sources with each other to generate data lineage that are based either on the rules that you specify or are generated automatically by using CLAIRE.

Due to limitations or constraints in your source data, you might not always see complete lineage after ingesting metadata into the catalog. In such cases, you can link catalog sources in Metadata Command Center to generate lineage by using one of the following linking methods:


- Rule-based linking. Define rules that include name-based matching rules or inclusion rules with expressions.
- Automated linking. CLAIRE recommends links that you can curate. You can set a threshold limit based on which the CLAIRE recommended catalog source links are automatically accepted.

For information about linking catalog sources to generate lineage, see the *Administration* help in Metadata Command Center.


View catalog source links

If the links are generated for the catalog source after the successful completion of the linking job in Metadata Command Center, you can view the links on the **Overview** tab of the source and target catalog sources in Data Governance and Catalog. You can view the generated links only if you're the stakeholder of the source or the target catalog source.

The following image shows the link generated for a catalog source:



Alternatively, you can access the catalog source links from the **Browse** page. Select the **Data Catalog** tab and click the action menu for the catalog source to see the **View Catalog Source Links** option. The following image shows the **View Catalog Source Links** option on the **Data Catalog** tab of the **Browse** page:




When you click the generated link for a catalog source, the **Catalog Source Links** page opens. This page displays the **Configurations** panel, which lists all the configurations created in Metadata Command Center for the catalog source where the catalog source is either the source or the target.

For each configuration, you can view the following information:

- The source and target catalog sources that are linked to generate lineage
- The linking method, which is either rule-based linking or automated linking
- The total number of links generated between the assets of the source and target catalog sources
- The number of accepted and rejected links
- The number of catalog source links recommended by CLAIRE. If the confidence score threshold is set in Metadata Command Center for the auto acceptance of CLAIRE recommended links, then you can view the confidence score threshold for each link.
- The status of each generated link

For information about curating the catalog source links, see "Curate catalog source links" on page 144.

The following image shows the **Catalog Source Links** page with the highlighted information that is available for each configuration:



Curate catalog source links

If you're a stakeholder of the source or the target catalog source, you can curate the links generated between the source and target assets of the catalog sources.


You can individually accept or reject each catalog source link or select multiple links to accept or reject them in bulk. Consider the following scenarios for accepting or rejecting the catalog source links:

- The rule-based catalog source links between the source and target assets are auto-accepted by default. You can reject the auto-accepted links after reviewing them.
- The CLAIRE recommended catalog source links that have a confidence score lesser than the specified threshold or don't have a confidence score threshold specified appear as **CLAIRE Recommendation**. You can accept or reject the auto-accepted links after reviewing them.
- If the CLAIRE recommended catalog source links have a confidence score that is higher than the specified threshold limit, the recommended catalog source links are auto-accepted. You can accept the auto-accepted links to help CLAIRE improve and learn better, or reject the links after reviewing them.

To accept or reject the catalog source links for a data set, accept or reject the links for all the data elements within that data set. If you initially reject the catalog source links and later accept them, they are marked again as accepted.

After you curate the catalog source links, you can see the complete linked lineage. For information about viewing linked lineage, see "View linked lineage" on page 145.

The following image shows the **Catalog Source Links** page for a catalog source highlighting the options to curate the catalog source links generated for the assets in the selected configuration:




View linked lineage

You can view the linked lineage between assets of the source and target catalog sources before or after curating the catalog source links.

To view lineage for the linked assets, either go directly to the **Lineage** tab of the asset or access the lineage from the **View Lineage** option on the action menu of the linked assets on the **Catalog Source Links** page. The lineage for the linked assets appear with blue dotted lines.

If you're a stakeholder of the source or the target catalog source, the linked lineage displays the CLAIRE recommended links between the assets. Users who are not stakeholders can view only the accepted links between the assets in the linked lineage.

The following image shows the linked lineage between the data elements of two different catalog sources, and highlights the CLAIRE recommended links in the linked lineage at the data set level:



CHAPTER 5

Audit history of assets

An audit history of a technical or business asset is a detailed record that tracks all interactions associated with that asset over time. You can view the audit history to gain insights for understanding, optimizing, or troubleshooting asset use. The audit history for an asset is available for two years.

You can export the audit history of a specific asset, multiple assets, or asset types. You can also include the corresponding child assets in the exported file.


Viewing audit history of assets

Use the **History** tab to observe and track changes that you make for business and technical assets.


1. Open an asset, select the **History** tab, and view the following properties:

Field	Description
Date	Displays the created and last updated dates of the asset.
Event Type	Displays the type of the event that is performed on the asset: - Asset. Displays changes in the name, description, certification, or the reference ID of the asset. - Relationship. Displays additions, deletions, and the updates of the relationships between the assets. - Stakeholder. Displays additions and deletions of stakeholders to the asset.
Action	Displays the following actions that are performed on the asset: - Create. Displayed if the asset is created. - Updated. Displayed if the asset is updated. - Deleted. Displayed if the asset is deleted.
Current Attributes	Displays the recently changed attributes of the asset.
Previous Attributes	Displays the earlier attributes of the asset.
Changed By	Displays the user who has performed any action on the asset.
Asset Name	Displays the name of the asset.
Asset Path	Displays the origin path of the asset.


Field	Description
Asset Type	Displays the type of the asset.
From Asset Type	Displays the source asset type for which the change is applicable. This is applicable when the event type is Relationship.
To Asset Type	Displays the target asset type for which the change is applicable. This is applicable when the event type is Relationship.




2. To narrow the information you see in the **History** tab, click the **Filter** icon and add filters based on different properties.




3. Apply the **Event Type** filter to view the event history of the asset when you change the name, description, or the reference ID of the asset:



4. Apply the **Event Type** filter to view the history of the asset when the stakeholder is updated:




5. Click **View history before April 01, 2023** or **View history after April 01, 2023** to view the history of the assets before or after April 01, 2023, respectively. The history of the assets before April 01, 2023 displays fewer column headers compared to the history of the assets after April 01, 2023.



6. From the **Settings** icon on the **History** tab, select the layout changes to display for the page.

Settings	Description
Columns	Apply the default columns or choose columns based on your requirement.
Save Layout	Save your preferences for the grid layout.

Settings	Description
Reset Layout	Reset your grid layout preference to its default settings. You can select one of the following reset options: - **Reset to Default**. Layout resets to the default system settings. - **Reset to Last Saved Layout**. Layout resets to the previously saved user-preference layout settings.
Grid Settings	Select the columns that you want to display, reorder the selected columns, sort the order of columns, determine the grid density, and specify number of rows per page.



View hierarchy of assets

In an asset page, you can view the hierarchy of that asset on the the **History** tab.


On the **History** tab, click **View** and select an option from the list to view different details of an asset's hierarchy.

The following table describes the view options for an asset's hierarchy:


Field	Description
Exclude Hierarchy	Select to display the audit history of only the asset that is open. The audit history of the child assets are not displayed. This is the default view.
Include All Children	Select to display the audit history of the asset and all its associated child assets.
Immediate Children Only	Select to display the audit history of the immediate child assets of the asset.

When you select the **Include All Children** or **Immediate Children Only** option, you can view only the partial history of a child asset when you make any change to the child asset.


The following image shows the options to view the hierarchy of assets:




The following image shows the audit history of a parent asset when you select the **Exclude Hierarchy** option:



The following image shows the audit history of a parent asset and all of its associated child assets after you select the **Include All Children** option:



The following image shows the audit history of a parent asset and its immediate child asset only after you select the **Immediate Children Only** option:



Exporting the audit history of an asset


You can export the historical data and activity records of a specific asset as a Microsoft Excel file in .xlsx or .xls format.

To export the audit history of an asset, ensure that the organization administrator has granted you the following privileges and permissions:


- The **Export** privilege for your user role in Administrator.
- The **Read** permission on the asset through access policies in Metadata Command Center.

To export the audit history of a specific asset, perform the following steps:

1. Open an asset, click the **History** tab, and select the hierarchy of assets that you want to see in your exported file from the **View** option.
2. Click **Settings** > **Export**.



The **Export Audit History** dialog box opens.




3. On the **Export Audit History** dialog box, enter a new file name or retain the system-generated file name.

   The file name that you enter must not contain the / character.
4. Select **All columns** if you want to view all columns in your exported file, or select **Only visible columns** if you want to view only the columns of the audit history tab.

5. Click **Start Export**.

   This triggers an export job that you can monitor on the **Job Status** page.
   Alternatively, click the **Notification** icon on the **Home** page to monitor the job status.

6. After the export job completes, click **Download Export File** to download the exported file.



Exporting the audit history of multiple assets


You can extract the historical data and activity records of multiple assets or asset types and export the audit history of those assets or asset types as a Microsoft Excel file in .xlsx or .xls format.

To export the audit history of multiple assets, ensure that the organization administrator has granted you the following privileges and permissions:

- The **Export** privilege for your user role in Administrator.
- The **Read** permission on assets through access policies in Metadata Command Center.

To export the audit history of multiple assets or asset types, perform the following steps:

1. In the **New** dialog box on the **Home** page, select **Others** > **Export Audit History**. Click **Create**.



2. On the **Export Audit History** page, enter the essential properties of the asset or asset type.

Field	Description
Export	Export audit history by asset types or specific assets.
Asset Type	Select the asset types for which you want to export the audit history.
Asset	Select the assets for which you want to export the audit history.
Hierarchy	Indicate whether to exclude or include hierarchical assets of the selected assets in the audit report. You can exclude assets in the hierarchy, include only the immediate child assets, or include all child assets of the selected assets. **Note:** You can see the **Hierarchy** field only if you select **Asset**.
Date Range	The start and end dates that define the period of the audit history report.
Changed By	The user who has performed the specified action on the asset.
Operation	Assets in the audit history that have specific actions on them. Only assets with selected actions will be exported.
File Name	Enter a new file name or retain the system-generated file name. **Note:** The file name that you enter must not contain the / character.

3. Click **Export**.

   This triggers an export job that you can monitor on the **Job Status** page.
   Alternatively, click the **Notification** icon on the **Home** page to monitor the job status.

4. On the job monitoring page, click **Download Export File** to download the exported file.

CHAPTER 6


Monitor jobs

You can monitor jobs for bulk import, bulk re-import, and bulk export of assets to know the status of each stage of the job.

Viewing import job status


When you import business assets using the bulk import template file, Data Governance and Catalog creates a job for the bulk import task that you can monitor to determine its status. You can also monitor the status of the bulk re-import job, when you export the search results containing both business and technical assets.

1. On the **Home** page, click **Job Monitoring**.



   The **Job Monitoring** page displays the list of all jobs.

2. View basic information such as job type, start and end date, and the status of each job on this page.




3. To download job log, click the **Action** menu for the job, and click **Download Log**.
4. To see more details of the job, click the job name to open the job on a new page.

   After the import job is complete, verify the assets and asset details that you have imported by opening the assets in Data Governance and Catalog.
   For more information about bulk import and bulk re-import, see *Bulk Import Assets* help.

Viewing export job status


When you export the results of a search, Data Governance and Catalog creates a job for the export task. You can monitor the status of the job in Data Governance and Catalog to determine the completion status.

1. On the **Home** page, click the **Job Monitoring** icon.




   The **Job Monitoring** page displays the list of all jobs.

2. View basic information such as job type, start and end date, and the status of each job on this page.



3. To download job log, click the **Action** menu for the job, and click **Download Log**.
4. To see more details of the job, click the job name to open the job on a new page.

   The job page displays the job status, job summary, job details, download export file or download logs file based on the job status.



   If the export job is successful, the link to download export file is available on the job page. If the export job is unsuccessful, the link to download log file is provided on the job page.

5. To view the export file, click **Download Export File**.

   The export file is downloaded on your local folder.

INDEX

A

assets
- browse for assets 53
- creating relationships between 124
- search for assets 8

B

business assets
- viewing import job status 154

C

CLAIRE activity widgets
- configuring 88

CLAIRE® summary 87

D

dashboards
- cloning 71, 72
- creating 71, 72
- deleting 68, 76
- modifying 68, 70, 76
- refreshing 68, 76
- setting as default 68, 70

data lineage
- interface controls 132
- understanding 130
- viewing 134

J

job monitoring widgets
- configuring 98

L

lineage *See data lineage*

N

notice board widgets
- configuring 99

R

relationships
- additional options 106
- creating between assets 124
- view asset relationships 108
- view relationships in assets 103

S

search
- construction 15
- synonym terms 16

T

tickets widgets
- configuring 101

W

widgets
- arranging on dashboard 81
- CLAIRE activity widgets 88
- cloning 84
- configuring job monitoring widgets 98
- configuring notice board widgets 99
- configuring tickets widgets 101
- creating 80
- deleting 84
- modifying 80
- viewing widget information 82