Informatica® Cloud Data Governance and Catalog

July 2026

What's New

Informatica Cloud Data Governance and Catalog What's New
July 2026

© Copyright Informatica LLC 2021, 2026

Publication Date: 2026-08-23

Table of Contents

Preface 4

Chapter 1: July 2026 5

Changelog July 2026 5

Important notices 6

New features and enhancements 6

Changed behavior 9

Chapter 2: April 2026 10

Changelog April 2026 10

Important notices 11

New features and enhancements 12

Changed behavior 25

Documentation changes 27

Chapter 3: November 2025 28

Changelog November 2025 28

Important notices 29

New features and enhancements 30

Changed behavior 46

Preface

Read *What's New* to learn about the new features, enhancements, and behavior changes in Data Governance and Catalog.

CHAPTER 1

July 2026

The following topics provide information about new features, enhancements, and changes in the July 2026 release of Data Governance and Catalog.

Changelog July 2026

Read the changelog to learn about significant changes to this publication for this release.

The following table describes changes in this publication:

Publication Date	Type of Change	Section Title
August 24, 2026	Added	"AI-powered data management with Gemini Enterprise Agent Platform" on page 6
July 24, 2026	Deleted	Preview initiated
July 24, 2026	Added	"Changes to unstructured data assets" on page 9
July 24, 2026	Added	"Deprecated support" on page 6
July 24, 2026	Added	"Data quality score aggregation system jobs schedule" on page 9
July 24, 2026	Modified	"Unstructured data discovery and classification" on page 7
July 24, 2026	Added	Preview initiated
July 24, 2026	Added	"Bulk import behavior for obsolete assets" on page 9
July 16, 2026	Modified	"Changes to permissions to manage jobs" on page 9
July 11, 2026	Modified	"Unstructured data discovery and classification" on page 7

Publication Date	Type of Change	Section Title
June 25, 2026	Added	"Changes to permissions to manage jobs" on page 9
June 25, 2026	Added	"Handle unrecognized files during metadata extraction" on page 7
June 25, 2026	Modified	"Unstructured data discovery and classification" on page 7
June 18, 2026	Added	"Enhanced catalog sources" on page 8
June 18, 2026	Modified	Microsoft Power BI
June 11, 2026	Initial publication	

Important notices

The July 2026 release of Data Governance and Catalog includes the following important notices.

Deprecated support

Effective in the July 2026 release, the Preview Data feature privilege is deprecated.

Deprecated functionality is supported, but Informatica intends to drop support in a future release. Informatica requests that you transition to different functionality before the functionality is dropped.
As an alternative to the Preview Data feature privilege, you can enable a Data Governance and Catalog user to view the failed rows for a data quality rule occurrence in the following way:

Configure a user role policy for the user role that grants Read permission on the Data attribute group.

AI-powered data management with Gemini Enterprise Agent Platform

Effective in the July 2026 release, for organizations on Google Cloud Platform, Data Governance and Catalog may use the generative AI capabilities of Gemini Enterprise Agent Platform for data management capabilities.

New features and enhancements

The July 2026 release of Data Governance and Catalog includes the following new features and enhancements.

Natural Language Search

To simplify asset discovery, you can search using natural language phrases instead of constructing complex keywords or rigidly structured queries. Data Governance and Catalog interprets your natural language search and returns matching assets and related results based on your query.

In the search results page, you can view your query, explanation of how it was interpreted, and the generated query used to retrieve results, providing transparency into the AI reasoning process. Save your natural language search queries as a saved search for future use or for sharing with your team.

For more information, see the *Search for Assets* in Asset Discovery help.

Unstructured data discovery and classification

You can catalog, discover, and classify unstructured documents alongside your structured data assets in Data Governance and Catalog to gain complete visibility across your data landscape.

This release includes the following key capabilities:

- Extract unstructured documents, including PDFs, Word documents, and text files from the following catalog sources:
  - Amazon S3
  - Databricks
  - File System
  - Google Cloud Storage
  - Hadoop Distributed File System
  - Microsoft OneDrive
  - Microsoft SharePoint Online
  - Microsoft Azure Blob Storage
  - Microsoft Azure Data Lake Storage Gen2
  - Microsoft Fabric OneLake
  - Oracle Cloud Object Storage
  - SFTP File System
- Automatically classify PDFs and text files into categories defined by you. You can classify unstructured documents using the new **Document Classification** capability in Metadata Command Center for the following catalog sources:
  - Amazon S3
  - Hadoop Distributed File System
  - Microsoft Azure Blob Storage
  - Microsoft Azure Data Lake Storage Gen2
  - Microsoft SharePoint Online
  - Oracle Cloud Object Storage
  - SFTP File System

For information about unstructured data discovery and classification, see the corresponding catalog source help.

Handle unrecognized files during metadata extraction

You can now configure how Metadata Command Center handles files with unrecognized formats during metadata extraction from the following catalog sources:

- Amazon S3
- Databricks
- File System

- Google Cloud Storage
- Hadoop Distributed File System
- Microsoft Azure Blob Storage
- Microsoft Azure Data Lake Storage Gen2
- Microsoft Fabric OneLake
- Microsoft OneDrive
- Microsoft SharePoint Online
- Oracle Cloud Object Storage
- SFTP File System

You can configure the catalog sources to treat all unrecognized file formats as either structured or unstructured files. Optionally, you can define specific path-level exceptions to override whether the unrecognized files should be treated as structured or unstructured files.

For information about handling unrecognized files, see the corresponding catalog source help.

Enhanced catalog sources

This release includes the following enhancements to catalog sources:

Microsoft Azure Data Factory

When you run a metadata extraction job on Microsoft Azure Data Factory pipelines, the job uses operational metadata from trigger runs to generate lineage for pipelines.

For more information, see the *Microsoft Azure Data Factory* catalog source help.

Microsoft Power BI

You can now extract PaginatedReportDataset objects that connect to Power BI datasets which use DAX and MDX queries.

For more information, see the *Microsoft Power BI* catalog source help.

SAP BW/4HANA

When you run a metadata extraction job on Composite Providers objects, you can extract all navigational attributes.

For more information, see the *SAP BW/4HANA* catalog source help.

Snowflake

You can use the Programmatic Access Token authentication type to connect to source systems.

For more information, see the *Snowflake* catalog source help.

Snowflake SQL Script

You can use the Programmatic Access Token authentication type to connect to source systems.

For more information, see the *Snowflake SQL Script* catalog source help.

REST API enhancements

This release includes the following enhancements:

- You can choose the `multipart/form-data` content type header when you use REST APIs to perform the following tasks on catalog sources:
  - Create catalog source

- Update catalog source

- You can use the catalog source management APIs to upload catalog source configuration files.

For information about the catalog source management APIs, see the Informatica Developer Portal.

Changed behavior

The July 2026 release of Data Governance and Catalog includes the following changed behavior.

Changes to unstructured data assets

Prior to the July 2026 release, unstructured files such as PDF, Text, DOC, and DOCX files were catalogued as structured file assets.

If you have existing PDF, Text, DOC, or DOCX files in your catalog and your organization administrator re-runs the catalog source job after upgrading to the July 2026 release, the files get catalogued as unstructured files with specific asset types. For more information, see "Unstructured data discovery and classification" on page 7.

As a result, you might see duplicate assets in the catalog. Previously discovered unstructured files are deprecated and their lifecycle status is marked as **Obsolete**. The new assets don't retain the existing enrichments from the deprecated assets. You can add enrichments to the new assets. To remove duplicate assets from the catalog, your organization administrators can purge deprecated assets using the '**Purge Obsolete Objects** option on the **Explore** page for the catalog source in Metadata Command Center.

Bulk import behavior for obsolete assets

You can't create business assets in the **Obsolete** lifecycle through the bulk import process.

Previously, you could create obsolete assets through bulk import if you selected the **Skip Errors or Warnings** option.

Changes to permissions to manage jobs

To cancel a job that another user started, or to download its export file, the organization administrator must assign you the **Manage Access Control** feature privilege in Administrator. You can cancel a job that you started and download its export file without additional privileges.

Previously, you didn't need additional privileges to cancel a job that another user started or to download its export file.

For more information about managing jobs, see *Jobs* in the *Administration* help.

Data quality score aggregation system jobs schedule

The system jobs that propagate updated data quality scores to data elements run once every 12 hours. When a rule occurrence is created from a scorecard and you manually associate a data element with the rule occurrence, the aggregated data quality score on the data element is updated within 12 hours, at the next scheduled run.

Previously, the system jobs ran automatically after the profiling job completed.

CHAPTER 2

April 2026

The following topics provide information about new features, enhancements, and changes in the April 2026 release of Data Governance and Catalog.

Changelog April 2026

Read the changelog to learn about significant changes to this publication for this release.

The following table describes changes in this publication:

Publication Date	Type of Change	Section Title
May 14, 2026	Modified	"Preview lifted" on page 11
May 14, 2026	Deleted	Deleted uploading of configuration files in "REST API enhancements" on page 25.
May 14, 2026	Added	"Post-upgrade tasks" on page 12
April 24, 2026	Modified	"Enhanced catalog sources" on page 19
April 23, 2026	Added	"Specify exception file path for data quality rule occurrences in bulk upload files" on page 17
April 23, 2026	Added	"REST API enhancements" on page 25
April 23, 2026	Added	"Preview lifted" on page 11
April 7, 2026	Added	"Workflow enhancements" on page 16
April 7, 2026	Modified	"Faster export and import for assets" on page 15
March 26, 2026	Added	"Performance enhancement" on page 26
March 26, 2026	Modified	"Bulk modifications to a data set" on page 26

Publication Date	Type of Change	Section Title
March 26, 2026	Modified	"Data access management enhancements" on page 19
March 26, 2026	Added	"Documentation changes" on page 27
March 26, 2026	Added	"Enhanced catalog sources" on page 19
March 26, 2026	Deleted	Deleted the advanced configuration setting in "Profiling enhancements" on page 23.
March 11, 2026	Initial publication	

Important notices

The April 2026 release of Data Governance and Catalog includes the following important notices.

Preview initiated

Catalog sources

Effective in the April 2026 release, the Salesforce Marketing Cloud catalog source is available for preview.

Note: Preview functionality is supported for evaluation purposes but is unwarranted and is not supported in production environments or any environment that you plan to push to production. Informatica intends to include the preview functionality in an upcoming release for production use, but might choose not to in accordance with changing market or technical circumstances. For more information, contact Informatica Global Customer Support.

Preview lifted

Effective in the April 2026 release, the following catalog source and functionality are production-ready.

- The SAP Datasphere catalog source. Previously, this catalog source was only available in preview.
- The Command Line Interface (CLI) metadata extraction method. Previously, this functionality was only available in preview.

Deprecation initiated

Effective in the April 2026 release, the usage of the following API endpoint to upload data quality scores to data quality rule occurrences is deprecated:

```
<baseApiUrl>/ccgf-ruleautomation/api/v1/dataQuality/publishScore?refBy=INTERNAL
```

Deprecated functionality is supported, but Informatica intends to drop support in a future release. Informatica requests that you transition to different functionality before the functionality is dropped.

Informatica will continue to support the existing endpoint until the July 2026 release.

Post-upgrade tasks

Google Looker and Qlik Sense Cloud catalog sources

Effective in the April 2026 release, Google Looker and Qlik Sense Cloud catalog sources use a connection created in Administrator.

If your existing catalog sources use a serverless runtime environment, perform the following steps after you upgrade to the April 2026 release:


1. Create a connection for the catalog source in Administrator.
2. Update the catalog source in Metadata Command Center to use the connection you created.

For information about how to create a connection, see the corresponding catalog source help.

New features and enhancements

The April 2026 release of Data Governance and Catalog includes the following new features and enhancements.

Watch the following What's New video to learn about the new features and enhancements in the April 2026 release:



Enhanced lineage experience


Data lineage in Data Governance and Catalog has been redesigned to provide a more intuitive and powerful way to visualize and interact with the data flow across your organization.

This release includes the following key enhancements:

- A new user experience and improved interface offers clearer visualization and makes it easier to navigate and interact within the lineage canvas.

- Create and save your lineage preferences as views. To enhance collaboration on data governance initiatives, you can share these lineage views with other users in your organization.
- Pin lineage views to quickly access them or easily search among the different views available to you.
- Apply advanced filters to focus on specific assets in the lineage, making it easier to trace data flow and dependencies.
- Export lineage in tabular format as an XLSX or a CSV file.

The following image shows the new **Lineage** page of a sample technical asset:




For more information about changes to data lineage, see the *Asset Discovery* help.

Dashboard enhancements

This release includes the following enhancements to dashboards:


- You can modify dashboards and their widgets using the **Edit Dashboard** option.
  Along with modifying the dashboard name and description, you can perform various activities on dashboard widgets. You can resize widgets by dragging widget edges and you can drag and drop widgets to create customized layouts.

  The following image shows an edit dashboard page:



  For more information about working with dashboards, see *Working with dashboards* in the *Asset Discovery* help.

- You can share a dashboard with other users using a URL so that they can open the same dashboard with the same widgets. The following image shows the **Manage Dashboards** dialog box:



  For more information about sharing dashboards, see *Sharing dashboards* in the *Asset Discovery* help.

Data profiling enhancements

This release includes the following enhancements to data profiling:


- You can export a part of the profiling results or the complete results to a Microsoft Excel file.
- After you run a profile, you can drill down on a value, data type, or pattern and view the drilldown results in the **Data Preview** area.

For more information about data profiling, see the *Data Profiling for Assets* help.


Data observability enhancements

The release includes the following enhancements to data observability:

- If you have enabled the data observability capability for a catalog source, the **Freshness and Volume** widget on the **Data Observability** tab shows an **Outdated** label in red for outated catalog source data. The following image shows the **Data Observability** tab for a table:



- Freshness and volume event pages show data on visualization widgets. Freshness event pages include a widget that visualizes data in a scatter plot and volume event pages include a widget that visualizes data in a bar chart.
  The following image shows a freshness event page:



For more information about viewing data observability, see *View technical assets* in the *Understanding Technical Assets* help.

Faster export and import for assets

Import and export of assets are quicker in Data Governance and Catalog. From a search result, if you export up to 10,000 assets without their relationships, the export is significantly faster. If you include relationships in your export, you export the assets through a standard export job.


If you import up to 500 assets using the bulk import template, the import is significantly faster. The import can include business and technical assets, and business assets configured with workflows.

For more information about exporting and importing assets, see *Overview* in the *Bulk Import Assets* help.

Create a Data Marketplace data collection

For assets that are **Published** to Data Marketplace, you can create a data collection from asset pages in Data Governance and Catalog.

The following image shows a Data Governance and Catalog asset page:



For more information about assets with which you can create data collections in Data Marketplace, see the following:

- For business assets, see *Business asset types* in the *Understanding Business Assets* help.
- For technical assets, see *View technical assets* in the *Understanding Technical Assets* help.

Public APIs for lineage and data quality score

The April release includes the following public APIs for lineage and data quality scores:

Export full lineage

Use an API to export full lineage of an asset in a CSV or Microsoft Excel file. The Microsoft Excel file includes worksheets for upstream and downstream asset lineages.

Retrieve data quality scores

Use an API to retrieve the data quality scores of data quality rule occurrences.

Upload data quality scores


Use an API to upload data quality scores to data quality rule occurrences.

Workflow enhancements

The following workflow updates improves efficiency in task handling by grouping tasks, triggering approvals for bulk imports, and easy identification of tasks with asset labels.

Task grouping and bulk actions

In the **Tasks Inbox**, you can perform bulk actions on tasks grouped by workflow and outcome. For example, you can perform task actions, comment, claim and assign tasks based on your user privileges.



Approval process for business asset updates in bulk import operations

When you create or update a business asset in a bulk import operation, Data Governance and Catalog triggers an approval process and assigns task to the appropriate stakeholders. Adding a relationship or stakeholder will not trigger an approval process.

Asset labels for tasks in Tasks Inbox

The **Tasks Inbox** displays asset labels alongside task names to clearly distinguish tasks based on the asset information.

Directly publish draft assets

For assets that have had their previously associated workflows disabled or if the workflow configuration conditions are modified or invalidated, the asset page displays the **Publish** button. You can click **Publish** to manually publish the asset. The asset then moves from the Draft to Published lifecycle.

For more information about bulk actions and task grouping, see *Workflows and Tickets* in the *Asset Management* help.

Specify exception file path for data quality rule occurrences in bulk upload files


The bulk import template for data quality rule occurrences introduces the **Exception File** Path column. You can use this column to specify the path to the file that stores the exception records that fail to meet the criteria defined by a data quality rule occurrence.

For more information about how you can bulk import data quality rule occurrences, see the *Data Quality Rule Occurrence* topic in the *Bulk Import Assets* help.

Export of assets enhancement

In addition to the Microsoft Excel file in the .xlsx or .xls file format, you can also search for assets and export the results of a search as CSV file. You can download data in multiple files within a compressed folder.

The following image shows the **Export Assets** dialog box:




For more information about how to export assets, see the *Export assets* topic in the *Asset Discovery* help.

Enhancements to data quality task monitoring

You can click the counts of successful, skipped, and failed rule occurrences in a catalog source job in Metadata Command Center. This enables you to view further details about each occurrence. Find the rule occurrences in the **Data Quality Details** section on the job overview page. You can view their details on the **Logs** tab of the page.

The following image shows the job **Overview** page for a data quality task:



For more information about data quality task monitoring, see the *Administration* help in Metadata Command Center.

Data access management enhancements

You can use the following new and enhanced features for data access management:

- You can enforce data filter policies and data de-identification policies within database ingestion and replication jobs. The policies protect sensitive data during bulk ingestion and replication by applying filters and data protections before your data reaches the target.
  For more information about enforcing data filter policies and data de-identification policies within database ingestion and replication jobs, see *Database Ingestion and Replication* in the Data Ingestion and Replication documentation.
- You can push down data access control policies to the Amazon S3, Google BigQuery, and Tableau source systems.
  For more information about pushing down data access control policies, see the *Data Access Management* in the Data Governance and Catalog documentation.
- You can push down data access control policies and data filter policies to the Microsoft Fabric Lakehouse source system.
  For more information about pushing down data access control policies and data filter policies, see the *Data Access Management* in the Data Governance and Catalog documentation.
- You can push down data filter policies to the Microsoft Power BI source system.
  For more information about pushing down data filter policies, see the *Data Access Management* in the Data Governance and Catalog documentation.
- You can use an AND operator in the filter criteria in data filter rules.
  For more information about creating data filter rules on the Data Access Management page in Data Governance and Catalog, see *Data Access Management* in the Data Governance and Catalog documentation.

New catalog sources

This release includes the following new catalog sources:

- Microsoft Azure Machine Learning
- Salesforce Marketing Cloud (Preview)

For more information about catalog sources, see the corresponding catalog source help.

Enhanced catalog sources

This release includes the following enhancements to catalog sources:

Amazon Athena

This release includes the following enhancements:

- You can use the EC2 Role to Assume Role authentication type to connect to Amazon Athena source systems.
- You can extract metadata from nested field objects.
- You can extract objects with the following complex data types and their nested fields:
  - Array
  - Map
  - Struct

For more information, see the *Amazon Athena* catalog source help.

Amazon S3

You can now configure an IAM user to assume an IAM role. You can specify the role without associating it with an EC2 role in the IAM Role ARN option.

For more information, see the *Amazon S3* catalog source help.

Databricks

This release includes the following enhancements:

- You can use OAuth Machine-to-Machine authentication to run data profiling and data quality jobs.
- When you extract metadata from Databricks Unity Catalog, you can use the **Extract Tags** property to specify whether you want to extract tags assigned to the objects you extract.
- You can now extract metadata from the following Databricks Unity Catalog objects:
  - Volume
  - Function
  - Dashboard
- You can add metadata extraction filters based on volumes and dashboard paths.

For more information, see the *Databricks* catalog source help.

Google BigQuery

You can now extract the following complex data types along with their nested fields:

- Array
- Range
- Struct

For more information, see the *Google BigQuery* catalog source help.

Informatica Intelligent Cloud Services

This release includes the following enhancements:

- You can now extract metadata from the following objects:
  - Database ingestion and replication task
  - Application ingestion and replication task
- You can extract metadata from mappings that include Salesforce connections with custom queries.

For more information, see the *Informatica Intelligent Cloud Services* catalog source help.

JDBC

You can now use the Additional Security Properties field of the JDBC V2 connection in Administrator to enter sensitive authentication information.

For more information, see the *JDBC* catalog source help.

Microsoft Azure Blob Storage

You can use the Shared Access Signature authentication type to connect to Microsoft Azure Blob Storage source systems.

For more information, see the *Microsoft Azure Blob Storage* catalog source help.

Microsoft Azure Data Factory

You can configure Microsoft Azure Synapse Analytics Parameters to extract Microsoft Azure Synapse Analytics notebooks with a Microsoft Azure Synapse Analytics connection in the Microsoft Azure Data Factory catalog source.

For more information, see the *Microsoft Azure Data Factory* catalog source help.

MicroStrategy

You can now extract metadata from ReportMetric objects.

For more information, see the *MicroStrategy* catalog source help.

Microsoft Power BI

You can view data types for metadata extracted from dataset tables.

For more information, see the *Microsoft Power BI* catalog source help.

PostgreSQL

This release includes the following enhancements:

- You can now extract metadata from foreign table objects.
- You can perform connection assignment to view lineage between the following source systems and a PostgreSQL source system:
  - Oracle
  - SQL Server

For more information, see the *PostgreSQL* catalog source help.

Salesforce

This release includes the following enhancements:

- You can extract metadata from Salesforce Flows and Salesforce Data 360 applications. (Preview)
- When you add metadata extraction filters, you can select object types based on the Salesforce application that you extract metadata from.

For more information, see the *Salesforce* catalog source help.

SAP Datasphere

This release includes the following enhancements:

- You can perform connection assignment to view lineage between the following source systems and an SAP Datasphere source system:
  - SAP SuccessFactors
  - Oracle
  - SQL Server
- You can now extract the metadata from the following objects in an SAP Datasphere source system:
  - Data Access Control
    - Data Access Control Column

- Data Flow
  - Data Flow Operator
    - Data Flow Operator Column
- Task Chain
  - Task Chain Node
- Transformation Flow
  - View Transformation
    - View Transformation Column

For information, see the *SAP Datasphere* catalog source help.

SAP ERP

You can add metadata extraction filters based on the asset type.

For information, see the *SAP ERP* catalog source help.

SAP Business Warehouse

This release includes the following enhancements:

- You can connect to SAP Business Warehouse deployed on RISE with SAP.
- You can add metadata extraction filters based on the asset type.

For more information, see the *SAP Business Warehouse* catalog source help.

SAP BW/4HANA

This release includes the following enhancements:

- You can extract metadata from SAP BW/4HANA deployed on RISE with SAP.
- You can add metadata extraction filters based on the asset type.

For more information, see the *SAP BW/4HANA* catalog source help.

SFTP File Systems

You can use private key authentication to connect to the source system.

For more information, see the *SFTP File System* catalog source help.

Snowflake

This release includes the following enhancements:

- You can extract metadata from Iceberg tables.
- You can use authorization code authentication to connect to the source system.

For more information, see the *Snowflake* catalog source help.

Snowflake SQL Script

You can use authorization code authentication to connect to the source system.

For more information, see the *Snowflake SQL Script* catalog source help.

Tableau

This release includes the following enhancements:

- You can now extract calculations included in a dashboard.

- You can now extract tags from objects such as data sources, dashboards, workbooks, and worksheets.

For more information, see the *Tableau* catalog source help.

Configure additional data capabilities

You can configure glossary association and data classification capabilities on the following catalog sources:

- Oracle Business Intelligence
- TIBCO Spotfire

For more information about catalog sources, see the corresponding catalog source help.

Profiling enhancements

This release includes the following profiling enhancements:

Amazon Redshift

You can use the Redshift IAM Authentication via AssumeRole authentication type to connect to Amazon Redshift source systems and run a data profiling job.

Apache Hive

You can run data profiling and data quality jobs on metadata extracted from any schema regardless of the schema name that you specified in the connection properties.

Google BigQuery

This release includes the following enhancements:

- You can apply profiling filters based on external tables and stored procedures.
- When you choose All Rows or Limit N Rows as the sampling type, you can run data profiles on external tables.

Salesforce

This release includes the following enhancements:

- You can run data profiling and data quality jobs using the Salesforce Data 360 connection on the following objects extracted from Salesforce Data 360 applications:
  - Data Lake Object
  - Data Model Object
  - Calculated Insights
- When you apply data profiling filters, you can select object types based on the Salesforce application that you extract metadata from.

SAP Datasphere

You can run data profiling and data quality jobs on the following objects:

- Views
- Analytical Modules

Snowflake

This release includes the following enhancements:

- You can run profiling jobs on Snowflake Hybrid tables and views.
- You can run data profiling and data quality jobs on metadata extracted from any database or schema regardless of the database or schema name that you specified in the connection properties.

Microsoft Azure SQL Server

You can use the Service Principal authentication to connect to Microsoft Azure SQL Server source systems and run data profiling jobs.

Microsoft Fabric Data Lakehouse

You can run data profiling and data quality jobs on metadata extracted from any database or schema regardless of the database or schema name that you specified in the connection properties.

For more information about catalog sources, see the corresponding catalog source help.

Authenticate with an external secrets manager

You can now configure AWS Secrets Manager and Azure Key Vault authentication tools when you configure the following catalog sources:

- MySQL
- SAP HANA Database
- Teradata Database

You can use secrets manager authentication when you run data profiling and data quality jobs and to preview failed rows with and without cache.

For information about how to configure Secrets Manager in Administrator, see Organization Administration in the *Administration* help.

Incremental metadata extraction

You can now run incremental metadata extraction jobs on the following catalog sources:

- Amazon Athena
- Strategy Cloud

A full metadata extraction extracts all objects from the source to the catalog. An incremental metadata extraction considers only the changed and new objects since the last successful catalog source job run. Incremental metadata extraction doesn't remove deleted objects from the catalog and doesn't extract metadata of code-based objects.

For more information about catalog sources, see the corresponding catalog source help.

Workflow enhancements

This release includes the following workflow enhancements:

Define workflow events based on conditions

You can configure workflows tailored to your organization's specific requirements, enabling different approval processes. For example, a highly sensitive glossary or related to GDPR demands a stringent multi-step approval, whereas finance and HR processes follow their own distinct approval workflows.

You can add conditions for workflows used in tickets for approval based on asset hierarchies, relationships, attributes, stakeholder roles, and asset groups. You can select asset types and add conditions in Metadata Command Center. Data Governance and Catalog evaluates workflow events by prioritizing the first matching condition and then starts the appropriate workflow.

For more information, see *Configuring a workflow event* in the *Administration* help.

Reordering workflow events

You can reorder existing workflow events to ensure that high-priority events are processed first. You can move a workflow event up, down, to the top, or to the bottom of the list of workflow events, based on your business requirement.

For more information, see *Reordering workflow events* in the *Administration* help.


REST API enhancements

You can use the catalog source management APIs to run incremental metadata extraction jobs.

For information about the catalog source management APIs, see the Informatica Developer Portal.

Data observability enhancement

When you run a data observability job on a catalog source in Metadata Command Center, you can use a statistical volume measurement based on the earlier collection of the metadata, or you can measure the current volume when you run the job. For catalog sources that provide the data observability, you can choose **Statistic** or **Calculated** to configure how the data observability job measures metadata volume.
The following image shows a catalog source with data observability enabled:



For more information about data observability, see *Data observability* in the *Administration* help.

Changed behavior

The April 2026 release of Data Governance and Catalog includes the following changed behaviors.

Tasks Inbox filter update

In the **Tasks Inbox**, to view tasks claimed by you, use the **Me** filter under the **Task Owners** filter option.

Previously, the **Claimed** and **Other** filters included the tasks claimed by you.

Changes to technical rule reference configuration

If you want to use the **Create a Rule** option when configuring a technical rule reference for a data quality rule template or occurrence in Data Governance and Catalog, your organization administrator must enable the **Enable CLAIRE Generative AI Services** setting in Administrator.

Previously, the **Enable CLAIRE Generative AI Services** setting in Administrator didn't influence the **Create a Rule** option in Data Governance and Catalog.

Make any dashboard your default dashboard

You can set any dashboard as your default dashboard. After you set a default dashboard, you can revert to a default dashboard based on your role, the system default dashboard, or your organization default dashboard.

Previously, you could set only dashboards shared with edit permissions as your default dashboard.

Changes to default value for custom attributes

When you create a business asset in Data Governance and Catalog, the default value for any optional or mandatory custom attribute is not pre-populated. You must specify a value for the custom attribute. An error message appears if you do not specify the value for mandatory custom attributes.

Previously, the default value for optional or mandatory custom attributes was pre-populated in Data Governance and Catalog.

Bulk modifications to a data set

You can modify up to 500 data element in a data set. If you add or remove more than 50 data elements in a data set, a job is triggered to track the progress. The job pauses modifications to the data set, after which you can add or remove the data elements to the data set.

Previously, you could modify only up to 25 data elements in a data set.

Performance enhancement

The April release increases the default limit on the number of jobs that you can run parallely for a given job type in Data Governance and Catalog. If you require further support, contact Informatica Global Customer Support.

Previously, Data Governance and Catalog provided a fixed limit for parallel jobs of a given job type.

Connection for catalog sources

You now use a connection when you configure the following catalog sources:

- Google Looker
- Qlik Sense
- Qlik Sense Cloud

Before you configure the catalog source, create the corresponding connection in Administrator.

Previously, you entered the connection properties directly in Metadata Command Center when you created the catalog source.

For more information, see the corresponding catalog source help.

Data profiling jobs in PostgreSQL catalog sources

Data profiling jobs now ignore unsupported data types and continue to run.

Previously, data profiling jobs that included unsupported data types failed on PostgreSQL catalog sources.

For more information, see the *PostgreSQL* catalog source help.

Removed default swimlane names

While designing workflows, you must now specify a name for each swimlane to proceed, as the default name has been removed.

Previously, swimlanes had default names.

For more information, see *Designing a workflow* in the *Administration* help.

Documentation changes

The April 2026 release of Metadata Command Center includes the following documentation changes.

Removed Catalog Source Configuration publication and online help

The *Catalog Source Configuration* help is removed from the Metadata Command Center help and the *Catalog Service Configuration* publication is removed from the Informatica Documentation Portal. Information that was available in this publication and online help is now available in the individual catalog source publications and online help.

For more information about catalog sources, see the corresponding catalog source help or publications.

New Custom Metadata Integration Reference publication and online help

Information related to custom metadata integration that was available in the *Catalog Source Configuration* publication and online help is now available in a new publication and online help titled *Custom Metadata Integration Reference*.

For more information, see the *Custom Metadata Integration Reference* help or publication.

New Catalog Sources Quick Reference page

The source systems table that was available in the *Catalog Source Configuration* publication and online help is now available in a new page titled *Catalog Sources Quick Reference* on the Informatica Documentation Portal.

For more information, see the *Catalog Sources Quick Reference* page.

CHAPTER 3

November 2025

The following topics provide information about new features, enhancements, and changes in the November 2025 release of Data Governance and Catalog.

Changelog November 2025

Read the changelog to learn about significant changes to this publication for this release.

The following table describes changes in this publication:

Publication Date	Type of Change	Section Title
December 19, 2025	Added	Display updated data quality scores for an asseton page 47
November 28, 2025	Updated	Data quality remediationon page 32
November 20, 2025	Added	"Connection name for referenced source systems " on page 48
November 20, 2025	Updated	"Data access management enhancements" on page 32
November 20, 2025	Added	"New filters for data observability" on page 33
November 20, 2025	Added	"Data quality remediation" on page 32
November 20, 2025	Added	"Data quality enhancement" on page 47
November 20, 2025	Updated	"Task notifications for new stakeholders" on page 34
November 20, 2025	Added	"Changes to Tasks Inbox" on page 47
November 20, 2025	Added	"Design workflows with tasks that run concurrently" on page 44
November 13, 2025	Added	"Enhanced catalog sources" on page 38

Publication Date	Type of Change	Section Title
November 13, 2025	Updated	"Enhanced catalog sources" on page 38
November 6, 2025	Updated	"Enhanced catalog sources" on page 38
November 4, 2025	Added	"Connection permissions required for catalog source jobs" on page 48
November 4, 2025	Added	"Generating JSON Web Token (JWT) to authenticate REST API requests" on page 44
October 28, 2025	Initial publication	

Important notices

The November 2025 release of Data Governance and Catalog includes the following important notices.

Microsoft Azure private link on Azure Japan POD

You can use Azure private link with the following services on the Azure Japan POD:

- Data Governance and Catalog
- Metadata Command Center

For more information about Microsoft Azure private link configuration, see the following How-To Library article: *Microsoft Azure Private Link Onboarding Guide for Informatica Intelligent Cloud Services*.

Preview initiated

Catalog sources

Effective in the November 2025 release, the Swagger API catalog source is available for preview.

Note: Preview functionality is supported for evaluation purposes but is unwarranted and is not supported in production environments or any environment that you plan to push to production. Informatica intends to include the preview functionality in an upcoming release for production use, but might choose not to in accordance with changing market or technical circumstances. For more information, contact Informatica Global Customer Support.

For more information about new features and enhancements, see "New features and enhancements" on page 30.

Preview lifted

Effective in the November 2025 release, the following catalog sources are production-ready:


- Informatica Developer
- Workday

Previously, these catalog sources were only available in preview.

New features and enhancements

The November 2025 release of Data Governance and Catalog includes the following new features and enhancements.

Watch the following What's New video to learn about the new features and enhancements in the November 2025 release:




Usage analytics for governance

Usage analytics help you track and report the impact of governance on data and data users. You can monitor analytics for various user and asset trends on dashboards for **Assets** and **User Adoption**. The dashboards have various widgets that show data on several predefined metrics across user adoption and engagement, and data curation and management.

In Metadata Command Center, administrators can enable usage analytics from the **Configure** page. Enabling usage analytics starts collecting metric data and also activates usage analytics dashboards in Data Governance and Catalog.

In Data Governance and Catalog, administrators can share usage analytics dashboards to users and groups. You can perform various activities on the dashboards such as customize dashboards, add widgets, and share dashboards.

The following image shows a system-generated **User Adoption** dashboard with various preconfigured widgets:




For more information about usage analytics dashboards, see the *Asset Discovery* help.

Task assignment

You can assign an unclaimed task or reassign a task that is already claimed by a user. Find the assignment options in the **Assign Tasks** dialog box on the **Tasks Inbox** page.

The following image shows the **Assign Task** dialog box:



For more information about the new **Tasks Inbox**, see the *Asset Management* module in Data Governance and Catalog.

Data access management enhancements

You can use the following new and enhanced features for data access management:


- You can reverse the effect of a data de-identification technique on your data and return the data to its original state. To unmask the data, configure an Access Policy transformation in a mapping in Data Integration and run the mapping.
  For more information about the Access Policy transformation, see the *Transformations* help in Data Integration.
- You can push down data filter policies to the Amazon Redshift cloud data platform.
  For more information about pushing down data filter policies, see the *Data Access Management* help in Data Governance and Catalog.
- You can push down data filter policies to the Databricks cloud data platform.
  For more information about pushing down data filter policies, see the *Data Access Management* help in Data Governance and Catalog.
- You can push down data access control policies and data filter policies to the Microsoft Azure Fabric Data Warehouse cloud data platform.
  For more information about pushing down data access control policies, see the *Data Access Management* help in Data Governance and Catalog.
- You can use the constant value data de-identification technique to mask decimal and integer values with a constant value when you create or edit a data protection.
  For more information about the constant value data de-identification technique, see the *Data Access Management* help in Data Governance and Catalog.

Data quality remediation

If you are the stakeholder of a data quality rule occurrence and you opt for notifications, you receive in-app and email notifications when the data quality score in the rule occurrence changes between two consecutive runs. Your organization administrator can enable automatic creation of tickets if the data quality score goes below the threshold that you specify in the rule occurrence. The administrator can set the **Data Quality Remediation** option in the **Data Quality** section of the catalog source configuration to **Yes** and enable the **Data Quality Failure Ticket** option. The **Data Quality Remediation** option is disabled by default.


The administrator can define downward and upward score thresholds based on the criticality of the rule occurrence for which you receive notifications in Metadata Command Center.

The following image shows the **Notifications** tab in the **Configure** page in Metadata Command Center:



When the administrator enables the **Data Quality Remediation** option, you can select a flat file connection in Metadata Command Center, and specify a location where the failed rows are written during each rule occurrence execution. If you want to preview all failed rows and download them for further remediation action, you can copy the file path link from the rule occurrence and navigate to the location that you specified.

The following image shows the **Data Quality Remediation** and the **Create Data Quality Failure Ticket** options in Metadata Command Center:




For more information about data quality remediation, see the *Administrator* help in Metadata Command Center.

New filters for data observability

You can filter data entities and observe the entities for freshness and volume by configuring the **Asset filters** panel on the **Data Observability** tab of a catalog source in Metadata Command Center. You don't need to manually enable the **Metadata Extraction** or **Data Profiling** options to observe your data.

The following image shows the new data observability filters in Metadata Command Center:




For more information about data observability filters, see the *Administrator* help in Metadata Command Center.

AI System asset relationship

You can establish a direct relationship between AI System assets.

The following image shows the **Relationships** tab of a sample AI System asset:



For more information about AI System asset relationships, see the *Asset Discovery* help in Data Governance and Catalog.

Task notifications for new stakeholders

If you modify the stakeholders on an asset, the newly added stakeholders will receive notifications for the active workflow tasks that are associated with the asset. Data Governance and Catalog will send only new task notifications to the newly added stakeholders. Notifications sent before their addition will not be reissued to the new stakeholders.

For more information about notifications, see the *Introduction and Getting Started* help in Data Governance and Catalog.

Enhanced notifications for technical asset updates

Metadata Command Center notifies stakeholders of a catalog source when a technical asset in the source system changes.

Metadata Command Center sends a notification for the following types of change to a technical asset in the source system:

- **Updates to the attributes of an asset**. For example, a technical asset is renamed and its description is updated.
- **Updates to asset structure**. For example, the data type of the asset is changed or a child asset is removed from the asset.
- **Discovery of new assets**. New assets are discovered when the source system is scanned.

If a catalog source is assigned more than one stakeholder, all the stakeholders receive the notification. Stakeholders receive an email notification and a notification within the Data Governance and Catalog interface that summarizes all asset changes within the source. To manage these notifications, you can use the **Technical Asset Changes** subcategory on the **Asset Changes** tab of the **Notification Settings** page.


For more information about notifications, see the *Introduction and Getting Started* help in Data Governance and Catalog.

URL as a custom attribute

You can add a URL or a hyperlinked label as a custom attribute for asset types. Select the **URL Field** data type in Metadata Command Center to add a URL as an attribute.

Then in Data Governance and Catalog, you can modify the URL on associated asset pages or through bulk import and export operations.


The following image shows a business term with a custom attribute of the **URL field** data type:



For more information about the bulk import process, see the *Bulk Import Assets* help.

Updates to Save options for search results

When you save your search, you can save the sorting order along with the search query and any filters you applied.




For more information about saving search results, see the *Asset Discovery* help.

New attribute for catalog sources

For catalog sources that extract XML objects, you can view the attribute **Repeatable**. In an XML schema, the attribute indicates if a node can repeat under the parent node. If the value for **Repeatable** is yes, then the node can repeat multiple times under the parent node. If the value for **Repeatable** is no, then the node does not repeat under the parent node.

The following image shows the attribute **Repeatable** for an XML object:




For more information about viewing technical assets, see the *Understanding Technical Assets* help.

QuickLook enhancements

Data Marketplace asset discovery in QuickLook

The QuickLook browser extension introduces the **Data Marketplace** filter that enables you to discover Data Governance and Catalog assets that are added by stakeholders to data collections in Data Marketplace. You can also view the data collections that are associated with these assets and open the data collections in Data Marketplace.

The following image shows the **Data Marketplace** filter in the Informatica QuickLook browser extension:



For more information about how you can search for assets in QuickLook, see the *Informatica QuickLook Browser Extension* help in Data Governance and Catalog.

Support for all custom metadata objects in QuickLook

You can search for all custom metadata objects within the QuickLook extension.

New catalog sources

This release includes the following new catalog sources:

- Denodo
- Fivetran Platform
- Google Vertex AI
- Oracle SQL Loader

- SAP Sales & Service Cloud
- Strategy Cloud
- Swagger API (Preview) For more information about catalog sources, see the corresponding catalog source help.

Enhanced catalog sources

This release includes the following enhancements to catalog sources:

Amazon Redshift

You can use the Redshift IAM Authentication via AssumeRole authentication type to connect to Amazon Redshift source systems.

For more information, see the *Amazon Redshift* catalog source help.

Apache Hive

You can extract metadata from source systems hosted on Google Cloud Dataproc clusters using non-Kerberos authentication and on Cloudera Data Platform (CDP) version 7.3.1.

For more information, see the *Apache Hive* catalog source help.

AWS Glue

You can use the IAM Roles Anywhere authentication type to connect to AWS Glue source systems.

For more information, see the *AWS Glue* catalog source help.

Databricks

When you extract metadata from Databricks notebooks, you can use the Notebooks Preload Paths property to specify the paths to the Databricks notebooks that you want to preload.

For more information, see the *Databricks* catalog source help.

IBM InfoSphere DataStage

You can extract jobs that contain a Google BigQuery connector stage.

For more information, see the *IBM InfoSphere DataStage* catalog source help.

Informatica Developer

This release includes the following enhancements:

- You can extract metadata from applications.
- You can add metadata extraction filters based on workflows and applications.

For more information, see the *Informatica Developer* catalog source help.

Informatica Intelligent Cloud Services

This release includes the following enhancements:

- You can perform connection assignment to view lineage between Data Integration mappings and a Workday source system.
- You can extract metadata from hierarchy instances of MDM SaaS source systems.
- You can extract metadata from dynamic mapping tasks of Data Integration source systems.

For more information, see the *Informatica Intelligent Cloud Services* catalog source help.

Microsoft Azure Data Factory

This release includes the following enhancements:

- You can extract metadata from pipelines that connect to SAP HANA source systems.
- You can perform connection assignment to view lineage between an SAP HANA Database source system and a Microsoft Azure Data Factory source system.
- You can extract metadata from Salesforce datasets that use Salesforce Object Query Language (SOQL) queries.

For more information, see the *Microsoft Azure Data Factory* catalog source help.

Microsoft Azure Synapse Analytics

This release includes the following enhancements:

- You can extract metadata from pipelines that connect to SAP HANA source systems.
- You can perform connection assignment to view lineage between an SAP HANA Database source system and a Microsoft Azure Synapse Analytics source system.
- You can extract metadata from Salesforce datasets that use Salesforce Object Query Language (SOQL) queries.

For more information, see the *Microsoft Azure Synapse Analytics* catalog source help.

Microsoft Power BI

You can perform connection assignment to view lineage between the following source systems and a Microsoft Power BI source system:

- SAP Business Warehouse
- SAP BW4/HANA
- SAP HANA Database

You can extract metadata from Power BI Power Query expressions that retrieve data from PostgreSQL sources using an ODBC connection.

For more information, see the *Microsoft Power BI* catalog source help.

Qlik Sense

You can view lineage information for application assets that contain binary statements.

For more information, see the *Qlik Sense* catalog source help.

SAP Enterprise Resource Planning (ERP)

This release includes the following enhancements:

- You can use the catalog source with SAP S/4 HANA applications hosted on a private cloud such as Amazon Web Services (AWS).
- You can perform connection assignment to view lineage between the following source systems and an SAP ECC source system:
  - SAP Business Warehouse (SAP BW)
  - SAP BW/4HANA
  - SAP BusinessObjects Data Services

- You can perform connection assignment to view lineage between the following source systems and an SAP S/4HANA source system:
  - SAP Business Warehouse (SAP BW)
  - SAP BW/4HANA
  - SAP BusinessObjects Data Services

  For more information, see the *SAP ERP* catalog source help.

SAP Business Objects Data Services

You can perform connection assignment to view lineage between the following source systems and an SAP Business Objects Data Services source system:

- SAP Business Warehouse
- SAP BW4/HANA
- SAP HANA Database
- SAP ECC

For more information, see the *SAP Business Objects Data Services* catalog source help.

SAP Datasphere

This release includes the following enhancements:

- You can run metadata extraction jobs with the SAP Datasphere Command Line Interface. You can choose the metadata extraction method when you configure metadata extraction.
- You can perform connection assignment to view lineage between the following source systems and an SAP Datasphere source system:
  - SAP Enterprise Resource Planning
  - SAP Business Warehouse
  - SAP HANA
  - SAP BW/4HANA
  - SAP S/4HANA
  - SAP Analytics Cloud

  For more information about catalog sources, see the *SAP Datasphere* catalog source help.

SAP SuccessFactors

You can use OAuth 2.0 authentication to connect to an SAP SuccessFactors source system.

For more information, see the *SAP SuccessFactors* catalog source help.

Tableau

This release includes the following enhancements:

- You can extract metadata from measure names.
- You can perform connection assignment to view lineage between the following source systems and a Tableau source system:
  - Databricks
  - SAP Business Warehouse
  - SAP BW4/HANA

- SAP HANA Database

For more information, see the *Tableau* catalog source help.

Talend Data Integration

You can run connection-aware scans to view complete lineage with reference source system objects.

For more information, see the *Talend Data Integration* catalog source help.

Workday

This release includes the following enhancements:

- You can add metadata extraction filters based on data sources, business objects, and reports.
- You can use OAuth 2.0 Refresh Token Flow authentication to connect to a Workday source system.

For more information, see the *Workday* catalog source help.

Configure additional data capabilities

You can configure the following additional data capabilities on catalog sources:

- Glossary association, data classification, and relationship discovery capabilities on Greenplum.
- Glossary association and data classification capabilities on the following catalog sources:
  - SAP Datasphere
  - Workday
- Profiling and data quality capabilities on SAP SuccessFactors.

For more information about catalog sources, see the corresponding catalog source help.

Incremental metadata extraction

You can now run incremental metadata extraction jobs on the following catalog sources:

- Databricks
  Applicable only to Databricks Unity Catalog.

  Applies to the following Databricks Unity Catalog objects:
  - Table
  - View
- Google BigQuery
- Google Cloud Storage
- Microsoft Sharepoint Online
- Workday

A full metadata extraction extracts all objects from the source to the catalog. An incremental metadata extraction considers only the changed and new objects since the last successful catalog source job run. Incremental metadata extraction doesn't remove deleted objects from the catalog and doesn't extract metadata of code-based objects.

For more information about catalog sources, see the corresponding catalog source help.

Technical Description extraction

You can now view the technical description after you run a metadata extraction job on pipelines and activities with the following catalog sources:

- Microsoft Azure Synapse Analytics

- Microsoft Azure Data Factory

For more information about catalog sources, see the corresponding catalog source help.

Metadata extraction from partitioned JSON files

You can extract metadata from partitioned JSON files with the following catalog sources:

- Amazon S3
- File System
- Google Cloud Storage
- Hadoop Distributed File System
- Microsoft Azure Blob Storage
- Microsoft Azure Data Lake Storage Gen2
- Microsoft Fabric OneLake
- Microsoft OneDrive
- Microsoft SharePoint Online
- Oracle Cloud Object Storage
- SFTP File System

For more information about catalog sources, see the corresponding catalog source help.

Configure partition detection for JSON and XML files

You can enable partition detection for JSON and XML files in the following catalog sources:

- Amazon S3
- File System
- Google Cloud Storage
- Hadoop Distributed File System
- Microsoft Azure Blob Storage
- Microsoft Azure Data Lake Storage Gen2
- Microsoft Fabric OneLake
- Microsoft OneDrive
- Microsoft Sharepoint Online
- Oracle Cloud Object Storage
- SFTP File System

For more information about catalog sources, see the corresponding catalog source help.

Deprecate objects deleted from a source system

When you configure or run a catalog source, you can choose to deprecate objects that are deleted from a source system using the **Metadata Change Option**. If you delete objects from the source or make changes to the filter, the objects imported into the catalog before the change move to the "Obsolete" lifecycle in the catalog.

You can purge such obsolete objects from a catalog source. This permanently deletes all objects with the "Obsolete" lifecycle status, along with associated enrichments, from the catalog.

For more information about catalog sources, see the corresponding catalog source help.

Modify assigned connections

You can modify connection assignments to endpoint catalog source objects. After you modify connections, the connection assignment job starts. When the job completes, the old connections are unassigned, new connections are assigned, and Metadata Command Center creates links between matching objects in the connected catalog sources.

For more information about modifying assigned connections, see *Modifying assigned connections* in the *Administration* help.

Export lists of matched and unmatched objects after assigning connections

After you assign connections to endpoint catalog source objects, there can be both matched and unmatched objects in the catalog. Matched objects are objects that directly match the assigned endpoint objects. Unmatched objects are objects that don't directly match the assigned endpoint objects and are not found in the source system.

After assigning connections, you can export a list of matched and unmatched objects to a Microsoft Excel file. You can use these lists for remediation or for reference.

For more information, see *Export lists of matched and unmatched objects* in the *Administration* help.

Select paths for metadata extraction filters

When you define filters for metadata extraction, you can include or exclude metadata from a folder or file path. You can either enter the path as the filter value or select a path from a list of folders and files available in the source system.

You can filter based on a folder, file, or path when you configure the following catalog sources:

- Amazon S3
- File System
- Google Cloud Storage
- Hadoop Distributed File System
- Microsoft Azure Blob Storage
- Microsoft Azure Data Lake Storage Gen2
- Microsoft Fabric OneLake
- Microsoft OneDrive
- Microsoft SharePoint Online
- Oracle Cloud Object Storage
- SFTP File System

For more information about catalog sources, see the corresponding catalog source help.

Generate lineage for file system based catalog sources

When you link catalog sources to generate lineage, you can select file system based catalog sources as the source and target catalog sources.

You can choose any of the following file system based catalog sources when you link catalog sources:

- Amazon S3
- File System
- Google Cloud Storage

- Hadoop Distributed File System
- Microsoft Azure Blob Storage
- Microsoft Azure Data Lake Storage Gen2
- Microsoft Fabric OneLake
- Microsoft OneDrive
- Microsoft SharePoint Online
- Oracle Cloud Object Storage
- SFTP File System

For information about linking catalog sources, see *Link catalog sources* in the Administration help.

Select objects for metadata extraction filters

When you define filters for metadata extraction, you can select objects from a list of objects available in the source system.

You can select objects from a list when you configure the following catalog sources:

- Google BigQuery
- IBM Netezza
- Microsoft Azure Synapse Data Warehouse

For more information about catalog sources, see the corresponding catalog source help.

Synchronize metadata from Data Integration dynamic mapping tasks

The IDMC metadata now synchronizes metadata from dynamic mapping tasks in Data Integration.

For information about IDMC metadata, see *IDMC Metadata* in the Administration help.

Use REST APIs to manage catalog sources

You can use REST APIs to perform the following tasks on catalog sources:

- Create catalog source. Use the API to create a catalog source.
- Retrieve catalog source. Use the API to retrieve a catalog source based on the source ID.
- List catalog sources. Use the API to list catalog sources based on the specified filter.
- Update catalog source. Use the API to edit the catalog source configuration.
- Delete catalog source. Use the API to delete a catalog source.

For information about the catalog source management APIs, see the Informatica Developer Portal.

Generating JSON Web Token (JWT) to authenticate REST API requests

To authenticate users to REST API endpoints, organization administrators can choose the JSON Web Token-based authentication method in Administrator. This method allows you to generate JWT tokens without a session ID.

With this method, you can authenticate to REST API endpoints with only the JWT token. However, generating the JWT token from a session ID remains the default.

For more information, see the JWT Support Knowledge article.

Design workflows with tasks that run concurrently

You can use the parallel gateway component to design workflows that require multiple tasks to run concurrently.

For example, when you create a workflow for processing a loan application, you can add multiple tasks that can run in parallel to speed up the process. Customer credit risk validation, KYC collection, asset details, and legal inputs are tasks that users can perform concurrently.

For more information about how you can design a workflow, see *Designing a workflow* in the *Administration* help.


Modify published workflows

You can now edit an existing workflow that is already published.

For more information about how you can modify a workflow, see *Update a workflow* in the *Administration* help.

Custom layouts for the Browse page

Administrators can configure custom layouts for the **Browse** page. The configuration options are similar to the custom layout options for the **Asset** page.



For more information about how you can create custom layouts for the Browse page, see *Custom layouts for the Browse page* in the *Administration* help.

Upgrade notifications

Metadata Command Center now sends email notifications about organization upgrades to the latest versions of Metadata Command Center, Data Governance and Catalog, and Data Marketplace.

As an administrator, you receive notifications for the following events:

- An upgrade is scheduled
- An upgrade schedule is updated
- An upcoming upgrade
- An upgrade starts
- An upgrade completes

For more information about upgrades, see *Upgrade an organization to the latest version* in the *Administration* help.

Changed behavior

The November 2025 release of Data Governance and Catalog includes the following changed behaviors.

Data access management operations now use the Data Access Management Agent service associated with the connection

Whenever Data Governance and Catalog pushes down a data access control policy or data filter policy to your cloud data platform, it now uses the Data Access Management Agent service configured in the runtime environment that is associated with the connection.

Previously, Data Governance and Catalog used any Data Access Management Agent service.

For more information about the Data Access Management Agent service, see the *Secure Agent Services* help in Administrator.

Increased sensitivity levels for data classifications

You can now customize up to 10 sensitivity levels for data element classifications in Metadata Command Center. Configure sensitivity labels on the **Customize** page and update the associated data classifications on the **Explore** page. Data Governance and Catalog shows the new sensitivity labels on assets when you update the data classifications.

Previously, you created up to five sensitivity levels for a data element classification.

For more information about customizing sensitivity levels for data classifications, see the *Administration* help in Metadata Command Center.

Enhancement to export and import of asset relationships

If you include relationships while exporting assets, you can export relationships that have a business source asset and a technical target asset. Similarly, you can import relationships whose source is a business asset and target is a technical asset in template files for relationships.

The following table lists the relationships between asset types for which you can run Import and Export jobs:

Source Asset Type	Target Asset Type	Relationship Type
Policy	Data Set	is Regulating
Policy	Data Element	is Regulating
Process	Data Set	is Related to
Process	Data Element	is Related to
Project	Data Set	is Related to
Project	Data Element	is Related to
AI Model	Resource	is Used in
AI Model	Data Process	is Used in
Data Set	AI Model	is in Direct Lineage with
System	Resource	is Derived from

Source Asset Type	Target Asset Type	Relationship Type
System	Data Source	is Derived from
Manual Data Element	Data Element	is in Manual Lineage with

Previously, you exported and imported relationships exclusively between business assets.

For more information about the bulk import process, see the *Bulk Import Assets* help.

Data quality enhancement

You can now preview and download up to 1,000 failed rows from a rule occurrence.

Previously, you could preview up to 100 failed rows. You could not download the failed rows from a rule occurrence.

Display updated data quality scores for an asset

If you update data quality scores through API, bulk import, or data profiling, the updated data quality scores can take up to one hour to reflect in the **Total Runs Table** of the **Score** tab of a rule occurrence.

Previously, you could see the updated data quality scores in real time.

Changes to Tasks Inbox

You can no longer use the **Name** field to sort the **Tasks** grid on the **Tasks Inbox** page.

Users, roles, and groups no longer require the **Read** privilege to create and manage workflow tickets.

Automatic synchronization of glossary updates to technical assets

When you link a technical asset to a glossary asset so that the technical asset obtains its name and description from the glossary asset, Data Governance and Catalog can automatically update the technical asset details if the name or description of the glossary asset changes.

Previously, changes made to the glossary names and descriptions were not automatically reflected in the associated technical assets.

For more information about **Associate business names and descriptions with technical assets**, see the *Asset Management* module in Data Governance and Catalog.

Updates to public REST APIs

You can create all types of business assets through the Manage Assets API.

You can create relationships between assets by using Update Asset API.

For more information, see the *Manage Content* help.

Action label name change

To create a catalog source, a data classification, or a linked catalog source configuration that is similar to an existing one, you now click **Clone**.

Previously, you clicked **Copy**.

For more information, see the *Catalog Source Configuration* help.

REST API resource identification

The URI to access the catalog source management REST API endpoints has been updated to `/data360/catalog-source-management/v1`.

Previously, you had to use the following URI to access catalog source management endpoint: `/data360/executable/v1`

For information about the catalog source management APIs, see the Informatica Developer Portal.

Connection permissions required for catalog source jobs

For catalog sources that require a connection in Administrator, or include a capability that needs a connection, you now need to have permissions on connections to perform the following tasks:

- Create or edit a catalog source
- Configure a catalog source to run on a schedule
- Manually run a catalog source job

This applies to all types of connections, such as source, staging, and flat file connections.

To run a catalog source job for catalog sources that reference other source systems, you need permissions on the connections for all the reference source systems.

Previously, you didn't need permissions on connections to perform these tasks.

For more information, see the *Catalog Source Configuration* help.

Connection name for referenced source systems

The connection names for referenced source system assets now appear in the following format: `Host_Port_DB`.

Previously, the connection names appeared in the following format: `HOST_Port_DB_Schema`.

This applies to the Talend Data Integration catalog source.

For more information, see the *Talend Data Integration* catalog source help.