Informatica® Cloud Data Marketplace
July 2026

Bulk Create Items

Informatica Cloud Data Marketplace Bulk Create Items
July 2026

© Copyright Informatica LLC 2021, 2026

Publication Date: 2026-09-18

Table of Contents

Preface 4

Chapter 1: Overview 5

Stages of bulk create 5

Stage 1: Uploading the template file 6

Stage 2: Creating items in Data Marketplace 7

Stage 3: Viewing the summary 9

Guidelines for using the template files 9

Chapter 2: Define settings for data collections 11

Categories 11

Delivery formats 13

Delivery methods 14

Delivery templates 16

Terms of use 20

Usage types 22

Cost centers 23

Chapter 3: Create Data Marketplace content 25

Data elements 25

Data assets 27

Data collections 30

Consumer accesses 33

Chapter 4: Create object relationships 36

Specify delivery targets for data collections 36

Add data assets to data collections 38

Add terms of use to data collections 39

Preface

Read *Bulk Create Items* to understand how to bulk create items in Data Marketplace using template files or your own Microsoft Excel spreadsheet.

Note: If some of the terms that are used on this help differ from what is displayed on the Data Marketplace interface, contact your Data Marketplace Administrator to understand the terminology defined for your organization. For more information, see the *Label Customizations* topic in the *Set Up Data Marketplace* help.

CHAPTER 1

Overview

To create a large number of items in Data Marketplace, use the **Bulk Create** option on the **New** page. According to the item types that you want to create, you can download predefined XLSX template files from Data Marketplace. Enter the values and upload the files to Data Marketplace.


You can also use a Microsoft Excel spreadsheet from your computer to bulk create items in Data Marketplace. Data Marketplace reads the data in the template file or your own Microsoft Excel spreadsheet to create the new items.

Note: To save time and avoid errors, use the predefined XLSX template files that you can download from Data Marketplace.

Stages of bulk create

In the **Bulk Create** wizard, you can create several items in Data Marketplace at once.

The **Bulk Create** wizard consists of 3 stages. The following image shows the steps you require to bulk create items in Data Marketplace:



You can use the following steps to bulk create items in Data Marketplace:

1. **Uploading the template file**. From your local computer, upload the template file that you downloaded from Data Marketplace or upload your own Microsoft Excel spreadsheet that contain the items you want to upload.
2. **Creating items in Data Marketplace**. The template file undergoes several system validation checks for values missing in mandatory fields and for mapping errors. To rectify the errors, review the error icon that is displayed on the rows that contain the errors. After you rectify the errors, you can add the new items to Data Marketplace.
3. **Viewing the summary**. View a summary report of the upload operation.

Stage 1: Uploading the template file


In the first stage of the bulk create process, you can download a predefined XLSX template file for the data type that you want to upload. The template file that you download contains the field names or column headers. Enter the values that you want to create in Data Marketplace, and upload to file. Alternatively, you can also upload your own Microsoft Excel spreadsheet with the data that you want to create in Data Marketplace.

To bulk create data, the Informatica ® Intelligent Data Management Cloud™ (IDMC) Administrator must provide you with the proper privileges. For more information about available features that the Data

Marketplace Administrator can enable, see the *Feature privileges* topic in the *Introduction and Getting Started* help.

1. In Data Marketplace, go to the **New** page.
2. On the **New** page, click **Bulk Create**.

   The **Import** section of the **Bulk Create** wizard appears.



3. In the **Import** section, to download a template file, click a tile in the **Download Templates** section.

   An XLSX template file is downloaded.

   Note: To download all the templates, click the **Download All Templates** button.
4. In the template file that you download or in your Microsoft Excel spreadsheet, populate the fields with the data that you want to add to Data Marketplace, and then save the file on your computer.

   Some column headers display tooltips. Hover your pointer over the column headers to view information about the data that you can enter in those fields.

   Note: You can create a maximum of 100 items for each template file.
5. In the **Import** section of the **Bulk Create** wizard, you can either drag the template file or your Microsoft Excel spreadsheet or use the **Browse files** option to upload the file from your local computer to Data Marketplace.
6. To initiate the import, click **Next**.

   The **Relationships** section of the **Bulk Create** wizard appears.

   Note: If you want to import data from a template file again, click **Start Over**.


Stage 2: Creating items in Data Marketplace

In the second stage of the bulk create process, Data Marketplace evaluates the data in the input file that you uploaded. If values are missing in mandatory fields, or if you referenced an object that doesn't exist, Data Marketplace displays an error. At this stage, you can create new items from the data that contains no errors.

1. In the **Details** section of the **Bulk Create > Validate** wizard, you can monitor the progress of the verification of the upload file.

In the verification process, the system checks for the following errors:

- **Relationship error**. An object that was referenced in the file that you uploaded doesn't exist.
- **Mandatory field error**. A mandatory field is empty.
- **Multivalue mapping error**. For a field that accepts more than one value, one or more of the values specified in the input file is invalid.
- **File error**. The uploaded file has an issue.
  When there is an issue with the input file, the **Details** section shows a warning message for one of the following reasons :
  - The input file used is invalid.
  - The input file is empty.
  - If the uploaded template file has at least ten rows and more than half the number of rows have errors.



2. To view only specific rows in the items grid, select the applicable filter check box in the **Filter by Status** field.

   The following table describes the filters that you can apply to the grid:

Filter	Description
Created	The data was added to Data Marketplace. A confirmation icon is displayed on such rows.
Ready	The data is ready to be added to Data Marketplace. A confirmation icon is displayed on such rows.
Error	The data in the row contains errors. A confirmation icon is displayed on such rows.
Excluded	The uploaded data is excluded from being added to Data Marketplace. A confirmation icon is displayed on such rows.


3. To rectify an error that occurred due to an empty mandatory field, click the field in the row and enter the data.

   For a field that accepts only specific values, you can view the applicable values when you click the field.
4. To create items, click **Create All Ready Rows**. Data Marketplace uploads the ready data and creates the items. To create data from specific rows, click **Include**. To exclude data from a row, click **Exclude**.
5. To add a new row, click **New Row**. Data Marketplace adds a vacant row that you can use to enter data. Add rows to create new items in the middle of the bulk create process without requiring to restart the process.
6. To exit the **Bulk Create** wizard, click **Finish**.

   Note: If any row remains uncreated when you click **Finish**, the **Exit wizard** appears. If you click **Continue**, the rows with unresolved errors or any progress done on the rows will be lost.

Stage 3: Viewing the summary

In the final stage of the bulk create process, you can view the number of items that you have created successfully.



1. To bulk create more items, click **Bulk Create More** .
2. To download a summary report of the rows that were created successfully, click **Export created rows as a .CSV file**.
3. To download a summary report of the rows that were excluded from creation, click **Export unfinished rows as a .CSV file**.

Guidelines for using the template files

To bulk create items efficiently, use the predefined XLSX template file that you download from Data Marketplace to bulk create items. The template file contains the field names that you must enter to create

new items. If you hover your cursor over some column headers, you can view the instructions that help you understand and enter the correct values.

Consider the following guidelines for the XLSX template files and your own Microsoft Excel spreadsheet:

- The template files that you downloaded from Data Marketplace are in XLSX format. To preserve formatting, open the downloaded template files in Microsoft Excel or a similar spreadsheet application.
- You can use your own Microsoft Excel file to create items in Data Marketplace.

  Open a new Microsoft Excel file from your computer. Ensure that you enter the column header values correctly. Enter values for all the required fields. After populating the data, save your Microsoft Excel file in the .xlsx, .xls, or .csv format.

Note: If the template file contains fields that allow you to enter only specific values, you can view the values that you can enter. To do this, right click the tab at the bottom of the sheet and click the **Unhide** option. In the **Unhide** dialog box that appears, select the `Predefined_Values` sheet and click **OK**. If the Microsoft Excel file that you use is in CSV format, when you use a text editor to enter values, do not use commas. In CSV files, commas are used as column separators.

You can also upload your own Microsoft Excel file to bulk create items in Data Marketplace. Enter the values correctly in the template file or Microsoft Excel spreadsheet and upload it to Data Marketplace.

Note:

For more information about how you can download a predefined template file or how you can create your own Microsoft Excel file, see “Stage 1: Uploading the template file ” on page 6.

CHAPTER 2

Define settings for data collections

You can use Data Marketplace template files or your own Microsoft Excel spreadsheets to create configurable fields in Data Marketplace.

Categories

A category is a grouping of related data collections. It is a predefined classification where stakeholders can publish data collections. Use the `Marketplace - Category Template.xlsx` file or upload your own Microsoft Excel file to create categories in Data Marketplace.

Prerequisites

Before you can create categories, verify one of the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Category Owner
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Create**, **Manage Access**, **Read** and **Update** permissions for categories are enabled in Metadata Command Center.

Column description

The following table describes the fields in the `Marketplace - Category Template.xlsx` file and the values that you can enter:

Field	Description	Example
Reference ID	Enter a reference identifier for the category. **Field Type**: Free text; optional **Guidelines**: If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the object. If you want to specify a reference identifier, enter a unique alphabetical, numeric or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see the *Manage reference IDs of objects* topic in the *Set Up Data Marketplace* help.	You can specify `Category01` or `CT-1` as the reference ID of a category. However, if `CAT-` is a reference ID prefix that is configured in your Metadata Command Center, you cannot use `CAT-1`.
Name	Enter a name for the category as you want it to appear in Data Marketplace. **Field Type**: Free text; required **Guidelines**: Enter a name that represents the related data collections that it contains. It is best practice to make these broad, perhaps related to lines of business.	`Marketing Data`
Description	Enter a description for the category. **Field Type**: Free text; required **Guidelines**: Enter a descriptive text so that Data Users can easily find the category. If you use a CSV file to upload categories, do not enter commas in the description. Commas are used as column separators. Consider rephrasing the description to avoid commas	`Data collections related to or usable for marketing campaigns`

Field	Description	Example
Status	Specify a status for the category. The status determines whether the category is discoverable and usable in Data Marketplace. **Field Type:** Fixed value; required Enter one of the following values: - To make the category discoverable and usable in Data Marketplace, set the status to `ACTIVE`. - To make the category not discoverable and unusable in Data Marketplace, set the status to `INACTIVE`. **Guidelines**: Activate the category for use. If you are creating inactive categories, ensure that you have a valid reason for doing so, or create the categories later.	`Active`
Category Owners	Enter the email addresses of the individuals or the names of the groups that you want to assign as stakeholders of the category with the Category Owner stakeholder role. **Field Type**: Fixed value; optional **Guidelines**: Use semi-colons to separate your entries, and do not enter a space between each entry. Ensure that the users are aware of their responsibilities before you assign them the Category Owner role. Additionally, ensure that the users are already assigned the Category Owner user role in the Administrator. For more information about the responsibilities of a Category Owner, see the *Category Owner* topic in the *Introduction and Getting Started* help.	`johnD@informatica.com;Retail`

Delivery formats

A delivery format object represents the format in which the data is delivered. Delivery Owners use delivery formats to create delivery templates. Use the `Marketplace - Delivery Format Template.xlsx` file or upload your own Microsoft Excel spreadsheet to create delivery formats in Data Marketplace.

Prerequisites

Before you can create delivery formats, verify one of the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Delivery Owner
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.

- **Create** and **Read** permissions for delivery formats are enabled in Metadata Command Center.

Column description

The following table describes the fields in the `Marketplace - Delivery Format Template.xlsx` file and the values that you can enter:

Field	Description	Example
Reference ID	Enter a reference identifier for the delivery format. **Field Type**: Free text; optional **Guidelines**: If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the object. If you want to specify a reference identifier, enter a unique alphabetic, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see the *Manage reference IDs of objects* topic in the *Set Up Data Marketplace* help.	You can specify `DFormat01` or `DF-1` as the reference ID of a delivery format. However, if `DFT-` is a reference ID prefix that is configured in your Metadata Command Center, you cannot use `DFT-1`.
Format Name	Enter a name for the delivery format as you want it to appear in Data Marketplace. **Field Type:** Free text; required **Guidelines:** Clearly indicate the data format that the delivery formats represent.	`.XLSX File, .CSV File, .PDF document`
Status	Specify a status for the delivery format. The status determines whether a delivery format is available to be added to delivery templates. **Field Type:** Fixed value; required Enter one of the following values: - To make the delivery format available to be added to delivery templates, set the status to `ACTIVE`. - To make the delivery format unavailable to be added to delivery templates, set the status to `INACTIVE`. **Guidelines:** Activate the delivery formats for use. If you are creating inactive delivery formats, ensure that you have a valid reason for doing so, or you can create the delivery formats later.	`ACTIVE`

Delivery methods

A delivery method represents the medium used to deliver the data to the Data User that ordered the collection. Delivery Owners use delivery methods to create delivery templates. Delivery methods are used by Data Marketplace Administrators to design Delivery Templates. Use the `Marketplace - Delivery Method`

`Template.xlsx` file or upload your own Microsoft Excel spreadsheet to create delivery methods in Data Marketplace.

Prerequisites

Before you can create delivery methods, verify one of the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Delivery Owner
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Create** and **Read** permissions for delivery methods are enabled in Metadata Command Center.

Column description

The following table describes the fields in the `Marketplace - Delivery Method Template.xlsx` file and the values that you can enter:

Field	Description	Example
Reference ID	Enter a reference identifier for the delivery method. **Field Type**: Free text; optional **Guidelines**: If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the object. If you want to specify a reference identifier, enter a unique alphabetic, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see the *Manage reference IDs of objects* topic in the *Set Up Data Marketplace* help.	You can specify `DMethod01` or `DM-1` as the reference ID of a delivery method. However, if `DMT-` is a reference ID prefix that is configured in your Metadata Command Center, you cannot use `DMT-1`.
Method Name	Enter a name for the delivery method as you want it to appear in Data Marketplace. **Field Type:** Free text; required **Guidelines:** Clearly indicate the method of delivery in the method name.	`FTP, SFTP`
Status	Specify a status for the delivery method. The status determines whether a delivery method is available to be added to delivery templates. **Field Type:** Fixed value; required Enter one of the following values: - To make the delivery method available to be added to delivery templates, set the status to `ACTIVE`. - To make the delivery method unavailable to be added to delivery templates, set the status to `INACTIVE`. **Guidelines:** Activate the delivery methods for use. If you are creating inactive delivery methods, ensure that you have a valid reason for doing so, or you can create the delivery methods later.	`ACTIVE`

Delivery templates

A delivery template contains the delivery format, the delivery method, and the location where the data is delivered to the Data User. Stakeholders use delivery templates to create new delivery targets for their data collections. Use the `Marketplace - Delivery Template Template.xlsx` file or upload your own Microsoft Excel spreadsheet to create delivery templates in Data Marketplace.

Prerequisites

Before you can create delivery templates, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:

- Your user profile is assigned one of the following roles:
  - Delivery Owner
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Create**, **Manage Access** and **Read** permissions for delivery templates are enabled in Metadata Command Center.
  - **Read** permission for delivery formats and delivery methods is enabled in Metadata Command Center.

Verify the methods and formats

Ensure that the delivery formats and delivery methods that you want to use to create the delivery templates are already present in Data Marketplace.

Column description

The following table describes the fields in the `Marketplace - Delivery Template Template.xlsx` file and the values that you can enter:

Field	Description	Example
Reference ID	Enter a reference identifier for the delivery template. **Field Type**: Free text; optional **Guidelines**: If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the object. If you want to specify a reference identifier, enter a unique alphabetic, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see the *Manage reference IDs of objects* topic in the *Set Up Data Marketplace* help.	You can specify `DTemplate01` or `DT-1` as the reference ID of a delivery template. However, if `DTM-` is a reference ID prefix that is configured in your Metadata Command Center, you cannot use `DTM-1`.
Name	Enter a name for the delivery template. **Field Type:** Free text; required **Guidelines:** The delivery template names should clearly indicate the delivery options that they represent.	`Cloud Delivery`

Field	Description	Example
Description	Enter a description for the delivery template. **Field Type:** Free text; required **Guidelines:** Explain the nature of the delivery template, so that stakeholders of data collections can determine whether it meets their requirements. If you use a CSV file to upload delivery templates, do not enter commas in the description. Commas are used as column separators. Consider rephrasing the description to avoid commas.	`Use this template to deliver data via a Cloud platform.`
Status	Specify a status for the delivery template. The status determines whether a delivery template is available to be used to create a delivery target of a data collection. **Field Type:** Fixed value; required. Enter one of the following values: - To make the delivery template available for use, set the status to `ACTIVE`. - To make the delivery template unavailable for use, set the status to `INACTIVE`. **Guidelines:** Typically, the delivery methods that you create should be activated for use. If you are creating inactive delivery templates, ensure that you have a valid reason for doing so, or you can create the delivery templates later.	`ACTIVE`
Delivery Type	Specify the method of approval and fulfillment. **Field Type:** Free text; required Enter one of the following values: - If you set the delivery type to `AUTOMATIC`, Data Marketplace automates the order approval and fulfillment. - If you set the delivery type to `MANUAL`, a stakeholder of the data collection must approve and fulfill the order manually. **Guidelines:** For Automatic delivery, the approval and fulfillment process is automated. Ensure that the URI that you enter in the Location field is universally accessible within the organization.	`MANUAL`

Field	Description	Example
Delivery Process	Specify whether you want the system to create a unique delivery location for each order that is fulfilled using this template. An access management application such as Data Access Management might customize the data that it delivers based on the characteristics of the data, the Data User and the usage context that they specified in the order. **Field Type:** Fixed value; optional. Enter one of the following values: - `ENABLED` - `DISABLED` **Note:** Default value is `DISABLED`. **Guidelines:** - If you enable Delivery Process, a unique delivery location is created for each order that is fulfilled using a target that is based on this template. Furthermore, an access management application such as Data Access Management might customize the delivered data based on the characteristics of the data, the Data User and the usage context that they specified in the order. - If you disable Delivery Process, the same data is made available in a delivery location that is common to all Data Users. For more information, see the *Manage access to data with Data Access Management* topic in the *Set Up Data Marketplace* help.	`ENABLED`
System	Enter the system on which you want to deliver the data. **Field Type:** Free text; required	`Google Cloud Platform, Microsoft Azure`
Location	Enter a location where the requested data is delivered to the Data User. **Field Type:** Free text; required **Guidelines:** If you enable the **Delivery Process** option, ensure that you use the following structure to specify the delivery location: `hostname:port` In the location structure, you can configure the following properties: - `hostname`. Enter the hostname for the Data Access Management proxy. - `port`. Enter the port number of the Data Access Management proxy. For more information about how you can retrieve the hostname and port values, see the *Data Access Management Proxy service* topic in the *Secure Agent Services help* in the Administrator.	`OneDrive, Google Drive`
Delivery Formats	Specify a delivery format as it appears in Data Marketplace. **Field Type:** Free text; required	`.XLSX File, .CSV File, .PDF document`
Delivery Methods	Specify a delivery method as it appears in Data Marketplace. **Field Type:** Free text; required	`FTP, SFTP`

Field	Description	Example
Delivery Template Owners	Enter the email addresses of the individuals or the names of the groups that you want to assign as the Delivery Owner of the delivery template. **Field Type**: Fixed value; optional **Guidelines**: Use semicolons to separate your entries, and do not enter a space between each entry. Ensure that Delivery Owners are aware of their responsibilities before you assign them the role. For more information about the responsibilities of a Delivery Owner, see the *Delivery Owner* topic in the *Introduction and Getting Started* help.	`johnD@informatica.com;Retail`
Color	Specify a color indicator for the delivery template. **Field Type:** Free text; optional **Guidelines:** Assign a unique color indicator so users can identify a delivery template.	`ruby`

Terms of use

The terms of use provide usage requirements and guidelines that a Data User must accept to use the data. Use the `Marketplace - Terms of Use Template.xlsx` file or upload your own Microsoft Excel spreadsheet to create Terms of Use in Data Marketplace.

Prerequisites

Before you can create terms of use, verify one of the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Create** and **Read** permissions for terms of use are enabled in Metadata Command Center.

Column description

The following table describes the fields in the `Marketplace - Terms of Use Template.xlsx` file and the values that you can enter:

Field	Description	Example
Reference ID	Enter a reference identifier for the terms of use. **Field Type**: Free text; optional **Guidelines**: If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the object. If you want to specify a reference identifier, enter a unique alphabetic, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see the *Manage reference IDs of objects* topic in the *Set Up Data Marketplace* help.	You can specify `TUse01` or `TU-1` as the reference ID of a terms of use. However, if `TOU-` is a reference ID prefix that is configured in your Metadata Command Center, you cannot use `TOU-1`.
Name	Enter a name for the terms of use. **Field Type:** Free text; required **Guidelines:** Clearly indicate the terms and conditions that the terms of use represent.	`For Human Capital Development Use Only`
Description	Enter a description for the terms of use. **Field Type:** Free text; required **Guidelines:** Explain the nature of the terms of use, so that a stakeholder of a data collection can determine whether it meets their requirements. If you use a CSV file to upload terms of use, do not enter commas in the description. Commas are used as column separators. Consider rephrasing the description to avoid commas.	`The data in this collection is curated for sales analytics.`
Type	Specify a type for the terms of use. **Field Type:** Free text; required **Guidelines:** The value you enter here helps a stakeholder of a data collection to know the nature of terms that are represented here. Your administrator defines the terms of use types in Metadata Command Center. For more information about terms of use, see the *Terms of use* topic in the *Set Up Data Marketplace* help.	`RESTRICTED`

Field	Description	Example
Status	Specify a status for the terms of use. The status determines whether a terms of use is available to be added to a data collection. **Field Type:** Fixed value; required Enter one of the following values: - To make the terms of use available to be added to a data collection, set the status to `ENABLED`. - To make the terms of use unavailable to be added to a data collection, set the status to `DISABLED`. **Guidelines:** Activate the terms of use for use. If you are creating inactive terms of use, ensure that you have a valid reason for doing so, or you can create the terms of use later.	`DISABLED`
URI	Enter a uniform resource identifier for the terms of use. **Field Type:** Free text; optional **Guidelines:** Enter a URI that is most helpful for consumers to access the terms of use.	`www.cdgc.com/table1/column1`

Note: When you specify a value in the **Type** field, ensure that the combined maximum length of all the terms of use type names is 255 characters. If the combined maximum length exceeds the specified limit, you can't select a terms of use type value in the bulk create template.

For example, suppose your administrator configures 10 terms-of-use types in Metadata Command Center. Each name is 24 characters, totaling 240 characters. Then, the administrator adds an 11th term-of-use type with a 20-character name. The total length becomes 260 characters, which exceeds the 255-character limit. In this case, you can't select the terms of use types from the list in the bulk create template. To resolve this, your administrator must adjust the terms of use type names in Metadata Command Center so that their combined maximum length is 255 characters. After your administrator makes the changes, download the bulk create template again from Data Marketplace to continue adding terms of use.

Usage types

A usage type defines the contexts within which an individual can use data. Stakeholders can utilize usage types to specify the intended use of their data collections. Data Users can utilize usage types to cite their intention when they order a collection. Use the `Marketplace - Usage Type Template.xlsx` file or upload your own Microsoft Excel spreadsheet to create usage types in Data Marketplace.

Prerequisites

Before you can create usage types, verify one of the following prerequisites:

- Your user profile is assigned the Data Marketplace Administrator role.
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Create** and **Read** permissions for usage contexts are enabled in Metadata Command Center.

Column description

The following table describes the fields in the `Marketplace - Usage Type Template.xlsx` file and the values that you can enter:

Field	Description	Example
Reference ID	Enter a reference identifier for the usage type. **Field Type**: Free text; optional **Guidelines**: If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the object. If you want to specify a reference identifier, enter a unique alphabetic, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see the *Manage reference IDs of objects* topic in the *Set Up Data Marketplace* help.	You can specify `UType01` or `UT-1` as the reference ID of a usage type. However, if `USG-` is a reference ID prefix that is configured in your Metadata Command Center, you cannot use `USG-1`.
Name	Enter a name for the usage type. **Field Type:** Free text; required **Guidelines:** Clearly indicate the uses that the usage types represent.	`Analytics`
Description	Enter a description for the usage type. **Field Type:** Free text; optional **Guidelines:** Explain the nature of the usage type, so that an individual can determine whether it meets their requirements. If you use a CSV file to upload usage types, do not enter commas in the description. Commas are used as column separators. Consider rephrasing the description to avoid commas.	`The data in this collection is curated for sales analytics.`
Status	Specify a status for the usage type. The status determines whether a usage type is available to be added to a data collection or to be selectable on an order or a data collection request. **Field Type:** Fixed value; required Enter one of the following values: - To make the usage type available for use in data collections and orders, set the status to `ACTIVE`. - To make the usage type unavailable for use in data collections and orders, set the status to `INACTIVE`. **Guidelines:** Activate the usage types for use. If you are creating inactive usage types, ensure that you have a valid reason for doing so, or you can create the usage types later.	`ACTIVE`
Color	Specify a color indicator for the usage type. **Field Type:** Free text; optional **Guidelines:** Assign a unique color indicator so users can identify the usage type.	`ruby`

Cost centers

A cost center is an area or department within an organization that is generally represented by a unique identifier to which business expenses are allocated. If there is a cost required to deliver the data to a Data

User or if the there is a cost required to create the data collection that was requested by a Data User, the cost can be charged to the cost center of the Data User. Use the `Marketplace - Cost Center Template.xlsx` file or upload your own Microsoft Excel spreadsheet to create cost centers in Data Marketplace.

Prerequisites

Before you can create cost centers, verify one of the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Create** and **Read** permissions for cost centers are enabled in Metadata Command Center.

Column description

The following table describes the fields in the `Marketplace - Cost Center Template.xlsx` file and the values that you can enter:

Field	Description	Example
Cost Center	Enter the cost center as defined in your organization. **Field Type**: Free text; required **Guidelines**: Ensure that the cost center value that you entered is the same as the cost center defined in your organization.	`IEQ-Retail6755`
Description	Enter a description for the cost center. **Field Type**: Free text; optional **Guidelines**: Enter a descriptive text so that Data Users can easily find a cost center that is applicable to them.	`Cost center of the retail department`

CHAPTER 3

Create Data Marketplace content

You can use Data Marketplace template files or your own Microsoft Excel spreadsheets to add data to Data Marketplace in bulk.

Data elements

A data element is the smallest unit of data that is present in Data Marketplace. A grouping of one or more related data elements forms a data asset. Use the `Marketplace - Data Element Template.xlsx` file or upload your own Microsoft Excel file to create data elements in Data Marketplace.

Prerequisites

Before you can create data elements, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privileges are enabled in Administrator.
  - **Create** and **Read** permissions for data elements are enabled in Metadata Command Center.
  - **Read** and **Update** permissions for data assets are enabled in Metadata Command Center.

Verify the data assets

Ensure that the data assets within which you want to create data elements are native to Data Marketplace.

Column description

The following table describes the fields in the `Marketplace - Data Element Template.xlsx` file and the values that you can enter:

Field	Description	Example
Reference ID	Enter reference identifier for the data element. **Field Type**: Free text; optional **Guidelines**: If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the object. If you want to specify a reference identifier, enter a unique alphabetic, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see the *Manage reference IDs of objects* topic in the *Set Up Data Marketplace* help.	You can specify `Delement01` or `DE-1` as the reference ID of a data element. However, if `DLM-` is a reference ID prefix that is configured in your Metadata Command Center, you cannot use `DLM-1`.
Name	Enter a name for the data element as you want it to appear in Data Marketplace. **Field Type**: Free text; required **Guidelines**: To help Data Users understand the specific data contained within the data asset.	`Customer ID`
Description	Enter a description for the data element. **Field Type**: Free text; required **Guidelines**: Explain the meaning of the data element for Data Users who might not understand. If you use a CSV file to upload data elements, do not enter commas in the description. Commas are used as column separators. Consider rephrasing the description to avoid commas.	`The unique identifier representing a client account.`
Data Asset Name	Enter the name for the data asset to which you want to add the data element. **Field Type**: Free text; required **Guidelines**: Helps Data Users to know the data asset to which the data element is associated with. **Note:** Ensure that you don't use data assets that are imported from Data Governance and Catalog.	`Customer Profile Table`
Technical Name	Enter the name of the data element as it appears in the source system where the data element is stored. **Field Type**: Free text; optional	`2023Retail_list.xlsx`
Technical Type	Type of the data element as defined in the source system where the data element is stored. **Field Type**: Free text; optional	`XLSX`

Field	Description	Example
Type	Enter a type for the data element. **Field Type**: Free text; optional **Guidelines**: The value you enter here helps Data Users to know what kind of data will be contained within the asset.	`Column`
URI	Enter the unique resource identifier for the location where the data is stored or maintained. **Field Type**: Free text; optional **Guidelines**: Enter the URI that is most helpful for Data Users to access the data. For example, if the data is captured in a catalog tool but is better documented in a governance tool with rich lineage, enter the location of the data in the governance tool.	`www.cdgc.com/table1/column1`
Status	Select a status for the data element. The status determines whether the data element is available in the data collections that are associated with the data asset that contains the element. **Field Type:** Fixed value; required Enter one of the following values: - To make the data element available in the data collections that are associated with the data asset that contains the element, set the status to `ENABLED`. - To make the data element unavailable in the data collections that are associated with the data asset that contains the element, set the status to `DISABLED`. **Guidelines**: Enable the data element for use. If you are creating disabled data elements, ensure that you have a valid reason for doing so, or create the data elements later.	`ENABLED`

Data assets

A representation of data in an organization. Data assets might contain relevant data elements and are contained in one or more data collections. Use the `Marketplace - Data Asset Template.xlsx` file or upload your own Microsoft Excel spreadsheet to create data assets in Data Marketplace.

Prerequisites

Before you can create data assets, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:

- Your user profile is assigned one of the following roles:
  - Technical Administrator

- Data Marketplace Administrator

- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Create**, **Read** and **Update** permissions for data assets are enabled in Metadata Command Center.
  - **Read** and **Update** permissions for data collections are enabled in Metadata Command Center.

Verify the data collections

If you want to add the data assets to data collections, ensure that the data collections within which you want to create the data assets are already present in Data Marketplace.

Column description

The following table describes the fields in the `Marketplace - Data Asset Template.xlsx` file and the values that you can enter:

Field	Description	Example
Reference ID	Enter a reference identifier for the data asset. **Field Type**: Free text; optional **Guidelines**: If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the object. If you want to specify a reference identifier, enter a unique alphabetic, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see the *Manage reference IDs of objects* topic in the *Set Up Data Marketplace* help.	You can specify `DAsset01` or `DA-1` as the reference ID of a data asset. However, if `DAS-` is a reference ID prefix that is configured in your Metadata Command Center, you cannot use `DAS-1`.
Name	Enter a name for the data asset as you want it to appear in Data Marketplace. **Field Type**: Free text; required **Guidelines**: Create data asset names that clearly indicate the data that they represent.	`Customer Address Dataset`
Description	Enter a description for the data asset. **Field Type**: Free text; required **Guidelines**: Explain the nature of the data and the purpose for which it was created so that users can decide whether it meets their business requirements. If you use a CSV file to upload data assets, do not enter commas in the description. Commas are used as column separators. Consider rephrasing the description to avoid commas.	`Curated data set that brings together stored customer address information (such as house number and street name and postal code and city and country).`
Data Source	Specify the source system from which the actual data is supplied. **Field Type**: Free text; required **Guidelines**: Enter a source name that is best understood and easily recognized by other users in your organization.	Specify a CRM or data warehouse application here. `Cloud Data Warehouse`

Field	Description	Example
Descriptive Source	Specify the source application from which the description of the data asset is taken. **Field Type**: Free text; optional **Guidelines**: If the data asset is documented in a data asset register, data governance application, data catalog application, or metadata management tool, you can enter the tool name here. If the data asset is not documented anywhere, you can enter the same value that you entered for **Data Source**.	Enter a data governance or data catalog tool here. `Informatica Cloud Data Governance & Catalog`
Type	Enter a type for the data asset. **Field Type**: Free text; required **Guidelines**: The value you enter here helps Data Users to know what kind of data they can expect. To set the correct expectation for Data Users, maintain consistency between the **Data Source** and **Type** values. For example, if the **Data Source** is Enterprise Data Catalog, the **Type** can be a table. If the **Data Source** for the same data is Axon Data Governance, the **Type** can be a data set.	`Table`
Source Path	Enter the location of the data asset in the source system. **Field Type**: Free text; optional **Guidelines**: To help stakeholders of a data collection easily discover the data asset in the source system, enter the fully qualified path of the data asset.	`https://ipfs.tech/0x7B502C3A1F48C8609AE212CDFB639DEE39673F5E`
Source Path Description	Enter the description of the location in the source system where the data asset is stored. **Field Type**: Free text; optional **Guidelines**: Enter additional information about the source path of the data asset.	`This is a content hash.`
Technical Data Asset	Enter the name of the data asset as it appears in the source system. **Field Type**: Free text; optional	`2023Retail_list.xlsx`
URI	Enter the uniform resource identifier of the location where the data is stored or maintained. **Field Type**: Free text; optional **Guidelines**: Enter the URI that is most helpful for Data Users to access the data. For example, if the data is captured in a catalog tool but is better documented in a governance tool with rich lineage, enter the location of the data in the governance tool.	`www.youraxon.com/ds12`

Field	Description	Example
Status	Select a status for the data asset. The status determines whether the data asset is available to be added to data collections. **Field Type**: Fixed value; required Enter one of the following values: - To make the data asset available to be added to data collections, set the status to `ENABLED`. - To make the data asset unavailable to be added to data collections, set the status to `DISABLED`. **Guidelines**: Enable the data asset for use. If you are creating disabled data assets, ensure that you have a valid reason for doing so, or create the data assets later.	`ENABLED`
Data Collection	Specify the data collection within which you want to create the data asset. **Field Type**: Fixed value; optional **Guidelines**: Enter the data collection name exactly as it appears in the Data Marketplace user interface.	`Customer Profile and Address Information`

Data collections

A data collection is a grouping of one or more related data assets. Use the `Marketplace - Data Collection Template.xlsx` file or your own Microsoft Excel spreadsheet to create data collections in Data Marketplace.

Prerequisites

Before you can create data collections, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:

- Your user profile is assigned one of the following roles:
  - Data Owner
  - Category Owner
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Create**, **Manage Access**, **Read** and **Update** permissions for data collections are enabled in Metadata Command Center.
  - **Read** permission for categories and usage contexts is enabled in Metadata Command Center.

Verify the categories

Ensure that the categories within which you want to create the data collections are already present in Data Marketplace.

Column description

The following table describes the fields in the `Marketplace - Data Collection Template.xlsx` file and the values that you can enter:

Field	Description	Example
Reference ID	Enter a reference identifier for the data collection. **Field Type**: Free text; optional **Guidelines**: If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the object. If you want to specify a reference identifier, enter a unique alphabetic, numeric or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see the *Manage reference IDs of objects* topic in the *Set Up Data Marketplace* help.	You can specify `DCollection01` or `DC-1` as the reference ID of a data collection. However, if `DCL-` is a reference ID prefix that is configured in your Metadata Command Center, you cannot use `DCL-1`.
Name	Enter a name for the data collection as you want it to appear in Data Marketplace. **Field Type**: Free text; required **Guidelines**: Enter a name that represents the data that it contains. You could choose a name that is similar to or is a combination of the data assets within the data collection.	`Customer Address and Profile Data`
Purpose	Enter a description for the data collection. **Field Type**: Free text; required **Guidelines**: Enter a descriptive text so that so that Data Users can easily find the data collection. You can explain the nature of the data and the purpose for which it was created so that users can decide whether it meets their business requirements. If you use a CSV file to upload data collections, do not enter commas in the description. Commas are used as column separators. Consider rephrasing the description to avoid commas.	`Data collection featuring two data assets. One is a customer address data set with location details. The other is a customer profile data set with demographics. Originally created for marketing purposes.`
Category	Specify the category within which you want to create the data collection. **Field Type**: Fixed value; required **Guidelines**: Enter the category name exactly as it appears in the Data Marketplace user interface.	`Customer`
Certified Uses	Specify the most suitable use for the data. **Field Type:** Fixed value; optional; multi-select **Guidelines:** Enter a value that represents the usage context accurately.	`Analytics`

Field	Description	Example
Data Owners	Enter the email addresses of the individuals or the names of the groups that you want to assign as stakeholders of the data collection with the Data Owner stakeholder role. **Field Type**: Fixed value; optional **Guidelines**: Use semi-colons to separate your entries, and do not enter a space between each entry. Ensure that the users are aware of their responsibilities before you assign them the Data Owner role. Additionally, ensure that the users are already assigned the Data Owner user role in the Administrator. For more information about the responsibilities of a Data Owner, see the *Data Owner* topic in the *Introduction and Getting Started* help.	`jdoe@informatica.com;Marketing`
Technical Owner	Enter the email addresses of the individuals or the names of the groups that you want to assign as stakeholders of the data collection with the Technical Owner stakeholder role. **Field Type**: Fixed value; optional **Guidelines**: Use semi-colons to separate your entries, and do not enter a space between each entry. Ensure that the users are aware of their responsibilities before you assign them the Technical Owner role. Additionally, ensure that the users are already assigned the Technical Owner user role in the Administrator. For more information about the responsibilities of a Technical Owner, see the *Technical Owner* topic in the *Introduction and Getting Started* help.	`janeD@informatica.com;Sales`
Status	Select a status for the data collection. The status determines whether the data collection is discoverable by Data Users when they search for it. **Field Type**: Fixed value; required Enter one of the following values: - To make the data collection discoverable to Data Users, set the status to `PUBLISHED`. - To make the data collection not discoverable to Data Users, set the status to `UNPUBLISHED`. **Guidelines**: Publish the data collection for use. If you are creating unpublished data collections, ensure that you have a valid reason for doing so, or create the data collections at a later time.	`PUBLISHED`

If your Administrator has configured custom attributes in Metadata Command Center for the data collections in Data Marketplace, you can view the additional fields in the `Marketplace - Data Collection Template.xlsx` file that you download. You can use these fields to specify additional information about the data collections that you want to create.

Note: If the file that you use contains a mandatory custom attribute that accepts only date values, ensure that you provide a valid input value. If you enter an invalid date value, Data Marketplace will not replace your invalid input with the default date value configured for the custom attribute in Metadata Command Center.

For more information about custom attributes, see the *Create custom attributes for items* topic in the *Set Up Data Marketplace* help.

Consumer accesses

A consumer access is a record that indicates a Data User's access to a data collection, along with other details such as the date of delivery, details of the stakeholders that delivered the data, and the delivery option that was used for the delivery. Use the `Marketplace - Consumer Access Template.xlsx` file or upload your own Microsoft Excel spreadsheet to create data access records in Data Marketplace.

Prerequisites

Before you can create consumer accesses, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:

- Your user profile is assigned one of the following user roles:
  - Technical Administrator
  - Data Marketplace Administrator
- You are assigned as a stakeholder with the Technical Owner stakeholder role on the data collection for which you want to create a consumer access.
- You are assigned as a stakeholder on the data collection for which you want to create a consumer access and your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Create**, **Manage Access** and **Read** permissions for consumer accesses are enabled in Metadata Command Center.
  - **Read** and **Update** permissions for data collections are enabled using a user role policy or a stakeholder role policy in Metadata Command Center.
  - **Read** permission for delivery targets, usage contexts and cost centers is enabled in Metadata Command Center.

Verify the data collections and their delivery targets

Ensure that the data collections for which you want to create consumer access records are already present in Data Marketplace. Additionally, ensure that delivery targets are already assigned to the data collections for which you want to create consumer access records.

Column description

The following table describes the fields in the `Marketplace - Consumer Access Template.xlsx` file and the values that you can enter:

Field	Description	Example
Reference ID	Enter a reference identifier for the consumer access. **Field Type**: Free text; optional **Guidelines**: If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the object. If you want to specify a reference identifier, enter a unique alphabetic, numeric or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see the *Manage reference IDs of objects* topic in the *Set Up Data Marketplace* help.	You can specify `Access01` or `AC-1` as the reference ID of a consumer access. However, if `ACC-` is a reference ID prefix that is configured in your Metadata Command Center, you cannot use `ACC-1`.
Status	Specify a status for the consumer access in Data Marketplace. **Field Type**: Fixed value; required **Guidelines**: Enter one of the following values: - `AVAILABLE`. Indicates that the Data User continues to have access to the data collection. - `PENDING WITHDRAW`. Indicates that a request is submitted to withdraw the Data User's access to the data collection. - `WITHDRAWN`. Indicates that the Data User's access to the data collection is withdrawn.	`AVAILABLE`
Data Collection Name	Name of the data collection for which a stakeholder granted access to the Data User. **Field Type**: Fixed text; required **Guidelines**: Enter the data collection name exactly as it appears in the Data Marketplace user interface.	`Customer Profile and Address Information`
Delivery Target Name	Enter the name of the delivery target that was used to deliver the data collection. **Field Type**: Fixed text; required **Guidelines**: Enter the delivery target name exactly as it appears in the Data Marketplace user interface. Ensure that the delivery target was already created and assigned to the corresponding data collection.	`AWS S3 Data Lake Production EMEA`

Field	Description	Example
Data User	Enter the email address of the user that received access to the data collection. **Field Type**: Fixed value; required **Guidelines**: Ensure that the user you specify is assigned a predefined role. For more information about the predefined roles, see the *Predefined roles* topic in the *Introduction and Getting Started* help.	`pete@yourorg.com`
Date Access Granted	Enter the date when the Data User was granted access to the data collection. **Field Type**: Date; required **Guidelines**: Enter the date in MM/DD/YYYY format. Mention the date when a stakeholder of the data collection delivered the data to the Data User, not the date when the consumer requested for access to the data.	`12/31/2021`
Usage Context	Select the context within which the Data User will use the data. **Field Type**: Fixed value; optional **Guidelines**: Enter the usage context name exactly as it appears in the Data Marketplace user interface.	`Marketing`
Cost Center	Enter the cost center of the Data User that ordered the data. **Field Type**: Fixed value; required **Guidelines**: Enter the cost center value exactly as it appears in the Data Marketplace user interface.	`IEQ-Retail6755`

If your Administrator has configured custom attributes in Metadata Command Center for the consumer accesses in Data Marketplace, you can view the additional fields in the `Marketplace - Consumer Access Template.xlsx` file that you download. You can use these fields to specify additional information about the consumer accesses that you want to create.

Note: If the file that you use contains a mandatory custom attribute that accepts only date values, ensure that you provide a valid input value. If you enter an invalid date value, Data Marketplace will not replace your invalid input with the default date value configured for the custom attribute in Metadata Command Center.

For more information about custom attributes, see the *Create custom attributes for items* topic in the *Set Up Data Marketplace* help.

CHAPTER 4

Create object relationships

You can use Data Marketplace template files or your own your own Microsoft Excel spreadsheets to bulk create relationship between Data Marketplace objects.

Specify delivery targets for data collections

A delivery target is a delivery option that you as a stakeholder of a data collection can use to deliver data to a Data User. Use delivery templates to create new delivery targets for the data collections for which you are responsible. Use the `Marketplace - Delivery Target - Collection Template.xlsx` file or upload your own Microsoft Excel spreadsheet to create delivery targets in Data Marketplace.

Prerequisites

Before you can link delivery targets to data collections, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:

- Your user profile is assigned one of the following user roles:
  - Technical Administrator
  - Data Marketplace Administrator
- You are either an inherited or specifically assigned stakeholder with one of the following stakeholder roles on the data collection:
  - Data Owner
  - Technical Owner
  - Category Owner
- You are either an inherited or specifically assigned stakeholder on the data collection and your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Create** and **Read** permissions for delivery targets are enabled in Metadata Command Center.
  - **Read** and **Update** permissions for data collections are enabled in Metadata Command Center.
  - **Read** permission for delivery formats, delivery methods and delivery templates is enabled in Metadata Command Center.

Verify the delivery templates and data collections

Ensure that the delivery templates based on which you want to create the delivery targets and the data collections for which you want to create the delivery targets are already present in Data Marketplace.

Column description

The following table describes the fields in the `Marketplace - Delivery Target - Collection Template.xlsx` file and the values that you can enter:

Field	Description	Example
Data Collection Name	Enter the name of the data collection for which you want to create the delivery target. **Field Type:** Free text; required	`Retail Outlet List`
Delivery Template Name	Enter the name of the delivery template based on which you want to create the delivery target. **Field Type:** Free text; required	`Cloud Delivery`
Delivery Target Name	Enter a name for the delivery target. **Field Type:** Free text; required **Guidelines:**Create a name that clearly indicates the delivery options that they represent.	`IPFS`
Description	Enter a description for the delivery target. **Field Type:** Free text; required **Guidelines:** Explain the nature of the delivery target, so that Data Users can determine whether it meets their requirements. If you use a CSV file to create delivery targets, do not enter commas in the description. Commas are used as column separators. Consider rephrasing the description to avoid commas.	`Use this target to receive data via IPFS.`
Status	Select a status for the delivery target. The status determines whether the delivery target is available for use to the Data Users that order the data collection. **Field Type:** Fixed value; required Enter one of the following values: - To make the delivery target available for use to the Data Users that order the data collection, select `ACTIVE`. - To make the delivery target unavailable for use to the Data Users that order the data collection, select `INACTIVE`. **Guidelines:** Activate the delivery target for use. If you upload inactive delivery targets, ensure that you have a valid reason for creating the inactive delivery targets, or you can upload the delivery targets later.	`ACTIVE`
System	Enter the system on which you want to deliver the data. **Field Type:** Free text; required	`Akash Network, Google Cloud Platform`
Location	Enter the location where the requested data is delivered to the Data User. **Field Type:** Free text; required	`Nextcloud, OneDrive`
Delivery Format	Specify the delivery format as it appears in Data Marketplace. **Field Type:** Free text; required	`.XLSX File, .CSV File, .PDF document`
Delivery Method	Specify the delivery method as it appears in Data Marketplace. **Field Type:** Free text; required	`FTP, SFTP`

Add data assets to data collections

To enrich your data collections, you can use data assets native to Data Marketplace. Use the `Marketplace - Asset - Collection Template.xlsx` file or upload your own Microsoft Excel spreadsheet to add data assets to data collections.

Prerequisites

Before you can link data assets to data collections, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:

- Your user profile is assigned one of the following user roles:
  - Technical Administrator
  - Data Marketplace Administrator
- You are either an inherited or specifically assigned stakeholder with one of the following stakeholder roles on the data collection:
  - Data Owner
  - Technical Owner
  - Category Owner
- You are either an inherited or specifically assigned stakeholder on the data collection and your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Read** and **Update** permissions for data assets and data collections are enabled in Metadata Command Center.

Verify the data assets and data collections

Ensure that the data assets and the data collections are already present in Data Marketplace.

Column description

The following table describes the fields in the `Marketplace - Asset - Collection Template.xlsx` file and the values that you can enter:

Field	Description	Example
Data Asset Name	Enter the name of the data asset as it appears in Data Marketplace. **Field Type:** Free text; required **Guidelines:** Ensure that the data asset you specify was created in Data Marketplace and wasn't imported from an external catalog source.	`Store Name`
Data Collection Name	Enter the name of the data collection to which you want to add the corresponding data asset. **Field Type:** Free text; required	`Retail Outlet List`

Add terms of use to data collections

Specify the terms of use for a data collection. When a Data User orders a data collection, Data Marketplace displays the terms of use on the checkout page. Use the `Marketplace - Terms of Use - Collection Template.xlsx` file or upload your own Microsoft Excel spreadsheet to assign terms of use to data collections in Data Marketplace.

Prerequisites

Before you can link terms of use to data collections, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:

- Your user profile is assigned one of the following user roles:
  - Technical Administrator
  - Data Marketplace Administrator
- You are either an inherited or specifically assigned stakeholder with one of the following stakeholder roles on the data collection:
  - Data Owner
  - Technical Owner
  - Category Owner
- You are either an inherited or specifically assigned stakeholder on the data collection and your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Read** and **Update** permissions for data collections are enabled in Metadata Command Center.
  - **Read** permission for terms of use is enabled in Metadata Command Center.

Verify the data collections

Ensure that the terms of use and the data collections are already present in Data Marketplace.

Column description

The following table describes the fields in the `Marketplace - Terms of Use - Collection Template.xlsx` file and the values that you can enter:

Field	Description	Example
Terms Of Use Name	Enter the name of the terms of use. **Field Type:** Free text; required	`For Human Capital Development Use Only`
Data Collection Name	Enter the name of the data collection to which you want to apply the terms of use. **Field Type:** Free text; required	`Retail Outlet List`