Informatica® Cloud Data Marketplace
July 2026

Set Up Data Marketplace

Informatica Cloud Data Marketplace Set Up Data Marketplace
July 2026

© Copyright Informatica LLC 2021, 2026

Publication Date: 2026-07-31

Table of Contents

Preface 5

Chapter 1: Integrate Data Marketplace with other Informatica services 6

Enrich data collections with Data Governance and Catalog assets 6

Apply Data Quality rules on data elements 8

Use Metadata Command Center to enrich and manage items 9

- Implement access controls on metadata 9
- Manage reference IDs of items 11
- Create custom attributes for items 12

Manage access to data with Data Access Management 12

Chapter 2: Create new items 15

Bulk create data 16

Categories 16

- Creating categories 16
- Modifying categories 18
- Modifying stakeholders of a category 20
- Deleting categories 21

Data assets 21

- Creating data assets 22
- Adding data elements to a data asset 25
- Search for data assets 28
- Reserved words 28
- Modifying data assets 30
- Modifying data elements 32
- Adding a data asset to data collections 33
- Creating a data collection from a data asset 34
- Deleting data assets 35
- Deleting data elements 35

Delivery options 36

- Creating delivery formats 38
- Creating delivery methods 40
- Creating delivery templates 41
- Modifying delivery options 44

Terms of use 48

- Defining the general terms of use 50
- Creating terms of use 50
- Modifying terms of use 52
- Modifying terms of use types 53

Usage types 54

Defining usage types. . . . 56
Modifying usage types. . . . 57
Cost centers. . . . 58
Examples of cost centers. . . . 60
Enabling cost centers. . . . 60
Adding cost centers. . . . 60
Modifying cost centers. . . . 61

Chapter 3: Customize Data Marketplace. . . . 63

Interface customization. . . . 63
Displaying your organization logo. . . . 64
Customizing the interface theme. . . . 64
Design a page layout. . . . 65
Creating page layouts. . . . 65
Modifying or deleting page layouts. . . . 68
Create an item tooltip. . . . 69
Creating item tooltips. . . . 70
Modifying or deleting item tooltips. . . . 72
Customize the Guide Me panel. . . . 73
Creating Guide Me panels. . . . 74
Modifying or deleting Guide Me panels. . . . 76

Chapter 4: Configure Data Marketplace. . . . 78

Label customization. . . . 78
Star Owner. . . . 80
Advanced Search. . . . 81

Preface

Read *Set Up Data Marketplace* to learn how to customize Data Marketplace to meet your organization's requirements.

Note: If some of the terms that are used on this help differ from what is displayed on the Data Marketplace interface, contact your Data Marketplace Administrator to understand the terminology defined for your organization. For more information, see "Label customization" on page 78.

CHAPTER 1

Integrate Data Marketplace with other Informatica services

You can extend the capabilities of Data Marketplace by integrating it with other Informatica services. Integrations extend functionality with capabilities such as importing governed assets, data quality scoring, and controlling access to delivered data.

Data Marketplace can integrate with the following Informatica services :

Data Governance and Catalog

Import assets from Data Governance and Catalog and make governed assets available to Data Marketplace users.

Data Quality

Show data quality score for a data asset so that you can assess the quality of a data and make an informed decision.

Metadata Command Center

Manage different levels of user access to Data Marketplace items. You can define custom attributes and manage the reference IDs of Data Marketplace items.

Data Access Management capability

Govern how users access the data that they order. The policies that you define in Data Access Management apply to delivery templates and how a user accesses the delivered data.

Enrich data collections with Data Governance and Catalog assets

To make business decisions, a user in your organization might look for specific data. If the data is maintained in Data Governance and Catalog and governed well, you can make the data available to the user

in Data Marketplace. To achieve this, you can load assets that are governed in Data Governance and Catalog into Data Marketplace.


Connect to Data Governance and Catalog

On the **Integration** tab on the **Setup** page, you can connect Data Marketplace to Data Governance and Catalog. To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the **View Set up page** and the **Configure and Manage Data Marketplace** privileges are enabled in Administrator.

To connect to Data Governance and Catalog, set the **Status** toggle on the **Integration Sources** grid to **Active** for the appropriate assets.

The following image shows the **Integration** tab:



Enable governed assets

After you connect Data Marketplace to Data Governance and Catalog, the **Data Governance and Catalog Asset Types** grid appears. You can use the **Find** bar to look for assets types and apply different filters to refine your search.

On the **Data Governance and Catalog Asset Types** grid, you can activate the types of assets that users in your organization can add to Data Marketplace. The asset types are comprehensive and include options at multiple hierarchy levels. Before you make the assets available to your users, consider reviewing them to determine which asset types are most relevant for your use case.

To activate the asset type, you can set the **Status** toggle to **Active** on an asset row. You can also select multiple assets and activate them from the **Selected** menu on the grid header. You can also use asset types that are labelled **Available**.

Adding governed assets to data collections

When you enable Data Governance and Catalog and activate the asset types, the assets of the asset type can be used by stakeholders to enrich their data collections. For more information about how a stakeholder adds an asset to a data collection, see the *Adding data assets to a data collection* topic in the *Working With Data Collections* help.

When a stakeholder adds a Data Governance and Catalog asset to a data collection, the **Overview** page of the asset in Data Governance and Catalog indicates that the asset is published to Data Marketplace.

The Data Marketplace section on the **Overview** page lists the data collections in which the asset is added. For more information about assets that are imported from Data Governance and Catalog into Data Marketplace, see the *Data assets* topic in the *Introduction and Getting Started* help.

Create a data collection from Data Governance and Catalog

You can create a new data collection directly from an asset page in Data Governance and Catalog. If you set the asset type as **Active** in Data Marketplace, the Data Marketplace section appears on the asset's page with the **Create Data Collection** button in Data Governance and Catalog.

Click **Create Data Collection**. The **New Data Collection** page opens in Data Marketplace and the asset is added to a new data collection. For more information about creating a data collection in Data Marketplace, see the *Creating data collections* in the *Working with Data Collections* help.

Apply Data Quality rules on data elements

Using Data Quality, you can view the generated scores for each data asset. You can use these scores to determine the reliability of your data.

Data Quality is an on-demand subscription service that let's you need to verify, standardize, and improve the quality of your business data.

The data quality score of a data asset is determined by the score of each data element that constitutes the asset. You can use a REST API to manage the data quality information of each data element that comprises a data asset. For more information about how you can use a REST API to manage the data quality record of a data element, see the *Manage the data quality information of a data element* topic in the *API Reference* help.

The data quality score of a data asset is measured when you perform one of the following actions:

- Use a REST API to create a data quality record for a data element of a data asset.
- Use a REST API to modify the data quality record of a data element of a data asset.
- Add or remove data elements from a data asset.

For data assets that are imported from Data Governance and Catalog, the scores are retrieved directly from Data Governance and Catalog. You cannot use a Data Marketplace API to modify the data quality score of a Data Governance and Catalog asset.

Data Marketplace uses the following colors to visualize the data quality information:

- Green: Indicates that the data quality score is above the target value, and represents a "Good" score.
- Amber: Indicates that the data quality score is between the threshold and target value, and represents an "Acceptable" score.
- Red: Indicates that the data quality score is below the threshold value, and represents a score that is "Not Acceptable".

These colors allow you to distinguish helpful data from unhelpful data according to the target and threshold values defined in Data Marketplace or in Data Governance and Catalog.

For more information about Data Quality, see the Data Quality help.

Use Metadata Command Center to enrich and manage items

You can use Metadata Command Center to further customize Data Marketplace.

In Metadata Command Center, you can create custom attributes for Data Marketplace items. This allows you to enter additional information about the Data Marketplace items according to the business needs of your organization.

You can also use Metadata Command Center to modify the prefix value of the reference IDs of Data Marketplace items. This allows you to define a Data Marketplace item notation that accurately reflects the notation that you have for your organization.

You can also leverage metadata access control in Metadata Command Center to manage the level of user access to the items in your Data Marketplace through a set of rules called access policies.

Implement access controls on metadata

As your organization's data rapidly evolves, a robust and centralized mechanism to control access to items in Data Marketplace becomes crucial to effectively manage the items in your organization. Metadata access control is the practice of managing the level of user access to items in your organization through a set of rules called access policies.

With metadata access control, you can view and perform actions on specific items or groups of items only if your organization administrator has explicitly granted access and permissions to you through access policies. This ensures that with appropriate permissions the right users have access to the right items.

Your administrator can define access policies in Metadata Command Center that allow them to:

- Specify the items that users can interact with.
- Control the individual aspects of an item, providing different levels of access to different users.
- Define the users that can assume stakeholder responsibilities for an item.

For information about managing access policies, see the *Administration* help in Metadata Command Center.

Key concepts

To understand how you can apply metadata access controls on Data Marketplace items, you must understand the following concepts.

Access policies

Access policies are sets of rules that the organization administrator creates in Metadata Command Center to define permissions and control the level of access to the items in the organization.

Access policies are an extension of the privileges that are granted to your user role through Administrator. Along with the feature privileges that are assigned to the user roles in Administrator, your organization administrator must create and assign access policies in Metadata Command Center that determine whether users can read, create, update, delete, or manage access for the items. Administrators can use predefined policies or define custom policies specific to their organization in Metadata Command Center. Predefined policies are associated with predefined user roles defined in Administrator.

Asset groups

Asset groups is a mechanism in metadata access control that administrators can use to control access to a set of items. By grouping items, you can grant or restrict access to multiple items at a time.

You can use asset groups in access policies to control access to a group of items among users based on parameters such as their location, business area, or function within the organization. You can assign asset groups to the categories in Data Marketplace. Access policies associated with an asset group are also applied to the subcategories and data collections of a category to which you have assigned an asset group.

Stakeholder roles

A stakeholder role is a defined organizational responsibility that you declare on items such as a category or a data collection. Stakeholder roles allow you to control how authorized users interact with the items for which they are responsible.

A stakeholder role reflects a user's responsibilities as a stakeholder of an item and allows them to perform tasks with only the necessary permissions and privileges. In Metadata Command Center, you can create stakeholder roles from user roles and use them in access policies to grant users granular access to items.

An Informatica ®Intelligent Data Management Cloud™ (IDMC) user role allows the user to perform actions across Data Marketplace. However, a user with a stakeholder role can only perform actions on the assets on which they are assigned as a stakeholder. For example, a user that is assigned with the Data Marketplace Administrator user role can perform actions such as create, modify, or delete data assets. In contrast, a user that is assigned as a stakeholder of a category with the Category Owner stakeholder role can only manage their respective category and the subcategories and data collections within it.

For more information about metadata access control, see the *Administration* help in Metadata Command Center.

Example 1

Connect2Con is a global telecom company that is a leading provider of internet and mobile communication services. Connect2Con uses Data Marketplace to provide its employees with access to timely and trusted data so that they can make faster and better-informed business decisions.

Problem statement

The company uses Data Marketplace, which has some data collections that contain sensitive data such as employee salary figures, bonus details, and performance records. Though Connect2Con believes in generally democratizing data for all its employees, it wants to limit access to sensitive data. Only the HR leadership team should have access to sensitive employee data to make HR-related decisions.

Solution

Connect2Con can use asset groups in access policies to manage the visibility of sensitive HR data. They can group these data collections in a separate category that only approved users can access.

With metadata access control in Data Marketplace, Connect2Con can restrict access to sensitive data collections with the following steps:

1. Create a dedicated category in Data Marketplace called `HR-Sensitive` and add related data collections that contain sensitive employee data to this category.
2. In Administrator, define a user group called `HR Leadership` and assign this user group only to users who require access to sensitive HR data.
3. In Metadata Command Center, create an asset group named `HR-Leaders` and assign this asset group to the `HR-Sensitive` category in Data Marketplace.
4. In Metadata Command Center, create a user group-based access policy for the `HR Leadership` user group with a rule granting read permission on assets with the `HR-Leaders` asset group.

After the access policy is published, users in the HR Leadership user group can access the data collections in the HR-Sensitive category, ensuring confidentiality and compliance.

Example 2

Utsukushi is a Japanese cosmetics company that specializes in luxury beauty products. Utsukushi uses Data Marketplace to provide its employees with access to timely and trusted data so that they can make faster and better-informed business decisions.

Problem statement

The company is looking to expand into the EMEA market. To achieve this, they are seeking to purchase a London-based beauty products company. Utsukushi wants to ensure that the data pertaining to the acquisition remains available in Data Marketplace only to the senior leadership of the company and the other stakeholders that are key participants in the acquisition.

Solution

Utsukushi can use asset groups in access policies to manage the visibility of sensitive data that pertains to the acquisition of the beauty products company. They can group these data collections in a separate category that only approved users can access.

With metadata access control in Data Marketplace, Utsukushi can restrict access to sensitive data collections with the following steps:

1. Create a dedicated category in Data Marketplace called `Mergers and Acquisitions` and add related data collections that contain sensitive data to this category.
2. In Administrator, define a user group called `Mergers and Acquisitions Team` and assign this user group only to users who require access to the data pertaining to the acquisition.
3. In Metadata Command Center, create an asset group named `M&A Team` and assign this asset group to the `Mergers and Acquisitions` category in Data Marketplace.
4. In Metadata Command Center, create a user group-based access policy for the `Mergers and Acquisitions Team` user group with a rule granting read permission on assets with the `M&A Team` asset group.

After the access policy is published, users in the Mergers and Acquisitions Team user group can access the data collections in the Mergers and Acquisitions category, ensuring confidentiality and compliance.

Manage reference IDs of items

The reference ID is a unique identifier that is assigned to a Data Marketplace item. This reference ID can be automatically assigned by Data Marketplace or you can manually enter it.

When you create an item, Data Marketplace automatically assigns a unique value to the item. When Data Marketplace generates a reference ID, it uses the following format:

`<prefix>-<value>`

You can also choose to specify an item's reference ID at the time of creation. If you specify a reference ID, ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For example you can specify `Category01` or `CT-1` as the reference ID of a category. However, if `CAT-` is a reference ID prefix that is configured in Metadata Command Center, you cannot use `CAT-1`. When you try to modify the properties of an item, you can also modify its reference ID.

For more information about how you can modify the prefix value of a reference ID in Metadata Command Center, see the *Prefix values for asset reference IDs* topic in the *Administration* help for Metadata Command Center.

Create custom attributes for items

Custom attributes are additional properties for Data Marketplace items that are defined by your Administrator in Metadata Command Center.

How can I create a custom attribute?

In Metadata Command Center, your Administrator can create custom attributes for your Data Marketplace items.

To create a custom attribute for a Data Marketplace item, on the **New Attribute** page in Metadata Command Center, set the **Asset Type** to `consumer access`, `data collection` or `order`.

Note: When you create a custom attribute for Data Marketplace, ensure that you don't specify its **Data Type** as **URL Field**.

For more information about how you can create or manage custom attributes in Metadata Command Center, see the *Asset customization* topic in the *Administration* help for Metadata Command Center.

Where can I view the custom attributes that I created?

After your administrator configures a custom attribute in Metadata Command Center for your Data Marketplace instance, you can view the property on the following pages:

- The **Summary > Additional Information** section on a data collection page
- The **Request Details** section on the **Order Checkout** wizard
- The **Additional Information** and **Timeline** sections on an order page
- The **Additional Information** on an consumer access page

When your administrator configures custom attributes in Metadata Command Center, they become available in the applicable bulk create templates.

How can I use custom attributes?


A data collection might require additional information which the standard attributes can't provide. A stakeholder of the data collection can use custom attributes to specify the additional information. Additionally, Data Users who order the data collection can use the newly added property to provide more information when they place an order.

For example, in Metadata Command Center, if your Administrator creates a custom attribute called `Region`, a stakeholder can use the newly added `Region` property to specify the region for which their data collection is relevant. A Data User can use the information specified in the `Region` property to determine whether the data suits their business requirement.

Manage access to data with Data Access Management

You can leverage data access policies that you define in Data Access Management to streamline the data delivery experience in Data Marketplace.

The following image shows the overall process of ordering a data collection using a Managed Access enabled delivery target:



Ordering a data collection using a Managed Access enabled delivery target involves the following process:

1. a. In Data Marketplace, the Data User searches for a data collection that meets their requirements. After the Data User finds the relevant data collection, they place an order to gain access to the data.

   b. In Data Access Management, the Data Access Owner creates data access policies based on the guidelines of the organization.

2. The Data Marketplace Data Owner reviews the order and approves it.
3. After the order is approved in Data Marketplace, the Technical Owner fulfills the order using a delivery target for which the **Managed Access** option is enabled.
4. Data Marketplace generates a URL using the location details specified in the delivery target used to fulfill the order.
5. - Data User accesses the data using the location URL.
   - In Data Access Management, the system applies the data access policies to customize the data that the Data User tries to access.

   Note: The process flow is illustrated using the predefined roles for Data Marketplace.

When you create a delivery template in Data Marketplace, you can use the **Managed Access** option to create a location that is unique to each order that is fulfilled using a target that is based on the template. For more information about how you can create a new delivery template, see "Creating delivery templates" on page 41.

Data Access Management customizes data it delivers based on the data access policies that your organization defines. For this reason, a stakeholder of a data collection might be more likely to approve an order if a Data User has selected a delivery target for which the **Managed Access option** is enabled. If a data collection includes a Data Governance and Catalog dataset object, your query will fail. To avoid this, select only table and view objects.

If a data collection has a delivery target for which the **Managed Access** option is enabled, Data Marketplace displays an icon for the data collection. This icon allows users to easily identify collections that can be ordered using a Managed Access enabled delivery option.

For more information about how a Data User orders a data collection and how a stakeholder approves an order, see the *Working With Data Collections* help. For more information about how the data is customized, see the *Data Access Management* help.

Example

In a cosmetics company, Alex and Arthur are analysts in the marketing team. They are responsible for compiling reports about demand trends across all the regions in which the company operates. Arthur is responsible for compiling the report for the European region and Alex is responsible for the North American region.

Sam is a data steward in the sales team. He manages the SQL database that contains all the sales data, including customer details, units sold, and profit margins. As a Data Owner, he also publishes the data to the "Sales Data" data collection within the "Sales" category in Data Marketplace.

Jill works in the sales department with Sam. She is the Technical Owner of the "Sales Data" data collection. She uses a Managed Access enabled delivery template to create the delivery target of the "Sales Data" data collection. She is also a Data Access Owner for Data Access Management. In Data Access Management, Jill has defined data access policies in accordance with those of the company.

To compile the reports for latest financial year, Alex and Arthur order the "Sales Data" data collection. At the time of order, Arthur specifies the usage context as "Analytics - EU" and Alex specifies the usage context as "Analytics - NA". Sam reviews and approves their orders. After the order is reviewed, Jill fulfills the orders in Data Marketplace.

After their orders are fulfilled, Alex and Arthur receive access links to the data. Both their access links are unique. Despite ordering the same data collection, Alex sees only North American sales data and Arthur sees only European sales data. Furthermore, to comply with the data protection policies, the personal information of customers that Arthur receives is obfuscated.

Note: The preceding example uses the predefined roles for Data Marketplace.

CHAPTER 2

Create new items


On the **New** page, you can create Data Marketplace objects.

The contents of the **New** page differ based on your user profile. Depending on your user privileges, the tasks on the page appear. For more information about the permissions and privileges required to view the **New** page, see *Predefined roles* in the *Introduction and Getting Started* help.

The following table lists the tasks that you can perform on the **New** page:

Task	Topic
Create bulk data	See "Bulk create data" on page 16.
Create categories	See "Categories" on page 16.
Create data collections	See *Creating data collections* in the *Working With Data Collections* help.
Configure terms of use	See "Terms of use" on page 48.
Configure delivery options	See "Delivery options" on page 36.
Create native data assets	See "Data assets" on page 21.

The following image shows how the **New** page appears when you log in as a Data Marketplace Administrator:



Bulk create data

You can use bulk create template files to create items such as data collections, data assets, consumer accesses, data elements, and categories at once.

You can use Data Marketplace template files or your own Microsoft Excel spreadsheets to add a large number of items to Data Marketplace.

On the **Bulk Create** page, you can download a predefined template file for the type of item that you want to create in Data Marketplace. The template file that downloads is a XLSX file that you can open in Microsoft Excel. To create new items, populate the file with asset values, and upload the file to Data Marketplace.

You can also use your own Microsoft Excel file to upload data to Data Marketplace. Open a new Microsoft Excel file on your computer and enter all the required values. After you enter the data, save your Microsoft Excel file in the XLSX, XLS, or CSV format. Upload the Microsoft Excel files that you created to Data Marketplace.

For more information about the bulk create, see the *Bulk Create Items* help.

Categories

A category is a grouping of related data collections. It is a predefined classification where stakeholders can publish their data collections.

On the **New** page, you can create new categories in Data Marketplace. For more information about how you can create new categories, see "Creating categories" on page 16.


Creating categories

Create a new category to collate all related data collections and data assets into a single group.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Category Owner
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Create**, **Manage Access**, **Read** and **Update** permissions for categories are enabled in Metadata Command Center.

1. Open the **New** page.
2. On the **New** page, click the **Category** tile to create a new category.



3. On the **New Category** page, configure the category properties.

   The following table describes the properties of a category that you can configure on the **New Category** page:

Property	Description
Reference ID	Enter a reference identifier for the category. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the category.
Description	Enter a description for the category.
Status	Select a status for the category. The status determines whether the category is discoverable and usable in Data Marketplace. - To make the category discoverable and usable in Data Marketplace, set the status to `Active`. - To make the category not discoverable and unusable in Data Marketplace, set the status to `Inactive`.
Parent Category	Select a parent category for the category that you want to create. If the category that you want to create isn't a subcategory to another category, you can leave this field empty.
Asset Groups	Select an asset group for the category. Asset groups allow you to control access to the category, the subcategories and data collections within it. For more information, see "Implement access controls on metadata" on page 9.

4. In the **Stakeholders** section, click **Add** to specify the users responsible for the new category and the data within it.
5. In the **Add Stakeholders** dialog box, select a role, and then select the users or user groups that you want to assign as stakeholders of the category.

   To remove a stakeholder, click the **Delete** icon next to the stakeholder that you want to remove from the **Selected Stakeholders** section.
6. Click **Save** to create the category.

   Note: When you configure stakeholders for a category, consider the following:

   - Ensure that the users that you want to add as the stakeholders of the category are already assigned the relevant user role in Administrator. For example, if you want to assign a user as a Category Owner of a category, the user must already be assigned the Category Owner user role in Administrator. Additionally, ensure that the relevant user role is configured as a stakeholder role for categories in Metadata Command Center. For more information, see "Implement access controls on metadata" on page 9.
   - If you don't assign a stakeholder to the new category, you can modify the category after its creation only if you are a Data Marketplace Administrator or are assigned the **Configure and Manage Data Marketplace** privilege in Metadata Command Center.

You can see the new category on the **Browse** page. You can also modify the category that you created. For more information about how you can modify a category, see "Modifying categories" on page 18.

Stakeholders can publish their data collections to your category. For more information about how stakeholders publish data collections to categories, see the *Modifying data collections* topic in the *Working with Data Collections* help.

Modifying categories

You can modify the summary of a category from the category page.

To perform this task, verify the following prerequisites:

- Your user profile is assigned the Data Marketplace Administrator role.
- You are either an inherited or specifically assigned stakeholder with the Category Owner stakeholder role on the category.
- You are either an inherited or specifically assigned stakeholder on the category and your user profile is assigned a role for which the following privileges and permissions are enabled:

  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Read** and **Update** permissions for categories are enabled in Metadata Command Center.

Note: Before you modify the category state, select a parent category or select an asset group, consider the following guidelines:

- If you set the **Status** to `Active` but select an effectively inactive parent category, the category becomes inactive. However, the **Status** field continues to display the category state that you configured.
- If you set the **Status** to `Inactive` or select an effectively inactive parent category, the subcategories of the category that you modified become inactive.
- Effectively inactive categories are not discoverable to Data Users on the **Browse** page. However, a Data User who received access to a data collection that later belonged to an effectively inactive category can still view the category's page from the **Data I Use** tab on the **My Data** page.

- Data collections that belong to an effectively inactive category are not discoverable to Data Users on the **Browse** and **Search** pages.
- If you want to modify the parent category and if the category is assigned an asset group that is a child to another asset group, the **Parent Category** field displays only the categories that are within the selected asset group's parental hierarchy.

  For example, consider a category `US-Retail` that is added to the asset group `US-Personnel`. The `US-Personnel` asset group contains 2 other categories and is a child of another asset group `Global-Personnel` that contains 8 categories. When you try assign a parent category to `US-Retail`, the **Parent Category** field displays only 10 categories from both the `US-Personnel` and `Global-Personnel` asset groups.
- If you want to modify the asset group and if the category is assigned a parent that is already added to an asset group, the **Asset Groups** field displays only the asset groups that are within the hierarchy of the parent category's asset group.

1. On the **Browse** page, select the category that you want to modify.
2. On the category page, click **Edit** to modify the summary of category.

   The following table describes the properties of a category that you can configure in the **Category Summary** section:

Property	Description
Reference ID	Enter a reference identifier for the category. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the category.
Description	Enter a description for the category.
Status	Select a status for the category. The status determines whether the category is discoverable and usable in Data Marketplace. - To make the category discoverable and usable in Data Marketplace, set the status to `Active`. - To make the category not discoverable and unusable in Data Marketplace, set the status to `Inactive`.
Parent Category	Select a parent category for the category that you want to modify. If the category that you want to modify isn't a subcategory to another category, you can leave this field empty.
Asset Groups	Select an asset group for the category. Asset groups allow you to control access to the category, the subcategories and data collections within it. For more information, see "Implement access controls on metadata" on page 9.

3. Click **Save** to publish the changes.

   Note: If a category is related to more than 10 items, a job to modify the category is triggered on the **Job Monitoring** page in Metadata Command Center. Items that are related to a category include sub-categories, data collection requests that are linked to the category and its sub-categories, and related items of data collections that are linked to the category and its sub-categories. For more information about monitoring jobs, see *Monitoring jobs* in the *Administration* help for Metadata Command Center.

   While Data Marketplace updates a category, you can't modify the asset group, parent, or stakeholders of the selected category and the categories in the category hierarchy. Additionally, you can't modify the stakeholders and category of the data collections in its hierarchy.

Modifying stakeholders of a category

Modify the stakeholders of the category. Stakeholders are authorized users that are responsible for the category and the data within it.

To perform this task, verify the following prerequisites:

- Your user profile is assigned the Data Marketplace Administrator role.
- You are either an inherited or specifically assigned stakeholder with the Category Owner stakeholder role on the category.
- You are either an inherited or specifically assigned stakeholder on the category and your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Manage Access**, **Read** and **Update** permissions for categories are enabled in Metadata Command Center.

1. On the **Browse** page, select the category whose stakeholders you want to modify.
2. On the **Stakeholders** tab of the category, click **Edit**.
3. In the **Users** section on the **Edit Stakeholders** dialog box, select a role, and then select the users or user groups that you want to assign as stakeholders of the category.

   To remove a stakeholder, click the **Delete** icon next to the stakeholder that you want to remove from the **Selected Stakeholders** section.
4. Click **OK** to publish your changes.

   Note: When you modify the stakeholders of a category, consider the following guidelines:

   - Ensure that the users that you want to add as the stakeholders of the category are already assigned the relevant user role in Administrator. For example, if you want to assign a user as a Category Owner of a category, the user must already be assigned the Category Owner user role in Administrator. Additionally, ensure that the relevant user role is configured as a stakeholder role for categories in Metadata Command Center. For more information, see "Implement access controls on metadata" on page 9.
   - The **Users** section displays only the users who are directly assigned the relevant user role. If a user is added to a user group that is not assigned the relevant user role, the **Users** section doesn't display the user.

- If a category is related to more than 10 items, a job to modify the category is triggered on the **Job Monitoring** page in Metadata Command Center. Items that are related to a category include sub-categories, data collection requests that are linked to the category and its sub-categories, and related items of data collections that are linked to the category and its sub-categories. For more information about monitoring jobs, see *Monitoring jobs* in the *Administration* help for Metadata Command Center.

  While Data Marketplace updates the stakeholders for the category, you can't modify the asset group, parent and stakeholders of the category and of all the categories in the category hierarchy. Additionally, you can't modify the stakeholders and category of the data collections in its hierarchy.

Deleting categories

If you created a category accidentally or if a category for which you are responsible is obsolete, you can delete it.

To perform this task, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:

- Your user profile is assigned the Data Marketplace Administrator role.
- You are either an inherited or specifically assigned stakeholder with the Category Owner stakeholder role on the category.
- You are either an inherited or specifically assigned stakeholder on the category and your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Delete** and **Read** permissions for categories are enabled in Metadata Command Center.

Verify the category

Ensure that the category fulfills all of the following conditions:

- No data collections are associated with the category.
- The category has no associated data collection requests.
- No subcategories are associated with the category.

Note: The **Delete** button is disabled unless the category meets all of the preceeding conditions.


1. On the **Browse** page, select the category that you want to delete.
2. In the **Category Summary** section on the category page, click **Delete**.
3. In the **Delete Category** dialog box, click **Delete**.

Data assets

A data asset is a representation of data in an organization. A data asset might contain relevant data elements and are contained in one or more data collections.

Data assets are the building blocks with which stakeholders can create data collections. Along with Data Governance and Catalog assets, stakeholders can also use data assets native to Data Marketplace to enrich their data collections. As a Data Marketplace Administrator, you are responsible for creating Data Marketplace data assets. For more information about how you can create data assets, see "Creating data assets" on page 22.

The following image shows the details page of a data asset:




Creating data assets

You can add new data assets native to Data Marketplace.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** and **View Set up Page** privileges are enabled in Administrator.
  - **Create** and **Read** permissions for data assets are enabled in Metadata Command Center.

1. Open the **Setup** page.
2. In the **Data Assets** grid on the **Setup** > **Data Assets** tab, click **New**.



3. In the **New Data Asset** dialog box, configure the data asset properties.

The following table describes the properties of a data asset that you can configure in the **New Data Asset** dialog box:

Property	Description
Reference ID	Enter a reference identifier for the data asset. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the data asset.
Description	Enter a description for the data asset.
Data Source	Specify the source system from which the data is supplied to Data Marketplace.
Descriptive Source	Specify the source application from which the description of the data asset is taken.
Source Path	Enter the location of the data asset in the source system where the data asset is stored.
Source Path Description	Enter a description for the location in the source system where the data asset is stored.
Technical Data Asset	Enter the name of the data asset as it appears in the source system where the data asset is stored.
Type	Enter a type for data asset.
URI	Enter a uniform resource identifier for the new data asset.
Status	Select a status for the data asset. The status determines whether the data asset is available to be added to data collections. - To make the data asset available to be added to data collections, set the status to `Active`. - To make the data asset unavailable to be added to data collections, set the status to `Inactive`.

4. Click **Save** to create the data asset.

You can add data elements to the data asset that you created. For more information about how you can add a data element to a data asset, see "Adding data elements to a data asset" on page 25.
You can also modify the data elements that you have created. For more information about how you can modify a data element, see "Modifying data elements" on page 32.

Adding data elements to a data asset

A data element is the smallest unit of data that is present in Data Marketplace. A grouping of one or more related data elements forms a data asset. You add a new data element to a data asset that already exists in Data Marketplace.

Before you can add a data element to a data asset, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:


- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Create** and **Read** permissions for data elements are enabled in Metadata Command Center.
  - **Read** and **Update** permissions for data assets are enabled in Metadata Command Center.

Verify the data element

Ensure that the data asset to which you want to add the data element is native to Data Marketplace.

1. Open the **Setup** page.
2. In the **Data Assets** grid on the **Setup** > **Data Assets** tab, click the data asset to which you want to add a data element.

   Note: You can also open the data asset page from the details page of a data collection that contains the asset.
3. On the **Data Elements** tab on the data asset page, click **New**.



4. In the **New Data Element** dialog box, configure the data element properties.

   The following table describes the properties of a data element that you can configure in the **New Data Element** dialog box:

Property	Description
Reference ID	Enter a reference identifier for the data element. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the data element.
Description	Enter a description for the data element
URI	Enter a uniform resource identifier for the data element in the source system where the data element is stored.

Property	Description
Technical Name	Enter the name of the data element as it appears in the source system where the data element is stored.
Technical Type	Enter the type of the data element as defined in the source system where the data element is stored.
Type	Enter a type for data element.
Status	Select a status for the data element. The status determines whether the data element is available in the data collections that are associated with the data asset that contains the element. To make the data element available in the data collections that are associated with the data asset that contains the element, set the status to `Enabled`. To make the data element unavailable in the data collections that are associated with the data asset that contains the element, set the status to `Disabled`.

5. Click **Save** to publish your changes.


   Note: If you add a data element to a data asset or remove a data element from a data asset, and the data asset belongs to a data collection, your changes might take some time to reflect on the **Search** page.

You can also modify the data elements that you have created. For more information about how you can modify a data element, see "Modifying data elements" on page 32.

Search for data assets

Use the search bar to look up data assets that are native to Data Marketplace.

The following image shows the **Data Assets** tab on the **Setup** page:



To search for a data asset on the **Setup** > **Data Assets** tab, enter the name of data asset in the search bar, and click **Search**.

To search for a data asset, enter a search query for the data that you want to find in the search box, and click **Search**.

Note: When you search for data assets, consider the following:

- The search term that you enter must not exceed 1000 characters.
- If you want to use a reserved word to search for a data asset, enter the reserved word in quotes. For more information about reserved words, see "Reserved words" on page 28.
- If your search query contains a special character, ensure that you enter your search query in quotes.

You can use the **Status** field to filter the search results based on the status of the data assets. To clear the search box, click **Clear Search**.

Reserved words

Reserved words are words that are reserved for specific functions in Data Marketplace.

The reserved words include the following words:

- `ALL`
- `ARE`
- `TYPE`

- AND
- ANY
- AS
- CONTAINING
- DAY
- DAYS
- EQUALS
- GREATER
- HOUR
- HOURS
- HAS
- IN
- INBOUND
- IS
- LAST
- LESS
- BETWEEN
- MATCHING
- NOT
- NULL
- OR
- OUTBOUND
- RELATED
- TRAVERSE
- REPEAT
- UNTIL
- HOPS
- UNBOUNDED
- RELATIONSHIPS
- ROLE
- THAN
- THROUGH
- TO
- WHERE
- WHICH
- WITH
- WITHIN
- WITHOUT

- HAVING
- STAKEHOLDER

Note: If you want to use a reserved word to search for a data asset or a data element, enter the reserved word in quotes.

Modifying data assets

You can view and modify the properties of the data assets that are available in Data Marketplace.

Before you can modify a data asset, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Read** and **Update** permissions for data assets are enabled in Metadata Command Center.
  - **Read** permission for data collections is enabled in Metadata Command Center.

Verify the data asset

Ensure that the data asset that you want to modify is native to Data Marketplace. To modify a data asset that was imported from Data Governance and Catalog, open the asset in Data Governance and Catalog. For more information about how you can modify a Data Governance and Catalog asset, see the Data Governance and Catalog help.

1. Open the **Setup** page.
2. On the **Setup** > **Data Assets** tab, click the Action menu icon next to the data asset that you want to modify.
3. In the Action menu, click **Edit**.
4. In the **Edit Data Asset** dialog box, configure the data asset properties.

The following table describes the properties of a data asset that you can configure in the **Edit Data Asset** dialog box:

Property	Description
Associated Data Collections	The data collections to which the data asset is added. **Note:** If you aren't assigned to an asset group that contains an associated data collection, that data collection doesn't appear in **Associated Data Collections**. For more information about asset groups, see "Implement access controls on metadata" on page 9.
Reference ID	Enter a reference identifier for the data asset. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the data asset.
Description	Enter a description for the data asset.
Data Source	Specify the source system from which the data is supplied to Data Marketplace.
Descriptive Source	Specify the source application from which the description of the data asset is taken.
Source Path	Enter the location of the data asset in the source system where the data asset is stored.
Source Path Description	Enter a description for the location in the source system where the data asset is stored.
Technical Data Asset	Enter the name of the data asset as it appears in the source system where the data asset is stored.
Type	Enter a type for data asset.
Asset Link	Enter a link to the Data Governance and Catalog associated asset.
Status	Select a status for the data asset. The status determines whether the data asset is available to be added to data collections. - To make the data asset available to be added to data collections, set the status to `Active`. - To make the data asset unavailable to be added to data collections, set the status to `Inactive`. **Note:** If you try to disable a data asset that is associated with one or more data collections, a confirmation dialog box appears. The dialog box lists all affected data collections. To disable the data asset, click **Continue**.

5. Click **Save** to publish your changes.

Modifying data elements

You can modify the properties of a data element in a data asset in Data Marketplace.

Before you can modify a data element, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Read** and **Update** permissions for data elements are enabled in Metadata Command Center.
  - **Read** permission for data assets is enabled in Metadata Command Center.

Verify the data element

Ensure that the data element that you want to modify is native to Data Marketplace.

1. Open the **Setup** page.
2. In the **Data Assets** grid on the **Setup** > **Data Assets** tab, click the data asset whose data elements you want to modify.

   Note: You can also open the data asset page from the details page of a data collection that contains the asset.
3. On the **Data Elements** tab on the data asset page, enter the name of data element that you seek in the search bar and click **Search**.

   When you search for a data element, ensure that the following conditions are fulfilled:

   - The search term that you enter must not exceed 1000 characters.
   - If you want to use a reserved word to search for a data element, enter the reserved word in quotes. For more information about reserved words, see “Reserved words” on page 28.
   - If your search query contains a special character, ensure that you enter your search query in quotes.
4. Click the Action menu icon next to the data element that you want to modify.
5. In the Action menu, click **Edit**.
6. In the **Edit Data Element** dialog box, configure the data element properties.

The following table describes the properties of a data element that you can configure in the **Edit Data Element** dialog box:

Property	Description
Reference ID	Enter a reference identifier for the data element. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the data element.
Description	Enter a description for the data element.
Technical Name	Enter the name of the data element as it appears in the source system where the data element is stored.
Technical Type	Enter the type of the data element as defined in the source system where the data element is stored.
Type	Enter a type for data element.
URI	Enter the uniform resource identifier of the data element in the source system where the data element is stored.
Status	Select a status for the data element. The status determines whether the data element is available in the data collections that are associated with the data asset that contains the element. To make the data element available in the data collections that are associated with the data asset that contains the element, set the status to `Enabled`. To make the data element unavailable in the data collections that are associated with the data asset that contains the element, set the status to `Disabled`.

7. Click **Save** to publish your changes.

Adding a data asset to data collections

You can add a data asset to one or more data collections.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.

- **Read** and **Update** permissions for data collections and data assets are enabled in Metadata Command Center.

1. Open the **Setup** page.
2. On the **Setup** > **Data Assets** tab, click the Action menu icon next to the data asset that you want to add to data collections.
3. In the Action menu, click **Add to Data Collection**.
4. In the **Add to Data Collection** dialog box, select the data collection to which you want to add the data asset.
5. Click **Save** to add the data asset.

   Note: The following conditions apply when you add a data asset to a data collection:

   - If you aren't assigned to an asset group that contains an associated data collection, that data collection doesn't appear in **Associated Data Collections**.
   - If you select a data collection that is added to an asset group that requires additional permissions, Data Users can't discover the data asset and its data elements.
   - When you add or remove a data asset from a data collection, your changes might take some time to reflect on the **Search** page.

   For more information about asset groups, see "Implement access controls on metadata" on page 9

Creating a data collection from a data asset

You can create a data collection from a data asset .

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Create**, **Manage Access**, **Read** and **Update** permissions for data collections are enabled in Metadata Command Center
  - **Read** permission for categories and usage contexts is enabled in Metadata Command Center.
  - **Read** and **Update** permissions for data assets are enabled in Metadata Command Center.

1. Open the **Setup** page.
2. On the **Setup** > **Data Assets** tab, click the Action menu icon next to the data asset that you want to add to a data collection.
3. In the Action menu, click **Create a Data Collection**.
4. On the **Create Data Collection** page, enter the details of the collection that you want to create and click **Save**.

   Note: On the **Create Data Collection** page, some fields are populated automatically with values from the data asset that you select. You can use the auto-populated icon ( ) to identify these fields. Review the content in these fields and make the necessary adjustments. For more information about the fields in the dialog box, see the *Creating data collections* topic in the *Working With Data Collections* help.

You can also create a data collection from an asset page in Data Marketplace or Data Governance and Catalog using the **Create Data Collection** button. Click the button to create a new data collection with the

asset linked to it. For more information about importing assets from Data Governance and Catalog, see "Enrich data collections with Data Governance and Catalog assets" on page 6.

Deleting data assets

If you created a data asset accidentally or if a data asset is obsolete, you can delete it.

Before you can delete a data asset, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Delete** and **Read** permissions for data assets are enabled in Metadata Command Center.

Verify the data asset

Ensure that the data asset that you want to delete is native to Data Marketplace. To delete a data asset that was imported from Data Governance and Catalog, open the asset in Data Governance and Catalog. For more information about how you can delete a Data Governance and Catalog asset, see the Data Governance and Catalog help.

1. Open the **Setup** page.
2. On the **Setup** > **Data Assets** tab, click the Action menu icon next to the data asset that you want to delete.
3. In the Action menu, click **Delete**.
4. In the **Delete Data Asset** dialog box, click **Delete**.

The data asset that you selected is deleted. When you delete a data asset, the asset is removed from all the data collections that use it. Moreover, all the elements that are associated with the asset are deleted.

Note: You can also delete an asset from a data asset page. On a data asset page, you can use the **Delete** button in the **Data Asset Summary** panel to delete the data asset.

Deleting data elements

If you created a data element accidentally or if a data element is obsolete, you can delete it.

Before you can delete a data element, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** privilege is enabled in Administrator.
  - **Delete** and **Read** permissions for data elements are enabled in Metadata Command Center.

- **Read** and **Update** permissions for data assets are enabled in Metadata Command Center.

Verify the data elements

Ensure that the data element that you want to delete is native to Data Marketplace and the **Status** of the data asset that contains the data element is `Enabled`.

1. Open the data asset page.
2. On the **Data Elements** grid of the data asset page, click the Action menu icon next to the data element that you want to delete.
3. In the Action menu, click **Delete**.
4. In the **Delete Data Element** dialog box, click **Delete**.


The data element that you selected is deleted.

Note: If you add a data element to a data asset or remove a data element from a data asset, and the data asset belongs to a data collection, your changes might take some time to reflect on the **Search** page.

Delivery options

You can configure the delivery options that stakeholders of a data collection can use to deliver data to the Data Users that ordered the data.

The following image shows the relationship between the delivery options that you can create in Data Marketplace:



Delivery format

Configure a format in which a stakeholder of a data collection can deliver the data to the Data User.

For example, if you create JSON and XML as delivery formats, the stakeholders must deliver the data in JSON or XML format.

For more information about how you can configure a delivery format, see "Creating delivery formats" on page 38.

Delivery method

Configure a method that a stakeholder of a data collection can use to deliver the data to the Data User.

For example, if you configure FTP, email, and API as the delivery methods, a stakeholder of a data collection can select one of the three options as the delivery method to deliver the data.

For more information about how you can configure a delivery method, see "Creating delivery methods" on page 40.

Delivery template

Combine several delivery formats and delivery methods to create a unique delivery template.

For example, if you create JSON and XML as delivery formats and configure FTP, email, and API as the delivery methods, you can combine these to create the following delivery templates:

- Delivery Template 1: JSON format and email delivery
- Delivery Template 2: JSON format and FTP delivery
- Delivery Template 3: JSON format and API delivery
- Delivery Template 4: XML format and email delivery
- Delivery Template 5: XML format and FTP delivery
- Delivery Template 6: XML format and API delivery


For more information about how you can create a new delivery template, see "Creating delivery templates" on page 41.

Delivery target

Stakeholders of data collections use delivery templates to create new delivery targets for their data collections. A delivery target is unique to the data collection for which it was created. Even if the same delivery template is used to create multiple delivery targets, Data Marketplace classifies each target as a unique delivery option.

For more information, see the *Specifying delivery targets for data collection* topic in the *Working with Data Collections* help.

The following image shows the **Delivery** tab on the **Setup** page:




Creating delivery formats

A delivery format represents the format in which the data is delivered.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Delivery Owner
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** and **View Set up Page** privileges are enabled in Administrator.
  - **Create** and **Read** permissions for delivery formats are enabled in Metadata Command Center.

1. Open the **Setup** page.
2. In the **Formats** section on the **Setup** > **Delivery** tab, click **New**.



3. In the **New Delivery Format** dialog box, configure the delivery format properties.

   The following table describes the properties of a delivery format that you can configure in the **New Delivery Format** dialog box:

Property	Description
Reference ID	Enter a reference identifier for the delivery format. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the delivery format.
Status	Select a status for the delivery format. The status determines whether a delivery format is available to be added to delivery templates. - To make the delivery format available to be added to delivery templates, set the status to `Active`. - To make the delivery format unavailable to be added to delivery templates, set the status to `Inactive`.

4. Click **Save** to create the delivery format.

You can use the delivery format that you have created to create a new delivery template. For more information about how you can create a delivery template, see "Creating delivery templates" on page 41. You can also modify the delivery format that you have created. For more information about how you can modify a delivery format, see "Modifying delivery options" on page 44.


Creating delivery methods

A delivery method represents the medium used to deliver the data to the Data User that ordered the collection.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Delivery Owner
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** and **View Set up Page** privileges are enabled in Administrator.
  - **Create** and **Read** permissions for delivery methods are enabled in Metadata Command Center.

1. Open the **Setup** page.
2. In the **Delivery Template** section on the **Setup** > **Delivery** tab, click **New**.



3. In the **New Delivery Method** dialog box, configure the delivery method properties.

The following table describes the properties of a delivery method that you can configure in the **New Delivery Method** dialog box:

Property	Description
Reference ID	Enter a reference identifier for the delivery method. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the delivery method.
Status	Select a status for the delivery method. The status determines whether a delivery method is available to be added to delivery templates. - To make the delivery method available to be added to delivery templates, set the status to `Active`. - To make the delivery method unavailable to be added to delivery templates, set the status to `Inactive`.

4. Click **Save** to create the delivery method.

You can use the delivery method that you have created to create a new delivery template. For more information about how you can create a delivery template, see "Creating delivery templates" on page 41. You can also modify the delivery method that you have created. For more information about how you can modify a delivery method, see "Modifying delivery options" on page 44.

Creating delivery templates

A delivery template contains the delivery format, the delivery method, and the location where the data is delivered to the Data User.

To perform this task, verify the following prerequisites:

Verify the privileges and permissions

Verify one of the following:

- Your user profile is assigned one of the following roles:
  - Delivery Owner
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** and **View Set up Page** privileges are enabled in Administrator.
  - **Create**, **Manage Access** and **Read** permissions for delivery templates are enabled in Metadata Command Center.
  - **Read** permission for delivery formats and delivery methods is enabled in Metadata Command Center.

Verify the formats and methods

Ensure that you have created the delivery format and the delivery method that you want to use to create the template.

1. Open the **Setup** page.
2. In the **Delivery Template** section on the **Setup** > **Delivery** tab, click **New**.



3. On the **New Delivery Template** dialog box, configure the delivery template properties.

The following table describes the properties of a delivery template that you can configure in the **New Delivery Template** dialog box:

Property	Description
Reference ID	Enter a reference identifier for the delivery template. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the delivery template.
Status	Select a status for the delivery template. The status determines whether a delivery template is available to be used to create a delivery target of a data collection. - To make the delivery template available to be used to create a delivery target of a data collection, set the status to `Active`. - To make the delivery template unavailable to be used to create a delivery target of a data collection, set the status to `Inactive`.
Description	Enter a description for the delivery template.
System	Enter the system where the data is delivered. The system that you enter here is displayed in the **Location** field with its URL.
Location	Enter the location where the data is delivered. The system URL is displayed here. If you enable **Managed Access**, ensure that you use the following structure to specify the data location: `hostname:port` In the location structure, you can configure the following properties: - `hostname`. Enter the hostname for the Data Access Management proxy. - `port`. Enter the port number of the Data Access Management proxy. For more information about how you can retrieve the hostname and port values, see the *Data Access Management Proxy service* topic in the *Secure Agent Services help* in the Administrator.
Type	Select a type of delivery. - If you set the delivery type to `AUTOMATIC`, the order approval and fulfillment is automated. - If you set the delivery type to `MANUAL`, a stakeholder of the data collection must approve and fulfill the order manually. For more information about how a stakeholder uses an automatic type delivery template, see the *Automated deliveries* topic in the *Working With Data Collections* help.
Format	Select a delivery format.
Method	Select a delivery method.

Property	Description
Managed Access	Enter one of the following values: - If you enable Managed Access, a unique data location is created for each order that is fulfilled using a target that is based on this template. Furthermore, an access management application such as Data Access Management might customize the delivered data based on the characteristics of the data, the Data User and the usage context that they specified in the order. - If you disable Managed Access, the same data is made available in a data location that is common to all Data Users. For more information, see "Manage access to data with Data Access Management" on page 12.
Delivery Owners	Specify the Delivery Owners that are responsible for the delivery template. Enter the names of the individuals that you want to assign as the Delivery Owner of the delivery template. Ensure that Delivery Owners are aware of their responsibilities before you assign them the role. For more information about the responsibilities of a Delivery Owner, see the *Delivery Owner* topic in the *Introduction and Getting Started* help.

4. Click **Save** to create the delivery template.

You can also modify the delivery template that you have created. For more information about how you can modify a delivery template, see "Modifying delivery options" on page 44.

Modifying delivery options

You can view and modify the delivery options that are available in Data Marketplace.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Delivery Owner
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** and **View Set up Page** privileges are enabled in Administrator.
  - **Manage Access**, **Read** and **Update** permissions for delivery formats, delivery methods and delivery templates are enabled in Metadata Command Center.

1. Open the **Setup** page.
2. In the **Delivery Templates** section on the **Setup** > **Delivery** tab, click **Action** > **Edit** next to the delivery template that you want to modify.
   a. On the **Edit Delivery Template** dialog box, configure the delivery template properties.

The following table describes the properties of a delivery template that you can configure in the **Edit Delivery Template** dialog box:

Property	Description
Reference ID	Enter a reference identifier for the delivery template. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the delivery template.
Status	Select a status for the delivery template. The status determines whether a delivery template is available to be used to create a delivery target of a data collection. - To make the delivery template available to be used to create a delivery target of a data collection, set the status to `Active`. - To make the delivery template unavailable to be used to create a delivery target of a data collection, set the status to `Inactive`.
Description	Enter a description for the delivery template.
System	Enter the system where the data is delivered. The system that you enter here is displayed in the **Location** field with its URL.
Location	Enter the location where the data collection is delivered. The system URL is displayed here. If you enable **Managed Access**, ensure that you use the following structure to specify the data location: `hostname:port` In the location structure, you can configure the following properties: - `hostname`. Enter the hostname for the Data Access Management proxy. - `port`. Enter the port number of the Data Access Management proxy. For more information about how you can retrieve the hostname and port values, see the *Data Access Management Proxy service* topic in the *Secure Agent Services help* in the Administrator.
Type	Select a type of delivery. - If you set the delivery type to `AUTOMATIC`, the order approval and fulfillment is automated. - If you set the delivery type to `MANUAL`, a stakeholder of the data collection must approve and fulfill the order manually. For more information about how a stakeholder uses an automatic type delivery template, see the *Automated deliveries* topic in the *Working With Data Collections* help.
Format	Select a delivery format.
Method	Select a delivery method.

Property	Description
Managed Access	Enter one of the following values: - If you enable Managed Access, a unique data location is created for each order that is fulfilled using a target that is based on this template. Furthermore, an access management application such as Data Access Management might customize the delivered data based on the characteristics of the data, the Data User and the usage context that they specified in the order. - If you disable Managed Access, the same data is made available in a data location that is common to all Data Users. For more information, see "Manage access to data with Data Access Management" on page 12.
Delivery Owners	Specify the Delivery Owners that are responsible for the delivery template. Enter the names of the individuals that you want to assign as the Delivery Owner of the delivery template. Ensure that Delivery Owners are aware of their responsibilities before you assign them the role. For more information about the responsibilities of a Delivery Owner, see the *Delivery Owner* topic in the *Introduction and Getting Started* help.

Note:

- If you want to set a default delivery template, click the default button that is next to a delivery template to set it as the default template for all data collections in Data Marketplace. The default delivery template that you configure is available in addition to a data collection's delivery target as a delivery option to the Data User when they check out the data collection.
- To prevent order failure, you cannot set an automatic type delivery template as the default delivery option.
- If you want to remove a delivery template as the default delivery option, click the default button that is next to the default delivery template to remove it as the default delivery option for all data collections in Data Marketplace.

b. Click **Save** to publish the changes.

3. In the **Delivery Formats** section on the **Setup** > **Delivery** tab, click **Action** > **Edit** next to the delivery format that you want to modify.
   a. On the **Edit Delivery Format** dialog box, configure the delivery format properties.

The following table describes the properties of a delivery format that you can configure in the **Edit Delivery Format** dialog box:

Property	Description
Reference ID	Enter a reference identifier for the delivery format. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the delivery format.
Status	Select a status for the delivery format. The status determines whether a delivery format is available to be added to delivery templates. - To make the delivery format available to be added to delivery templates, set the status to `Active`. - To make the delivery format unavailable to be added to delivery templates, set the status to `Inactive`.

b. Click **Save** to modify to modify the changes.

4. In the **Delivery Methods** section on the **Setup** > **Delivery** tab, click **Action** > **Edit** next to the delivery method that you want to modify.
   a. On the **Edit Delivery Method** dialog box, configure the delivery method properties.

The following table describes the properties of a delivery method that you can configure in the **Edit Delivery Method** dialog box:

Property	Description
Reference ID	Enter a reference identifier for the delivery method. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the delivery method.
Status	Select a status for the delivery method. The status determines whether a delivery method is available to be added to delivery templates. - To make the delivery method available to be added to delivery templates, set the status to `Active`. - To make the delivery method unavailable to be added to delivery templates, set the status to `Inactive`.


b. Click **Save** to modify the changes.

Note: When you modify the default delivery template, format, or method, the changes affect the delivery targets that use the default delivery template. However, when you modify a non-default delivery template, the changes do not affect other delivery targets.

Terms of use

The terms of use provide usage requirements and guidelines that a Data User must accept to use the data.

The following image shows the **Terms of Use** tab on the **Setup** page:



General Terms of Use

This section displays the terms of use message that appears when a Data User requests access to a data collection. For more information about how you can define the general terms of use, see "Defining the general terms of use" on page 50.

Terms of Use Type

This section displays all the terms of use types that are available in Data Marketplace.

Your administrator defines the terms of use types in Metadata Command Center. For more information about terms of use, see the *Terms of use* topic in the *Set Up Data Marketplace* help.

In this section, you can modify the color that is assigned to the terms of use type. You can also configure whether it is mandatory for Data Users to accept the terms of use of a type before ordering related data collections. In Metadata Command Center, you can modify other properties of the terms of use type.

Terms of Use

This section displays the terms of use that stakeholders can add to their data collections. For more information about how you can add new terms of use, see "Creating terms of use" on page 50.

In the **Terms of Use** grid, you can view the terms of use that you create. If you want to filter the terms of use that are displayed in the **Terms of Use** grid, click **Filter** and select the filter that you want to use. After you configure the filter, click **Filter** again to curate the grid based on how you configured the filter.

For example, if you want to view only the terms of use that are active, click **Filter** and select the **Status** filter. In the **Status** filter, select the `Active` status and click **Filter** again to apply it. After you apply the filter, the **Terms of Use** grid displays only the terms of use that are active.

Defining the general terms of use

You can define the general terms of use that apply to all data collections in Data Marketplace.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** and **View Set up Page** privileges are enabled in Administrator.
  - **Read** and **Update** permissions for terms of use are enabled in Metadata Command Center.

1. Open the **Setup** page.
2. In the **General Terms of Use** section on the **Setup** > **Terms of Use** page, click **Edit**.
3. Click **Save**.

Creating terms of use

You can create new terms of use that contain the conditions or agreements that a Data User must agree to abide by before they can use a data collection.


To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** and **View Set up Page** privileges are enabled in Administrator.
  - **Create** and **Read** permissions for terms of use are enabled in Metadata Command Center.

1. Open the **Setup** page.
2. On the **Setup** > **Terms of Use** tab, click the **New** button on the **Terms of Use** grid.
3. In the **New Terms of Use** dialog box, configure the terms of use properties.

The following table describes the properties of a terms of use that you can configure in the **New Terms of Use** dialog box:

Property	Description
Reference ID	Enter a reference identifier for the terms of use. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the terms of use.
Description	Enter a description for the terms of use.
Type	Specify a type for the terms of use. Your administrator defines the terms of use types in Metadata Command Center. For more information, see the *Administration* help in Metadata Command Center.
Status	Select a status for the terms of use. The status determines whether the terms of use are available to be added to data collections. - To make the terms of use available to be added to data collections, set the status to `Active`. - To make the terms of use unavailable to be added to data collections, set the status to `Inactive`.
URI	Enter a uniform resource identifier of the terms of use.



4. Click **Create** to publish the terms of use.

You can also modify the terms of use that you have created. For more information about how you can modify a terms of use, see "Modifying terms of use" on page 52.

Modifying terms of use

You can modify the terms of use that contain the conditions or agreements that a Data User must agree to abide by before they can use a data collection.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** and **View Set up Page** privileges are enabled in Administrator.
  - **Read** and **Update** permissions for terms of use are enabled in Metadata Command Center.

1. Open the **Setup** page.
2. In the **Terms of Use** section on the **Setup** > **Terms of Use** tab, click the Action menu icon next to the terms of use that you want to modify.
3. In the Action menu, click **Edit**.
4. In the **Edit Terms of Use** dialog box, configure the terms of use properties.

The following table describes the properties of a terms of use that you can configure in the **Edit Terms of Use** dialog box:

Property	Description
Reference ID	Enter a reference identifier for the terms of use. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the terms of use.
Description	Enter a description for the terms of use.
Type	Specify a type for the terms of use. Your administrator defines the terms of use types in Metadata Command Center. For more information, see the *Administration* help in Metadata Command Center.
Status	Select a status for the terms of use. The status determines whether the terms of use are available to be added to data collections. - To make the terms of use available to be added to data collections, set the status to `Active`. - To make the terms of use unavailable to be added to data collections, set the status to `Inactive`. **Note:** If you try to disable a terms of use that is associated with one or more data collections, a confirmation dialog box appears. This dialog box lists the affected data collections. To disable the terms of use, click **Continue**.
URI	Enter the uniform resource identifier of the terms of use.

5. Click **Save** to publish your changes.

Modifying terms of use types

You can modify the color assigned to a terms of use type and configure whether Data Users must accept the terms of a specific type before ordering related data collections.

To perform this task, verify the following prerequisites:


- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace**, **Configure and Manage Data Marketplace** and **View Set up Page** privileges are enabled in Administrator.
  - **Read** and **Update** permissions for terms of use are enabled in Metadata Command Center.

1. Open the **Setup** page.

2. In the **Terms of Use** section on the **Setup** > **Terms of Use** tab, click the Action menu icon next to the terms of use type that you want to modify.
3. In the Action menu, click **Edit**.
4. In the **Edit Terms of Use Type** dialog box, configure the terms of use type properties.

   The following table describes the properties of a terms of use type that you can configure in the **Edit Terms of Use Type** dialog box:

Property	Description
Required	Determines whether Data Users must accept terms of use of this type before ordering related data collections. You can configure one of the following values: - **Yes**. Data Users must accept terms of use of this type before ordering related data collections. - **No**. Data Users don't need to accept terms of use of this type before ordering related data collections.
Color	Select a color indicator for the terms of use type. A color indicator allows you to easily identify a terms of use of the selected type.




5. Click **Save** to publish your changes.

Usage types

A usage type provides an overview of how a Data User can use the data in a collection. It also indicates how a stakeholder of the collection envisions the data usage.

The following image shows the **Configuration** tab on the **Setup** page:



Where can I define a usage type?

On the **Configuration** tab of the **Setup** page, you can define the usage type. For more information about how you can define usage types, see "Defining usage types" on page 56.

You can activate, deactivate or modify a usage type. However, you cannot delete it. You can modify the name and status of a usage type. If you modify the name of a usage type, the changes reflect in the associated data collections.

As a Data User, how can I use a usage type?

As a Data User, when you order a data collection, you must select the usage context from a list of predefined usage types that you create. For more information about how you can order a data collection, see the *Ordering data collections* topic in the *Working With Data Collections* help.

The usage context that you as a Data User specify helps a stakeholder of a data collection to understand how you use the data collection. Additionally, by viewing the aggregate consumer accesses and their usage contexts, a stakeholder can gain insight into how the data is used throughout the organization.

As a stakeholder, how can I use a usage type?

As a stakeholder of a data collection, you can use a usage type to specify the certified use of a data collection to convey the purpose for which a data collection can be used. For more information about how you can certify your data collection, see the *Creating data collections* topic in the *Working With Data Collections* help.

Defining usage types

You can define usage types that can be used by Data Users and stakeholders to specify the contexts around data usage.

To perform this task, verify the following prerequisites:


- Your user profile is assigned the Data Marketplace Administrator role.
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** and **View Set up Page** privileges are enabled in Administrator.
  - **Create** and **Read** permissions for usage contexts are enabled in Metadata Command Center.

1. Open the **Setup** page.
2. In the **Usage** section on the **Setup** > **Configuration** tab, click **Add** to add a new usage type.
3. In the **New Usage Type** dialog box, configure the usage type properties.

   The following table describes the properties of a usage type that you can configure in the **New Usage Type** dialog box:

Property	Description
Reference ID	Enter a reference identifier for the usage type. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the new usage type.
Description	Enter a description for the usage type. **Note:** Enter a description that helps Data Users to select the data collection that fits their usage. Data Users can view on the **Request Details** section of the **Order Checkout** wizard.

Property	Description
Status	Select a status for the usage type. The status determines whether a usage type is available to be added to a data collection or to be selectable on an order. - To make the usage type available to be added to a data collection or to be selectable on an order, set the status to `Active`. - To make the usage type unavailable to be added to a data collection or to be selectable on an order, set the status to `Inactive`.
Color	Select a color indicator for the usage type. A color indicator allows you to identify a usage type easily. By default, Data Marketplace assigns the first color of the color selection grid to the usage type that you create.



4. Click **Save** to add the new usage type.

You can also modify the usage types that you have created. For more information about how you can modify a usage type, see "Modifying usage types" on page 57.

Modifying usage types

You can modify the usage types that already exist in Data Marketplace.

To perform this task, verify the following prerequisites:

- Your user profile is assigned the Data Marketplace Administrator role.

- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** and **View Set up Page** privileges are enabled in Administrator.
  - **Read** and **Update** permissions for usage contexts are enabled in Metadata Command Center.

1. Open the **Setup** page.
2. In the **Usage Type** section on the **Setup** > **Configuration** tab, click the Action menu icon next to the usage type that you want to modify.
3. In the **Edit Usage Type** dialog box, configure the usage type properties.

   The following table describes the properties of a usage type that you can configure in the **Edit Usage Type** dialog box:

Property	Description
Reference ID	Enter a reference identifier for the usage type. If you don't specify a reference identifier, Data Marketplace automatically assigns a unique value to the item. If you want to specify a reference identifier, enter a unique alphabetical, numeric, or alphanumeric value. You can also use special characters when you enter a reference identifier value. Ensure that the value that you enter doesn't use a prefix value that is configured in Metadata Command Center. For more information about reference IDs, see "Manage reference IDs of items" on page 11.
Name	Enter a name for the usage type.
Description	Enter a description for the usage type. **Note:** Enter a description that helps Data Users to select the data collection that fits their usage. Data Users can view on the **Request Details** section of the **Order Checkout** wizard.
Status	Select a status for the usage type. The status determines whether a usage type is available to be added to a data collection or to be selectable on an order. - To make the usage type available to be added to a data collection or to be selectable on an order, set the status to `Active`. - To make the usage type unavailable to be added to a data collection or to be selectable on an order, set the status to `Inactive`. **Note:** If you set the **Status** to `Inactive`, the associated data collections continue to refer to the usage type. However, Data Users can no longer select the inactive usage type to specify the usage context while ordering a data collection.
Color	Select an indicator for the usage type. A color indicator allows you to identify a usage type.

4. Click **Save** to publish your changes.


Cost centers

A cost center is an area or department within an organization that is generally represented by a unique identifier to which business expenses are allocated. If there is a cost required to deliver the data to a Data

User or if there is a cost required to create the data collection that was requested by a Data User, the cost can be charged to the cost center of the Data User.

You can add the cost centers that are defined in your organization to Data Marketplace. You can perform this task in the **Configuration** tab on the **Setup** page. For more information about how you can enable cost centers in Data Marketplace, see "Enabling cost centers" on page 60.

The following image shows the **Configuration** tab on the **Setup** page:



Examples of cost centers

Cost center in orders

After a Data User's order is approved, a stakeholder of the data collection must deliver the data to the Data User. To deliver the data, if the stakeholder uses a proprietary SFTP solution that requires new users to be licensed, the cost associated with assigning a license to the Data User should be allocated to the cost center value that the Data User entered when they placed the order in Data Marketplace.

Cost center in data collection requests

After a Data User submits a data collection request, a stakeholder of the category or data collection must create the new data collection that was requested by the Data User. If additional storage space is required to create a new data collection, the cost associated with provisioning the additional storage space should be allocated to the cost center value that the Data User entered when they placed the order in Data Marketplace.

Enabling cost centers

You can add cost center as an additional field to the order checkout process to track the costs associated with provisioning the data to a Data User.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the **View Set up Page** and **Configure and Manage Data Marketplace** privileges are enabled in Administrator.

1. Open the **Setup** page.
2. In the **Cost Center** section on the **Setup** > **Configuration** tab, click the **On** toggle to add **Cost Center** as a configurable field to the **Order Checkout** and the **Request New Data Collection** wizards.
3. If you want to ensure that the Data Users specify their cost center at the time of request or order, click the **Mandatory** toggle.

You can now add the cost centers that are defined in your organization to Data Marketplace. For more information about how you can add cost centers to Data Marketplace, see "Adding cost centers" on page 60.

Adding cost centers

You can add the cost centers that are defined in your organization to Data Marketplace.

To perform this task, verify the following prerequisites:


- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** and **View Set up Page** privileges are enabled in Administrator.
  - **Create** and **Read** permissions for cost centers are enabled in Metadata Command Center.

1. Open the **Setup** page.

2. In the **Cost Center** section on the **Setup** > **Configuration** tab, click **Add**.
3. In the **Add Cost Center** dialog box, configure the cost center properties.

   The following table describes the properties of the cost center that you can configure in the **Add Cost Center** dialog box:

Property	Description
Cost Center	Enter a cost center defined in your organization
Description	Enter a description for the cost center. Ensure that the description that you enter helps Data Users to identify their respective cost centers when they order a collection or request a new collection.



4. Click **Save** to add the cost center.

You can also modify the cost centers that you have created. For more information about how you can modify a cost center, see "Modifying cost centers" on page 61.

Modifying cost centers

When cost center definitions in your organizations change, you can modify the cost centers that exist in Data Marketplace.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the following privileges and permissions are enabled:
  - **Access Data Marketplace** and **View Set up Page** privileges are enabled in Administrator.
  - **Read** and **Update** permissions for cost centers are enabled in Metadata Command Center.

1. Open the **Setup** page.

2. In the **Cost Center** section on the **Setup** > **Configuration** tab, click the Action menu icon next to the cost center that you want to modify.
3. In the **Edit Cost Center** dialog box, configure the cost center properties.

   The following table describes the properties of the cost center that you can configure in the **Edit Cost Center** dialog box:

Property	Description
Cost Center	Enter a cost center defined in your organization
Description	Enter a description for the cost center. Ensure that the description that you enter helps Data Users to identify their respective cost centers when they order a collection or request a new collection.

4. Click **Save** to publish your changes.

CHAPTER 3

Customize Data Marketplace


Personalize Data Marketplace to reflect the brand of your organization and surface the information that matters most to different users.

Customize the look and feel of Data Marketplace. On individual pages, show, hide, and rearrange tabs, panels, and attributes to prioritize information for specific roles or user groups. You can also customize item tooltips and the **Guide Me** panel to control the contextual information that users see.

Interface customization

You can personalize the look and feel of Data Marketplace according to your organization's requirements.

You can customize Data Marketplace from the **Look and Feel** tab on the **Setup** page. The changes you make appear on the **Home** page, and are visible to all users who log in. The following image shows the **Look and Feel** tab on the **Setup** page:



On the **Preview** pane, you can view how Data Marketplace interface appears when you apply your modifications. The **Preview** pane displays the changes in real time. To get an extensive preview, click **Site Preview**.

If you want to revert to the default interface settings, click **Reset**.

Displaying your organization logo

You can replace the default logo in the Data Marketplace toolbar with the logo of your organization. Make sure that the logo image you use is uploaded to a location that is either accessible on your organization's intranet or on the public internet.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the **View Set up Page** and **Configure and Manage Data Marketplace** privileges are enabled in Administrator.

1. Open the **Setup** page.
2. On the **Setup** > **Look and Feel** tab, enter the URL to the location that contains the logo of your organization.

   Ensure that the URL that you specify is publicly accessible and that the logo is in PNG, JPEG or GIF format with a maximum dimension of 42 by 100 pixels.
3. Click **Save** to publish your changes.

Customizing the interface theme

You can modify the colors of the Data Marketplace interface to reflect the theme and colors of your organization. You can also modify the border radius of the interface buttons.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the **View Set up Page** and **Configure and Manage Data Marketplace** privileges are enabled in Administrator.

1. Open the **Setup** page.
2. On the **Setup** > **Look and Feel** tab, you can perform the following tasks:
   a. To modify the color of the interface buttons and toggles, select the color that meets your requirements from the **Primary Color** field.
   b. To modify the color of the pages, select the color that meets your requirements from the **Background Color** field.
   c. To modify the border radius of the interface buttons, adjust the **Border Radius** slider.
3. Click **Save** to publish your changes.

Design a page layout


Create new page layouts or modify existing layouts to allow your teams to easily consume information according to the themes and priorities of your business. Rearrange or hide tabs, panels, grids and specific attributes to prioritize the information that your team needs.

Create a new layout for a page or clone an existing layout. You can apply the following customizations to Data Marketplace pages:

- Show, hide, and rearrange the order of tabs.
- Show, hide, and rearrange the layout of panels within a tab. You can also split a panel.
- Show, hide, and rearrange the position of attributes within a panel.

Assign one or more layouts to users with specific roles, to users that are part of specific user groups, or to all users in your organization. If your users have multiple page layout options assigned to them, they can use the **Switch Layout** button to switch between the layouts to see a different presentation of information on each page. If they have a personal preference, they can also override the default layout and set a particular page layout as their personal default.

The following image shows how you can switch between different layouts on the **Search** page:



Creating page layouts

Create new page layouts and specify different components of the pages according to the needs of your users. You can also clone an existing layout to quickly create a new layout.


To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the **View Set up Page** and **Configure and Manage Data Marketplace** privileges are enabled in Administrator.

1. Open the **Setup** page.
2. On the **Setup** > **Layouts** tab, click the **Create layout** > **Page** button.

   Alternatively, you can use the **Clone** button from the Action menu next to an existing layout to create a new one.

The **New Layout** dialog box appears.




3. In the **New Layout** dialog box, configure the properties for the new page layout that you want to create.

   The following table describes the fields that you can configure on the **New Layout** dialog box:


Field	Description
Name	Name for the new layout.
Description	Description for the new layout.
Type	Select the page for which you want to define the layout. **Note:** If you opted to clone an existing layout, you can't modify this field.
Assign To	Specify the users to which you want to assign the layout. Select one of the following values: - **Specific Roles**. Assign the layout to users with specific roles. - **Specific User Groups**. Assign the layout to users that are part of specific user groups. - **All**. Assign the layout to users of all roles in your organization.

4. Click **Create**.

5. In the layout canvas, add one or more tabs.




6. For each panel group within a tab, select a column layout.



7. To add a new tab, click **Add Page Tab**. To hide a tab, slide the **Show Tab** toggle in the **Properties** tab to off. To remove a tab, click the **Delete** icon.
8. Within a panel, drag the components that you need from the available components in the **Page Components** tab.

9. To hide a page component such as an attribute within a panel, slide its corresponding **Show** toggle in the **Properties** tab to off. To remove a component, click the **Delete** icon.



10. At any time, click **Preview** to visualize with sample data how the page appears to Data Marketplace users.
11. To check whether the layout is configured correctly, click the **Validate** icon. Fix the issues that appear in the **Validation Errors** panel.
12. To save the layout, click **Save**.

    The layout is saved for the page. However, the layout is not yet available to users.
13. To make a saved layout available to users, open the layout and click **Publish**.

    The layout is now available in Data Marketplace to all the users that you have specified.

Modifying or deleting page layouts


You can modify an existing page layout or delete it if it's no longer needed.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the **View Set up Page** and **Configure and Manage Data Marketplace** privileges are enabled in Administrator.

1. Open the **Setup** page.
2. On the **Setup** > **Layouts** tab, select the page layout that you want to modify or delete.

Note: You can't modify or delete a predefined page layout.



3. To modify a layout, use the **Edit** button from the Action menu next to the selected layout.
4. To delete a layout, use the **Delete** button from the Action menu next to the selected layout.

Create an item tooltip


Configure the preview tooltips to display only the information relevant to users in your organization when they hover over an item.

Create a new tooltip for an item or clone an existing tooltip. You can show, hide, and rearrange the position of attributes within a tooltip. Assign the tooltip that you create to users with specific roles, to users that are part of specific user groups, or to all users in your organization.

You can customize preview tooltips for the following items:

- Categories
- Consumer accesses
- Data collections
- Data assets that are native to Data Marketplace and those that are imported from Data Governance and Catalog.
- Data elements that are native to Data Marketplace and those that are imported from Data Governance and Catalog.
- Orders

The following image shows how you can create a new tooltip for an order:



Creating item tooltips

Design preview tooltips to display only the information relevant to users in your organization when they hover over a category, data collection, data asset, data element, order, or consumer access.


To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the **View Set up Page** and **Configure and Manage Data Marketplace** privileges are enabled in Administrator.

1. Open the **Setup** page.
2. On the **Setup** > **Layouts** tab, click **Create Layout**.

   Alternatively, you can use the **Clone** button from the Action menu next to an existing item tooltip to create a new one.


The **New Tooltip** dialog box appears.



3. In the **New Tooltip** dialog box, configure the properties for the new tooltip that you want to create.
   The following table describes the fields that you can configure on the **New Tooltip** dialog box:

Field	Description
Name	Name for the new tooltip.
Description	Description for the new tooltip.
Type	Select the item for which you want to create the tooltip. **Note:** If you opted to clone an existing tooltip, you can't modify this field.
Assign To	Specify the users to which you want to assign the item tooltip. Select one of the following values: - **Specific Roles**. Assign the tooltip to users with specific roles. - **Specific User Groups**. Assign the tooltip to users that are part of specific user groups. - **All**. Assign the tooltip to users of all roles in your organization.

4. Click **Create**.
5. Drag attributes to change their position in the tooltip.



6. To add an attribute, select the attribute from the **Add Attributes** menu.
7. To hide an attribute, slide its corresponding **Show** toggle in the **Properties** tab to off. To remove an attribute, click the **Delete** icon.
8. At any time, click **Preview** to visualize how the tooltip appears to Data Marketplace users.
9. To check whether the layout is configured correctly, click the **Validate** icon. Fix the issues that appear in the **Validation Errors** panel.
10. To save the tooltip, click **Save**.

    The tooltip is saved for the item. However, the tooltip is not yet available to users.
11. To make a saved tooltip available to users, open the tooltip and click **Publish**.

    The tooltip is now available in Data Marketplace to all the users that you have specified.

Modifying or deleting item tooltips


You can modify an existing preview tooltip for an item or delete it if it's no longer needed.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the **View Set up Page** and **Configure and Manage Data Marketplace** privileges are enabled in Administrator.

1. Open the **Setup** page.
2. On the **Setup** > **Layouts** tab, select the item tooltip that you want to modify or delete.

Note: You can't modify or delete a predefined preview tooltip for an item.



3. To modify an item tooltip, use the **Edit** button from the Action menu next to the selected tooltip.
4. To delete an item tooltip, use the **Delete** button from the Action menu next to the selected tooltip.


Customize the Guide Me panel

Customize the **Guide Me** panel to offer assistance that is contextual to the page that you are viewing.

Create a new **Guide Me** panel for a page or clone an existing **Guide Me** panel for a page. You can specify the default sections for display, rearrange the sections, or add custom content to reflect your organization's requirements. This ensures that the information in the Guide Me panel aligns seamlessly with your organization's unique usage of Data Marketplace.

Assign one or more **Guide Me** panel layouts to users with specific roles, to users that are part of specific user groups, or to all users in your organization. If your users have multiple versions of the **Guide Me** panel assigned to them, they can use the **Switch Layout** button to switch between each version to see the information available on them.

The following image shows how you can switch between the layouts on the **Guide Me** panel of the **Search** page:



Creating Guide Me panels

Create customized help content for the **Guide Me** panel.


To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the **View Set up Page** and **Configure and Manage Data Marketplace** privileges are enabled in Administrator.

1. Open the **Setup** page.
2. On the **Setup** > **Layouts** tab, click the **Create layout** > **Page** button.

   Alternatively, you can use the **Clone** button from the Action menu next to an existing layout to create a new one.

The **New Guide Me Panel** dialog box appears.




3. In the **New Guide Me Panel** dialog box, configure the properties for the new **Guide Me** panel layout that you want to create.

   The following table describes the fields that you can configure on the **New Guide Me Panel** dialog box:

Field	Description
Name	Name for the new **Guide Me** panel layout.
Description	Description for the **Guide Me** panel layout.
Type	Select the page for which you want to design the **Guide Me** panel layout. **Note:** If you opted to clone an existing layout, you can't modify this field.
Assign To	Specify the users to which you want to assign the **Guide Me** panel layout. Select one of the following values: - **Specific Roles**. Assign the layout to users with specific roles. - **Specific User Groups**. Assign the layout to users that are part of specific user groups. - **All**. Assign the layout to users of all roles in your organization.

4. Click **Create**.

5. Drag sections to change their position in the **Guide Me** panel.



6. To add a custom section, click **Add new section**. In the **Description** field of a custom section, you can add information that reflects your organization's usage of Data Marketplace.

   Note: You can't modify the contents of a predefined section.

7. To hide a section, slide the **Show Section** toggle in the **Properties** tab to off. To remove a section, click the **Delete** icon.

   Note: You can't delete a predefined section.

8. At any time, click **Preview** to visualize how the **Guide Me** panel appear to Data Marketplace users.
9. To check whether the layout is configured correctly, click the **Validate** icon. Fix the issues that appear in the **Validation Errors** panel.
10. To save the layout, click **Save**.

    The layout is saved for the **Guide Me** panel. However, the layout is not yet available to users.

11. To make a saved layout available to users, open the layout and click **Publish**.

    The layout is now available in Data Marketplace to all the users that you have specified.

Modifying or deleting Guide Me panels


You can modify an existing **Guide Me** panel layout or delete it if it's no longer needed.

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the **View Set up Page** and **Configure and Manage Data Marketplace** privileges are enabled in Administrator.

1. Open the **Setup** page.
2. On the **Setup** > **Layouts** tab, select the **Guide Me** panel layout that you want to modify or delete.

Note: You can't modify or delete a predefined **Guide Me** panel layout.



3. To modify a layout, use the **Edit** button from the Action menu next to the selected layout.
4. To delete a layout, use the **Delete** button from the Action menu next to the selected layout.

CHAPTER 4

Configure Data Marketplace

You can configure features in Data Marketplace to fit your organization's needs.


The following options help you customize the Data Marketplace experience:

- Customize item labels to align with your organization's terminology.
- Designate responsive stakeholders of data collections with the Star Owner status.
- Enable advanced search on Data Marketplace search to include the names and descriptions of data collections, data elements, data assets, and their associated Data Governance and Catalog assets.

Label customization

You can modify the labels of certain Data Marketplace items to something that accurately meets your organization's requirements.

The following image shows the **Configuration** tab on the **Setup** page:



Prerequisites

To perform this task, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the **View Set up page** and **Configure and Manage Data Marketplace** privileges are enabled in Administrator.

In the **Custom Labels** panel on the **Setup > Configuration** tab, you can modify the labels of the following Data Marketplace items:

- Category
- Data collection
- Data asset


You can use this feature to customize Data Marketplace to suit the needs of your organization. For example, if your organization uses the term `Data Product` to represent a collection of data assets, you can modify the label for the Data Marketplace item to `Data Product`. The modification changes the item label across the service.

You can also modify the name of your Data Marketplace instance and change the description displayed on the **Home** page from the **Custom Labels** panel.

Star Owner

You can configure Data Marketplace to highlight efficient stakeholders.

The following image shows the **My Data** page of a Star Owner:



Who is a Star Owner?

When stakeholders of a data collection perform their tasks efficiently, Data Marketplace displays a crown on their avatar. This crown indicates that they're a Star Owner. The crown appears on all the pages where the avatar of Star Owner is visible.

Data Users can use this crown to identify collections that belong to efficient data stakeholders, thereby improving their order experience.

How do I configure Star Owners?

To configure Star Owners, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the **View Set up page** and **Configure and Manage Data Marketplace** privileges are enabled in Administrator.

In the **Star Owner** section on the **Setup** > **Configuration** tab, you can configure the efficiency requirements that a stakeholder must meet to be rewarded with the Star Owner crown.

To configure the efficiency requirements, click **Edit** button on the **Star Owner** section and adjust the **Order Approval Time** and **Order Fulfillment Time** sliders. After you have set the requirements, click **Save**.


When a stakeholder's average order approval time or average order fulfilment time is less than what you have configured, Data Marketplace rewards them with the Star Owner crown.

Note: If you set the **Order Approval Time** slider or the **Order Fulfillment Time** slider to 0 days, the respective reward is disabled.

Advanced Search

Advanced search allows you to search for data without needing to know in advance whether the data is represented in Data Marketplace as a data element, data asset or data collection.

The following image shows the **Advanced Search** panel on the **Configuration** tab of the **Setup** page:



Advantages of enabling advanced search

If you enable the **Advanced Search** option, Data Marketplace runs your search query on the following items when you search for data collections:

- Name and description of a data element that is associated with a data collection.
- Name and description of a data asset that is associated with a data collection.
- Name and description of a data collection.

If you have integrated Data Marketplace with Data Governance and Catalog, your search query is also run on the names and descriptions of Data Governance and Catalog assets and elements that are associated with a data collection.

By default, advanced search is enabled. If you disable it, Data Marketplace runs your search query on only the names and descriptions of data collections.

For more information about how you can search for data collections, see the *Searching for data collections* topic in the *Working With Data Collections* help.

Configure advanced search

To configure advanced search, verify the following prerequisites:

- Your user profile is assigned one of the following roles:
  - Technical Administrator
  - Data Marketplace Administrator
- Your user profile is assigned a role for which the **View Set up page** and **Configure and Manage Data Marketplace** privileges are enabled in Administrator.

In the **Advanced Search** section on the **Setup** > **Configuration** tab, enable the **Advanced Search** option.