Informatica® Metadata Command Center
July 2026

What's New

Informatica Metadata Command Center What's New
July 2026

© Copyright Informatica LLC 2021, 2026

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, Informatica Cloud, Informatica Intelligent Cloud Services, PowerCenter, PowerExchange, and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2026-08-10

Table of Contents

Preface. 4

Chapter 1: July 2026. 5

Changelog July 2026. 5

Important notices. 6

New features and enhancements. 6

Changed behavior. 8

Chapter 2: April 2026. 10

Changelog April 2026. 10

Important notices. 11

New features and enhancements. 12

Changed behavior. 18

Documentation changes. 19

Chapter 3: November 2025. 20

Changelog November 2025. 20

Important notices. 21

New features and enhancements. 21

Changed behavior. 29

Preface

Read *What's New* to learn about new features, enhancements, and behavior changes in Metadata Command Center for the current release.

For information about fixes and known issues, see the *Release Notes*.

CHAPTER 1

July 2026

The following topics provide information about important notices, new features, enhancements, and changes in the July 2026 release of Metadata Command Center.

Changelog July 2026

Read the changelog to learn about significant changes to this publication for this release.

The following table describes changes in this publication:

Publication Date	Type of Change	Section Title
August 7, 2026	Updated	"Enhanced catalog sources" on page 7
July 23, 2026	Added	"Post-upgrade tasks" on page 6
July 23, 2026	Added	"Metadata access policies to govern access to technical assets from IDMC metadata" on page 9
July 16, 2026	Added	"Changes to permissions to manage jobs" on page 8
June 25, 2026	Added	"Handle unrecognized files during metadata extraction" on page 7
June 25, 2026	Updated	"Unstructured data discovery and classification" on page 6
June 18, 2026	Added	"Enhanced catalog sources" on page 7
June 18, 2026	Added	"Unstructured data discovery and classification" on page 6
June 18, 2026	Modified	"Enhanced catalog sources" on page 7
June 11, 2026	Initial publication	

Important notices

The July 2026 release of Metadata Command Center includes the following important notices.

Post-upgrade tasks

Purge deprecated unstructured data assets

After you upgrade to the July 2026 release, if you have existing PDF, Text, DOC, or DOCX files in your catalog and you re-run the catalog source job, the files get catalogued as unstructured files with specific asset types.

As a result, business users might see duplicate assets in the catalog. Prior to the July 2026 release, unstructured files such as PDF, Text, DOC, and DOCX files were catalogued as structured files asset type. These assets are now deprecated and their lifecycle status is marked as **Obsolete**.

If you re-run the catalog source job after upgrading to the July 2026 release, perform the following tasks:

1. Add enrichments to the new asset. The existing enrichments for the deprecated assets are not retained for the new assets.
2. Remove deprecated assets from the catalog using the **Purge Obsolete Objects** from the Catalog Sources page of the **Explore** page.

For information about the catalog sources that enable extraction of metadata from unstructured files, see "Unstructured data discovery and classification" on page 6.

New features and enhancements

The July 2026 release of Metadata Command Center includes the following new features and enhancements.

Unstructured data discovery and classification

You can catalog, discover, and classify unstructured documents alongside your structured data assets in Data Governance and Catalog to gain complete visibility across your data landscape.

This release includes the following key capabilities:

- Extract unstructured documents, including PDFs, Word documents, and text files from the following catalog sources:
  - Amazon S3
  - Databricks
  - File System
  - Google Cloud Storage
  - Hadoop Distributed File System
  - Microsoft OneDrive
  - Microsoft SharePoint Online
  - Microsoft Azure Blob Storage
  - Microsoft Azure Data Lake Storage Gen2

  - Microsoft Fabric OneLake
  - Oracle Cloud Object Storage
  - SFTP File System
- Automatically classify PDFs and text files into categories defined by you. You can classify unstructured documents using the new **Document Classification** capability in Metadata Command Center for the following catalog sources:
  - Amazon S3
  - Hadoop Distributed File System
  - Microsoft Azure Blob Storage
  - Microsoft Azure Data Lake Storage Gen2
  - Microsoft SharePoint Online
  - Oracle Cloud Object Storage
  - SFTP File System

For information about unstructured data discovery and classification, see the corresponding catalog source help.

Handle unrecognized files during metadata extraction

You can now configure how Metadata Command Center handles files with unrecognized formats during metadata extraction from the following catalog sources:

- Amazon S3
- Databricks
- File System
- Google Cloud Storage
- Hadoop Distributed File System
- Microsoft Azure Blob Storage
- Microsoft Azure Data Lake Storage Gen2
- Microsoft Fabric OneLake
- Microsoft OneDrive
- Microsoft SharePoint Online
- Oracle Cloud Object Storage
- SFTP File System

You can configure the catalog sources to treat all unrecognized file formats as either structured or unstructured files. Optionally, you can define specific path-level exceptions to override whether the unrecognized files should be treated as structured or unstructured files.

For information about handling unrecognized files, see the corresponding catalog source help.

Enhanced catalog sources

This release includes the following enhancements to catalog sources:

Microsoft Azure Data Factory

When you run a metadata extraction job on Microsoft Azure Data Factory pipelines, the job uses operational metadata from trigger runs to generate lineage for pipelines.

For more information, see the *Microsoft Azure Data Factory* catalog source help.

Microsoft Power BI

You can now extract PaginatedReportDataset objects that connect to Power BI datasets which use DAX and MDX queries.

For more information, see the *Microsoft Power BI* catalog source help.

SAP BW/4HANA

When you run a metadata extraction job on Composite Providers objects, you can extract all navigational attributes.

For more information, see the *SAP BW/4HANA* catalog source help.

SAP SuccessFactors

You can now extract metadata from an SAP SuccessFactors source system that uses a proxy server-based connection

For more information, see the *SAP SuccessFactors* catalog source help.

Snowflake

You can use the Programmatic Access Token authentication type to connect to source systems.

For more information, see the *Snowflake* catalog source help.

Snowflake SQL Script

You can use the Programmatic Access Token authentication type to connect to source systems.

For more information, see the *Snowflake SQL Script* catalog source help.

REST API enhancements

This release includes the following enhancements:

- You can choose the `multipart/form-data` content type header when you use REST APIs to perform the following tasks on catalog sources:
  - Create catalog source
  - Update catalog source
- You can use the catalog source management APIs to upload catalog source configuration files.

For information about the catalog source management APIs, see the Informatica Developer Portal.

Changed behavior

The July 2026 release of Metadata Command Center includes the following changed behavior.

Changes to permissions to manage jobs

To cancel a job that another user started, or to download its export file, the organization administrator must assign you the **Manage Access Control** feature privilege in Administrator. You can cancel a job that you started and download its export file without additional privileges.

Previously, you didn't need additional privileges to cancel a job that another user started or to download its export file.

For more information about managing jobs, see *Jobs* in the *Administration* help.

Metadata access policies to govern access to technical assets from IDMC metadata

As an IDMC administrator, you can use metadata access control to define policies that govern access to technical assets from IDMC metadata. You need to create a policy to grant users access to technical assets from IDMC metadata.

Previously, technical assets from IDMC metadata were visible to all users. Now, these assets will be visible to users who have been granted access.

For more information about IDMC metadata, see *IDMC metadata* in the Administration help.

CHAPTER 2

April 2026

The following topics provide information about important notices, new features, enhancements, and changes in the April 2026 release of Metadata Command Center.

Changelog April 2026

Read the changelog to learn about significant changes to this publication for this release.

The following table describes changes in this publication:

Publication Date	Type of Change	Section Title
June 18, 2026	Added	"Application Integration workflow events" on page 19
June 18, 2026	Added	"Enhanced Tableau catalog source" on page 12
May 14, 2026	Modified	"Preview lifted" on page 11
May 14, 2026	Deleted	Deleted uploading of configuration files in "REST API enhancements" on page 17.
May 14, 2026	Added	"Post-upgrade tasks" on page 11
April 24, 2026	Modified	"Enhanced catalog sources" on page 12
April 22, 2026	Added	"REST API enhancements" on page 17
April 22, 2026	Added	"Preview lifted" on page 11
March 26, 2026	Added	"Documentation changes" on page 19
March 26, 2026	Added	"Enhanced catalog sources" on page 12

Publication Date	Type of Change	Section Title
March 26, 2026	Deleted	Deleted the advanced configuration setting in "Profiling enhancements" on page 15.
March 11, 2026	Initial publication	

Important notices

The April 2026 release of Metadata Command Center includes the following important notices.

Preview initiated

Catalog sources

Effective in the April 2026 release, the Salesforce Marketing Cloud catalog source is available for preview.

Note: Preview functionality is supported for evaluation purposes but is unwarranted and is not supported in production environments or any environment that you plan to push to production. Informatica intends to include the preview functionality in an upcoming release for production use, but might choose not to in accordance with changing market or technical circumstances. For more information, contact Informatica Global Customer Support.

Preview lifted

Effective in the April 2026 release, the following catalog source and functionality are production-ready.

- The SAP Datasphere catalog source. Previously, this catalog source was only available in preview.
- The Command Line Interface (CLI) metadata extraction method. Previously, this functionality was only available in preview.

For more information about new features and enhancements, see "New features and enhancements" on page 12.

Post-upgrade tasks

Google Looker and Qlik Sense Cloud catalog sources

Effective in the April 2026 release, Google Looker and Qlik Sense Cloud catalog sources use a connection created in Administrator.

If your existing catalog sources use a serverless runtime environment, perform the following steps after you upgrade to the April 2026 release:

1. Create a connection for the catalog source in Administrator.
2. Update the catalog source in Metadata Command Center to use the connection you created.

For information about how to create a connection, see the corresponding catalog source help.

New features and enhancements

The April 2026 release of Metadata Command Center includes the following new features and enhancements.

Enhanced Tableau catalog source

In May 2026, we've rolled out the following enhancements as part of the April 2026 release:

- You can now extract metadata from workbooks connected to Salesforce Data 360 objects, such as Data Model Objects (DMO), Data Lake Objects (DLO), and Calculated Insight Objects (CIO).
- You can perform connection assignment to view lineage between a Salesforce Data 360 source system and a Tableau source system.

For more information, see the *Tableau* catalog source help.

New catalog sources

This release includes the following new catalog sources:

- Microsoft Azure Machine Learning
- Salesforce Marketing Cloud (Preview)

For more information about catalog sources, see the corresponding catalog source help.

Enhanced catalog sources

This release includes the following enhancements to catalog sources:

Amazon Athena

This release includes the following enhancements:

- You can use the EC2 Role to Assume Role authentication type to connect to Amazon Athena source systems.
- You can extract metadata from nested field objects.
- You can extract objects with the following complex data types and their nested fields:
  - Array
  - Map
  - Struct

For more information, see the *Amazon Athena* catalog source help.

Amazon S3

You can now configure an IAM user to assume an IAM role. You can specify the role without associating it with an EC2 role in the IAM Role ARN option.

For more information, see the *Amazon S3* catalog source help.

Databricks

This release includes the following enhancements:

- You can use OAuth Machine-to-Machine authentication to run data profiling and data quality jobs.
- When you extract metadata from Databricks Unity Catalog, you can use the **Extract Tags** property to specify whether you want to extract tags assigned to the objects you extract.

- You can now extract metadata from the following Databricks Unity Catalog objects:
  - Volume
  - Function
  - Dashboard
- You can add metadata extraction filters based on volumes and dashboard paths.

For more information, see the *Databricks* catalog source help.

Google BigQuery

You can now extract the following complex data types along with their nested fields:

- Array
- Range
- Struct

For more information, see the *Google BigQuery* catalog source help.

Informatica Intelligent Cloud Services

This release includes the following enhancements:

- You can now extract metadata from the following objects:
  - Database ingestion and replication task
  - Application ingestion and replication task
- You can extract metadata from mappings that include Salesforce connections with custom queries.

For more information, see the *Informatica Intelligent Cloud Services* catalog source help.

JDBC

You can now use the Additional Security Properties field of the JDBC V2 connection in Administrator to enter sensitive authentication information.

For more information, see the *JDBC* catalog source help.

Microsoft Azure Blob Storage

You can use the Shared Access Signature authentication type to connect to Microsoft Azure Blob Storage source systems.

For more information, see the *Microsoft Azure Blob Storage* catalog source help.

Microsoft Azure Data Factory

You can configure Microsoft Azure Synapse Analytics Parameters to extract Microsoft Azure Synapse Analytics notebooks with a Microsoft Azure Synapse Analytics connection in the Microsoft Azure Data Factory catalog source.

For more information, see the *Microsoft Azure Data Factory* catalog source help.

MicroStrategy

You can now extract metadata from ReportMetric objects.

For more information, see the *MicroStrategy* catalog source help.

Microsoft Power BI

You can view data types for metadata extracted from dataset tables.

For more information, see the *Microsoft Power BI* catalog source help.

PostgreSQL

This release includes the following enhancements:

- You can now extract metadata from foreign table objects.
- You can perform connection assignment to view lineage between the following source systems and a PostgreSQL source system:
  - Oracle
  - SQL Server

For more information, see the *PostgreSQL* catalog source help.

Salesforce

This release includes the following enhancements:

- You can extract metadata from Salesforce Flows and Salesforce Data 360 applications. (Preview)
- When you add metadata extraction filters, you can select object types based on the Salesforce application that you extract metadata from.

For more information, see the *Salesforce* catalog source help.

SAP Datasphere

This release includes the following enhancements:

- You can perform connection assignment to view lineage between the following source systems and an SAP Datasphere source system:
  - SAP SuccessFactors
  - Oracle
  - SQL Server
- You can now extract the metadata from the following objects in an SAP Datasphere source system:
  - Data Access Control
    - Data Access Control Column
  - Data Flow
    - Data Flow Operator
      - Data Flow Operator Column
  - Task Chain
    - Task Chain Node
  - Transformation Flow
    - View Transformation
      - View Transformation Column

For information, see the *SAP Datasphere* catalog source help.

SAP ERP

You can add metadata extraction filters based on the asset type.

For information, see the *SAP ERP* catalog source help.

SAP Business Warehouse

This release includes the following enhancements:

- You can connect to SAP Business Warehouse deployed on RISE with SAP.
- You can add metadata extraction filters based on the asset type.

For more information, see the *SAP Business Warehouse* catalog source help.

SAP BW/4HANA

This release includes the following enhancements:

- You can extract metadata from SAP BW/4HANA deployed on RISE with SAP.
- You can add metadata extraction filters based on the asset type.

For more information, see the *SAP BW/4HANA* catalog source help.

SFTP File Systems

You can use private key authentication to connect to the source system.

For more information, see the *SFTP File System* catalog source help.

Snowflake

This release includes the following enhancements:

- You can extract metadata from Iceberg tables.
- You can use authorization code authentication to connect to the source system.

For more information, see the *Snowflake* catalog source help.

Snowflake SQL Script

You can use authorization code authentication to connect to the source system.

For more information, see the *Snowflake SQL Script* catalog source help.

Tableau

This release includes the following enhancements:

- You can now extract calculations included in a dashboard.
- You can now extract tags from objects such as data sources, dashboards, workbooks, and worksheets.

For more information, see the *Tableau* catalog source help.

Configure additional data capabilities

You can configure glossary association and data classification capabilities on the following catalog sources:

- Oracle Business Intelligence
- TIBCO Spotfire

For more information about catalog sources, see the corresponding catalog source help.

Profiling enhancements

This release includes the following profiling enhancements:

Amazon Redshift

You can use the Redshift IAM Authentication via AssumeRole authentication type to connect to Amazon Redshift source systems and run a data profiling job.

Apache Hive

You can run data profiling and data quality jobs on metadata extracted from any schema regardless of the schema name that you specified in the connection properties.

Google BigQuery

This release includes the following enhancements:

- You can apply profiling filters based on external tables and stored procedures.
- When you choose All Rows or Limit N Rows as the sampling type, you can run data profiles on external tables.

Salesforce

This release includes the following enhancements:

- You can run data profiling and data quality jobs using the Salesforce Data 360 connection on the following objects extracted from Salesforce Data 360 applications:
  - Data Lake Object
  - Data Model Object
  - Calculated Insights
- When you apply data profiling filters, you can select object types based on the Salesforce application that you extract metadata from.

SAP Datasphere

You can run data profiling and data quality jobs on the following objects:

- Views
- Analytical Modules

Snowflake

This release includes the following enhancements:

- You can run profiling jobs on Snowflake Hybrid tables and views.
- You can run data profiling and data quality jobs on metadata extracted from any database or schema regardless of the database or schema name that you specified in the connection properties.

Microsoft Azure SQL Server

You can use the Service Principal authentication to connect to Microsoft Azure SQL Server source systems and run data profiling jobs.

Microsoft Fabric Data Lakehouse

You can run data profiling and data quality jobs on metadata extracted from any database or schema regardless of the database or schema name that you specified in the connection properties.

For more information about catalog sources, see the corresponding catalog source help.

Authenticate with an external secrets manager

You can now configure AWS Secrets Manager and Azure Key Vault authentication tools when you configure the following catalog sources:

- MySQL
- SAP HANA Database
- Teradata Database

You can use secrets manager authentication when you run data profiling and data quality jobs and to preview failed rows with and without cache.

For information about how to configure Secrets Manager in Administrator, see Organization Administration in the *Administration* help.

Incremental metadata extraction

You can now run incremental metadata extraction jobs on the following catalog sources:

- Amazon Athena
- Strategy Cloud

A full metadata extraction extracts all objects from the source to the catalog. An incremental metadata extraction considers only the changed and new objects since the last successful catalog source job run. Incremental metadata extraction doesn't remove deleted objects from the catalog and doesn't extract metadata of code-based objects.

For more information about catalog sources, see the corresponding catalog source help.

REST API enhancements

You can use the catalog source management APIs to run incremental metadata extraction jobs.

For information about the catalog source management APIs, see the Informatica Developer Portal.

Workflow enhancements

This release includes the following workflow enhancements:

Define workflow events based on conditions

You can configure workflows tailored to your organization's specific requirements, enabling different approval processes. For example, a highly sensitive glossary or related to GDPR demands a stringent multi-step approval, whereas finance and HR processes follow their own distinct approval workflows.

You can add conditions for workflows used in tickets for approval based on asset hierarchies, relationships, attributes, stakeholder roles, and asset groups. You can select asset types and add conditions in Metadata Command Center. Data Governance and Catalog evaluates workflow events by prioritizing the first matching condition and then starts the appropriate workflow.

For more information, see *Configuring a workflow event* in the *Administration* help.


Reordering workflow events

You can reorder existing workflow events to ensure that high-priority events are processed first. You can move a workflow event up, down, to the top, or to the bottom of the list of workflow events, based on your business requirement.

For more information, see *Reordering workflow events* in the *Administration* help.

Data observability enhancement

When you run a data observability job on a catalog source in Metadata Command Center, you can use a statistical volume measurement based on the earlier collection of the metadata, or you can measure the current volume when you run the job. For catalog sources that provide the data observability, you can choose **Statistic** or **Calculated** to configure how the data observability job measures metadata volume.
The following image shows a catalog source with data observability enabled:



For more information about data observability, see *Data observability* in the *Administration* help.

Changed behavior

The April 2026 release of Metadata Command Center includes the following changed behaviors.

Connection for catalog sources

You now use a connection when you configure the following catalog sources:

- Google Looker
- Qlik Sense
- Qlik Sense Cloud

Before you configure the catalog source, create the corresponding connection in Administrator.

Previously, you entered the connection properties directly in Metadata Command Center when you created the catalog source.

For more information, see the corresponding catalog source help.

Data profiling jobs in PostgreSQL catalog sources

Data profiling jobs now ignore unsupported data types and continue to run.

Previously, data profiling jobs that included unsupported data types failed on PostgreSQL catalog sources.

For more information, see the *PostgreSQL* catalog source help.

Removed default swimlane names

While designing workflows, you must now specify a name for each swimlane to proceed, as the default name has been removed.

Previously, swimlanes had default names.

For more information, see *Designing a workflow* in the *Administration* help.

Application Integration workflow events

Application Integration workflow events are no longer available in Metadata Command Center.

Previously, you could view and use Application Integration workflow events.

For more information, see *Manage workflow events* in the *Administration* help.

Documentation changes

The April 2026 release of Metadata Command Center includes the following documentation changes.

Removed Catalog Source Configuration publication and online help

The *Catalog Source Configuration* help is removed from the Metadata Command Center help and the *Catalog Service Configuration* publication is removed from the Informatica Documentation Portal. Information that was available in this publication and online help is now available in the individual catalog source publications and online help.

For more information about catalog sources, see the corresponding catalog source help or publications.

New Custom Metadata Integration Reference publication and online help

Information related to custom metadata integration that was available in the *Catalog Source Configuration* publication and online help is now available in a new publication and online help titled *Custom Metadata Integration Reference*.

For more information, see the *Custom Metadata Integration Reference* help or publication.

New Catalog Sources Quick Reference page

The source systems table that was available in the *Catalog Source Configuration* publication and online help is now available in a new page titled *Catalog Sources Quick Reference* on the Informatica Documentation Portal.

For more information, see the *Catalog Sources Quick Reference* page.

CHAPTER 3

November 2025

The following topics provide information about important notices, new features, enhancements, and changes in the November 2025 release of Metadata Command Center.

Changelog November 2025

Read the changelog to learn about significant changes to this publication for this release.

The following table describes changes in this publication:

Publication Date	Type of Change	Section Title
November 21	Added	“Enhanced catalog sources” on page 22
November 20, 2025	Added	“Connection name for referenced source systems ” on page 30
November 20, 2025	Added	“Design workflows with tasks that run concurrently” on page 28
November 13, 2025	Added	“Enhanced catalog sources” on page 22
November 13, 2025	Updated	“Enhanced catalog sources” on page 22
November 6, 2025	Updated	“Enhanced catalog sources” on page 22
November 4, 2025	Added	“Connection permissions required for catalog source jobs” on page 30
November 4, 2025	Added	“Generating JSON Web Token (JWT) to authenticate REST API requests” on page 28
October 28, 2025	Initial publication	

Important notices

The November 2025 release of Metadata Command Center includes the following important notices.

Microsoft Azure private link on Azure Japan POD

You can use Azure private link with the following services on the Azure Japan POD:

- Data Governance and Catalog
- Metadata Command Center

For more information about Microsoft Azure private link configuration, see the following How-To Library article: *Microsoft Azure Private Link Onboarding Guide for Informatica Intelligent Cloud Services*.

Preview initiated

Catalog sources

Effective in the November 2025 release, the Swagger API catalog source is available for preview.

Note: Preview functionality is supported for evaluation purposes but is unwarranted and is not supported in production environments or any environment that you plan to push to production. Informatica intends to include the preview functionality in an upcoming release for production use, but might choose not to in accordance with changing market or technical circumstances. For more information, contact Informatica Global Customer Support.

For more information about new features and enhancements, see "New features and enhancements" on page 21.

Preview lifted

Effective in the November 2025 release, the following catalog sources are production-ready:

- Informatica Developer
- Workday

Previously, these catalog sources were only available in preview.

New features and enhancements

The November 2025 release of Metadata Command Center includes the following new features and enhancements.

New catalog sources

This release includes the following new catalog sources:

- Denodo
- Fivetran Platform
- Google Vertex AI
- Oracle SQL Loader
- SAP Sales & Service Cloud
- Strategy Cloud

- Swagger API (Preview) For more information about catalog sources, see the corresponding catalog source help.

Enhanced catalog sources

This release includes the following enhancements to catalog sources:

Amazon Redshift

You can use the Redshift IAM Authentication via AssumeRole authentication type to connect to Amazon Redshift source systems.

For more information, see the *Amazon Redshift* catalog source help.

Apache Hive

You can extract metadata from source systems hosted on Google Cloud Dataproc clusters using non-Kerberos authentication and on Cloudera Data Platform (CDP) version 7.3.1.

For more information, see the *Apache Hive* catalog source help.

AWS Glue

You can use the IAM Roles Anywhere authentication type to connect to AWS Glue source systems.

For more information, see the *AWS Glue* catalog source help.

Databricks

When you extract metadata from Databricks notebooks, you can use the Notebooks Preload Paths property to specify the paths to the Databricks notebooks that you want to preload.

For more information, see the *Databricks* catalog source help.

IBM InfoSphere DataStage

You can extract jobs that contain a Google BigQuery connector stage.

For more information, see the *IBM InfoSphere DataStage* catalog source help.

Informatica Developer

This release includes the following enhancements:

- You can extract metadata from applications.
- You can add metadata extraction filters based on workflows and applications.

For more information, see the *Informatica Developer* catalog source help.

Informatica Intelligent Cloud Services

This release includes the following enhancements:

- You can perform connection assignment to view lineage between Data Integration mappings and a Workday source system.
- You can extract metadata from hierarchy instances of MDM SaaS source systems.
- You can extract metadata from dynamic mapping tasks of Data Integration source systems.

For more information, see the *Informatica Intelligent Cloud Services* catalog source help.

Microsoft Azure Data Factory

This release includes the following enhancements:

- You can extract metadata from pipelines that connect to SAP HANA source systems.

- You can perform connection assignment to view lineage between an SAP HANA Database source system and a Microsoft Azure Data Factory source system.
- You can extract metadata from Salesforce datasets that use Salesforce Object Query Language (SOQL) queries.

For more information, see the *Microsoft Azure Data Factory* catalog source help.

Microsoft Azure Synapse Analytics

This release includes the following enhancements:

- You can extract metadata from pipelines that connect to SAP HANA source systems.
- You can perform connection assignment to view lineage between an SAP HANA Database source system and a Microsoft Azure Synapse Analytics source system.
- You can extract metadata from Salesforce datasets that use Salesforce Object Query Language (SOQL) queries.

For more information, see the *Microsoft Azure Synapse Analytics* catalog source help.

Microsoft Power BI

You can perform connection assignment to view lineage between the following source systems and a Microsoft Power BI source system:

- SAP Business Warehouse
- SAP BW4/HANA
- SAP HANA Database

You can extract metadata from Power BI Power Query expressions that retrieve data from PostgreSQL sources using an ODBC connection.

For more information, see the *Microsoft Power BI* catalog source help.

Qlik Sense

You can view lineage information for application assets that contain binary statements.

For more information, see the *Qlik Sense* catalog source help.

SAP Enterprise Resource Planning (ERP)

This release includes the following enhancements:

- You can use the catalog source with SAP S/4 HANA applications hosted on a private cloud such as Amazon Web Services (AWS).
- You can perform connection assignment to view lineage between the following source systems and an SAP ECC source system:
  - SAP Business Warehouse (SAP BW)
  - SAP BW/4HANA
  - SAP BusinessObjects Data Services
- You can perform connection assignment to view lineage between the following source systems and an SAP S/4HANA source system:
  - SAP Business Warehouse (SAP BW)
  - SAP BW/4HANA
  - SAP BusinessObjects Data Services

For more information, see the *SAP ERP* catalog source help.

SAP Business Objects Data Services

You can perform connection assignment to view lineage between the following source systems and an SAP Business Objects Data Services source system:

- SAP Business Warehouse
- SAP BW4/HANA
- SAP HANA Database
- SAP ECC

For more information, see the *SAP Business Objects Data Services* catalog source help.

SAP Datasphere

This release includes the following enhancements:

- You can run metadata extraction jobs with the SAP Datasphere Command Line Interface. You can choose the metadata extraction method when you configure metadata extraction.
- You can perform connection assignment to view lineage between the following source systems and an SAP Datasphere source system:
  - SAP Enterprise Resource Planning
  - SAP Business Warehouse
  - SAP HANA
  - SAP BW/4HANA
  - SAP S/4HANA
  - SAP Analytics Cloud

For more information about catalog sources, see the *SAP Datasphere* catalog source help.

SAP SuccessFactors

You can use OAuth 2.0 authentication to connect to an SAP SuccessFactors source system.

For more information, see the *SAP SuccessFactors* catalog source help.

Tableau

This release includes the following enhancements:

- You can extract metadata from measure names.
- You can perform connection assignment to view lineage between the following source systems and a Tableau source system:
  - Databricks
  - SAP Business Warehouse
  - SAP BW4/HANA
  - SAP HANA Database

For more information, see the *Tableau* catalog source help.

Talend Data Integration

You can run connection-aware scans to view complete lineage with reference source system objects.

For more information, see the *Talend Data Integration* catalog source help.

Workday

This release includes the following enhancements:

- You can add metadata extraction filters based on data sources, business objects, and reports.
- You can use OAuth 2.0 Refresh Token Flow authentication to connect to a Workday source system.

For more information, see the *Workday* catalog source help.

Configure additional data capabilities

You can configure the following additional data capabilities on catalog sources:

- Glossary association, data classification, and relationship discovery capabilities on Greenplum.
- Glossary association and data classification capabilities on the following catalog sources:
  - SAP Datasphere
  - Workday
- Profiling and data quality capabilities on SAP SuccessFactors.

For more information about catalog sources, see the corresponding catalog source help.

Incremental metadata extraction

You can now run incremental metadata extraction jobs on the following catalog sources:

- Databricks
  Applicable only to Databricks Unity Catalog.

  Applies to the following Databricks Unity Catalog objects:
  - Table
  - View
- Google BigQuery
- Google Cloud Storage
- Microsoft Sharepoint Online
- Workday

A full metadata extraction extracts all objects from the source to the catalog. An incremental metadata extraction considers only the changed and new objects since the last successful catalog source job run. Incremental metadata extraction doesn't remove deleted objects from the catalog and doesn't extract metadata of code-based objects.

For more information about catalog sources, see the corresponding catalog source help.

Technical Description extraction

You can now view the technical description after you run a metadata extraction job on pipelines and activities with the following catalog sources:

- Microsoft Azure Synapse Analytics
- Microsoft Azure Data Factory

For more information about catalog sources, see the corresponding catalog source help.

Metadata extraction from partitioned JSON files

You can extract metadata from partitioned JSON files with the following catalog sources:

- Amazon S3
- File System

- Google Cloud Storage
- Hadoop Distributed File System
- Microsoft Azure Blob Storage
- Microsoft Azure Data Lake Storage Gen2
- Microsoft Fabric OneLake
- Microsoft OneDrive
- Microsoft SharePoint Online
- Oracle Cloud Object Storage
- SFTP File System

For more information about catalog sources, see the corresponding catalog source help.

Configure partition detection for JSON and XML files

You can enable partition detection for JSON and XML files in the following catalog sources:

- Amazon S3
- File System
- Google Cloud Storage
- Hadoop Distributed File System
- Microsoft Azure Blob Storage
- Microsoft Azure Data Lake Storage Gen2
- Microsoft Fabric OneLake
- Microsoft OneDrive
- Microsoft Sharepoint Online
- Oracle Cloud Object Storage
- SFTP File System

For more information about catalog sources, see the corresponding catalog source help.

Deprecate objects deleted from a source system

When you configure or run a catalog source, you can choose to deprecate objects that are deleted from a source system using the **Metadata Change Option**. If you delete objects from the source or make changes to the filter, the objects imported into the catalog before the change move to the "Obsolete" lifecycle in the catalog.

You can purge such obsolete objects from a catalog source. This permanently deletes all objects with the "Obsolete" lifecycle status, along with associated enrichments, from the catalog.

For more information about catalog sources, see the corresponding catalog source help.

Modify assigned connections

You can modify connection assignments to endpoint catalog source objects. After you modify connections, the connection assignment job starts. When the job completes, the old connections are unassigned, new connections are assigned, and Metadata Command Center creates links between matching objects in the connected catalog sources.

For more information about modifying assigned connections, see *Modifying assigned connections* in the *Administration* help.

Export lists of matched and unmatched objects after assigning connections

After you assign connections to endpoint catalog source objects, there can be both matched and unmatched objects in the catalog. Matched objects are objects that directly match the assigned endpoint objects. Unmatched objects are objects that don't directly match the assigned endpoint objects and are not found in the source system.

After assigning connections, you can export a list of matched and unmatched objects to a Microsoft Excel file. You can use these lists for remediation or for reference.

For more information, see *Export lists of matched and unmatched objects* in the *Administration* help.

Select paths for metadata extraction filters

When you define filters for metadata extraction, you can include or exclude metadata from a folder or file path. You can either enter the path as the filter value or select a path from a list of folders and files available in the source system.

You can filter based on a folder, file, or path when you configure the following catalog sources:

- Amazon S3
- File System
- Google Cloud Storage
- Hadoop Distributed File System
- Microsoft Azure Blob Storage
- Microsoft Azure Data Lake Storage Gen2
- Microsoft Fabric OneLake
- Microsoft OneDrive
- Microsoft SharePoint Online
- Oracle Cloud Object Storage
- SFTP File System

For more information about catalog sources, see the corresponding catalog source help.

Generate lineage for file system based catalog sources

When you link catalog sources to generate lineage, you can select file system based catalog sources as the source and target catalog sources.

You can choose any of the following file system based catalog sources when you link catalog sources:

- Amazon S3
- File System
- Google Cloud Storage
- Hadoop Distributed File System
- Microsoft Azure Blob Storage
- Microsoft Azure Data Lake Storage Gen2
- Microsoft Fabric OneLake
- Microsoft OneDrive
- Microsoft SharePoint Online
- Oracle Cloud Object Storage

- SFTP File System

For information about linking catalog sources, see *Link catalog sources* in the Administration help.

Select objects for metadata extraction filters

When you define filters for metadata extraction, you can select objects from a list of objects available in the source system.

You can select objects from a list when you configure the following catalog sources:

- Google BigQuery
- IBM Netezza
- Microsoft Azure Synapse Data Warehouse

For more information about catalog sources, see the corresponding catalog source help.

Synchronize metadata from Data Integration dynamic mapping tasks

The IDMC metadata now synchronizes metadata from dynamic mapping tasks in Data Integration.

For information about IDMC metadata, see *IDMC Metadata* in the Administration help.

Use REST APIs to manage catalog sources

You can use REST APIs to perform the following tasks on catalog sources:

- Create catalog source. Use the API to create a catalog source.
- Retrieve catalog source. Use the API to retrieve a catalog source based on the source ID.
- List catalog sources. Use the API to list catalog sources based on the specified filter.
- Update catalog source. Use the API to edit the catalog source configuration.
- Delete catalog source. Use the API to delete a catalog source.

For information about the catalog source management APIs, see the Informatica Developer Portal.

Generating JSON Web Token (JWT) to authenticate REST API requests

To authenticate users to REST API endpoints, organization administrators can choose the JSON Web Token-based authentication method in Administrator. This method allows you to generate JWT tokens without a session ID.

With this method, you can authenticate to REST API endpoints with only the JWT token. However, generating the JWT token from a session ID remains the default.

For more information, see the JWT Support Knowledge article.

Design workflows with tasks that run concurrently

You can use the parallel gateway component to design workflows that require multiple tasks to run concurrently.

For example, when you create a workflow for processing a loan application, you can add multiple tasks that can run in parallel to speed up the process. Customer credit risk validation, KYC collection, asset details, and legal inputs are tasks that users can perform concurrently.

For more information about how you can design a workflow, see *Designing a workflow* in the *Administration* help.


Modify published workflows

You can now edit an existing workflow that is already published.

For more information about how you can modify a workflow, see *Update a workflow* in the *Administration* help.

Custom layouts for the Browse page

Administrators can configure custom layouts for the **Browse** page. The configuration options are similar to the custom layout options for the **Asset** page.



For more information about how you can create custom layouts for the Browse page, see *Custom layouts for the Browse page* in the *Administration* help.

Upgrade notifications

Metadata Command Center now sends email notifications about organization upgrades to the latest versions of Metadata Command Center, Data Governance and Catalog, and Data Marketplace.

As an administrator, you receive notifications for the following events:

- An upgrade is scheduled
- An upgrade schedule is updated
- An upcoming upgrade
- An upgrade starts
- An upgrade completes

For more information about upgrades, see *Upgrade an organization to the latest version* in the *Administration* help.

Changed behavior

The November 2025 release of Metadata Command Center includes the following changed behaviors.

Action label name change

To create a catalog source, a data classification, or a linked catalog source configuration that is similar to an existing one, you now click **Clone**.

Previously, you clicked **Copy**.

For more information, see the *Catalog Source Configuration* help.

REST API resource identification

The URI to access the catalog source management REST API endpoints has been updated to `/data360/catalog-source-management/v1`.

Previously, you had to use the following URI to access catalog source management endpoint: `/data360/executable/v1`

For information about the catalog source management APIs, see the Informatica Developer Portal.

Connection permissions required for catalog source jobs

For catalog sources that require a connection in Administrator, or include a capability that needs a connection, you now need to have permissions on connections to perform the following tasks:

- Create or edit a catalog source
- Configure a catalog source to run on a schedule
- Manually run a catalog source job

This applies to all types of connections, such as source, staging, and flat file connections.

To run a catalog source job for catalog sources that reference other source systems, you need permissions on the connections for all the reference source systems.

Previously, you didn't need permissions on connections to perform these tasks.

For more information, see the *Catalog Source Configuration* help.

Connection name for referenced source systems

The connection names for referenced source system assets now appear in the following format: `Host_Port_DB`.

Previously, the connection names appeared in the following format: `HOST_Port_DB_Schema`.

This applies to the Talend Data Integration catalog source.

For more information, see the *Talend Data Integration* catalog source help.