How-To Library

Informatica

Predefined data element classifications in CloudData Governance and Catalog

© Copyright Informatica LLC 2022, 2025. Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html.

Abstract

This article describes all the predefined data element classifications that Metadata Command Center provides by default.

Supported Versions

- Metadata Command Center July 2025

Table of Contents

Overview. . . . 8
Import predefined data classifications. . . . 8
Predefined data element classifications. . . . 8
ABA Routing Number. . . . 9
Address. . . . 9
Albania National ID Number. . . . 9
Amex. . . . 9
Argentina National ID (DNI) Number. . . . 10
Australia Bank Account Number. . . . 10
Australia Business Number. . . . 10
Australia Centrelink Customer Reference Number (CRN). . . . 10
Australia Company Number. . . . 10
Australia Covid Document Number. . . . 11
Australia Medicare Number. . . . 11
Australia Tax File Number. . . . 11
Australia Passport Number. . . . 12
Austria Driving License Number. . . . 12
Austria Passport. . . . 12
Austria Social Security Number (SSN). . . . 12
Austria VAT Number. . . . 13
Austria Identity Card Number. . . . 13
Austria Tax Identification Number (TIN). . . . 13
Belgium National Registration Number (BIS). . . . 13
Belgium Driving License Number. . . . 14
Belgium Passport Number. . . . 14
Belgium Value Added Tax (VAT) Number. . . . 14
BIC/Swift Code. . . . 14
Birth date. . . . 15
Brazil CNPJ. . . . 15
Brazil CPF. . . . 15
Brazil Registro Geral. . . . 15

Bulgaria Driving License. 16
Bulgaria Passport Number. 16
Bulgaria Uniform Civil Number. 16
Canada Bank Account Number. 16
Canada Driving License Number. 16
Canada Health Service Number. 17
Canada Passport Number. 17
Canada Personal Health Identification Number (PHIN). 17
Canada Postal Code. 17
Canada Social Insurance Number (SIN). 18
Chile Identity Card Number. 18
China Resident Identity Card Number. 18
Company Ticker USA. 19
Country ISO Code. 19
Country Name. 19
Credit Card. 19
Croatia Driving License Number. 19
Croatia ID Card Number. 20
Croatia Passport Number. 20
Croatia Personal Identification (OIB) Number. 20
CUSIP. 20
Cyprus Driving License Number. 21
Cyprus Identity Card Number. 21
Cyprus Passport Number. 21
Cyprus Tax Identification Number. 21
Czech Republic Driving License Number. 21
Czech Republic National Identity Card Number. 22
Czech Republic Passport Number. 22
Denmark Passport Number. 22
Denmark Personal Identification Number. 22
Diners Club Credit Card Number. 23
Drug Enforcement Agency (DEA) Number. 23
Email. 23
Estonia Driving License Number. 23
Estonia Passport Number. 23
Estonia Personal Identification Code. 24
Ethnic Group. 24
Finland Driving License Number. 24
Finland European Health Insurance Number. 24
Finland National Identity Number. 25

Finland Passport Number. . . . 25
First Name. . . . 25
France Driving License Number. . . . 25
France Health Insurance Number. . . . 25
France Social Security Number (INSEE). . . . 26
France National ID (CNI). . . . 26
France Passport Number. . . . 26
France SIREN. . . . 26
France Tax Identification Number (TIN). . . . 27
France Value Added Tax (VAT) Number. . . . 27
Gender. . . . 27
GeoLocation. . . . 27
Germany Driving License Number. . . . 28
Germany Identity Card Number. . . . 28
Germany Passport Number. . . . 28
Germany Tax Identification Number. . . . 28
Germany Value Added Tax Number. . . . 28
Greece Driving License Number. . . . 29
Greece National Identity (ID) Number. . . . 29
Greece Passport Number. . . . 29
Greece Social Security Number (AMKA). . . . 29
Greece Tax Identification Number (AFM). . . . 29
Hong Kong Identity Card (HKID) Number. . . . 30
Hungary Driving License Number. . . . 30
Hungary Passport Number. . . . 30
Hungary Personal Identification Number (PIN). . . . 30
Hungary Social Security Number (TAJ). . . . 31
Hungary Tax Identification Number. . . . 31
Hungary Value Added Tax (VAT) Number. . . . 31
India Passport Number. . . . 31
Indian City. . . . 31
Indian District. . . . 32
Indian EPIC Number. . . . 32
Indian Goods and Services Tax Identification Number (GSTIN). . . . 32
India Permanent Account Number (PAN). . . . 32
Indian Phone Number. . . . 32
Indian PIN. . . . 33
Indian State. . . . 33
India Unique Identification (Aadhaar) Number. . . . 33
Indonesia Identity Card (KTP) Number. . . . 33

International Bank Account Number (IBAN). 33
International Dialing Code. 34
IPv4. 34
IPv6. 34
Ireland Driving License Number. 34
Ireland Passport Number. 34
Ireland Personal Public Service (PPS) Number. 35
Israel Bank Account Number (IBAN). 35
Israel National ID. 35
Italy Driving License Number. 35
Italy Fiscal Code. 35
Italy Passport Number. 36
Italy Value Added Tax (VAT) Number. 36
Japan Bank Account Number. 36
Japan Driving License Number. 36
Japan My Number - Corporate. 37
Japan My Number - Personal. 37
Japan Passport Number. 37
Japan Residence Card Number. 37
Japan Resident Registration Number. 38
Japan Social Insurance Number (SIN). 38
Latvia Driving License Number. 38
Latvia Passport Number. 38
Latvia Personal Code. 39
Lithuania Driving License Number. 39
Lithuania Passport Number. 39
Lithuania Personal Code. 39
Luxembourg Driving License Number. 39
Luxemburg National Identification Number (non-natural persons). 40
Luxembourg National Identification Number (natural persons). 40
Luxembourg Passport Number. 40
Maestro Credit Card Number. 40
Malaysia Identification Card Number. 40
Malta Driving License Number. 41
Malta National ID Number. 41
Malta Passport Number. 41
Malta Tax Identification Number. 41
Mastercard Number. 41
Netherlands Citizen Service (BSN) Number. 42
Netherlands Driving License Number. 42

Netherlands Passport Number. 42
Netherlands Tax Identification Number (TIN). 42
Netherlands Value Added Tax (VAT) Number. 42
New Zealand Bank Account Number. 43
New Zealand Business Number (NZBN). 43
New Zealand Driving License Number. 43
New Zealand Individual Health Identifier (IHI). 43
New Zealand Inland Revenue Number (IRD). 44
New Zealand Passport Number. 44
New Zealand Social Welfare Number (SWN). 44
New Zealand Vehicle Identification Number (VIN). 45
Norway Identification Number. 45
Philippines Unified Multi-Purpose Identification Number. 45
USA Phone Number. 45
Poland Driving License Number. 45
Poland Identification Card. 46
Poland National ID (Pesel). 46
Poland Passport Number. 46
Poland REGON Number. 46
Poland Tax Identification Number (TIN). 47
Portugal Citizen Card Number. 47
Portugal Driving License Number. 47
Portugal Passport Number. 48
Portugal Tax Identification Number (TIN). 48
Religion. 48
Romania Driving License Number. 48
Romania Passport Number. 49
Romania Personal Numeric Code (CNP). 49
Russia Domestic Passport Number. 49
Russia International Passport Number. 49
Saudi Arabia National ID Number. 49
Singapore National Registration Identity Card (NRIC) Number. 50
Slovakia Driving License Number. 50
Slovakia Passport Number. 50
Slovakia Personal Number. 50
Slovenia Driving License Number. 50
Slovenia Passport Number. 51
Slovenia Tax Identification Number (TIN). 51
Slovenia Unique Master Citizen Number. 51
South Africa Identification Number. 51

South Korea Resident Registration Number. . . . 52
Spain Driving License Number. . . . 52
Spain National ID Number. . . . 52
Spain Passport Number. . . . 52
Spain Social Security Number (SSN). . . . 53
Spain Tax Identification Number (TIN). . . . 53
SSN. . . . 53
Sweden Driving License Number. . . . 53
Sweden National ID. . . . 54
Sweden passport number. . . . 54
Sweden Tax Identification Number (TIN). . . . 54
Switzerland SSN AHV Number. . . . 54
Taiwan National Identification Number. . . . 54
Taiwan Passport Number. . . . 55
Taiwan-Resident Certificate (ARC/TARC) Number. . . . 55
Thailand Citizen ID. . . . 55
Turkey national identification number. . . . 55
Ukraine Domestic Passport Number. . . . 55
Ukraine International Passport Number. . . . 56
United Kingdom Driving License Number. . . . 56
United Kingdom Electoral Roll Number. . . . 56
United Kingdom Passport Number. . . . 56
United Kingdom National Insurance Number (NINO). . . . 57
United Kingdom Unique Taxpayer Identification Number. . . . 57
United Kingdom Unique Taxpayer Reference Number (UK UTR). . . . 57
URL. . . . 57
USA City. . . . 57
USA County. . . . 58
USA Driving License Number. . . . 58
USA Individual Tax Identification Number (ITIN). . . . 58
USA National Provider Identifier Standard (NPI). . . . 58
USA Social Security Number (SSN). . . . 58
USA State Code. . . . 59
USA State Name. . . . 59
USA Zip Code. . . . 59
Visa Credit Card Numbers. . . . 59

World Cities. 59

Overview

This article describes the predefined data element classifications that Metadata Command Center provides by default. You can import these data classifications with the click of a button and associate them with a catalog source to identify and organize data in your organization into meaningful categories.


For more information about data classifications, see the Data classification chapter in the Metadata Command Center *Administration* help module.

Import predefined data classifications

Metadata Command Center provides predefined data classifications that you can import and use while performing the data classification capability on a source system. However, you cannot modify the imported classifications.

To import predefined data classifications, perform the following steps:

1. In Metadata Command Center, go to the **Explore** page.
2. Click the menu on the top of the page and select **Data Classifications**.
3. Click **Import Predefined Content**.



4. On the confirmation dialog box, click **Yes**.

   This triggers a job to import and install the predefined data classifications. You can track the status of the job on the **Monitor** page.
5. After the job is successful, you can view the list of imported data classifications on the **Data Classifications** page.

When you configure a catalog source and enable the data classification capability, you can use the imported data classifications to classify the data within your organization.

Predefined data element classifications

Read the description of the predefined data element classifications to understand how you can identify and classify data within your organization.

ABA Routing Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of the American Banking Association (ABA) routing numbers. It infers ABA routing numbers containing a nine-digit code in the following pattern:

- four digits
- an optional hyphen
- four digits
- an optional hyphen
- one digit

Sample values inferred

This classification can infer ABA routing numbers such as 082000549.

Address

Description

This data element classification classifies columns based on the metadata and data values that match a person's address stored in a single column. It infers addresses containing the house numbers and street names.

Sample values inferred

This classification infers address values such as 100 Main Street, 2100 Seaport Blvd.

Albania National ID Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Albania National ID numbers. It infers Albania National ID numbers containing ten alphanumeric characters.

Sample values inferred

This classification can infer Albania national ID numbers such as 930131123A, 910231123B, and A00101123A.

Amex

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of AMEX credit card numbers. It infers AMEX credit card number containing 15 digits that start with the digits '37' or '34'.

Sample values inferred

This classification can infer AMEX credit card numbers such as 371449635398445 and 348449635398431.

Argentina National ID (DNI) Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Argentina DNI numbers. It infers Argentina DNI numbers containing eight digits with optional dashes, spaces, or periods.

Sample values inferred

This classification can infer DNI numbers such as 55.555.555, 55-555-555, 55555555, and 55 555 555.

Australia Bank Account Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Australia bank account numbers. It infers Australian bank account numbers containing six to ten digits, with or without the bank state branch number.

Sample values inferred

This classification can infer Australian bank account numbers such as 123456 or 1234567890.

Australia Business Number

Description

This data element classification classifies columns based on the metadata and data values that match the format of Australia Business numbers. It infers Australian Business numbers containing 11 digits with optional spaces and hyphens.

Sample values inferred

This classification can infer Australian Business numbers such as 10-765-341-982, 99 611 963 088, and 76520918634.

Australia Centrelink Customer Reference Number (CRN)

Description

This data element classification classifies columns based on the data values that match the format and structure of Australia CRN numbers. It infers Australian CRN numbers that contain nine digits and end with a letter that is not case-sensitive.

Sample values inferred

This classification can infer CRN values such as 123456789A.

Australia Company Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Australia Company numbers. It infers Australian Company numbers containing nine digits, with optional spaces and hyphens in the following pattern:

- three digits
- an optional space or hyphen
- three digits

- an optional space or hyphen
- three digits

Sample values inferred

This classification can infer Australian Company numbers such as 101-555-876, 762 044 864, and 352071973.

Australia Covid Document Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Australia Covid Document numbers. It infers Australia Covid Document numbers containing 12 digits with optional spaces and hyphens in the following pattern:

- four digits
- an optional space or hyphen
- four digits
- an optional space or hyphen
- four digits

Sample values inferred

This classification can infer Australian Covid Document numbers such as 1234-9876-4008, 2047 1918 0055, and 870230643619.

Australia Medicare Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Australia Medicare numbers. It infers Australian Medicare numbers that contain 10 - 11 digits, with or without spaces and hyphens. The first digit is in the range two to six.

Sample values inferred

This classification can infer Australian Medicare numbers such as 55520364085 and 5101 20591 8-1.

Australia Tax File Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Australia Tax file numbers. It infers Australian Tax file numbers containing eight digits with optional hyphens and spaces in the following pattern:

- three digits
- an optional space or hyphen
- three digits
- an optional space or hyphen
- two digits

Sample values inferred

This classification can infer Tax File numbers such as 37118655, 371 186 55, and 371-186-55.

Australia Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Australia passport numbers. It infers Australian passport numbers containing eight alphanumeric characters, starting with a letter and followed by seven digits.

Sample values inferred

This classification can infer Australian passport numbers such as N4123456 and D1132876.

Austria Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Austria driving license numbers. It infers Austrian driving license numbers containing eight digits without spaces or delimiters.

Sample values inferred

This classification can infer Austrian driving license numbers such as 69540098.

Austria Passport

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Austria passport numbers. It infers Austrian passport numbers containing a letter followed by an optional space that is followed by seven digits.

Sample values inferred

This classification can infer Austrian passport numbers such as D 5400198 or D5400198.

Austria Social Security Number (SSN)

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Austria SSN. It infers Austria SSN values containing 10 digits with optional spaces in the following pattern:

- four digits
- an optional space
- two digits
- an optional space
- two digits
- an optional space
- two digits

Sample values inferred

This classification can infer Austria SSN values such as 8983540036 and 2760 88 11 09.

Austria VAT Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Austria VAT numbers. It infers Austrian VAT numbers containing nine to eleven alphanumeric characters in the following pattern:

- starts with letters 'AT' or 'U'
- eight digits

Sample values inferred

This classification can infer Austrian VAT numbers such as U99999999 or ATU11111111.

Austria Identity Card Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Austria identity card numbers. It infers Austria identity card numbers containing a 24-character combination of non case-sensitive letters, digits, and special characters.

Sample values inferred

This classification can infer Austrian ID card numbers such as 123dsfNzar34/+3fdc953=1.

Austria Tax Identification Number (TIN)

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Austria TIN. It infers Austrian TIN values containing nine digits with optional hyphens and spaces in the following pattern:

- two digits
- an optional space or hyphen
- three digits
- an optional space or hyphen
- four digits

Sample values inferred

This classification can infer Austrian TIN values such as 23-234-2345 and 687620911.

Belgium National Registration Number (BIS)

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Belgium BIS numbers. It infers Belgium BIS numbers containing 11 digits with optional delimiters in the following pattern:

- six digits with optional periods or hyphens representing the date of birth in the format YY.MM.DD or YY-MM-DD
- an optional hyphen, period, or space
- three digits

- an optional hyphen, period, or space
- two digits

Sample values inferred

This classification can infer Belgium BIS numbers such as 38-28-98-472-66, 66.45.06-555.12, 527984 735 00, and 45144246455.

Belgium Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Belgium driving license numbers. It infers Belgium driving license numbers containing 10 digits without spaces and delimiters.

Sample values inferred

This classification can infer Belgium driving license numbers such as 1513741220.

Belgium Passport Number

Description

This data element classification classifies column based on metadata and data values that match the format and structure of Belgium passport numbers. It infers Belgium passport numbers that start with two non case-sensitive letters followed by six digits with no spaces or delimiters.

Sample values inferred

This classification can infer Belgium passport numbers such as AA123456 or DE345434.

Belgium Value Added Tax (VAT) Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Belgium VAT numbers. It infers Belgium VAT numbers containing 12 alphanumeric characters, starting with non-case sensitive letters 'BE' or 'be', followed by the digit 0, which is then followed by nine digits.

Sample values inferred

This classification can infer Belgium VAT numbers such as BE0892303752.

BIC/Swift Code

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Bank Identifier Code (BIC) or Society for Worldwide Interbank Financial Telecommunication (SWIFT) codes. The BIC/SWIFT codes contains a four-letter bank code followed by 5-31 letters or digits.

Sample values inferred

This classification can infer BIC/SWIFT codes such as BUNQDE8A, FMBKDEMM891, and DABAIE2D646.

Birth date

Description

This data element classification classifies columns based on the metadata values that match the column names listed in the assigned lookup table. It infers column names that contain keywords such as dob, date_of_birth, date-of-birth, birthdate, birth date, birth_date, birth-date, and date of birth.

Brazil CNPJ

Description

This data element classification classifies columns based on the metadata and data values that matches the format and structure of Brazil CNPJ (Cadastro Nacional de Pessoas Jurídicas) numbers. It infers CNPJ numbers containing 14 digits with delimiters.

Sample values inferred

This classification can infer CNJP numbers such as 68.231.820/0001-28.

Brazil CPF

Description

This data element classification infers columns based on the metadata and data values that match the structure and format of Brazil's taxpayer's identification number called Cadastro de Pessoas Físicas (CPF). It infers CPF numbers containing 11 digits with periods and hyphens in the following format:

- three digits
- a hyphen or a period
- three digits
- a hyphen or a period
- three digits
- a hyphen or a period
- two digits

Sample values inferred

This classification can infer Brazil CPF numbers such as 111.111.111.11 or 123-123-123-12.

Brazil Registro Geral

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Brazil national identification card numbers called Registro Geral (RG). It infers Brazil RG numbers containing nine digits including periods and a hyphen in a specific pattern.

Sample values inferred

This classification can infer Brazil RG numbers such as 33.678.543-9.

Bulgaria Driving License

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Bulgaria driving license numbers. It infers Bulgaria driving license numbers containing nine digits without spaces and delimiters.

Sample values inferred

This classification can infer Bulgarian driving license numbers such as 123456789 or 347876546. It ignores values like 111111111 or 222222222.

Bulgaria Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Bulgaria passport numbers. It infers Bulgaria passport numbers containing nine digits without spaces and delimiters.

Sample values inferred

This classification can infer Bulgaria passport numbers such as 109876543. It ignores values like 111111111 or 222222222.

Bulgaria Uniform Civil Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Bulgaria Uniform Civil numbers. It infers Bulgaria Uniform Civil numbers containing 10 digits without spaces and delimiters in a specific pattern. The first six digits correspond to the birth date in the format YYMMDD and the next three digits designate the birth order number, the third digit being even for males and odd for females. The last digit is a check digit.

Sample values inferred

This classification infers Bulgarian Uniform Civil numbers such as 7510198762 or 5604302373.

Canada Bank Account Number

Description

This data element classification classifies column based on metadata and data values that match the format and structure of Canada bank account numbers. It infers Canada bank account numbers containing 5 to12 consecutive digits.

Sample values inferred

This classification can infer Canada Bank account numbers such as 12356734508 and 35902799.

Canada Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Canada driving license numbers. It infers different patterns of Canada's driving license numbers varying by province.

Sample values inferred

This classification infers Canadian driving license numbers such as 02519-941, QZ72489548, and YWYJYNC1732S.

Canada Health Service Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Canada Health Service numbers. It infers Canada Health Service numbers containing 10 consecutive digits.

Sample values inferred

This classification can infer Canada Health Service numbers such as 1231231231.

Canada Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Canada passport numbers. It infers Canadian passport numbers containing two uppercase letters followed by six digits.

Sample values inferred

This classification can infer Canada passport numbers such as AB123456.

Canada Personal Health Identification Number (PHIN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Canadian PHIN. It infers Canadian PHIN values containing nine digits with optional spaces and hyphens in the following pattern:

- three digits
- an optional space or a hyphen
- three digits
- an optional space or a hyphen
- three digits

Sample values inferred

This classification can infer Canadian PHIN values such as 321 800 657 and 321800657.

Canada Postal Code

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Canada postal codes. It infers Canadian postal codes containing six alphanumeric characters in the following pattern:

- a letter from A,B,C,E,G,H,J,K,L,M,N,P,R,S,T,V,X,Y
- a digit

- a letter from A,B,C,E,G,H,J,K,L,M,N,P,R,S,T,V,W,X,Y,Z
- a space
- a digit
- a letter from A,B,C,E,G,H,J,K,L,M,N,P,R,S,T,V,W,X,Y,Z

Sample values inferred

This classification can infer Canadian postal codes such as A0E 3B0 or A0H 2J0.

Canada Social Insurance Number (SIN)

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Canadian Social Insurance Numbers (SIN). It infers Canadian SIN values containing nine digits with optional spaces and hyphens in the following pattern:

- three digits
- an optional hyphen or a space
- three digits
- an optional hyphen or a space
- three digits

Sample values inferred

This classification can infer Canadian SIN values such as 123 245 986, 2134567809, and 602-777-008.

Chile Identity Card Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Chile identity card numbers. It infers Chile ID card numbers containing eight digits with delimiters in the following pattern:

- a digit
- a period or a hyphen
- three digits
- a period or a hyphen
- three digits
- a period or a hyphen
- a digit or a non case-sensitive letter

Sample values inferred

This classification can infer Chile ID card numbers such as 3.903.673.V and 0.660.511.P.

China Resident Identity Card Number

Description

This data element classification classifies columns based on the metadata and data values that matches the format and structure of China Resident ID Card numbers (PRC). It infers PRC numbers containing 18 consecutive digits.

Sample values inferred

This classification can infer PRC numbers such as 229080307710078175, 516286042902294948, and 645915587308319531.

Company Ticker USA

Description

This data element classification classifies columns based on the data values that match the symbol or ticker of Nasdaq Stock Exchange companies listed in the assigned lookup table.

Sample values inferred

This classification can infer company tickers such as INFA, eBay, and more.

Country ISO Code

Description

This data element classification classifies columns based on the metadata and data values that match the country codes listed in the assigned lookup table.

Sample values inferred

This classification can infer country ISO codes such as US, USA, or 840 for the United States of America.

Country Name

Description

This data element classification classifies columns based on the data values that match the country names listed in the assigned lookup table.

Credit Card

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of VISA, AMEX, MasterCard, and Discover credit card numbers. It infers credit card number containing 13 to 16 digits with optional spaces and hyphens.

Sample values inferred

This classification can infer credit card numbers such as 3714 4963 5398 431,3714-4963-5398-431, ,371449635398431,5105105105105100, 5555555555554444, 4444333322221111,or 4911830000000.

Croatia Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Croatia driving license numbers. It infers Croatia driving license numbers containing eight consecutive digits without spaces and delimiters.

Sample values inferred

This classification can infer Croatia driving license numbers such as 23232324.

Croatia ID Card Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Croatia identity card numbers. It infers Croatia identity card numbers containing nine consecutive digits.

Sample values inferred

This classification can infer Croatia identity card numbers such as 123456789.

Croatia Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Croatia passport numbers. It infers Croatia passport numbers containing nine digits without spaces and delimiters.

Sample values inferred

This classification can infer Croatia passport numbers such as 123456789.

Croatia Personal Identification (OIB) Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of OIB numbers. It infers OIB numbers containing 11 consecutive digits.

Sample values inferred

This classification can infer OIB numbers such as 29819580592.

CUSIP

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of CUSIP numbers. It infers CUSIP numbers that contains nine alphanumeric characters that identifies North American financial securities in the following pattern:

- three digits
- an optional space or a hyphen
- three characters including digits or non case-sensitive letters
- an optional space or a hyphen
- two characters including digits or non case-sensitive letters
- an optional space or a hyphen
- one digit

Sample values inferred

This classification can infer CUSIP numbers such as 3 9 2 6 9 0 Q T 3 and 037833100.

Cyprus Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Cyprus driving license numbers. It infers Cyprus driving license number containing 12 consecutive digits without spaces and delimiters.

Sample values inferred

This classification can infer Cyprus driving license numbers such as 123123123123.

Cyprus Identity Card Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Cyprus identity card numbers. It infers Cyprus identity card numbers containing 10 digits without spaces and delimiters.

Sample values inferred

This classification can infer Cyprus identity card numbers such as 6321458765.

Cyprus Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Cyprus passport numbers. It infers Cyprus passport numbers containing one letter followed by six to eight digits with no spaces or delimiters.

Sample values inferred

This classification can infer Cyprus passport numbers such as A123456 and P12345678.

Cyprus Tax Identification Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Cyprus Tax Identification Numbers (TIN). It infers Cyprus TIN values starting with the digit "0" or "9", followed by seven digits and then a non case-sensitive letter.

Sample values inferred

This classification can infer Cyprus TIN values such as 01234567A.

Czech Republic Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Czech Republic driving license numbers. It infers Czech Republic driving license numbers in the following pattern:

- the letter E that is not case-sensitive
- a letter
- an optional space

- six digits

Sample values inferred

This classification can infer Czech Republic driving license numbers such as EA986345 and ET 652044.

Czech Republic National Identity Card Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Czech Republic national identity card numbers. It infers Czech Republic ID card numbers containing nine digits with an optional forward slash in the old format or 10 digits with an optional forward slash in the new format.

Sample values inferred

This classification can infer Czech Republic ID card numbers such as 151189/102, 291190296, 200197/436, 310399/430.

Czech Republic Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Czech Republic passport numbers. It infers Czech Republic passport numbers containing eight consecutive digits without spaces or delimiters.

Sample values inferred

This classification can infer Czech Republic passport numbers such as 76501948.

Denmark Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Denmark passport numbers. It infers Denmark passport number containing nine consecutive digits without spaces and delimiters.

Sample values inferred

This classification can infer Denmark passport numbers such as 238987654.

Denmark Personal Identification Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Denmark personal identification number. It infers Denmark personal identification numbers containing 10 digits with an optional hyphen in the following pattern:

- six digits in the format DDMMYY
- an optional hyphen
- four digits

Sample values inferred

This classification can infer Denmark personal identification numbers such as 150162-8762 and 1108910433.

Diners Club Credit Card Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Diners Club credit card numbers. It infers Diners Club credit card numbers beginning with 300 through 305, 36 or 38 and containing 14 digits.

Sample values inferred

This classification can infer Diners Club credit card numbers such as 30036592321275 and 38520000023237.

Drug Enforcement Agency (DEA) Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of the Drug Enforcement Agency numbers. It infers DEA numbers in the following pattern:

- a letter that is not case-sensitive from the set - A,B,F,G,M,P,R
- a letter that is not case-sensitive or the digit "9"
- seven digits

Sample values inferred

This classification can infer Drug Enforcement Agency numbers such as AK3264005 and R098765432.

Email

Description

This data element classification classifies columns based on the metadata and data values that match any valid email address format.

Sample values inferred

This classification can infer emails in the format john.doe@yourdomain.com.

Estonia Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Estonia driving license numbers. It infers Estonia driving license numbers that contain two letters followed by six digits.

Sample values inferred

This classification can infer Estonia driving license numbers such as ET560809.

Estonia Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Estonia passport numbers. It infers Estonia passport numbers containing one non case-sensitive letter followed by seven digits with no spaces or delimiters.

Sample values inferred

This classification can infer Estonia passport numbers such as A1321456 or B1234332.

Estonia Personal Identification Code

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Estonia personal identification codes. It infers Estonia personal identification codes containing 11 digits without spaces and delimiters.

Sample values inferred

This classification can infer Estonia personal identification codes such as 15601011234.

Ethnic Group

Description

This data element classification classifies columns based on the data that matches the ethnicity names listed in the assigned lookup table.

Finland Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Finland driving license numbers. It infers Finland driving license numbers containing 10 alphanumeric characters in the following pattern:

- six digits
- a hyphen
- three or four digits
- an uppercase letter

Sample values inferred

This classification can infer Finland driving license numbers such as 234567-8765 and 109870-123A.

Finland European Health Insurance Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Finland European Health Insurance numbers. It infers Finland European Health Insurance numbers containing 20 digits and an optional hyphen in the following format:

- 10 digits - 8024680246
- an optional hyphen
- 10 digits

Sample values inferred

This classification can infer Finland European Health Insurance numbers such as 80246802461231231231.

Finland National Identity Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Finland National Identity numbers. It infers Finland National Identity numbers in the following format:

- six digits
- a character from '-', '+' or 'a'
- three digits
- a digit or a letter

Sample values inferred

This classification can infer Finland National Identity numbers such as 100190-8540.

Finland Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Finland passport numbers. It infers Finland passport numbers containing two non case-sensitive letters followed by seven digits.

Sample values inferred

This classification can infer Finland passport numbers such as Aa1231215.

First Name

Description

This data element classification classifies columns based on the metadata and data values that match the first names listed in the assigned lookup table.

Sample values inferred

This classification can infer the first names listed in the lookup table that you use in the data element classification rule.

France Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of France driving license numbers. It infers France driving license numbers containing 12 digits.

Sample values inferred

This classification can infer France driving license numbers in the format 123123123123

France Health Insurance Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of France Health Insurance numbers. It infers France Health Insurance numbers containing 20 digits.

Sample values inferred

This classification can infer France Health Insurance numbers such as 3898765467356478764 5 and 2987645654 2787645679.

France Social Security Number (INSEE)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of France INSEE numbers. It infers France INSEE numbers containing 15 digits.

Sample values inferred

This classification can infer France INSEE numbers in the format 1111111111111 11.

France National ID (CNI)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of France National ID (CNI) numbers. It infers CNI numbers containing 12 consecutive digits.

Sample values inferred

This classification can infer France National ID (CNI) numbers such as 234242567876.

France Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of France passport numbers. It infers France passport numbers containing nine alphanumeric character in the following pattern:

- two digits
- two non case-sensitive letters
- five digits

Sample values inferred

This classification can infer France passport numbers such as 37AB38987 and 23DF19876.

France SIREN

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of the France SIREN (Système d'identification du répertoire des entreprises) number. It infers France SIREN numbers containing nine digits in the following pattern:

- three digits
- an optional space or hyphen
- three digits
- an optional space or hyphen
- three digits

Sample values inferred

This classification can infer France SIREN numbers in the format 111111111, 111 111 111, and 111-111-111.

France Tax Identification Number (TIN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of France Tax Identification numbers. It infers France TIN values containing 13 digits in the following pattern:

- one digit that must be 0, 1, 2, or 3
- twelve digits

Sample values inferred

This classification can infer France TIN values such as 0289876545679 and 2349876543214.

France Value Added Tax (VAT) Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of France VAT numbers. It infers France VAT numbers containing 13 alphanumeric characters in the following pattern:

- two case-sensitive letters - FR (optional)
- two letters or digits
- nine digits

Sample values inferred

This classification can infer France VAT numbers such as FR1A234567098 and 2A898765435.

Gender

Description

This data element classification classifies columns based on the metadata and data values that match the gender information listed in the assigned lookup table.

Sample values inferred

This classification infers gender values such as male, female, m, f, M, F, non-binary, nonbinary, trans, transgender, and genderqueer.

GeoLocation

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of geolocation coordinates.

Sample values inferred

This classification infers geolocation coordinates such as 144442800, -266842800; 40 7 22.8, -74 7 22.8; 40.123 -74.123; 40.123, -74.123; 40.123° N 74.123° W.

Germany Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Germany driving license numbers. This classification infers Germany driving license numbers containing a combination of 11 digits and letters.

Sample values inferred

This classification can infer Germany driving license numbers such as A65123asd0a.

Germany Identity Card Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Germany Identity (ID) Card numbers. This classification infers Germany ID card numbers containing nine alphanumeric characters.

Sample values inferred

This classification infers Germany ID Card numbers such as LCfgh1234.

Germany Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Germany passport numbers. It infers Germany passport numbers containing 10 digits or letters in the following pattern:

- first character is a digit or a letter from the letters C, F, G, H, J, K
- eight digits and letters
- one digit

Sample values inferred

This classification can infer Germany passport numbers such as HH4L27WR43 and FC8G7P6KF1.

Germany Tax Identification Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Germany Tax Identification numbers (TIN). It infers Germany TIN containing 11 digits with optional spaces.

Sample values inferred

This classification infers Germany TIN numbers such as 62 543 678 231.

Germany Value Added Tax Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Value Added Tax (VAT) number of Germany. It infers Germany VAT numbers containing 11 alphanumeric characters.

Sample values inferred

This classification infers Germany VAT numbers such as DE 145 167 456.

Greece Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Greece driving license numbers. This classification infers Greece driving license numbers contain nine consecutive digits without spaces or delimiters.

Sample values inferred

This classification can infers Greece driving license numbers such as 760189236.

Greece National Identity (ID) Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Greece National ID numbers. It infers Greece National ID numbers containing a combination of seven or eight alphanumeric characters and a dash.

Sample values inferred

This classification infers Greece National ID numbers such as YA-783584.

Greece Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format of Greece passport numbers. It infers Greece passport numbers containing two letters followed by seven digits without spaces or delimiters.

Sample values inferred

This classification infers Greece passport numbers such as AB1212123.

Greece Social Security Number (AMKA)

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Greece Social Security numbers (AMKA). It infers Greece AMKA numbers containing 11 consecutive digits without spaces or delimiters.

Sample values inferred

This classification infers Greece AMKA values such as 2405821111 or 21068302673.

Greece Tax Identification Number (AFM)

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Greece AFM numbers. It infers Greece AFM numbers containing nine digits without spaces and delimiters.

Sample values inferred

This classification infers Greece AFM numbers such as 123456789 or 987654321.

Hong Kong Identity Card (HKID) Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Hong Kong Identity (ID) card numbers. It infers HKID numbers containing a combination of eight or nine alphanumeric characters.

Sample values inferred

This classification infers HKID numbers such as A4861008 or OU4705691.

Hungary Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Hungary driving license numbers. This classification infers Hungary driving license numbers that contain two case-insensitive letters, followed by six digits without spaces or delimiters.

Sample values inferred

This classification infers Hungary driving license numbers such as CA123456 or cB123123. It ignores values such as CA111111 or AA111111.

Hungary Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Hungary passport numbers. This classification infers Hungary passport numbers containing two letters followed by six or seven digits.

Sample values inferred

This classification infers Hungary passport numbers such as AB1212123 or AB123435.

Hungary Personal Identification Number (PIN)

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Hungary Personal Identification Numbers. It infers Hungary PIN containing 11 consecutive digits in the following pattern:

- one digit in the range of numbers 1 to 8, depending on the date and location of birth
- six digits that correspond to the date of birth in the format YYMMDD
- three digits that correspond to a serial number
- one check digit

Sample values inferred

This classification infers Hungary PIN values such as 72003312922 and 24402293032.

Hungary Social Security Number (TAJ)

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Hungary Social Security Numbers (TAJ). It infers Hungary TAJ numbers containing nine consecutive digits without spaces and delimiters.

Sample values inferred

This classification infers Hungary TAJ numbers such as 123456789.

Hungary Tax Identification Number

Description

This data element classification classifies columns based on the metadata and data values that match the format of Hungary Tax Identification Number. It infers Hungary Tax Identification Numbers containing 10 digits with no spaces or delimiters.

Sample values inferred

This classification infers Hungary Tax Identification Numbers such as 98786785012.

Hungary Value Added Tax (VAT) Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Hungary VAT numbers. It infers Hungary VAT numbers containing 10 alphanumeric characters with an optional space.

Sample values inferred

This classification can infer Hungary VAT numbers such as HU 12345678 or HU12345678.

India Passport Number

Description

This data element classification classifies columns based on data values that match the structure and format of Indian passport numbers. It infers an alphabet followed by 7 numbers.

Sample values inferred

This classification can infer Indian passport numbers such as A1234567.

Indian City

Description

This data element classification classifies columns based on data values that match Indian city names listed in the assigned lookup table.

Sample values inferred

This classification can infer Indian city names such as New Delhi, Mumbai, Kolkata, Chennai and so on.

Indian District

Description

This data element classification classifies columns based on data values that match Indian district names listed in the assigned lookup table.

Sample values inferred

This classification can infer Indian district names such as Kutch, Jaisalmer, Anantapur and so on.

Indian EPIC Number

Description

This data element classification classifies columns based on data values that match the structure and format of Indian Electors Photo Identity Card (EPIC) numbers. It infers Indian electoral numbers that contain 10 alphanumeric characters.

Sample values inferred

This classification infers Indian electoral numbers such as XGS1234567 and XGN3002623.

Indian Goods and Services Tax Identification Number (GSTIN)

Description

This data element classification classifies columns based on data values that match the structure and format of Indian GSTIN numbers. It infers GSTIN numbers containing 15 alphanumeric characters in the following pattern:

- Two digits that represent a state code
- Ten characters that represent a Permanent Account Number (PAN)
- A digit that represents the number of registrations done within an Indian state
- The letter 'Z'
- A check digit

Sample values inferred

This classification infers Indian GSTIN numbers such as 06BZAHM6385P6Z2 and 24AAACC1206D1ZM.

India Permanent Account Number (PAN)

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Indian PAN numbers. It infers PAN containing a 10 digit alphanumeric number issued by the Income Tax Department of India.

Sample values inferred

This classification can infer Indian PAN numbers such as AAAPR8345D.

Indian Phone Number

Description

This data element classification classifies columns based on data values that match the structure and format of Indian phone numbers. It infers Indian phone numbers in the format +91XXXXXXXXXX or +91 XXXXXXXXXX.

Sample values inferred

This classification can infer Indian phone numbers such as +911234567890 or +91 1234567890.

Indian PIN

Description

This data element classification classifies columns based on data values that match the structure and format of Indian Postal Index Number (PIN) codes. It infers six digit PIN codes. The first digit is not zero.

Sample values inferred

This classification can infer Indian PIN codes such as 132103 and 201 305.

Indian State

Description

This data element classification classifies columns based on data values that match Indian state names listed in the assigned lookup table.

Sample values inferred

This classification can infer Indian state names such as Punjab, Maharashtra, Karnataka and so on.

India Unique Identification (Aadhaar) Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Indian Aadhar numbers. It infers Aadhar numbers containing a 12 digit individual identification number issued by the Unique Identification Authority of India.

Sample values inferred

This classification can infer patterns of Indian Aadhar numbers such as 6052 8760 9811 3201, 6052876098113201, 6052-8760-9811-3201, or 6052.8760.9811.320.

Indonesia Identity Card (KTP) Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of the KTP number. It infers KTP numbers containing 16 digits without delimiters.

Sample values inferred

This classification infers KTP numbers such as 7652145506085952.

International Bank Account Number (IBAN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of IBAN. It infers IBAN numbers containing two-letter country code, followed by two check digits, and then followed by up to 30 alphanumeric characters.

Sample values inferred

This classification infers IBAN values such as BE26199561168129, IL444342426574538724241 or GB63BARC20039524667316.

International Dialing Code

Description

This data element classification classifies columns based on the metadata and data values that match the column names and tele codes listed in the assigned lookup table.

Sample values inferred

This classification infers international dialing codes such as 7,32,676,1268,441481,007,0032,00676,001268,00441481,+7,+32,+676,+1268,+1-268,+1 268,+441481,+44-1481,+44 1481,00 976 from the lookup table.

IPv4

Description

This data element classification classifies columns based on the data values that match the format and structure of IPv4 addresses.

Sample values inferred

This classification infers IPv4 addresses such as 172.16.254.1.

IPv6

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of IPv6 addresses.

Sample values inferred

This classification infers IPv6 addresses such as 2001:4860:0:2001::68 or 6fd3:98d2:3b75:e37d:a0d3:1dc3:6e52:856b.

Ireland Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Ireland driving license numbers. It infers Ireland driving license numbers containing six digits followed by four letters.

Sample values inferred

This classification can infer Ireland driving license numbers such as 123123AbCd.

Ireland Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Ireland passport numbers. It infers Ireland passport numbers containing two letters or digits followed by seven digits with no spaces or delimiters.

Sample values inferred

This classification infers Ireland passport numbers such as Ab5748321.

Ireland Personal Public Service (PPS) Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Ireland PPS numbers. It infers PPS numbers containing seven digits followed by 1-2 letters.

Sample values inferred

This classification infers Ireland PPS numbers such as 1231231Au.

Israel Bank Account Number (IBAN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Israel Bank Account Numbers (IBAN). It infers Israel bank account numbers beginning with IL and followed by 21 digits.

Sample values inferred

This classification infers IBAN numbers such as IL547820103451234800987 and IL 87380 0520397478078887.

Israel National ID

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Israel National ID numbers. It infers Israel National ID numbers containing nine consecutive digits.

Sample values inferred

This classification infers Israel National ID numbers such as 123123123.

Italy Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Italy driving license numbers. It infers Italy driving license numbers containing a combination of 10 letters and digits.

Sample values inferred

This classification can infer Italy driving license numbers such as AA1231231Z.

Italy Fiscal Code

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of the Italy Fiscal Code numbers. It infers Italy Fiscal Code numbers containing a 16-character combination of letters and digits.

Sample values inferred

This classification can infer Italy Fiscal Code numbers such as UIXDMS5PE7LF5QUL or VOXAEXU9S30IL38Z.

Italy Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Italian passport numbers. It infers Italy passport numbers containing two letters or digits followed by seven digits.

Sample values inferred

This classification can infer Italy passport numbers such as E21053607, 3K6405156, and BK7289805.

Italy Value Added Tax (VAT) Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Italy VAT numbers. It infers Italy VAT numbers containing the country code `IT` followed by 11 digits, with an optional delimiter.

Sample values inferred

This classification can infer Italy VAT numbers such as IT.12312312312 or IT71683276916.

Japan Bank Account Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Japan bank account numbers. It infers Japanese bank account numbers containing seven digits in the following pattern:

- three digits
- a space or a hyphen
- four digits

Sample values inferred

This classification can infer Japanese bank account number such as 123-1234.

Japan Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Japan driving license numbers. It infers Japanese driving license numbers containing 12 consecutive digits.

Sample values inferred

This classification can infer Japanese driving license numbers such as 123234345345.

Japan My Number - Corporate

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Japan My Number - Corporate. It infers Japanese Corporate numbers containing 13 digits in the following pattern:

- one digit from one to nine
- 12 digits

Sample values inferred

This classification can infer Japanese Corporate numbers such as 5163234567809.

Japan My Number - Personal

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Japan My Number - Personal. It infers Japanese Personal numbers containing 12 digits.

Sample values inferred

This classification can infer Japanese Personal numbers such as 123232345689.

Japan Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Japan passport numbers. It infers Japanese passport numbers containing two non case-sensitive letters followed by seven digits.

Sample values inferred

This classification can infer Japanese passport numbers such as AB1231231.

Japan Residence Card Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Japan Residence Card numbers. It infers Japan Residence Card numbers containing 12 alphanumeric characters in the following pattern:

- two non case-sensitive letters
- eight digits
- two non case-sensitive letters

Sample values inferred

This classification can infer Japan Residence Card numbers such as AB12312312CD.

Japan Resident Registration Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Japan Resident Registration number. It infers Japanese Resident Registration numbers containing 11 consecutive digits.

Sample values inferred

This classification can infer Japanese Resident Registration numbers such as 32087457688.

Japan Social Insurance Number (SIN)

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Japan Social Insurance numbers. It infers Japan SIN values containing 7 to 12 consecutive digits, or a number that matches the following pattern:

- four digits
- an optional hyphen
- six digits

Sample values inferred

This classification can infer Japanese SIN values such as 4063-541120.

Latvia Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Latvia driving license numbers. It infers Latvia driving license numbers containing three non case-sensitive letters followed by six digits.

Sample values inferred

This classification can infer Latvia driving license numbers such as AbC123123.

Latvia Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Latvia passport numbers. It infers Latvia passport numbers containing nine alphanumeric characters in the following pattern:

- two digits or non case-sensitive letters
- seven digits

Sample values inferred

This classification can infer Latvia passport numbers such as PA9992615.

Latvia Personal Code

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Latvia Personal Codes. It infers Latvia Personal Code numbers containing 11 digits and an optional hyphen.

Sample values inferred

This classification can infer Latvia Personal Code numbers such as 100188-01234.

Lithuania Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Lithuania driving license numbers. It infers Lithuania driving license numbers containing eight consecutive digits without spaces and delimiters.

Sample values inferred

This classification can infer Lithuania driving license numbers such as 12345678.

Lithuania Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Lithuania passport numbers. It infers Lithuania passport numbers containing eight alphanumeric characters.

Sample values inferred

This classification can infer Lithuania passport numbers such as A123B123.

Lithuania Personal Code

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Lithuania Personal Code numbers. It infers Lithuania Personal Code numbers containing 11 digits without spaces and delimiters.

Sample values inferred

This classification can infer Lithuania Personal Code numbers such as 19912101234.

Luxembourg Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Luxembourg driving license numbers. It infers Luxembourg driving license numbers containing six digits without spaces and delimiters.

Sample values inferred

This classification can infer Luxembourg driving license numbers such as 123456 but not 111111 or 222222.

Luxemburg National Identification Number (non-natural persons)

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Luxembourg non-natural persons numbers. It infers Luxembourg non-natural persons numbers containing 11 consecutive digits without spaces and delimiters.

Sample values inferred

This classification can infer Luxembourg non-natural persons numbers such as 31238909890 and 89098909872.

Luxembourg National Identification Number (natural persons)

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Luxembourg natural persons numbers. It infers Luxembourg natural persons numbers containing 13 digits without spaces and delimiters in the YYYYMMDDXXXXX format.

Sample values inferred

This classification can infer Luxembourg natural persons numbers such as 2022062966693.

Luxembourg Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Luxembourg passport numbers. It infers Luxembourg passport numbers containing eight alphanumeric characters without spaces or delimiters.

Sample values inferred

This classification can infer Luxembourg passport numbers such as AA111111 or 111A1A11.

Maestro Credit Card Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Maestro credit card numbers. It infers Maestro credit card numbers containing 16 digits.

Sample values inferred

This classification can infer Maestro credit card numbers such as 6759649826438453.

Malaysia Identification Card Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Malaysian Identification numbers. It infers Malaysian Identification numbers containing 12 alphanumeric characters with optional hyphens.

Sample values inferred

This classification infers Malaysian Identification numbers such as 520213-AC-8758.

Malta Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of the Malta driving license numbers. It infers Malta driving license numbers containing eight alphanumeric characters in a specific pattern.

Sample values inferred

This classification can infer Malta driving license numbers such as 1234567A or 1234567a.

Malta National ID Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of the Malta National ID numbers. It infers Malta National ID numbers containing seven digits followed by one case-sensitive letter from M, G, A, P, L, H, B, or Z.

Sample values inferred

This classification can infer Malta National ID numbers such as 1234567M or 6354938G.

Malta Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Malta passport numbers. It infers Malta passport numbers containing seven digits without spaces or delimiters.

Sample values inferred

This classification can infer Malta passport numbers such as 1234567.

Malta Tax Identification Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Malta tax identification numbers for Malta citizens. It infers Malta tax identification numbers containing seven digits followed by a letter.

Sample values inferred

This classification infers Malta tax identification numbers such as 1234567M or 1234567G.

Mastercard Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Mastercard numbers. It infers Mastercard numbers containing 16 digits.

Sample values inferred

This classification can infer Mastercard numbers such as 5105105105105100 or 5555555555554444.

Netherlands Citizen Service (BSN) Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Netherlands Citizen Service (BSN) numbers. It infers BSN numbers containing eight or nine digits.

Sample values inferred

This classification can infer BSN numbers such as 312436050 and 43635265.

Netherlands Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Netherlands driving license numbers. It infers Netherlands driving license numbers containing 10 consecutive digits without spaces and delimiters.

Sample values inferred

This classification can infer Netherlands driving license numbers such as 1234373217 or 7854932610.

Netherlands Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Netherlands passport numbers. It infers Netherlands passport numbers containing nine letters or digits with no spaces or delimiters.

Sample values inferred

This classification can infer Netherlands passport numbers such as AB12345D9.

Netherlands Tax Identification Number (TIN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Netherlands TIN numbers. It infers Netherlands TIN numbers containing nine digits without spaces or delimiters

Sample values inferred

This classification can infer Netherlands TIN values such as 123456782.

Netherlands Value Added Tax (VAT) Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Netherlands VAT numbers. It infers Netherlands VAT numbers containing 14 alphanumeric characters starting with the letters 'NL'.

Sample values inferred

This classification can infer Netherlands VAT numbers such as NL123456789B01.

New Zealand Bank Account Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of New Zealand bank account numbers. It infers New Zealand bank account numbers containing 14 to 16 digits with optional delimiters in the following pattern:

- two digits
- an optional hyphen or space
- four digits
- an optional hyphen or space
- seven digits
- an optional hyphen or space
- two or three digits

Sample values inferred

This classification infers New Zealand bank account numbers such as 01-0001-1234567-000 or 08-0001-8736322-00.

New Zealand Business Number (NZBN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of New Zealand Business Numbers. It infers NZBN numbers containing 13 digits that start with the digits '94', and does not contain spaces or delimiters.

Sample values inferred

This classification can infer NZBN numbers such as 9429033206110, but values like 942903372083K, 429031917957 are not inferred.

New Zealand Driving License Number

Description

This data element classification classifies columns based on metadata and data values that match the structure and format of New Zealand driving license numbers. It infers New Zealand driving license numbers starting with two letters and followed by six digits.

Sample values inferred

This classification can infer New Zealand driving license numbers such as EF223344, but values like F2233444, MN6677882 and K123466 are not inferred.

New Zealand Individual Health Identifier (IHI)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of New Zealand Individual Health Identifiers (IHI). It infers New Zealand IHI numbers containing seven alphanumeric characters in one of the following patterns:

- three letters, an optional space or a hyphen, and then four digits
- three letters, an optional space or a hyphen, two digits, and then two letters

Sample values inferred

This classification can infer New Zealand IHI numbers such as ZAA0113 and AHJ03GT.

New Zealand Inland Revenue Number (IRD)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of New Zealand IRD numbers. It infers Zealand IRD numbers containing eight or nine digits with optional delimiters in the following pattern:

- two or three digits
- an optional space or a hyphen
- three digits
- an optional space or a hyphen
- three digits

Sample values inferred

This classification can infer New Zealand IRD numbers such as 48125360, 48-125-360, 48 125 360, 136-410-132, or 136 410 132.

New Zealand Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of New Zealand passport numbers. It infers passport numbers containing seven or eight-character alphanumeric characters. The number starts with one of the non case-sensitive letter sets from LA, LD, LF, N, EA, LH, EP, LT, and is followed by six digits.

Sample values inferred

This classification can infer New Zealand passport numbers such as LA123456, LD123456, LF123456, N123456, EA123456, LH123456, EP123456, and LT123456. Values like LA111111, LD000000, N222222, EA333333, LH444444, EP555555, LT666666,LA777777, LD888888, LF999999 are not inferred.

New Zealand Social Welfare Number (SWN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of New Zealand Social Welfare numbers. It infers New Zealand SWN values containing nine digits with delimiters in the following pattern:

- three digits
- an optional space or hyphen
- three digits
- an optional space or hyphen
- three digits

Sample values inferred

This classification can infer New Zealand Social Welfare numbers such as 309 874 550 and 200444302.

New Zealand Vehicle Identification Number (VIN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of New Zealand Vehicle Identification Numbers (VIN). It infers New Zealand VIN values containing 17 alphanumeric characters, beginning with one of the following alphanumeric sets - 7A1, 7A3, 7A4, 7A5, 7A8, 7AT.

Sample values inferred

This classification can infer New Zealand VIN such as 7A598836S037H9VP3, 7A358C83539Y7309S, and 7A419S31K1H196A8B.

Norway Identification Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Norway identification numbers. It infers Norway identification numbers containing 11 digits, starting with six digits in the format DDMMYY and followed by five digits.

Sample values inferred

This classification can infer Norway identification numbers such as 3005810131023117024 or 83689215404397690 or 27045273842.

Philippines Unified Multi-Purpose Identification Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Philippines unified multi-purpose identification numbers. It infers numbers that contain 12 digits separated by hyphens in the pattern 1111-1111111-1.

Sample values inferred

This classification can infer Philippines Unified Multi-Purpose Identification numbers such as 0033-1115041-3.

USA Phone Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of USA phone numbers. It infers USA phone numbers in the format (XXX) XXX-XXXX, XXX-XXX-XXXX, or XXX.XXX.XXXX.

Sample values inferred

This classification can infer USA phone numbers such as (555) 555-1234, 555-555-1234, or 555.555.1234.

Poland Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Poland driving license numbers. It infers Poland driving license numbers containing 14 digits in the following pattern:

- five digits

- a forward slash
- two digits
- a forward slash
- seven digits

Sample values inferred

This classification can infer Poland driving license numbers such as 12345/45/1237656.

Poland Identification Card

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Poland identification card numbers. It infers Poland identification card numbers containing three letters that are not case-sensitive followed by six digits.

Sample values inferred

This classification can infer Poland identification card numbers such as AbC123654.

Poland National ID (Pesel)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Poland National ID (Pesel) numbers. It infers Pesel numbers containing 11 consecutive digits. The first six digits represent the date of birth in the format YYMMDD.

Sample values inferred

This classification can infer Pesel numbers such as 25010112345.

Poland Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Poland passport numbers. It infers Poland passport numbers containing two letters that are not case-sensitive, followed by seven digits.

Sample values inferred

This classification can infer Poland passport numbers such as Ab3451234.

Poland REGON Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Poland REGON numbers. It infers Poland REGON numbers containing 9 or 14 digits. If it is a 14-digit number, then it has the following pattern:

- nine digits
- an optional hyphen
- five digits

Sample values inferred

This classification can infer Poland REGON numbers such as 492780948, 229011414-96303, and 69756803627317.

Poland Tax Identification Number (TIN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Poland TIN numbers. It infers Poland TIN numbers containing 11 digits with no spaces or delimiters.

Sample values inferred

This classification can infer Poland TIN numbers such as 12453456765.

Portugal Citizen Card Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Portugal citizen card numbers. It infers Portugal citizen card numbers containing eight digits.

Sample values inferred

This classification can infer Portugal citizen card numbers such as 12345453.

Portugal Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Portugal driving license numbers. It infers Portugal driving license numbers in of the following patterns:

- Pattern 1:
  - two letters that are not case-sensitive
  - a hyphen
  - five or six digits
  - a space
  - one digit
- Pattern 2:
  - one letter that is not case-sensitive
  - a hyphen
  - six or eight digits
  - a space
  - one digit

Sample values inferred

This classification can infer Portugal driving license numbers such as FK-524616 4, J-59603974 1, and XG-47783 3.

Portugal Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Portugal passport numbers. It infers Portugal passport numbers containing one letter that is not case-sensitive, followed by six digits with no spaces or delimiters.

Sample values inferred

This classification can infer Portugal passport numbers such as A123234.

Portugal Tax Identification Number (TIN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Portugal TIN numbers. It infers Portugal TIN numbers containing nine digits with optional spaces in the following pattern:

- three digits
- an optional space
- three digits
- an optional space
- three digits

Sample values inferred

This classification can infer Portugal TIN numbers such as 123 654 456.

Religion

Description

This data element classification classifies columns based on the data values that match the religions of the world.

Sample values inferred

This classification infers religions such as Christian, Muslim, Buddhist, Hindu, and more.

Romania Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Romania driving license numbers. It infers Romania driving license numbers containing eight to ten alphanumeric characters.

Sample values inferred

This classification can infer Romania driving license numbers such as EF223344 and M87768085A.

Romania Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Romania passport numbers. It infers Romania passport numbers containing eight alphanumeric characters in the following pattern:

- starts with two letters that are not case-sensitive
- six digits

Sample values inferred

This classification can infer Romania passport numbers such as KP923077.

Romania Personal Numeric Code (CNP)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Romania Personal Numeric codes. It infers Romania CNP values containing 13 digits without spaces and delimiters.

Sample values inferred

This classification can infer Romania CNP values such as 8011031518264, 5741231433901, and 4431013471245.

Russia Domestic Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Russia domestic passport numbers. It infers Russia domestic passport numbers containing ten digits.

Sample values inferred

This classification can infer Russia domestic passport numbers such as 2787654356.

Russia International Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Russia international passport numbers. It infers Russia International passport numbers containing nine consecutive digits.

Sample values inferred

This classification can infer Russia International passport numbers such as 278764356.

Saudi Arabia National ID Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Saudi Arabia National ID numbers. It infers Saudi Arabia National ID numbers containing ten consecutive digits.

Sample values inferred

This classification can infer Saudi Arabia National ID numbers such as 1231231231.

Singapore National Registration Identity Card (NRIC) Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Singapore NRIC numbers. It infers NRIC numbers containing a combination of nine letters and digits. The first character is a non case-sensitive letter "F", "G", "S", or "T", followed by seven digits and finally one letter that is not case-sensitive.

Sample values inferred

This classification can infer Singapore NRIC numbers such as F1234567A or f1234567A.

Slovakia Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Slovakia driving license numbers. It infers Slovakia driving license numbers starting with one letter that is not case-sensitive and followed by seven digits.

Sample values inferred

This classification can infer Slovakia driving license numbers such as A1231231.

Slovakia Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Slovakia passport numbers. It infers Slovakia passport numbers containing eight or nine alphanumeric characters.

Sample values inferred

This classification can infer Slovakia passport numbers such as A1231234.

Slovakia Personal Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Slovakia personal numbers. It infers Slovakia personal numbers containing nine or ten digits with an optional backslash.

Sample values inferred

This classification can infer Slovakia personal numbers such as 101075/1234.

Slovenia Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Slovenia driving license numbers. It infers Slovenia driving license numbers containing nine digits without spaces and delimiters.

Sample values inferred

This classification can infer Slovenia driving license numbers such as 123123123.

Slovenia Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Slovenia passport numbers. It infers Slovenia passport numbers beginning with the uppercase letter 'P', followed by any one uppercase letter, and then seven digits.

Sample values inferred

This classification can infer Slovenia passport numbers such as PA1231231.

Slovenia Tax Identification Number (TIN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Slovenia TIN numbers. It infers Slovenia TIN numbers containing eight digits without spaces or delimiters in the following pattern:

- one digit from 1 to 9
- seven digits

Sample values inferred

This classification can infer Slovenia TIN numbers such as 11231231.

Slovenia Unique Master Citizen Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Slovenia Unique Master Citizen numbers. It infers numbers containing 13 digits without spaces or delimiters in the following pattern:

- seven digits that correspond to the birth date in the format DDMMYYY
- two digits for the region code
- three digits that identifies male or a female
- one check digit

Sample values inferred

This classification can infer Slovenia Unique Master Citizen numbers such as 1202997501231.

South Africa Identification Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of South Africa Identification numbers. It infers South African Identification numbers containing 13 digits.

Sample values inferred

This classification can infer South African Identification numbers such as 9901011232080.

South Korea Resident Registration Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of South Korea Resident Registration numbers. It infers numbers containing 13 digits in the format YYMMDD1234567.

Sample values inferred

This classification can infer South Korea Resident Registration numbers such as 2002091234567.

Spain Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Spain driving license numbers. It infers Spain driving license numbers starting with eight digits followed by one letter or a digit.

Sample values inferred

This classification can infer Spain driving license numbers such as 123456340 or 12345634A.

Spain National ID Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Spain National ID numbers, also called Documento Nacional de Identidad (DNI), Número de Identidad de Extranjero (NIE), or Número de Identificación Fiscal (NIF). This classification infers Spain National IDs containing seven or eight digits and one or two letters in specific patterns.

Sample values inferred

This classification can infer Spain National ID numbers such as 32137034N and J9733943P.

Spain Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Spain passport numbers. It infers Spain passport numbers containing eight or nine alphanumeric characters in the following pattern:

- two digits or letters
- one digit or letter (optional)
- six digits

Sample values inferred

This classification can infer Spain passport numbers such as 5AB123678.

Spain Social Security Number (SSN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Spain Social Security Number (SSN). It infers Spain SSN numbers containing 11 to 12 digits in the following pattern:

- two digits
- an optional forward slash
- seven or eight digits
- an optional forward slash
- two digits

Sample values inferred

This classification can infer Spain SSN numbers such as 10/12312311/56 and 101231231156.

Spain Tax Identification Number (TIN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Spain Tax Identification numbers (TIN). It infers Spain TIN numbers containing seven or eight digits and one or two letters in specific patterns.

Sample values inferred

This classification can infer Spain TIN numbers such as L1231231C.

SSN

Description

This data element classification classifies columns based either on the metadata or data values that match the structure and format of USA Social Security Numbers (SSN). It infers USA SSN numbers either based on the data values that match the format of USA SSN numbers, or when the column name matches the lookup table and matches the pattern %soc%sec%. Since this classification rule matches either the metadata or data values, this is a non-strict match and may potentially result in false positives.

Sweden Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Sweden driving license numbers. It infers Sweden driving license numbers starting with an optional character and containing 10 digits.

Sample values inferred

This classification can infer Sweden driving license numbers such as 3574513917.

Sweden National ID

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Sweden National ID numbers. It infers Sweden ID numbers containing 10 or 12 digits and an optional delimiter in the format YYMMDD-NNNN or YYYYMMDD-NNNN.

Sample values inferred

This classification can infer Sweden National ID numbers such as 19870322-4254 or 691013-0988.

Sweden passport number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Sweden passport numbers. It infers Sweden passport numbers containing eight consecutive digits.

Sample values inferred

This classification can infer Sweden passport numbers such as 23451237.

Sweden Tax Identification Number (TIN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Sweden Tax Identification Numbers. It infers Sweden TIN values containing 10 or 12 consecutive digits.

Sample values inferred

This classification can infer Sweden TIN values such as 3234567823 or 564343234567.

Switzerland SSN AHV Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Switzerland SSN AHV numbers. It infers numbers starting with the digits '756' which is followed by 10 digits in the format 756NNNNNNNNN.

Sample values inferred

This classification can infer Switzerland SSN AHV numbers such as 7561234567890.

Taiwan National Identification Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Taiwan national identification numbers. It infers Taiwan national identification numbers containing one letter (in English) followed by the digit 1 or 2, and then followed by eight digits.

Sample values inferred

This classification can infer Taiwan national identification numbers such as B134567856 or S287604401.

Taiwan Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Taiwan passport numbers. It infers Taiwan passport numbers starting with the digit '3' and followed by eight or nine digits.

Sample values inferred

This classification can infer Taiwan passport numbers such as 367456789.

Taiwan-Resident Certificate (ARC/TARC) Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Taiwan resident certificate numbers. It infers Taiwan ARC/TARC numbers containing 10 alphanumeric characters, starting with two non case-sensitive letters and followed by eight digits.

Sample values inferred

This classification can infer Taiwan ARC/TARC numbers such as AB12345678.

Thailand Citizen ID

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Thailand Citizen ID numbers. It infers Thailand Citizen ID numbers containing 13 digits in the following pattern:

- one digit from 1 to 8
- twelve digits

Sample values inferred

This classification can infer Thailand Citizen ID numbers such as 3204483698224.

Turkey national identification number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of Turkey national identification numbers. It infers Turkey national identification numbers containing 11 digits. The starting digit cannot be zero.

Sample values inferred

This classification can infer Turkey national identification numbers such as 48030052861.

Ukraine Domestic Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Ukraine domestic passport numbers. It infers Ukraine domestic passport numbers containing nine digits.

Sample values inferred

This classification can infer Ukraine domestic passport numbers such as 454567898.

Ukraine International Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the format and structure of Ukraine international passport numbers. It infers Ukraine international passport numbers containing eight alphanumeric characters, starting with two letters or digits and followed by six digits.

Sample values inferred

This classification can infer Ukraine international passport numbers such as HK405413.

United Kingdom Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of United Kingdom driving license numbers. It infers United Kingdom driving license numbers containing a combination of 18 digits and letters in the following pattern:

- five letters or the digit "9" in place of a letter
- one digit
- five digits in the date format MMDDY for date of birth
- two letters or the digit "9" in place of a letter
- three digits
- an optional space or a hyphen
- two digits

Sample values inferred

This classification infers United Kingdom driving license numbers such as SMITH801207MH923 03, QECVR661244JA764-64 and BURK911010139FF122.

United Kingdom Electoral Roll Number

Description

This data element classification classifies column data that matches the structure and format of the United Kingdom electoral roll numbers. It infers UK electoral roll numbers that contain two case-insensitive letters followed by four digits.

Sample values inferred

This classification infers United Kingdom electoral roll numbers such as gf5154 and AA1234.

United Kingdom Passport Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of United Kingdom passport numbers. It infers UK passport numbers containing nine consecutive digits.

Sample values inferred

This classification infers United Kingdom passport numbers such as 234567098, 639876567 and 898765435.

United Kingdom National Insurance Number (NINO)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of United Kingdom National Insurance Numbers (NINO). It infers United Kingdom NINO containing seven or nine alphanumeric characters optionally separated by spaces or dashes.

Sample values inferred

This classification infers United Kingdom NINO values such as QQ 123456 C, NY 2923 26-D, and BV 51-4216 D.

United Kingdom Unique Taxpayer Identification Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of United Kingdom Unique Taxpayer Identification Number (TIN). It infers United Kingdom TIN containing 10 digits without spaces and delimiters, or 10 digit numbers with the letter 'K' at the end.

Sample values inferred

This classification infers United Kingdom TIN values such as 3234567823 or 5434323456K.

United Kingdom Unique Taxpayer Reference Number (UK UTR)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of United Kingdom Unique Taxpayers Reference numbers. It infers UK UTR numbers containing 10 digits without spaces and delimiters.

Sample values inferred

This classification infers UK UTR numbers such as k1234567890123, 1234567890k, 1234567890123, and 1234567890.

URL

Description

This data element classification classifies columns based on the data values that match URL patterns.

Sample values inferred

This classification infers URLs such as `informatica.com`, `www.informatica.com`, `http://informatica.com`, `http://www.informatica.com`.

USA City

Description

This data element classification classifies columns based on the metadata and data values that match the USA city names listed in the assigned lookup table.

Sample values inferred

This classification can infer USA city names such as New York, San Francisco, Los Angeles, San Diego and so on.

USA County

Description

This data element classification classifies columns based on the data values that match the USA county names.

Sample values inferred

This classification can infer USA county names such as Cook, Harris ,Queens, Palm Beach and so on.

USA Driving License Number

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of USA driving license numbers. It infers different patterns of USA driving license numbers depending on the state.

Sample values inferred

This classification can infer USA driving license numbers such as 1111111 or A11111111.

USA Individual Tax Identification Number (ITIN)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of USA ITIN numbers. It infers USA ITIN numbers containing nine digits that start with a "9" and may contain spaces or dashes.

Sample values inferred

This classification infers USA ITIN numbers such as 901-97-5896, 901 97 5896 and 901975896, but values like 9019 7589 6 or 90-19-75-896 are not inferred.

USA National Provider Identifier Standard (NPI)

Description

This data element classification classifies columns based on the metadata and data values that match the structure and format of USA NPI numbers. It infers USA NPI numbers containing 10 digits without spaces and delimiters.

Sample values inferred

This classification infers USA NPI numbers such as 1234567890.

USA Social Security Number (SSN)

Description

This data element classification classifies columns based on both the metadata and data values that match the structure and format of USA Social Security Numbers (SSN). It infers USA SSN numbers containing nine digits with optional delimiters and spaces.

Sample values inferred

This classification can infer USA SSN numbers such as 778-62-8144, 555.55.5555, and 555 55 5555.

USA State Code

Description

This data element classification classifies columns based on the data values that match the USA state names and codes listed in the assigned lookup table. This classification infers all USA state names along with their two digits state code.

Sample values inferred

This classification can infer USA state codes such as Alabama 01, New Jersey 34, New York 36, California 06 and so forth.

USA State Name

Description

This data element classification classifies columns based on the data values that match the USA state names listed in the assigned lookup table.

Sample values inferred

This classification can infer USA city names such as Georgia, Iowa, Arizona, Nevada and so on.

USA Zip Code

Description

This data element classification classifies columns based on the metadata and data values that match the USA Zip codes. This classification infers five digit ZIP codes or ZIP+4 codes containing nine digits. The four additional digits in a ZIP+4 code is used to identify a geographic segment within the five-digit ZIP code.

Sample values inferred

This classification can infer USA ZIP codes and ZIP+4 codes such as 107050 and 12201-7050.

Visa Credit Card Numbers

Description

This data element classifies columns based on the metadata that matches the names listed in the assigned lookup table, or based on the data values that match the structure and format of Visa credit card numbers. It infers Visa credit card numbers containing 13 or 16 digits in following pattern:

- starts with the digit '4'
- twelve digits
- three optional digits

Sample values inferred

This classification can infer Visa credit card numbers such as 4444333322221111 and 4911830000000.

World Cities

Description

This data element classification classifies columns based on the data values that match the world city names listed in the assigned lookup table.

Author

Swati Thacker