How-To Library

Informatica

Business Glossary Export File Description

© Copyright Informatica LLC 2014, 2022. Informatica LLC. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. All other company and product names may be trade names or trademarks of their respective owners and/or copyrighted materials of such owners.

Abstract

You can export one or more glossaries to an .xlsx file. This article describes the columns in the .xlsx file that contains Business Glossary data. Refer to this article before you edit data in the file that you exported. After you edit the data in the .xlsx file, you can import the file using the Analyst tool.

Supported Versions

- Informatica Power Center 10.1
- Informatica Data Quality 10.1
- Informatica Enterprise Data Catalog 10.4

Table of Contents

Overview. . . . 2
Business Glossary Export File Description. . . . 3
Categories. . . . 4
Terms. . . . 5
Policies. . . . 8
Initiatives. . . . 10
Rules. . . . 12
Synonyms. . . . 13
Glossaries. . . . 13
AssetLinks. . . . 14
Attachments. . . . 15
Global Attributes. . . . 16
Global Relationships. . . . 17
Templates. . . . 18

Overview

You can export one or more glossaries to an .xlsx file. If you exported attachments and audit history, the Analyst tool exports the contents to a .zip file. You must extract the .zip file to open the .xlsx file that contains the Business Glossary data.

The .xlsx file contains multiple worksheets that you can customize before import. This article describes the columns in the .xlsx file and provides recommendation on which of the columns you can edit. Import a glossary from an .xlsx or .zip file that you exported to move the Business Glossary assets.

Business Glossary Export File Description

When you export a glossary, the Analyst tool saves the Business Glossary information to an .xlsx or .zip file. You must extract the zip file to open the export file which is in .xlsx format. You can use Microsoft Excel to edit the contents of the .xlsx file.

The following table describes the worksheets in the export file:

Worksheet	Description
Home Page	Explains the contents of the export file. Contains hyperlinks to the worksheets.
Categories	The categories that you exported. Use this worksheet to edit the values of category property details. Note: The users that you assign as data stewards, stakeholders or owners to categories must exist in Informatica Administrator.
Terms	The business terms that you exported. Use this worksheet to edit values of the business term property details. Note: The users that you assign as data stewards, stakeholders, or owners to business terms must exist in Informatica Administrator.
Policies	The policies that you exported. Use this worksheet to edit values of the policy details. Note: The users that you assign as data stewards, stakeholders, or owners to policies must exist in Informatica Administrator.
Initiatives	The business initiatives that you exported. Use this worksheet to edit values of the business initiative property details. Note: The users that you assign as data stewards, stakeholders, or owners to business initiatives must exist in Informatica Administrator.
Rules	Details about rules and their relationships with policies and business terms. Optionally, use this worksheet to add a rule that glossary administrators can link to terms in the Analyst tool.
Synonyms	The synonyms that you exported. Use this worksheet to edit values of the synonym property details. Note: The users that you assign as data stewards, stakeholders, or owners to synonyms must exist in Informatica Administrator.
Glossaries	Details such as name, ID, and description about glossaries that you exported.
AssetLinks	Details about linked assets and their relationship with business terms. Optionally, use this tab to edit asset link properties, or add a new asset link. Content managers can link the assets to the terms in the Analyst tool.
Attachments	Details about files that content managers attach to the Glossary asset.
Global Attributes	All the business term and policy properties. Optionally, use this worksheet to create properties that glossary administrators can use in the Glossary asset and business initiative templates. This worksheet is hidden by default.
Global Relationships	All the business term relationship properties. Optionally, use this worksheet to create custom relationships that glossary administrators can use in the **Related Terms** attribute. This worksheet is hidden by default.
Term Templates	Details about the business term template. Do not edit columns in this worksheet. To modify the term template, use the Analyst tool. This worksheet is hidden by default.
Policy Templates	Details about the policy template. Do not edit columns in this worksheet. To modify the policy template, use the Analyst tool. This worksheet is hidden by default.

Worksheet	Description
Category Templates	Details about the category template. Do not edit columns in this worksheet. To modify the category templates, use the Analyst tool. This worksheet is hidden by default.
Initiative Templates	Details about the business initiative template. Do not edit columns in this worksheet. To modify the business initiative template, use the Analyst tool. This worksheet is hidden by default.

Categories

The Categories worksheet provides details about the categories in the glossary. In addition to the details provided, the worksheet contains custom properties that you created. Ensure that the users that you want to add to the Categories exist in the Informatica domain before you update the Categories worksheet.

The following table describes the columns in the Categories worksheet and recommendations about whether you can update the column values:

Column Name	Column Description	Data type	Update Recommendation
Glossary	The name of the glossary in which the category exists.	String	You can update the name of the glossary in which the category exists.
Category Name	A name for the category. Rows in the **Category Name** column cannot be empty.	String	You can update the name of the category. You can add a category in the .xlsx sheet. If the category name and category ID already exists, the Analyst tool updates the property values of the existing property to match the details in the global attributes worksheet.
Category Id	A unique ID for the category.	Numeric String	Do not update.
Revision	For internal use only	Numeric String	Do not update.
Parent Name	The name of the parent category if the category is under another category. This column is blank if the category is at the root level of the glossary.	String	You can update the name of the parent category.
Parent Id	The ID of the parent category. The **Parent ID** column corresponds to the **Location** property in the Glossary workspace.	Numeric String	You can update the ID of the parent category to an ID that exists.
Description	The description of the category.	String	You can update the description.
Owner	The user who is the owner of the category.	String in the UserID/ [namespace]/ [User or Group] format.	You can update the owner name. Ensure that the user account exists in the Informatica domain.

Column Name	Column Description	Data type	Update Recommendation
Steward	The user who is the steward of the category.	String in the UserID/ [namespace]/ [User or Group] format.	You can update the steward name. Ensure that the user account exists in the Informatica domain.
Phase	The current phase of the category. The rows in the **Phase** column can have one of the following values: - DRAFT - IN_REVIEW - REJECTED - PUBLISHED - PENDING PUBLISH	Limited string	You can update the phase.
Status	The current status of the category. The rows in the **Status** column can have one of the following values: - ACTIVE - INACTIVE	Limited string	You can update the status.
StakeHolders	One or more users who participate in the approval process before the data steward publishes the category. The rows in the **StakeHolders** column have values in the following format: <Stakeholder1>, <Stakeholder2>, <Stakeholder3>	String in the UserID/ [namespace]/ [User or Group] format.	You can update the stakeholder names. Ensure that the user accounts exist in the Informatica domain.
Audit History File Name	The filename of the csv file that contains the audit history. The csv file is in a directory called "Audit History" in the exported .zip file.	String	Do not update.

Terms

The Terms worksheet provides details about the business terms in the glossary. In addition to the details provided, the worksheet contains custom properties that you created. Ensure that the users that you want to add to the business terms exist in the Informatica domain before you update the Terms worksheet.

The following table describes the columns in the Terms worksheet and recommendations about whether you can update the column values:

Column Name	Column Description	Data type	Update Recommendation
Glossary	The name of the glossary in which the business term exists.	String	You can update the names of the glossary in which the business terms exist.
Term Name	A name for the business term. Rows in the **Term Name** column cannot be empty.	String	You can update the names of the business terms.

Column Name	Column Description	Data type	Update Recommendation
Term Id	A unique ID for the business term.	Numeric String	Do not update.
Revision	For internal use only.	Numeric String	Do not update.
Description	The description of the business term.	String	You can update the descriptions of the business terms.
Owner	The user who is the owner of the business term.	String in the UserID/ [namespace]/ [User or Group] format.	You can update the owner names. Ensure that the user accounts exist in the Informatica domain.
Steward	The user who is the steward of the business term.	String in the UserID/ [namespace]/ [User or Group] format.	You can update the steward names. Ensure that the user account exists in the Informatica domain.
Reference Table Url	Links to the reference table that contains the valid values that are associated with the business term.	String	You can update the data in the reference table URL column.
Source	Specifies the origin of the information contained within the business term. The rows in the source column can have one of the following values: - INTERNAL - EXTERNAL	Limited string	You can update the values in the source column.
Phase	The current phase of the business term. The rows in the **Phase** column can have one of the following values: - DRAFT - IN_REVIEW - REJECTED - PUBLISHED - PENDING PUBLISH	Limited String	You can update the phase.
Status	The current status of the business term. The rows in the **Status** column can have one of the following values: - ACTIVE - INACTIVE	Limited String	You can update the status.
Usage Context	Information that describes the context of the business term usage.	String	You can update the usage context.
Example	An example that describes the usage of the business term.	String.	You can update the description.

Column Name	Column Description	Data type	Update Recommendation
StakeHolders	One or more users who participate in the approval process before the data steward publishes the business term. If the term has multiple stakeholders, the rows in the StakeHolders column have values in the following format: <Stakeholder1>, <Stakeholder2>, <Stakeholder3>	String in the UserID/ [namespace]/ [User or Group] format.	You can update the stakeholder names. Ensure that the user accounts exists in the Informatica domain.
Related Term Ids	Unique ID of the related business term. If the term is related to multiple terms, the rows in the **Related Term Ids** column have values in the following format: <RelatedTermID1>, <RelatedTermID2>, <RelatedTermID3>	Numeric String	You can update the related term IDs. Ensure that the updated ID exists in the glossary. Also update the related term name.
Related Term Names	Unique name of related business term. If the term is related to multiple terms, the rows in the **Related Term Names** column have values in the following format: <RelatedTermName1>, <RelatedTermName2>, <RelatedTermName3>	String	You can update the related term names. Ensure that the updated name exists in the glossary. Also update the related term name.
Relationship Type Name	One of the default relationships. The sequence of relationship type corresponds to the related term names and related term IDs. The rows in the **Relationship Type Name** column can have one of the following values: - Parent - Children - Contains - Calculated from - Custom Relationship	String	You can update the type of relationship that the business term has with related business terms.
Related Glossary Name	The name of the glossary in which the related term exists.	String	Do not update.
Associated Category Ids	The unique ID of the category with which the term is associated.	Numeric String	You can update the associated category IDs. Ensure that the updated ID exists in the glossary. Also update the associated category name.

Column Name	Column Description	Data type	Update Recommendation
Associated Category Names	The unique name of the category with which the term is associated.	String	You can update the associated category names. Ensure the updated category name exists. Also update the associated category ID.
Audit History File Name	The filename of the csv file that contains the audit history. The csv file is in a directory called "Audit History" in the exported .zip file.	String	Do not update.

Policies

The Policies worksheet provides details about the policies in the glossary. In addition to the details provided, the worksheet contains custom properties that you created. Ensure that the users that you want to add to the Policies exist in the Informatica domain before you update the Policies worksheet.

The following table describes the columns in the Policies worksheet and recommendations about whether you can update the column values:

Column Name	Column Description	Data type	Update Recommendation
Glossary	The name of the glossary in which the policy exists.	String	You can update the name of the glossary in which the policy exists.
Policy Id	A unique ID for the policy.	Numeric String	Do not update.
Revision	For internal use only.	Numeric String	Do not update.
Policy Name	A unique name for the policy.	String	You can update the name of the policy.
Description	The description of the policy.	String	You can update the description.
Rule Intent	The purpose of the rule.	String	You can update the rule intent.
Owner	The user who is the owner of the policy.	String in the UserID/ [namespace]/ [User or Group] format.	You can update the owner name. Ensure that the user account exists in the Informatica domain.
Steward	The user who is the data steward of the policy.	String in the UserID/ [namespace]/ [User or Group] format.	You can update the steward name. Ensure that the user account exists in the Informatica domain.

Column Name	Column Description	Data type	Update Recommendation
Phase	The current phase of the policy. The rows in the **Phase** column can have one of the following values: - DRAFT - IN_REVIEW - REJECTED - PUBLISHED - PENDING PUBLISH	Limited String	You can update the phase.
Status	The current status of the policy. The rows in the **Status** column can have one of the following values: - ACTIVE - INACTIVE	Limited String	You can update the status.
StakeHolders	One or more users who participate in the approval process before the data steward publishes the policy. If the policy has multiple stakeholders, the rows in the **StakeHolders** column have values in the following format: <Stakeholder1>, <Stakeholder2>, <Stakeholder3>	String in the UserID/ [namespace]/ [User or Group] format.	You can update the stakeholder names. Ensure that the user accounts exist in the Informatica domain
Associated Category Ids	Unique ID of the category linked to the policy. If the policy is associated with multiple categories, the rows in the **Associated Category Ids** column have values in the following format: <CategoryID1>, <CategoryID2>, <CategoryID3>	Numeric String	You can update the associated category IDs. Ensure that the updated ID exists. Also update the associated category name.
Associated Category Names	Unique name of the category linked to the policy. If the policy is associated with multiple categories, the rows in the **Associated Category Names** column have values in the following format: <CategoryName1>, <CategoryName2>, <CategoryName3>	String	You can update the associated category names. Ensure the updated category name exists. Also update the associated category ID.
Audit History File Name	The filename of the csv file that contains the audit history. The csv file is in a directory called "Audit History" in the exported .zip file.	String	Do not update.

Initiatives

The Initiatives worksheet provides details about the business initiatives in the glossary. In addition to the details provided, the worksheet contains custom properties that you created. Ensure that the users that you want to add to the business initiatives exist in the Informatica domain before you update the Initiatives worksheet.

The following table describes the columns in the Initiatives worksheet and recommendations about whether you can update the column values:

Column Name	Column Description	Data type	Update Recommendation
Glossary	The name of the glossary in which the business initiative exists.	String	You can update the names of the glossary in which the business initiative exists.
Initiative Id	A unique ID for the business initiative.	Numeric string	Do not update.
Initiative Name	A unique name for the business initiative. Rows in the **Initiative Name** column cannot be empty.	String	You can update the names of the business initiative.
Description	The description of the business initiative.	String	You can update the descriptions of the business initiative.
Open Date	Start date of the business initiative.	Date in the mm/dd/yyyy format.	You can update the open date.
Close Date	Close date of the business initiative.	Date in the mm/dd/yyyy format.	You can update the close date.
Owner	The user who is the owner of the business initiative.	String in the UserID/ [namespace]/ [User or Group] format.	You can update the owner name. Ensure that the user account exists in the Informatica domain.
Steward	The user who is the data steward of the business initiative.	String in the UserID/ [namespace]/ [User or Group] format.	You can update the steward name. Ensure that the user account exists in the Informatica domain.
Phase	The current phase of the business initiative. The rows in the **Phase** column can have one of the following values: - DRAFT - IN_REVIEW - REJECTED - PUBLISHED - PENDING PUBLISH	Limited string	You can update the phase.
Status	The current status of the business initiative. The rows in the **Status** column can have one of the following values: - ACTIVE - INACTIVE	Limited string	You can update the status.

Column Name	Column Description	Data type	Update Recommendation
StakeHolders	One or more users who participate in the approval process before the data steward publishes the business initiative. If the initiative has multiple stakeholders, the rows in the **StakeHolders** column have values in the following format: <Stakeholder1>, <Stakeholder2>, <Stakeholder3>	String in the format UserID/ [namespace]/ [User or Group]	You can update the stakeholder names. Ensure that the user accounts exist in the Informatica domain.
Contained Asset Ids	The unique ID of the Glossary assets which are part of the business initiative. The rows in the **Contained Asset Ids** column have values in the following format: <ContainedAssetID1>, <ContainedAssetID2>, <ContainedAssetID3>	Numeric String	You can update the contained asset IDs. Ensure that the updated ID exists. You must also update the contained asset name.
Contained Asset Revisions	Revision of the Glossary assets which are part of the business initiative. The rows in the **Contained Asset Revisions** column have values in the following format: <ContainedAssetRevision1>, <ContainedAssetRevision2>, <ContainedAssetRevision3>	String	Do not update.
Contained Asset Names	The name of the Glossary assets which are part of the business initiative. The rows in the **Contained Asset Types** column have values in the following format: <ContainedAssetName1>, <ContainedAssetName2>, <ContainedAssetName3>	String	You can update the contained asset names. Ensure that the updated names exists. You must also update the contained asset ID.
Contained Asset Types	The type of Glossary assets which are part of the business initiative. The rows in the **Contained Asset Types** column have values in the following format: <ContainedAssetType1>, <ContainedAssetType2>, <ContainedAssetType3>	String	Do not update.
Audit History File Name	The filename of the csv file that contains the audit history. The csv file is in a directory called "Audit History" in the exported .zip file.	String	Do not update.

Rules

The rules worksheet provides details about business term rules.

The following table describes the columns in the rules worksheet:

Column Name	Column Description	Datatype	Update Recommendation
Glossary	The name of the glossary where the target business term exists.	String	You can update the glossary name.
Term ID	The ID of the business term to which the rule is linked to.	Numeric String	You can update the term ID. Ensure that the updated ID exists in the glossary. You must also update the term name.
Term Name	The name of the business term to which the rule is linked to.	String	You can udpate the term name. Ensure that the updated name exists in the glossary. You must also update the term ID.
Phase	Phase of the asset that the rule is linked to. The rows in the **Phase** column can have one of the following values: - DRAFT - IN_REVIEW - REJECTED - PUBLISHED - PENDING PUBLISH	Limited String	Do not update.
Rule Identity	For internal use only.	String	Do not update.
Rule Name	The name of the rule.	String	You can update the rule name.
Rule Intent	A description for the rule.	String	You can update the rule intent.
Associated Policy Ids	The ID of the policy linked to the rule.	Numeric String	You can update the associated policy ID. Ensure that the updated policy ID is in the glossary. You must also update the associated policy name.
Associated Policy Names	The name of the policy linked to the rule.	String	You can update the associated policy name. Ensure that the updated policy name is in the glossary. You must also update the associated policy ID.
Associated Glossary Name	The name of the glossary in which the related term exists.	String	Do not update.

Synonyms

The Synonyms worksheet provides details about the synonyms of business terms.

The following table describes the columns in the Synonyms worksheet and recommendations about whether you can update the column values:

Column Name	Column Description	Datatype	Update Recommendation
Glossary	The name of the glossary in which the synonym exists.	String	You can update the glossary name.
Term Id	The unique ID of the business term where the synonym exists.	Numeric String	You can update the term ID. The updated ID must exist in the glossary and match the term name.
Term Name	The unique name of the business term where the synonym exists.	String	You can update the term name. The updated name must exist in the glossary and match the term ID.
Synonym Name	A unique name for the synonym.	String	You can update the synonym name.
Synonym Context	A description that describes the context of the synonym.	String	You can update the synonym context.
Synonym Create Date	The date when the synonym is created.	Date in the mm/dd/yyyy format.	You can update the date values.
Synonym Retirement Date	The date when the synonym retires.	Date in the mm/dd/yyyy format.	You can update the date values.
Synonym Status	The status of the synonym. The rows in the **Synonym Status** column can have the following values: - ACTIVE - INACTIVE	String	You can update the synonym status.

Glossaries

The Glossaries worksheet provides details about the glossaries in the Analyst tool. Ensure that the users that you want to add to the glossaries exist in the Informatica domain before you update the glossaries worksheet.

The following table describes the columns in the Glossaries worksheet and recommendations about whether you can update the column values:

Column Name	Column Description	Data type	Update Recommendation
Glossary Name	A unique name for the glossary. Rows in the **Glossary Name** column cannot be empty.	String	You can update the glossary name.
Glossary Id	A unique ID for the glossary.	Numeric String	Do not update.

Column Name	Column Description	Data type	Update Recommendation
Description	A description of the glossary.	String	You can update the description.
Owner	The user who is the owner of the glossary.	String in UserID/ [namespace]/[User or Group] format.	You can update the owner name. Ensure that the user account exists in the Informatica domain.
Steward	The user who manages the glossary.	String in the UserID/ [namespace]/[User or Group] format.	You can update the steward name. Ensure that the user account exists in the Informatica domain.

AssetLinks

The Assetlinks worksheet provides details about links between business terms in a glossary and other assets in the Analyst tool.

The following table describes the columns in the Assetlinks worksheet and recommendations about whether you can update the column values:

Column Name	Column Description	Datatype	Update Recommendation
Glossary	The name of the glossary where the target business term exists.	String	You can update the glossary name.
Context	Information that describes the context of the link.	String	You can update the context.
Asset Name	The name of the asset link.	String	You can update the asset name.
Source System Identifier	The unique ID of the source system where the source object exists.	String	Do not update.
Source Object Identifier	The unique ID of the source object.	String	Do not update.
Source Object Type	The type of the source object.	String	Do not update.
Glossary System Identifier	For internal use only.	String	Do not update.
Glossary Object Identifier	The unique ID of the glossary asset where the target business term exists.	Numeric String	Do not update.
Glossary Object Type	The type of target asset. Currently, the Analyst tool only supports business terms.	Limited string	Do not update.
Glossary Object Name	The name of the target business term.	String	Do not update.
Asset Link Properties	For internal use only.	String	Do not update.

Attachments

The Attachments worksheet provides details about attachments added to a Glossary asset.

The following table describes the columns in the Attachments worksheet and recommendations about whether you can update the column values:

Column Name	Column Description	Datatype	Update Recommendation
Glossary	The name of the glossary in which the asset that contains the attachment exists.	String	Do not update.
Asset name	The name of the Glossary asset that contains the attachment.	String	Do not update.
Asset type	Type of Glossary asset that contains the attachment.	String	Do not update.
File Name	The file name displayed in the Analyst tool.	String	Do not update.
Context	The context of the file that the user attaches to the Glossary asset. The user can select the context from the drop down in the Analyst tool.	String	Do not update.
Description	The description of the attachment that the user specifies.	String	You can update the description.
File name in ZIP	The filename of the attachment. The attachment is in a directory called "Attachments" in the exported .zip file.	String	Do not update.

Global Attributes

The Global Attributes worksheet contains data about glossary, business term, category, policy, and business initiative properties that content managers specify. The properties are the default properties in the template or the custom properties that you have added. The Global Attributes worksheet is hidden by default.

The following table describes the columns in the Global Attributes worksheet and recommendations about whether you can update the column values:

Column Name	Column Description	Data type	Update Recommendation
Attribute Name	A unique name for the property.	String	You cannot update the names of custom properties. You can add a custom property to the .xlsx sheet. If the custom property name already exists, the Analyst tool updates the property values of the existing property to match the details in the global attributes worksheet. Do no update default property names.
Attribute Id	Placeholder column. Not used.	Numeric String	Do not update.
Description	Description of the property.	String	You can update the property description.
Data Type	Specifies the type of input. The rows in the **Data Type** column can have one of the following values: - STRING_TYPE - INTEGER_TYPE - BOOLEAN_TYPE - ENUM_TYPE - DATETIME_TYPE - LONGSTRING_TYPE	Limited string	Do no update.
Custom	Specifies if the property is a default property or custom property. The rows in the **Custom** column can have one of the following values: - TRUE - FALSE	Boolean	Do not update.
Searchable	Specifies if users can search for the property values in the Analyst tool. The Analyst tool indexes searchable properties. The rows in the **Searchable** column can have one of the following values: - TRUE - FALSE	Boolean	You can update the value to toggle the option of the Analyst tool indexing the property value.

Column Name	Column Description	Data type	Update Recommendation
Multivalued	Specifies if you can assign multiple values to the property. The rows in the **Multivalued** column are true if the **Data Type** column is of the following types: - STRING_TYPE - INTEGER_TYPE - ENUM_TYPE - DATETIME_TYPE The rows in the **Multivalued** column are false if the **Data Type** column is of the following types: - BOOLEAN_TYPE	Boolean	Do not update.
Enum Choices	The enumerated choices that the user sees, if the **Data Type** is **ENUM_TYPE**.	A list in the following format: <choice1>, <choice2>, <choice3>	You can update the data in the **Enum Choices** column to change the enumerated values.
Extendable	Specifies if the enumerated values can be extended if the **Data Type** column is **ENUM_TYPE**. The rows in the **Extendable** column have one of the following values: - TRUE - FALSE	Boolean	You can update the rows to make the enumerated choices extendable.

Global Relationships

The Global Relationships worksheet provides details about relationships between terms. The relationships can be default or custom.

The following table describes the columns in the global relationships worksheet and recommendations about whether you can update the column values:

Column Name	Column Description	Data type	Update Recommendation
Relationship Type Name	A unique name for the relationship.	String	Do not update the names of custom relationships. You can add a custom relationship to the .xlsx sheet. If the custom relationship name already exists, the Analyst tool updates the properties of the existing custom relationship to match the details in the global relationships worksheet. Do not update default relationship names.
Description	Description of the relationship.	String	You can update the relationship description.
Label	Display name for the custom relationship.	String	You can update the relationship label for custom relationships.

Column Name	Column Description	Data type	Update Recommendation
Custom	Specifies if the relationship is a custom relationship or default relationship. The rows in the Custom column can have one of the following values: - TRUE - FALSE	Boolean	Do not update.
Relationship Color	The color of the relationship line used to connect related assets in the relationship view diagram.	Hexadecimal	Do not update.
Derived Relationship Name	The name of the derived relationship.	String	Do not update.

Templates

The business term, category, policy, or business initiative templates worksheet contains details about templates. If you export multiple glossaries, the template worksheet will contain the details about all the templates. Do not update the column values in the templates worksheet.

The following table describes the columns in the business term, category, policy, or business initiative templates worksheet:

Column Name	Column Description	Data type	Update Recommendation
Glossary	The glossary to which the business term, category, synonym or business initiative belongs.	String	Do not update.
Template Name	The name of the template.	String	Do not update.
Element Name	The unique name of the sections in the template.	String	Do not update.
Element Id	A unique ID to identify the sections or properties in the template.	String	Do not update.
Label	The display name of the section or property.	String	Do not update.
Required	Specifies if the property is mandatory. The **Required** column can have one of the following values: - TRUE - FALSE	Boolean	Do not update.
Element Type	Specifies if the row contains details about a section or a property. The rows in the element type column can have one of the following values: - Section - Attribute	Limited String	Do not update.

Column Name	Column Description	Data type	Update Recommendation
Row Position	Specifies the row position of the section or property in the template.	Integer	Do not update.
Column Position	Specifies the column position of the section or property in the template.	Integer	Do not update.
Parent Name	The name of the section in which the property appears.	Limited String	Do not update.
Parent Id	The ID of the section in which the property appears.	String	Do not update.
Control Type	The display type of the property. The rows in the **Control Type** column of the worksheet can have one of the following values: - Text Box - List Grid - List Box	Limited String	Do not update.
Editable	Specifies if the property is editable in the template. The rows in the **Editable** column have one of the following values: - TRUE - FALSE	Boolean	Do not update.
Browsable	Specifies if a browse button appears next to the property in the template. The rows in the **Browsable** column have one of the following values: - TRUE - FALSE	Boolean	Do not update.
Default Value	Specifies the default value of the custom property.	String or Boolean	You can update the default value.

Authors

Pratap J
Senior Technical Writer

Mohnish Modi
Senior Software Engineer