How-To Library

Informatica

Importing Connections from Metadata Manager to Enterprise Information Catalog

© Copyright Informatica LLC , 2022. Informatica, the Informatica logo, and PowerCenter are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html.

Abstract

The Metadata Manager to Enterprise Information Catalog import utility imports resource configuration and connection assignments for the supported resource types from Metadata Manager into Enterprise Information Catalog. You can use the utility if you want to use Metadata Manager resources in Enterprise Information Catalog. This article describes the utility and the steps to import the Metadata Manager resource configurations and connection assignments into Enterprise Information Catalog.

Supported Versions

- Enterprise Information Catalog 10.2
- Metadata Manager 9.6.1.HotFix 4
- Metadata Manager 10.1.1.HotFix 2

Table of Contents

Overview. 2
Supported Versions. 3
Process. 3
Supported Resource Types. 5
Steps to Import Resources into Enterprise Information Catalog. 8
Step 1: Verify the Prerequisites. 8
Step 2: Extract the Utility. 8
Step 3: Export Resources from Metadata Manager. 8
Step 4: Curate the Microsoft Excel Files in the Excel folder. 9
Step 5: Import Resources into Catalog Administrator. 12
Step 6: Verify and Run the Resources in Catalog Administrator. 13
Step 7: Import Connections into Catalog Administrator. 13
Example. 14
Utility Commands. 17
exportFromMM. 17
ImportResourcestoLDM. 17
ImportEnrichmentsToLDM. 18
Frequently Asked Questions. 18
Terminology. 21
References. 22

Overview

You can use the Metadata Manager to Enterprise Information Catalog import utility to import existing resources from Metadata Manager into Enterprise Information Catalog. The utility imports resource configuration and connection assignments for supported resource types. If you do not have Enterprise Information Catalog, you need to perform

Enterprise Information Catalog sizing for your enterprise. You can then install, deploy, and configure Enterprise Information Catalog as required.

To import the resources into Enterprise Information Catalog, you can use the **exportFromMM**, **importResourcesToLDM**, and **importEnrichmentsToLDM** commands. Run the exportFromMM command to export the Metadata Manager resources. When you export the resources, four Microsoft Excel workbooks are generated that you can view and curate as required. The workbooks are Resources.xlsx, InvalidNames.xlsx, Connections.xlsx, and UnsupportedResources.xlsx. The workbooks that you need to curate are InvalidNames.xlsx and Resources.xlsx. After you curate the workbooks, run the importResourcesToLDM command to import the resources into Catalog Administrator. You can then test the connection and run the resources in Catalog Administrator. Finally, you can run the importEnrichmentsToLDM command to import the connection assignments into Catalog Administrator.

Supported Versions

You can import the resources only from specific versions of Metadata Manager into Enterprise Information Catalog.

The following table lists the versions that are supported by the utility to import resources from Metadata Manager into Enterprise Information Catalog:

Metadata Manager Version	Enterprise Information Catalog Version
9.6.1 HotFix 4	10.2
10.1.1 HotFix 2	10.2

The following table lists the other Metadata Manager versions for which you need to upgrade to a supported version to use the utility:

Metadata Manager Versions	Action to Perform
- 9.5.1 or any previous version - 9.6 - 9.6.1 - 9.6.1 HotFix 1 - 9.6.1 HotFix 2 - 9.6.1 HotFix 3	Upgrade to Metadata Manager version 9.6.1 HotFix 4
- 10.0 - 10.1 - 10.1.1 - 10.1.1 HotFix 1	Upgrade to Metadata Manager version 10.1.1 HotFix 2


Process

The process to import resource configurations and connections for the supported resource types into Enterprise Information Catalog include the following steps:

1. Verify the prerequisites.
2. Download the import utility and extract the files.
3. Run the exportFromMM command.
4. The utility generates four Microsoft Excel workbooks. View and curate the workbooks as required.
5. Run the ImportResourcestoLDM command.

6. In Catalog Administrator, verify that the imported resources are available. Open each imported resource, test the connection, and run the resource.
7. Run the ImportEnrichmentsToLDM command.

The following image shows the process to import resource configurations and connections from Metadata Manager into Enterprise Information Catalog:



Supported Resource Types

You can import the Metadata Manager resources into Enterprise Information Catalog only for the supported resource types. When you run the utility, some parameters for the resources might not be supported and you might need to perform a few tasks manually that are specific to the resource type. For some resources, such as Oracle and IBM DB2 for LUW, the utility imports all the mandatory parameters, therefore, you need not curate the Resources.xlsx workbook.

The following table lists the resources that the utility can import, resource properties that are not supported by the utility, and the actions that you need to perform when you run the utility:

Supported Resource Type	Resource Properties Not Supported by the Utility	Action to Perform
Database Management Resources		
Oracle	Resource appears in UnsupportedResources.xlsx workbook if the following property is set: - `advancedJDBCParameters` parameter in resource configuration file.	No curation required in Resources.xlsx workbook.
IBM DB2 for LUW	Resource appears in UnsupportedResources.xlsx workbook if the following property is set: - `advancedJDBCParameters` parameter in resource configuration file.	No curation required in Resources.xlsx workbook.
Microsoft SQL Server	Resource appears in UnsupportedResources.xlsx workbook if the following properties are set: - Use trusted connection - SSL encryption method - `advancedJDBCParameters` parameter in resource configuration file.	No curation required in Resources.xlsx workbook.
Teradata	Resource appears in UnsupportedResources.xlsx workbook if the following property is set: - `advancedJDBCParameters` parameter in resource configuration file.	No curation required in Resources.xlsx workbook.
Netezza	Resource appears in UnsupportedResources.xlsx workbook if the following property is set: - `advancedJDBCParameters` parameter in resource configuration file.	No curation required in Resources.xlsx workbook.
Business Intelligence Resources		
Cognos	-	Curate the parameters in the Resources.xlsx workbook, and enter the values in the mandatory columns. See the *Actions to Take for Specific Resources and Parameters* table in this document to curate the following parameter: - Agent URL

Supported Resource Type	Resource Properties Not Supported by the Utility	Action to Perform
SAP Business Objects (SAPBO)	-	Curate the parameters in the Resources.xlsx workbook, and enter the values in the mandatory columns. See the *Actions to Take for Specific Resources and Parameters* table in this document to curate the following parameters: - Agent URL - **Auto Detect** option
Microstrategy	-	Curate the parameters in the Resources.xlsx workbook, and enter the values in the mandatory columns. See the *Actions to Take for Specific Resources and Parameters* table in this document to curate the following parameter: - Agent URL
Oracle Business Intelligence Enterprise Edition (OBIEE)	-	Curate the parameters in the Resources.xlsx workbook, and enter the values in the mandatory columns. See the *Actions to Take for Specific Resources and Parameters* table in this document to curate the following parameters: - **Always use latest source files** option - **Variable values file** option
Data Integration Resources		
PowerCenter	-	Curate the mandatory parameters highlighted in yellow color in the Resources.xlsx workbook. For more information, see the *Actions to Take for Specific Resources and Parameters* table.
SQL Server Integration Services (SSIS)	-	Curate the parameters in the Resources.xlsx workbook, and enter the values in the mandatory columns. See the *Actions to Take for Specific Resources and Parameters* table in this document to curate the following parameters: - **Variable values file** option - **Always use latest source files** option - Agent URL - **Directory** option

Supported Resource Type	Resource Properties Not Supported by the Utility	Action to Perform
Data Modeling Resources		
ERwin	-	Curate the parameters in the Resources.xlsx workbook and enter the values in the mandatory columns. See the *Actions to Take for Specific Resources and Parameters* table in this document to curate the following parameters: - Agent URL parameter for ERwin (Single Model from Mart) resource - **Always use latest source files** option for ERwin (File) resource.

The following table lists specific actions to be taken for some resources and parameters:

Table 1. Actions to Take for Specific Resources and Parameters

Resource/Parameter	Action to Perform
Agent URL parameter for Microstrategy, SAPBO, Cognos, SSIS, and ERwin resources	If there is a mismatch in Agent URL version, the resource is exported to Enterprise Information Catalog but the test connection fails. Therefore, before you import the resources, enter the compatible Enterprise Information Catalog Agent URL for version 10.2 in the Resources.xlsx workbook and run the ImportResourcestoLDM command. If you see a mismatch after importing the resources, edit the URL for the resource, test the connection, save, and run the resource in Catalog Administrator. For example, if you are importing resources from Metadata Manager version 9.6.1 HotFix 4, the Agent URL must be compatible with Enterprise Information Catalog version 10.2.
Auto Detect parameter for SAPBO	If you have configured the **Auto Detect** option in Metadata Manager, curate the Version column as required in the Resources.xlsx workbook.
Connection Names	There might be a mismatch in connection names in Metadata Manager and Catalog Administrator. In Catalog Administrator, create the connection assignment for the resources that the utility failed to create.
PowerCenter resources	Curate the Resources.xlsx sheet and enter all the mandatory parameters such as `Gateway Host Name or Address`, `Gateway Port Number`, `Repository Name`, `Repository User Name`, and `Repository User Password`. Enter the correct PowerCenter Repository version in the `PowerCenter Version` field and change the `PowerCenter Code Page` if required. If there are parameter files, then they are exported as a params.zip file. If the PoweCenter resource in Metadata Manager version 9.6.1 HF4 has parameter files, make sure that you create a params.zip compatible for Enterprise Information Catalog as the utility might create an incorrect zip file.
Always use latest source files option for OBIEE, SSIS_Variable, and ERwin resources	In Metadata Manager, if you have set the **Always use latest source files** option to true, the option appears empty in the Resources.xlsx workbook. Even though the utility imports the resource, you need to edit the resource and upload the latest source file manually in Catalog Administrator.

Resource/Parameter	Action to Perform
Variable values file option for OBIEE and SSIS_Variable resource	The file associated with the **Variable values file** option is not exported by the utility. After you import the resource, edit the resource in Catalog Administrator, upload the variable values file, and run the resource.
Directory option for SSIS resource	The directory associated with the **Directory** option is not exported by the utility. After you import the resource, edit the resource in Catalog Administrator, upload the directory as a zip file, and run the resource.

Steps to Import Resources into Enterprise Information Catalog

The following topics describe the steps that the import utility uses to import resource configurations and connection assignment for supported resource types from Metadata Manager to Catalog Administrator.

Step 1: Verify the Prerequisites

Verify that you have the following prerequisites before you run the utility:

- Metadata Manger URL and login credentials.
- Catalog Administrator URL and login credentials.
- Configure JAVA_HOME environment variable. Use the following locations to configure the environment variable:

  - `<Informatica services installation directory>\java\jre` location

  - `<Informatica utilities installation directory>\PowerCenter\java\jre` location.
- mmcmd utility file path. mmcmd is located in the following directories:

  - `<Informatica services installation directory>\services\MetadataManagerService\utilities\mmcmd`

  - `<Informatica utilities installation directory>\MetadataManager\utilities\mmcmd`

Step 2: Extract the Utility

To run the batch file, download the utility and extract the files from the utility.

1. Download the import utility to a folder that you choose on your machine.

   For example, on the Informatica server, you can download the utility to the following location or to any other location:

   `<Informatica installation directory>/<version_number>/.../utilities/.`
2. Extract the files in the utility.

   The utility creates the mm2eicMigrator folder and all the extracted files appear in the mm2eicMigrator folder.

Step 3: Export Resources from Metadata Manager


Run the exportFromMM command to export the Metadata Manager resources.

1. In Informatica client, navigate to the mm2eicMigrator folder.
2. In the command prompt, run the exportFromMM command.
   - On a Windows machine, run the following command:

./mm2eicMigrator.bat exportFromMM -mmUrl <metadata_manager_url> -mmUser <metadata_manager_username> -mmPassword <mm_user_password> -ldmServiceUrl <catalog_administrator_url> -ldmUser <catalog_administrator_username> -ldmPassword <catalog_administrator_password> -mmCmdHome <Informatica installation directory>/services/MetadataManagerService/utilities/mmcmd

- On a Linux machine, run the following command:
  ./mm2eicMigrator.sh exportFromMM -mmUrl <metadata_manager_url> -mmUser <metadata_manager_username> -mmPassword <mm_user_password> -ldmServiceUrl <catalog_administrator_url> -ldmUser <catalog_administrator_username> -ldmPassword <catalog_administrator_password> -mmCmdHome <Informatica installation directory>/services/MetadataManagerService/utilities/mmcmd

The following image shows a sample output for the exportFromMM command:



The utility exports the resources and creates multiple folders and files in the mm2eicMigrator folder.

3. Open the MMExport folder.

   The folder has an **excel** subfolder that contains four Microsoft Excel workbooks for resources, connections, invalid names, and unsupported resources.

Step 4: Curate the Microsoft Excel Files in the Excel folder

When you run the exportFromMM command, multiple files and folders are created in the mm2eicMigrator folder. In the **mm2eicMigrator** > **MMExport** > **excel** folder, curate the Resources.xlsx and InvalidNames.xlsx workbooks before you import the resources into Catalog Administrator. The workbooks contain information about exported resources and invalid names.

Note: It is highly recommended that you take a backup of the MMExport folder every time you run the utility. The backup copy of the folder is required because the utility overwrites the MMExport folder each time you run the utility.

Resources.xlsx

The Resources.xlsx workbook contains information about the Metadata Manager resources that the utility can export to Catalog Administrator. Each resource type has a worksheet in the workbook. The resource type worksheet contains all the resources and its related parameters which differ from resource to resource. The Resources.xlsx workbook is designed based on the Catalog Administrator API. Therefore, each column in the worksheet pertains to a parameter in Catalog Administrator. For example, the **Memory** parameter exists for the Oracle Business Intelligence Enterprise Edition (OBIEE) resource in Catalog Administrator but not in Metadata Manager. You can add rows for resources in the workbook. If you add a row, change the format of the row to text to avoid automatic format conversion. Otherwise, the resource will not be imported into Catalog Administrator.

The column names in red color are mandatory. The mandatory fields that are empty are highlighted in yellow color. If the mandatory fields are empty, enter valid values. Otherwise, the resource is imported, the values remain empty in the Catalog Administrator, and the test connection fails for the resource.

Comments or annotations are embedded in the column name that might have multiple values. You can either enter a value directly into a cell or perform the following steps:

1. Right-click the column name.
2. Click **Edit Comment**.
3. Copy the value.
4. Paste the value into the relevant cell.

For example, in SAPBO worksheet, the Authentication mode has Enterprise and LDAP as values. You can either enter the relevant value or copy-paste the value into the relevant cell.

The following sample table lists the columns in the PowerCenter worksheet,:

Column Name	Resource
Resource Name	Displays the name of the resource.
Resource Description	Enter a description for the resource.
Gateway Host Name or Address	Required. Enter the host name or address of the gateway node.
Gateway Port Number	Required. Enter the port number of the gateway node.
Informatica Security Domain	Security domain for the Informatica Administrator user. By default, the field displays Native. Curate the field if required.
Repository Name	Required. Enter the name of the PowerCenter repository service.
Repository User Name	Required. Domain user name or PowerCenter repository user name.
Repository User Password	Required. Domain password or PowerCenter repository password.
isRepository User PasswordEncrypted	Displays if the user name and password for the PowerCenter repository appears in encrypted form in the worksheet. By default, the field displays True. Change the parameter to False if you want to type in the password in plain text.
PowerCenter Version	Required. Enter the PowerCenter version for the resource.

Column Name	Resource
PowerCenter Code Page	Required. Enter the code page for the PowerCenter repository database.
Parameter File	Displays parameter file name.
AutoAssignConnections	If set to true, the connection assignments to relational database resource types are configured during the resource run.
Repository subset	The respository subset is a list of folders for the PowerCenter resource chosen in Metadata Manager that is exported by the utility to the Resources.xlsx. This column need not be curated. After the resource is imported into Enterprise Information Catalog, the information is captured based on what is set in the Metadata Manager for the PowerCenter resource.
DetailedLineage	By default, the field displays false. This is a property specific to Enterprise Information Catalog.
Memory	By default, the field displays low. This is a property specific to Enterprise Information Catalog.

InvalidNames.xlsx

Catalog Administrator does not the support some characters in the resource name. Examples are dot <.> and space ( ).

If a Metadata Manager resource has these characters in the resource name, the resource is not exported. The InvalidNames.xlsx workbook contains all the resources that have unsupported characters in the resource names. Enter a valid name in the `EIC Resource Name` field and save the workbook. The utility does not generate the InvalidNames.xlsx file if no resources have an invalid name.

The InvalidNames.xlsx workboook has the following columns:

Column Name	Description
MM Resource Name	Displays the Metadata Manager resource name that contains characters which are not supported by Catalog Administrator.
EIC Resource Name	Enter a valid name for the resource to be used in Enterprise Information Catalog.

Connections.xlsx

The Connections.xlsx workbook includes all the connection assignments used to link objects in the resource to the objects in other resources. These connections are used to run data lineage analysis across the metadata source in the Metadata Manager. The connection information in the Connections.xlsx workbook is used to assign connections to schemas which in turn creates cross resource links in Enterprise Information Catalog. When you run the importEnrichmentsToLDM command, the command imports the connection assignments into Catalog Administrator.

The Connections.xlsx has the following columns:

Column Name	Description
Resource Name	Displays the source resource name in Metadata Manager.
Resource Type	Displays the resource type of the resource in Metadata Manager.

Column Name	Description
Connection Name	Displays the connection name in Metadata Manager.
Target Resource Name	Displays the target resource name in Metadata Manager.
Schema Name	Displays the schema name in Metadata Manager.
Auto Assigned	Indicates whether Metadata Manager automatically configured the connection assignment.

UnsupportedResources.xlsx

The UnsupportedResources.xlsx file contains all the Metadata Manager resources that are not supported by the utility. You might need to manually import these resources into Catalog Administrator.

The UnsupportedResources.xlsx file contains the following columns:


Column Name	Description
Resource Name	Displays the name of the resources in Metadata Manager that are not supported by the utility.
Resource Type	Displays the resource type of the resource.
Comment	Displays the reason as to why the resource is not supported by the utility.

Step 5: Import Resources into Catalog Administrator

After you edit and save the workbooks, you can import the resources into Catalog Administrator.

1. Navigate to the mm2eicMigrator folder.
2. In the command prompt, run the importResourcesToLDM command.
   - On a Windows machine, run the following command:
     ./mm2eicMigrator.bat importResourcesToLDM -ldmServiceUrl <catalog_administrator_url> -ldmUser <catalog_administrator_username> -ldmPassword <catalog_administrator_password>
   - On a Linux machine, run the following command:
     ./mm2eicMigrator.sh importResourcesToLDM -ldmServiceUrl <catalog_administrator_url> -ldmUser <catalog_administrator_username> -ldmPassword <catalog_administrator_password>

   The following image shows a sample output for the importResourcesToLDM command:



1. An error message appears if an existing resource in Catalog Administrator is the same as the imported Metadata Manager resource. Enter a unique name in the Resources.xlsx and run the importResourcesToLDM command.
2. Resource is imported into Catalog Administrator successfully.
3. Statistics for imported resources appears after the command runs successfully.

The utility imports all the valid resources into Catalog Administrator.

3. To view the imported resources, open the mm2eicMigrator.log file. You can then verify if all the resources are imported successfully.

Step 6: Verify and Run the Resources in Catalog Administrator

After you run the importResourcesToLDM command, verify that the resources are available in Catalog Administrator.

1. In Catalog Administrator, click **Open** in the header area.

   The **Library** workspace appears.
2. In the **Assets** pane, click **Resources**.

   All the resources appear.
3. Click an imported resource in the **Resources** pane.

   The resource appears in read-only mode in **Resource** workspace.
4. To edit the resource, click **Edit**.
5. If the resource has a **Test Connection** button, click **Test Connection**. Otherwise, click **Save and Run** to run the resource.
6. Perform steps 2 through 5 for all the imported resources.


Step 7: Import Connections into Catalog Administrator

After you edit and run the resources in Catalog Administrator, you can import the connections into Catalog Administrator.

1. In Informatica client, navigate to the mm2eicMigrator folder.
2. In the command prompt, run the importEnrichmentsToLDM command.
   - On a Windows machine, run the *./mm2eicMigrator.bat importEnrichmentsToLDM -ldmServiceUrl <catalog_administrator_url> -ldmUser <catalog_administrator_username> -ldmPassword <catalog_administrator_password>* command.

- On a Linux machine, run the *./mm2eicMigrator.sh importEnrichmentsToLDM -ldmServiceUrl <catalog_administrator_url> -ldmUser <catalog_administrator_username> -ldmPassword <catalog_administrator_password>* command.

The following image shows a sample output for the importEnrichmentsToLDM command:



3. In Catalog Administrator, click **Manage** > **Connection Assignment**.

   All the connection assignments appear.
4. Verify that the connection assignments appear for the imported resources.
5. You can also open the mm2eicMigrator.log file to verify if all the connection assignments are imported successfully.
6. If any connection assignment is not imported into Catalog Administrator, then create or edit the connection assignment in Catalog Administrator as required.

Note: Connection assignments are not imported into Catalog Administrator when one of the following conditions is true:

- After test connection, you did not save and run the resource.
- There is a mismatch in connection names in Metadata Manager and Catalog Administrator.
- The resource configuration is different in Resources.xlsx workbook and in Catalog Administrator.

Example

You have multiple resources in Metadata Manager and you want to view these resources in Enterprise Information Catalog so that you can classify and organise the data assets based on some business decisions. To accomplish this task, you can use the Metadata Manager utility to export resources from Metadata Manager to Catalog Administrator. After you export the resources, you can edit and run the resources to extract operational and physical metadata from the resources. In Enterprise Information Catalog, you can classify and organise the data assets as needed. You can also view the data lineage and relationship information for each data object.

The following example shows how you can import a few sample resources from Metadata Manager version 9.6.1 HotFix 4 into Catalog Administrator version 10.2:

1. Before you download the utility, make sure you have the following details handy:
   - Import utility file path
   - Metadata Manager URL
   - Metadata Manager user name
   - Metadata Manager password
   - Catalog Administrator URL
   - Catalog Administrator user name
   - Catalog Administrator password
   - mmcmd utility file path
2. Configure the JAVA_HOME environment variable in the following location:

   `<Informatica services installation directory>\java\jre`

3. Download and extract the import utility **mm2eicMigrator** to the following location:

   `<Informatica utilities installation directory>\MetadataManager\utilities\`

4. In the command prompt, navigate to the `<Informatica services installation directory>/services/MetadataManagerService/utilities/mm2eicMigrator` folder.


5. Run the following command:

   ./mm2eicMigrator.sh exportFromMM -mmUrl <metadata_manager_url> -mmUser <metadata_manager_username> -mmPassword <mm_user_password> -ldmServiceUrl <catalog_administrator_url> -ldmUser<catalog_administrator_username> -ldmPassword <catalog_administrator_password> -mmCmdHome <mmcmd_path>

6. After the command run is successful, open the `<Informatica services installation directory>/mm2eicMigrator/MMExport/excel` folder.

7. Open **Resources.xlsx** workbook. The resources that can be imported by the utility is listed in the workbook. In this example, sample resource types that are exported are PowerCenter, Oracle, and OBIEE. Three worksheets are created by the utility. Each worksheet lists a resource type and its related resources.

   The following image shows a sample Resources.xlsx workbook:




1. The column names in red are mandatory. Enter the values as required. If you do not fill in the mandatory fields, then the parameters remain empty after export and the test connection for the resource fails in Catalog Administrator.
2. The empty mandatory fields are highlighted in yellow. Enter the values as required. If you do not fill in the mandatory fields, then the parameters remain empty after export and the test connection for the resource fails in Catalog Administrator.
3. A worksheet is created for each resource type where all the resources and its related parameters appear.
4. All the valid values for a parameter is displayed in the comment or annotation of the cell.

   Enter the mandatory values for the cells in yellow color and save the workbook. Open each worksheet, edit the values as required, and save the workbook.

8. Open **InvalidNames.xlsx** workbook. Two resources have characters in the resource name that are not supported by Catalog Administrator. Change the names of the two resources and save the workbook.

   The following image shows a sample InvalidNames.xlsx workbook:



1. In the sample file, the Metadata Manager resource names have dots that is not supported by Catalog Administrator. Replace the dot with a supported character.

9. Open **UnsupportedResources.xlsx** workbook. The resources listed in this workbook are not exported to Catalog Administrator.

   The following image shows a sample UnsupportedResources.xlsx workbook:

Resource Name	Resource Type	Comment
Sn_file_default	SAP R/3	This resource type is not supported for migration.
ST_file_8	SAP R/3	This resource type is not supported for migration.
Rtin95_Mart	SAP R/3	This resource type is not supported for migration.

10. Open **Connections.xlsx** workbook. The connections for the resources are listed in this workbook.

    The following image shows a sample Connections.xlsx workbook:

Resource Name	Resource Type	Connection Name	Target Resource Name	Schema Name	Auto Assigned
PC_basic1	PowerCenter	cross_rrs_linking	oracle_sid1	CROSS_RRS_LINKING	FALSE
PC_basic1	PowerCenter	cross_rrss_linking_dup	oracle_sid1	CROSS_RRSS_LINKING_DUP	FALSE
PC_basic1	PowerCenter	goldw	Auto_Or2	GOLDW	FALSE
PC_w1param	PowerCenter	cross_rrss_linking_dup	oracle_sid1	CROSS_RRSS_LINKING_DUP	FALSE
PC_w1param	PowerCenter	Magen_Src	oracle_sid1	SGSPLEDB	FALSE
OBIE_11	OBIEE	ORCL	Auto_Or2	GOLDW	FALSE
PC_961HF3_EIC	PowerCenter	oracle_11g	LDM_D1	LDM_D1	FALSE

11. Run the following command:

    /mm2eicMigrator.sh importResourcesToLDM -ldmServiceUrl <catalog_administrator_url> -ldmUser <catalog_administrator_username> -ldmPassword <catalog_administrator_password>

    The resources are imported into Catalog Administrator.

12. Open the mm2eicMigrator.log file to verify if all the resources are imported successfully.
13. In the Catalog Administrator, navigate to **Open** > **Assets** > **Resources** panel.
14. Click the **PC_B1** resource.

    The resource appears in Resource workspace.

15. Click **Edit**.
16. Verify the connection properties, and click **Test Connection**.
17. After the connection successful message appears, click **Save and Run**.
18. Close the resource.
19. Check the connection for all the other resources and run the resources.
20. Run the following command:

    ./mm2eicMigrator.sh importEnrichmentsToLDM-ldmServiceUrl <catalog_administrator_url> -ldmUser <catalog_administrator_username> -ldmPassword <catalog_administrator_password>

    The connections for the resources are imported into Catalog Administrator.

21. Open the mm2eicMigrator.log file to verify if all the connection assignments are imported successfully.
22. If any connection assignment is not imported into Catalog Administrator, then create or edit the connection assignment in Catalog Administrator as required.

Utility Commands

When you run the import utility commands, you enter options for each command followed by required arguments. Command options are preceded by a hyphen and are not case-sensitive. Arguments follow the option.

exportFromMM

When you run the exportfromMM command, the resources are exported from Metadata Manager to a location on the client machine.

The exportFromMM command uses the following syntax:

```
exportFromMM
-mmUrl <metadata_manager_url>
-mmUser <metadata_manager_username>
-mmPassword <mm_user_password>
-ldmServiceUrl <catalog_administrator_url>
-ldmUser <catalog_administrator_username>
-ldmPassword <catalog_administrator_password>
-mmCmdHome <mmcmd_path>
```

The following table describes the exportfromMM command options and arguments:

Option	Argument	Description
-mmUrl	metadata_manager_url	Required. Enter the Metadata Manager instance URL.
-mmUser	metadata_manager_username	Required. Enter the user name for the Metadata Manager instance.
-mmPassword	mm_user_password	Required. Enter the password for the Metadata Manager instance.
-ldmServiceUrl	catalog_administrator_url	Required. Enter the Catalog Administrator instance URL.
-ldmUser	catalog_administrator_username	Required. Enter the user name for the Catalog Administrator instance.
-ldmPassword	catalog_administrator_password	Required. Enter the password for the Catalog Administrator instance.
-mmCmdHome	mmcmd_path	Required. Enter the path for the mmcmd utility.

ImportResourcestoLDM

When you run the ImportResourcestoLDM command, the resources are imported into Catalog Administrator.

The ImportResourcestoLDM command uses the following syntax:

```
ImportResourcestoLDM
-mmUrl <metadata_manager_url>
-ldmServiceUrl <catalog_administrator_url>
-ldmUser <catalog_administrator_username>
-ldmPassword <catalog_administrator_password>
```

The following table describes the ImportResourcestoLDM command options and arguments:

Option	Argument	Description
-ldmServiceUrl	catalog_administrator_url	Required. Enter the Catalog Administrator instance URL.
-ldmUser	catalog_administrator_username	Required. Enter the user name for the Catalog Administrator instance.
-ldmPassword	catalog_administrator_password	Required. Enter the password for the Catalog Administrator instance.

ImportEnrichmentsToLDM

When you run the ImportEnrichmentsToLDM command, the connections for the resources are imported into Catalog Administrator.

The ImportEnrichmentsToLDM command uses the following syntax:

```
ImportEnrichmentsToLDM
-mmUrl <metadata_manager_url>
-ldmServiceUrl <catalog_administrator_url>
-ldmUser <catalog_administrator_username>
-ldmPassword <catalog_administrator_password>
```

The following table describes the ImportEnrichmentsToLDM command options and arguments:

Option	Argument	Description
-ldmServiceUrl	catalog_administrator_url	Required. Enter the Catalog Administrator instance URL.
-ldmUser	catalog_administrator_username	Required. Enter the user name for the Catalog Administrator instance.
-ldmPassword	catalog_administrator_password	Required. Enter the password for the Catalog Administrator instance.

Frequently Asked Questions

From where can I download the import utility?

To download the Metadata Manager to Enterprise Information Catalog import utility, contact Informatica Global Customer Support.

If a resource is not supported by the import utility, how do I use it in Catalog Administrator?

Create the resource manually in Catalog Administrator.

My resources are in Metadata Manager version 9.5.1, how can I import the resources into Catalog Administrator?

Upgrade to 9.6.1 HotFix 4 or 10.1.1 HotFix 2 and then use the utility to import the resources.

What are the possible reasons for import to fail for a resource?

- If an existing Catalog Administrator resource has the same name as the imported resource. You can change the name of the resource in the Resources.xlsx workbook and run the importResourcesToLDM command.
- If the resource name has a character that is not supported by Catalog Administrator. You can change the name of the resource in the InvalidNames.xlsx workbook and run the importResourcesToLDM command.
- If a resource is not supported by the utility. See UnsupportedResources.xlsx for more information.

What information about a resource might not be exported to Enterprise Information Catalog after I run the utility?

The following information might not exported by the utility to Enterprise Information Catalog:

- Schedule details for a resource.

After importing a resource into Enterprise Information Catalog, I made some changes to the resource in Metadata Manager. When I run the utility, the resource is not being imported, why?

The utility does not overwrite or merge a resource in Catalog Administrator. Therefore, rename the resource in the Resources.xlsx workbook and run the importResourcesToLDM command.

Note: This action might create multiple instances of the same resource with different names in Catalog Administrator.

For some resources, the Agent URL version differs in Metadata Manager and Catalog Administrator. How will this impact the import process?

If there is a mismatch in Agent URL version, then the resource is imported into Enterprise Information Catalog but the test connection fails. Therefore, before you import Microstrategy, SAP Business Objects, Cognos, and ERwin resources, enter the compatible Enterprise Information Catalog Agent URL in the Resources.xlsx workbook and run the ImportResourcestoLDM command. If you see a mismatch after the resource is imported, edit the URL for the resource, test the connection, save, and run the resource in Catalog Administrator.

I do not see the previous resources' information in the excel folder when I run the import utility?

The utility overwrites the Microsoft Excel files in the MMExport folder. Therefore, it is recommended to take a backup of the MMExport folder before you run the utility.

I downloaded and extracted the utility but I am not able to run the exportFromMM command. I get the line 1: /bin/java: No such file or directory error. What do I do?

Configure the JAVA_HOME environment variable, and run the exportFromMM command.

After running the ImportEnrichmentsToLDM command, connection assignment fails for a resource in Catalog Administrator. What do I do?

Edit the connection assignment for the resource in Catalog Administrator and run the resource.

Will the utility import a resource into Catalog Administrator if I enter any incorrect value or if I do not enter a mandatory parameter in the Resources.xlsx workbook?

This utility imports the resource but the test connection for the resource fails in Catalog Administrator. Edit the resource configuration as required, test the connection, save and run the resource in Catalog Administrator.

For an ERwin (File) resource, the test connection runs successfully but the resource run fails after import? Why?

This issue might occur when both the following conditions are true:

- Agent URL parameter is not empty in the Resources.xlsx workbook.
- After running the importResourcesToLDM command, you did a test connection for the resource and did not save and run the resource.

To resolve the issue, test the connection, and save and run the resource.

After import to Enterprise Information Catalog, parameterization is not working for the imported PowerCenter resources in Metadata Manager version 9.6.1 HotFix 4. What do I do?

If the PoweCenter resource in Metadata Manager version 9.6.1 HF4 has parameter files then make sure that you create a params.zip compatible for Enterprise Information Catalog as the zip file created by the utility might be incorrect. You can then upload the zip file for the resource in Catalog Administrator.

What are the possible reasons that the PowerCenter resources might not be imported correctly into Enterprise Information Catalog?

- Metadata Manager and Catalog Administrator comprehends the PowerCenter resource parameters differently. Therefore, it is recommended that you curate the mandatory parameters in the Resources.xlsx workbook as required. If the values are incorrect or if you did not enter a mandatory value, then the test connection fails for the resource.
- Connection assignment might not work for a PowerCenter resource if there is a mismatch in values in the Resources.xlsx workbook and Enterprise Information Catalog.

The error "Skipping folder: A_~!@#$%^&*()_+{}:"><?/.,;']\[\-=B for resource: PC_961HF4 as the name has invalid characters. Characters [<,>] are not supported in EIC" appears when I run the exportFromMM command. What do I do?

If the folders chosen for a PowerCenter resource in Metadata Manager has greater than (>) or lesser than (<) characters, those folders are not added to the Repository Subset parameter in the Resources.xlsx, therefore the resource is not exported by the utility.

What happens when there is a mismatch of values for a resource in the Resources.xlsx workbook and in Enterprise Information Catalog?

The connection assignment works for a resource only if the values match in Resources.xlsx workbook and Enterprise Information Catalog.

When I run the importResourcesToLDM command, I get the "Exception in thread "main" [ERROR] - Cannot get a STRING value from a NUMERIC cell" error. What do I do?

This might happen when you add a row in the Resources.xlsx and the utility does not identify cell content as text. The utility does not import the resource and the error appears. Therefore, it is recommended that If you add a row in the Resources.xlsx workbook, change the format of the row to text to avoid automatic format conversion.

What are the possible reasons a resource might appear in UnsupportedResources.xlsx workbook?

A resource might appear in the UnsupportedResources.xlsx workbook if you have configured the following parameters in the resource configuration file in Metadata Manager:

- Use trusted connection
- SSL encryption method
- advancedJDBCParameters

I exported Metadata Manager resources of certain versions that is not supported by Enterprise Information Catalog, what do I do?

In the Resources.xlsx workbook, enter the latest version of the resource type that is supported by Enterprise Information Catalog and run the ImportResourcestoLDM command.

The following list has a few examples that shows how you can handle mismatch of versions in resource types:

- ERwin 8.x and 9.x is supported by Catalog Administrator. Therefore, in the Resources.xlsx workbook, the ERwin versions 7.x or lower must be updated to the latest supported ERwin version in Enterprise Information Catalog.
- For Netezza resources, the Netezza version 5 and version 6 must be updated to the latest supported Netezza version. For example, Netezza version 7.

Is the utility progress logged? Where do I find the log file?

You can view the logs in the mm2eicMigrator.log file. It is located in the `<Informatica_1020_MM_to_EIC_Import_Utility extracted location>/mm2eicMigrator` folder. You can view all the imported resources and connection assignment in the log file.

I see -force option in the utility? Where can I use it?

Currently, the utility does not use the -force option. You can ignore the option.

I am not able to run the utility on the machine where the server is not installed? What do I do?

Download and install the Command Line Utility on your machine. Use the mmcmd path in the commands, and run the commands.

Terminology

Catalog Administrator

Catalog Administrator is the administration tool that you can use to manage and monitor the resources, schedules, attributes, and connections.

Command Line Utility

To extract metadata from Informatica version 10.1.1 HotFix 1 application that is deployed to a Data Integration Service, you must install the version 10.1.1 HotFix 1 Command Line Utility. Install the utility in a directory that the Metadata Manager Service can access. Informatica recommends that you extract the files to a directory on the machine that runs the Metadata Manager Service. If you extract the files to a different machine, the Metadata Manager Service can take several minutes to access the directory. If you don't install the utility, the Metadata Manager may not load the resource. The Command Line Utilities are included in the Command Line Utilities zip file. Contact Informatica Global Customer Support to get the zip file for version 10.1.1 HotFix 1.

Data Asset

A data asset in Enterprise Information Catalog is a type of data object, such as a physical data source, HDFS, or big-data repository. Assets also represent the data objects such as tables, columns, reports, views, and schemas. The data assets in the enterprise might exist in relational databases, purpose-built applications, reporting tools, HDFS, and other big-data repositories.

Enterprise Information Catalog

Enterprise Information Catalog helps you analyze and understand large volumes of metadata in the enterprise. You can extract physical and operational metadata for many objects, organize the metadata based on business concepts, and view the data lineage and relationship information for each object. Enterprise Information Catalog maintains a catalog. The catalog serves as a centralized repository that stores all the metadata extracted from different external sources.

Metadata Manager

Informatica Metadata Manager is a web-based metadata management tool and it runs as a service in an Informatica domain. You can extract, browse, analyse metadata in Metadata Manager. You can run data lineage for the metadata in Metadata Manager warehouse.

mmcmd

mmcmd is a command line program that loads and manages resources, imports and exports models and custom resources, creates and deletes Metadata Manager repository contents, and restores PowerCenter® repository contents. mmcmd is installed when you run the Informatica services installer or the Informatica client installer. You can also install mmcmd on any machine when you install Informatica utilities. mmcmd is installed as a batch file on Windows and as a shell script on UNIX. Run mmcmd from the command line. You can issue commands directly or from a script, batch file, or other program.

mmcmd is located in the following directories:

- `<Informatica services installation directory>\services\MetadataManagerService\utilities\mmcmd`

- `<Informatica client installation directory>\clients\PowerCenterClient\CommandLineUtilities\MM\mmcmd`
- `<Informatica utilities installation directory>\MetadataManager\utilities\mmcmd`

PowerCenter Repository

Stores the PowerCenter workflows, which extract source metadata from IME-based files and load it into the Metadata Manager warehouse. You create the PowerCenter repository when you create the Metadata Manager Service.

Resource

A resource is a catalog object that represents an external data source or metadata repository from where scanners extract metadata. Resource is a representation of a resource type, such as Oracle, SQL Server, or PowerCenter.

Resource Configuration File

A resource configuration file is an XML file that contains all configuration properties and values for a resource. A resource configuration file has the .rcf file name extension.

Resource type

Resource type is a type of external data source or metadata repository from which scanners extract metadata. represents different metadata source systems.

Scanner

Scanner is a pluggable component of Enterprise Information Catalog that extracts specific metadata, such as source metadata or profile metadata, from external data sources and stores the metadata in the catalog.

References

You can refer to the following guides for more information:

- To install Metadata Manager, see *Informatica Installation and Configuration Guide*.
- To install Enterprise Information Catalog, see *Informatica Enterprise Information Catalog Installation and Configuration Guide*.
- To upgrade Metadata Manager, see the Informatica Upgrade Guides.
- For more information about the mmcmd command line program, see *Metadata Manager Command Reference Guide*.
- For more information about resources in Metadata Manager, see *Metadata Manager Administrator Guide*.
- For more information about resources and resource types in Catalog Administrator, see *Informatica Catalog Administrator Guide*.
- For more information about data assets in Enterprise Information Catalog, see *Informatica Enterprise Information Catalog User Guide*.

Author

Lavanya S

Acknowledgements

The author would like to thank Rashmi Mani and Shruthi M for their contributions to this article.