How-To Library

Informatica

Fetch profiling statistics of tables in a resource

© Copyright Informatica LLC 2021. Informatica and the Informatica logo are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at https://www.informatica.com/trademarks.html.

Abstract

You can use the Catalog Search API to fetch tables that were profiled in a resource. This article includes steps on how to use the REST API to identify tables that were profiled and the date and time of profiling. Alternatively, you can also use a Python script to fetch tables that were profiled in a resource.

Supported Versions

- Enterprise Data Catalog 10.5.1

Table of Contents

Overview. 2
Run the catalog search API to find assets with profiling information. 2
Prerequisites for Python. 3
Python code to invoke API. 4

Overview

You can use the Enterprise Data Catalog REST API or a Python script to fetch tables that include profile information.


You can configure profiling for a resource in Catalog Administrator. After you run a resource with profiling, you can use the Catalog Search API to fetch profiling information such as the last profile time and estimated row count.

You can also use the Python script to automate the process of fetching tables with profiling information. In the Python script, you can provide the resource name as an input to fetch profiling information. The script returns an excel report that displays tables that were profiled and the last profile time.

Run the catalog search API to find assets with profiling information


Perform the following steps to fetch assets with profiling information using the Catalog Search API in Swagger:

1. Log in to the Swagger user interface with the following default URL: `<Hostname>:<port>/access/swagger-ui.html#/<CatalogAdmin>`
2. Navigate to the Object Information APIs. You can use the Object Information APIs to list the objects, view the details of the objects, and view the relationships between the objects in the catalog.
3. Use the GET method Catalog Search API to fetch the list of assets with profiling information as shown in the following image:



4. Click **Try it out**.


5. The following table lists the parameter that you need to specify to view all the assets:

Property	Value
q string (query)	Enter the search query to match catalog assets. For example, `core.classType:*.Table AND core.resourceName:"sales_sachin"` 

6. Click **Execute**.

After you run the Catalog Search API, the response displays the profiling information for tables in the resource as shown in the following image:

Response:



Prerequisites for Python

Before you fetch profiled assets using the python script, you must consider the following prerequisites:

- Install Python version 3.6 or later on a UNIX machine. Ensure that you specify the Enterprise Data Catalog host and port details.
- Verify that Python contains the **pandas** and **requests** modules.
- The catalog user that you provide in the Python script must have access to the resource.

Python code to invoke API

The public github repository contains the Python code that you can use to fetch profile results: https://github.com/arindamghosh2021/InformaticaDG/blob/main/EDC_search_profile_table_new.py

The following are a few output file samples:https://github.com/arindamghosh2021/InformaticaDG/blob/main/ProfileTables_Oracle_DD.csvhttps://github.com/arindamghosh2021/InformaticaDG/blob/main/ProfileTables_Sales_sachin.csv

Author

Sabha S and Sachin Jain